

## MS.80.5

*Acta Cryst.* (2011) A67, C178**Photoexcited state crystallography of luminescent hexanuclear d<sup>10</sup> metal complexes**

Yoshiki Ozawa, Toru Ishida, Koshiro Toriumi *Department of Material Science, University of Hyogo (Japan)*. E-mail: ozawa@sci.u-hyogo.ac.jp

Hexanuclear metal complexes of Cu(I) or Ag(I) [ $M_6(R\text{-pyt})_6$ ] ( $M = \text{Cu, Ag}$ ;  $\text{pyt}^- = \text{pyridinethiolato}$ ) (Fig. 1) give intense luminescence under UV illumination in the solid-state. The nature of the emission has been assigned to a triplet multi-metal cluster-centered ( ${}^3\text{CC}$ ) transition state like as in the halogen bridged Cu(I) tetranuclear cubane-like cluster complexes. [1,2] On the photo-excited states, the metal-cluster core is expected to be shrunk because of an electron migration to the CC orbital, that has a bonding-character. To figure out the photo-emission process by direct observation of the molecular distortion, we have performed single crystal X-ray structure analyses at the photo-excitation states.

X-ray diffraction experiments under photo-irradiation were performed at the SPring-8 BL02B1 station. A single crystal of the copper(I) complex with ethyl-pyridinethiole ligands [ $\text{Cu}_6(\text{Et-pyt})_6$ ] ( $\text{Et-pytH} = 6\text{-ethylpyridine-2-thione}$ ) was mounted on the vacuum camera at 25 K was used for X-ray diffraction data collection under UV laser (325/442 nm, 0.03/0.1 W) irradiation. Photo-difference Fourier syntheses at the section of the triangle  $\text{Cu}_3$  plane perpendicular to the virtual 3-fold axis of the molecule show that two of three Cu atoms move toward to the remaining Cu atom (Fig. 2). This indicates that the contraction of Cu-Cu atomic distance will occur at the photo-excitation state resulting in shrinkage of the metal cluster core. We have also performed the same experiments for the silver complex [ $\text{Ag}_6(\text{Et-pyt})_6$ ]. The observed peaks and holes of charge densities in the photo-difference Fourier maps are similar to that in the Cu crystal, although their amplitude is below the significant levels.




Fig.1




Fig.2

[1] H. Xie, I. Kinoshita, T. Karasawa, K. Kimura, T. Nishioka, I. Akai, K. Kanemoto, *J. Phys. Chem. B*, **2005**, *109*, 9339-9345. [2] P.C. Ford, A. Vogler, *Acc. Chem. Res.* **1993**, *26*, 220-226.

**Keywords:** photochemistry, accurate measurement, synchrotron radiation

## MS.81.1

*Acta Cryst.* (2011) A67, C178**A-site ordered perovskite-structure oxides with functional properties**


Yuichi Shimakawa, *Institute for Chemical Research, Kyoto University, JST, CREST, Kyoto, (Japan)*. E-mail: shimak@scl.kyoto-u.ac.jp

A very unusual ordered arrangement of the A-site ions in the simple  $\text{ABO}_3$  perovskite produces  $\text{AA}'_3\text{B}_4\text{O}_{12}$  A-site ordered perovskites. The A site accommodates alkaline metals, alkaline-earth metals, and

lanthanides like those in the simple perovskites. At the originally 12-fold coordinated A' site, transition-metal ions such as  $\text{Cu}^{2+}$  and  $\text{Mn}^{3+}$  form square coordinated units that align perpendicular to each other. The presence of the transition-metal ions at both A' and B sites produces A'-A' and and/or A'-B interactions in addition to B-B interaction usually seen in the simple perovskite materials. Competitive and/or cooperative interplay of these interactions gives rise to diverse and intriguing physical properties [1].

Two new A-site ordered perovskite-structure oxides,  $\text{CaCu}_3\text{Fe}_4\text{O}_{12}$  [2] and  $\text{LaCu}_3\text{Fe}_4\text{O}_{12}$  [3], are highlighted. They were synthesized under high-pressure and high-temperature conditions. The compounds contain unusually high valence states of iron:  $\text{Fe}^{4+}$  in  $\text{CaCu}_3\text{Fe}_4\text{O}_{12}$  and  $\text{Fe}^{3.75+}$  in  $\text{LaCu}_3\text{Fe}_4\text{O}_{12}$ . Instabilities of the high oxidation states at low temperatures are resolved in  $\text{CaCu}_3\text{Fe}_4\text{O}_{12}$  by charge disproportionation from  $\text{Fe}^{4+}$  to  $\text{Fe}^{3+}$  and  $\text{Fe}^{5+}$ , and in  $\text{LaCu}_3\text{Fe}_4\text{O}_{12}$  by charge transfer between A-site Cu and B-site Fe ions. The charge disproportionation and the charge transfer are accompanied by significant changes in structural, transport, and magnetic properties.

We also show a few examples of new A-site ordered perovskites with intriguing physical properties.  $\text{BiCu}_3\text{Mn}_4\text{O}_{12}$  [4] is a ferrimagnetic metal. The half metallic nature of the material produces spin-polarized conduction electrons leading to large magnetoresistance under a low applied field. In  $\text{CaCu}_3\text{Ge}_4\text{O}_{12}$  -  $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$  -  $\text{CaCu}_3\text{Sn}_4\text{O}_{12}$  system [5], we can see very unusual A'-site magnetism, in which either ferromagnetic or antiferromagnetic behavior of A'-site  $\text{Cu}^{2+}$  ( $S = 1/2$ ) spins can appear within the same structural framework.



Crystal structure of A-site ordered perovskite

[1] Y. Shimakawa, *Inorg. Chem.* **2008**, *47*, 8562. [2] I. Yamada, *et al.*, *Angew. Chem. Int. Ed.* **2008**, *47*, 7032. [3] Y.W. Long, *et al.*, *Nature* **2009**, *458*, 60. [4] K. Takata, *et al.*, *Phys. Rev. B* **2007**, *76*, 024429. [5] Y. Shimakawa, *et al.*, *J. Phys. Soc. Jpn.* **2008**, *77*, 113702.

**Keywords:** A-site ordered perovskite-structure oxides, crystal structure, physical property

## MS.81.2

*Acta Cryst.* (2011) A67, C178-C179**Electron crystallography for li-based battery materials**

Joke Hadermann,<sup>a</sup> Artem M. Abakumov,<sup>a</sup> Nellie R. Khasanova,<sup>b</sup> Evgeny V. Antipov,<sup>b</sup> Gustaaf Van Tendeloo,<sup>a</sup> <sup>a</sup>EMAT, *University of Antwerp, Antwerp (Belgium)*. <sup>b</sup>*Inorganic Chemistry Department, Moscow State University, Moscow (Russia)*. E-mail: joke.hadermann@ua.ac.be