

s5.m16.o6

**High-pressure phase transition of Fe<sub>2</sub>O<sub>3</sub>.**

Shigeaki Ono, *Institute for Frontier Research on Earth Evolution, Japan Marine Science & Technology Center, Yokosuka-shi, 237-0061, Japan. E-mail: sono@jamstec.go.jp*

**Keywords: Phase Transition, Iron Oxide, CaIrO<sub>3</sub>-Structure**

Iron oxide and iron-bearing compounds exist in significant abundance in the Earth's mantle and play an important role in determining the physical properties of the Earth's interior. The investigation of hematite, Fe<sub>2</sub>O<sub>3</sub>, is useful in providing information that can lead to a better understanding of the group of compounds that crystallize in similar structures. It is generally known that MgSiO<sub>3</sub> perovskite, which is a dominant phase in the lower mantle, can contain a significant Fe<sub>2</sub>O<sub>3</sub> component. In addition, Fe<sub>2</sub>O<sub>3</sub> hematite (*R-3c*) transforms to a perovskite-type structure (*Pbnm*) at high pressures [1,2]. This high-pressure phase of Fe<sub>2</sub>O<sub>3</sub> is an isostructure of MgSiO<sub>3</sub> perovskite. The similarity of the structure is likely to affect the solubility of the Fe<sub>2</sub>O<sub>3</sub> component and the dissolved Fe<sub>2</sub>O<sub>3</sub> must change the stability of MgSiO<sub>3</sub> perovskite. In this study, structural phase transitions of iron oxide (Fe<sub>2</sub>O<sub>3</sub>) have been investigated at pressures up to 100 GPa and temperatures above 2500 K. High-pressure X-ray diffraction experiments were performed using a laser-heated diamond anvil cell (LHDAC) high-pressure apparatus. The samples were heated with a TEM01-mode YLF laser or a multi-mode YAG laser to overcome potential kinetic effects on possible phase transitions. The sample temperature was measured using the spectroradiometric method. The samples were probed using an angle-dispersive X-ray diffraction technique at the synchrotron beam lines BL10XU, SPring-8 and BL13A, PF in Japan [3,4]. A phase transition between alpha-Fe<sub>2</sub>O<sub>3</sub> (hematite) and perovskite-type Fe<sub>2</sub>O<sub>3</sub> was observed at about 30 GPa. At pressures higher than 60 GPa, we also observed the occurrence of a new high-pressure phase of Fe<sub>2</sub>O<sub>3</sub>[5]. The new phase showed an orthorhombic symmetry (space group: *Cmcm*) that are denser than other known Fe<sub>2</sub>O<sub>3</sub> phases and was confirmed to remain stable to 100 GPa. The structure of the new phase was same as that of CaIrO<sub>3</sub>. The volume change from perovskite-type to the CaIrO<sub>3</sub>-type phase is about 7 %. Because Fe<sub>2</sub>O<sub>3</sub> is an analog material of MgSiO<sub>3</sub>, it is possible that this new CaIrO<sub>3</sub>-type structure, *Cmcm*, is also the post-perovskite structure in MgSiO<sub>3</sub>. Therefore, there is a possibility that the seismic anomaly at the base of lower mantle, D'' layer, is attributable to the transformation from the perovskite to the CaIrO<sub>3</sub>-type structure in MgSiO<sub>3</sub>.

[1] J.S. Olsen *et al.*, *Physica Scripta* **43** (1991) 327-330

[2] G.K. Rozenberg *et al.*, *Phys. Rev. B* **65** (2002) 064112

[3] S. Ono *et al.*, *Phys. Chem. Mineral.* **29** (2002) 527-531

[4] S. Ono *et al.*, *Phys. Earth Planet. Inter.* **131** (2002) 311-318

[5] S. Ono *et al.*, *J. Phys. Chem. Solid* (2004) in press

s5.m17.o1

**Neutron Diffraction Analyses of Intact**

**Museum Objects.** W. Kockelmann<sup>a</sup>, A. Kirfel<sup>b</sup>, C. Neelmeijer<sup>c</sup>, H.-M. Walcha<sup>d</sup>, R. Traum<sup>e</sup>, R. Linke<sup>f</sup>, M. Schreiner<sup>g</sup>, <sup>a</sup>Rutherford Appleton Laboratory, ISIS, Chilton, OX11 0QX, UK, <sup>b</sup>Mineralogisches Institut, Universität Bonn, Poppelsdorfer Schloss, 53115 Bonn, Germany, <sup>c</sup>Forschungszentrum Rossendorf Inc., P.O.B. 510119, D-01314 Dresden, Germany, <sup>d</sup>Staatliche Kunstsammlungen Dresden, Porzellansammlung im Zwinger, Sophienstr. 1, D-01067, Dresden, Germany, <sup>e</sup>Münzkabinett, Kunsthistorisches Museum Wien, Burgring 5, A-1010 Wien, Austria, <sup>f</sup>Institut für Wissenschaften und Technologien in der Kunst, Akademie der bildenden Künste Wien, Schillerplatz 3, A-1010 Wien, Austria. E-mail: W.Kockelmann@rl.ac.uk

**Keywords: Neutron Diffraction, Quantitative Phase Analysis, Texture Analysis, Archaeometry**

Neutron diffraction as an archaeometric technique has a particular strong case if any material sampling such as cutting or coring is out of question for intact and unique archaeological artifacts and museum objects. Being both a phase and structure sensitive technique, information about the phase content, the microstructure, the bulk texture, and internal stresses can be non-destructively obtained. The knowledge of the variation of these material properties over different parts of big objects is important for the understanding of ancient production methods. The determination of the mineral phase abundance in ceramics, for example, may provide information on firing conditions such as firing temperatures. Microstructural analyses of metal objects, such as ancient tools, weapons or coins, may hint to specific manufacturing steps like plastic deformation processes or thermal treatments. A texture analysis provides pole figures that may be regarded as fingerprints of the making history. In case the historic production methods are known, the texture information may help to distinguish genuine from fake objects.

Here we report on two recent archaeometric neutron diffraction studies on the time-of-flight diffractometer ROTAX at ISIS at the Rutherford Appleton Laboratory, UK: quantitative phase analysis of 18<sup>th</sup> century Böttger stoneware from the State Art Collections Dresden and texture analysis of 16<sup>th</sup> century silver coins from the Kunsthistorisches Museum Wien. Böttger stoneware represents a unique technological development and is characterised by a particular hardness which makes it suitable for surface polishing. The diffraction analyses aimed at distinguishing Böttger objects from other types of red stoneware from China (Yixing), Holland (Ary de Milde) and Plau in Germany on the basis of the mineral phase content. Another neutron application concerns the texture analysis of silver/copper Taler coins aiming at identifying different 16<sup>th</sup> century minting techniques in order to distinguish between genuine and fake coins.