

Octa-*n*-butyl-1 κ^2 C,2 κ^2 C,3 κ^2 C,4 κ^2 C-tetrakis(μ -2-hydroxybenzoato)-1:2 κ^2 O:O;2:3 κ^2 O:O';3:4 κ^2 O:O;-1:4 κ^2 O:O'-di- μ_3 -oxido-1:2:3 κ^3 O:O:O;-1:3:4 κ^3 O:O:O-tetratin(IV)

Reza Reisi, Shahirin Siti Munirah, Misni Misran, Kong Mun Lo and Seik Weng Ng*

Department of Chemistry, University of Malaya, 50603 Kuala Lumpur, Malaysia
Correspondence e-mail: seikweng@um.edu.my


Received 22 July 2008; accepted 28 July 2008

Key indicators: single-crystal X-ray study; $T = 100$ K; mean $\sigma(\text{C}-\text{C}) = 0.003$ Å; R factor = 0.018; wR factor = 0.068; data-to-parameter ratio = 20.5.

In the centrosymmetric tetranuclear title compound, $[\text{Sn}_4(\text{C}_4\text{H}_9)_8(\text{C}_7\text{H}_5\text{O}_3)_4\text{O}_2]$, one of the two independent Sn atoms is five-coordinate in a *cis*- C_2SnO_3 trigonal-bipyramidal geometry [$\text{C}-\text{Sn}-\text{C} = 142.7(1)^\circ$]; the geometry is distorted owing to a long $\text{Sn}\cdots\text{O}$ (double bond) interaction [$\text{Sn}\cdots\text{O} = 2.862(1)$ Å]. The other Sn atom has a bent R_2Sn skeleton [$\text{C}-\text{Sn}-\text{C} = 144.0(1)^\circ$], but the geometry is best regarded as being a *trans*- C_2SnO_4 octahedron as the $\text{Sn}-\text{O}$ (single bond) interaction is shorter [$\text{Sn}-\text{O} = 2.674(1)$ Å].

Related literature

For a review of the structural chemistry of organotin carboxylates, see: Tiekink (1991, 1994). For a description of carboxylato-distannoxanes, see: Ng *et al.* (1991).



Experimental

Crystal data

$[\text{Sn}_4(\text{C}_4\text{H}_9)_8(\text{C}_7\text{H}_5\text{O}_3)_4\text{O}_2]$
 $M_r = 1512.10$
Triclinic, $P\bar{1}$
 $a = 11.4549(2)$ Å
 $b = 12.1610(2)$ Å
 $c = 13.4436(2)$ Å
 $\alpha = 106.300(1)^\circ$
 $\beta = 92.532(1)^\circ$

$\gamma = 115.204(1)^\circ$
 $V = 1597.18(5)$ Å³
 $Z = 1$
Mo $K\alpha$ radiation
 $\mu = 1.60$ mm⁻¹
 $T = 100(2)$ K
 $0.38 \times 0.30 \times 0.18$ mm

Data collection

Bruker SMART APEX diffractometer
Absorption correction: multi-scan (*SADABS*; Sheldrick, 1996)
 $T_{\min} = 0.581$, $T_{\max} = 0.761$

9253 measured reflections
7210 independent reflections
6583 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.008$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.018$
 $wR(F^2) = 0.067$
 $S = 1.17$
7210 reflections

352 parameters
H-atom parameters constrained
 $\Delta\rho_{\text{max}} = 0.91$ e Å⁻³
 $\Delta\rho_{\text{min}} = -0.86$ e Å⁻³

Table 1

Hydrogen-bond geometry (Å, °).

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
$\text{O3}-\text{H3}\cdots\text{O2}$	0.84	2.02	2.638 (2)	130
$\text{O6}-\text{H6}\cdots\text{O5}$	0.84	1.91	2.548 (2)	132

Data collection: *APEX2* (Bruker, 2007); cell refinement: *SAINT* (Bruker, 2007); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *X-SEED* (Barbour, 2001); software used to prepare material for publication: *pubCIF* (Westrip, 2008).

We thank the University of Malaya for funding this study (SF022/2007 A, FS339/2008 A) and also for the purchase of the diffractometer.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: TK2287).

References

- Barbour, L. J. (2001). *J. Supramol. Chem.* **1**, 189–191.
Bruker (2007). *APEX2* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
Ng, S. W., Chen, W. & Kumar Das, V. G. (1991). *J. Organomet. Chem.* **412**, 39–45.
Sheldrick, G. M. (1996). *SADABS*. University of Göttingen, Germany.
Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
Tiekink, E. R. T. (1991). *Appl. Organomet. Chem.* **5**, 1–23.
Tiekink, E. R. T. (1994). *Trends Organomet. Chem.* **1**, 71–116.
Westrip, S. P. (2008). *pubCIF*. In preparation.

supporting information

Acta Cryst. (2008). E64, m1103 [doi:10.1107/S1600536808023787]

Octa-*n*-butyl-1 κ^2 C,2 κ^2 C,3 κ^2 C,4 κ^2 C-tetrakis(μ -2-hydroxybenzoato)-1:2 κ^2 O:O;2:3 κ^2 O:O';3:4 κ^2 O:O;1:4 κ^2 O:O'-di- μ_3 -oxido-1:2:3 κ^3 O:O:O;1:3:4 κ^3 O:O:O-tetratin(IV)

Reza Reisi, Shahirin Siti Munirah, Misni Misran, Kong Mun Lo and Seik Weng Ng

S1. Comment

Diorganotin dicarboxylates are conveniently synthesized by condensing a diorganotin oxide with a carboxylic acid; occasionally, only one molar portion of the acid is used up to afford a tetranuclear distannoxane. The structural chemistry of distannoxanes has been reviewed (Ng *et al.*, 1991; Tiekink, 1991; 1994). The title compound (Scheme I, Fig. 1) is formed in a 1:2 condensation between di-*n*-butyltin oxide and 2-hydroxybenzoic acid. The hydroxyl-H atoms form intramolecular hydrogen bonds to the more weakly bound O atoms (Table 1).

S2. Experimental

Dibutyltin oxide (2 g, 8 mmol) and salicylic acid (2.2 g, 16 mmol) were acid heated in ethanol (100 ml) until the reactants dissolved completely. Slow evaporation of the filtered solution yielded colorless crystals.

S3. Refinement

Carbon-bound H-atoms were placed in positions (C–H 0.95 to 0.99 Å) and were included in the refinement in the riding model approximation, with $U(\text{H})$ set to 1.2–1.5 $U_{\text{eq}}(\text{C})$. The hydroxy H-atoms were similarly constrained (O–H 0.84 Å) but the hybridization of the oxygen atoms was assumed to be sp^2 .




Figure 1

Thermal ellipsoid plot (Barbour, 2001) plot of $[\text{Sn}_2(\text{C}_4\text{H}_9)_4(\text{C}_7\text{H}_5\text{O}_3)_2\text{O}]_2$ at the 70% probability level. Hydrogen atoms are drawn as spheres of arbitrary radius. The unlabelled atoms are related by a center of inversion.

Octa-*n*-butyl-1 κ^2 C,2 κ^2 C,3 κ^2 C,4 κ^2 C- tetrakis(- μ -2-hydroxybenzoato)-1:2 κ^2 O:O;2:3 κ^2 O: O';3:4 κ^2 O:O;1:4 κ^2 O:O'-di- μ_3 -oxido-1:2:3 κ^3 O:O:O; 1:3:4 κ^3 O:O:O-tetratin(IV)

Crystal data

$[\text{Sn}_4(\text{C}_4\text{H}_9)_8(\text{C}_7\text{H}_5\text{O}_3)_4\text{O}_2]$

$M_r = 1512.10$

Triclinic, $P\bar{1}$

Hall symbol: -P 1

$a = 11.4549 (2) \text{ \AA}$

$b = 12.1610 (2) \text{ \AA}$

$c = 13.4436 (2) \text{ \AA}$

$\alpha = 106.300 (1)^\circ$

$\beta = 92.532 (1)^\circ$

$\gamma = 115.204 (1)^\circ$

$V = 1597.18 (5) \text{ \AA}^3$

$Z = 1$

$F(000) = 764$

$D_x = 1.572 \text{ Mg m}^{-3}$

Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$

Cell parameters from 8563 reflections

$\theta = 2.1\text{--}30.4^\circ$

$\mu = 1.61 \text{ mm}^{-1}$

$T = 100 \text{ K}$

Block, colorless

$0.38 \times 0.30 \times 0.18 \text{ mm}$

Data collection

Bruker SMART APEX
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

ω scans

Absorption correction: multi-scan
(*SADABS*; Sheldrick, 1996)

$T_{\min} = 0.581$, $T_{\max} = 0.761$

9253 measured reflections

7210 independent reflections

6583 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.008$
 $\theta_{\text{max}} = 27.5^\circ$, $\theta_{\text{min}} = 1.6^\circ$
 $h = -7 \rightarrow 14$

$k = -15 \rightarrow 15$
 $l = -17 \rightarrow 17$

Refinement

Refinement on F^2
 Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.018$
 $wR(F^2) = 0.067$
 $S = 1.17$
 7210 reflections
 352 parameters
 0 restraints
 Primary atom site location: structure-invariant
 direct methods

Secondary atom site location: difference Fourier
 map
 Hydrogen site location: inferred from
 neighbouring sites
 H-atom parameters constrained
 $w = 1/[\sigma^2(F_o^2) + (0.0396P)^2 + 0.6175P]$
 where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\text{max}} = 0.001$
 $\Delta\rho_{\text{max}} = 0.91 \text{ e } \text{\AA}^{-3}$
 $\Delta\rho_{\text{min}} = -0.86 \text{ e } \text{\AA}^{-3}$

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
Sn1	0.474718 (13)	0.580180 (13)	0.753402 (10)	0.01404 (5)
Sn2	0.456706 (13)	0.604166 (12)	0.476911 (10)	0.01191 (5)
O1	0.41023 (18)	0.72441 (17)	0.74041 (13)	0.0253 (4)
O2	0.40862 (16)	0.75903 (15)	0.58632 (12)	0.0191 (3)
O3	0.37161 (16)	0.95576 (15)	0.57647 (12)	0.0214 (3)
H3	0.3993	0.9035	0.5466	0.032*
O4	0.54344 (15)	0.43088 (14)	0.72857 (11)	0.0163 (3)
O5	0.51748 (16)	0.45675 (15)	0.89385 (12)	0.0201 (3)
O6	0.55126 (18)	0.31818 (17)	0.99204 (13)	0.0265 (4)
H6	0.5272	0.3749	0.9937	0.040*
O7	0.48810 (14)	0.54280 (13)	0.59784 (11)	0.0140 (3)
C1	0.2821 (2)	0.4578 (2)	0.76932 (18)	0.0209 (4)
H1A	0.2382	0.3872	0.7011	0.025*
H1B	0.2912	0.4181	0.8223	0.025*
C2	0.1914 (2)	0.5184 (2)	0.80106 (18)	0.0214 (4)
H2A	0.1675	0.5439	0.7426	0.026*
H2B	0.2387	0.5972	0.8633	0.026*
C3	0.0665 (2)	0.4265 (2)	0.8274 (2)	0.0274 (5)
H3A	0.0195	0.3475	0.7652	0.033*
H3B	0.0905	0.4013	0.8860	0.033*
C4	-0.0249 (3)	0.4862 (3)	0.8588 (2)	0.0366 (6)
H4A	-0.1034	0.4240	0.8752	0.055*
H4B	-0.0508	0.5094	0.8003	0.055*
H4C	0.0206	0.5637	0.9210	0.055*
C5	0.6564 (2)	0.7396 (2)	0.84066 (17)	0.0197 (4)
H5A	0.7011	0.7831	0.7912	0.024*
H5B	0.6361	0.8013	0.8931	0.024*
C6	0.7543 (2)	0.7138 (2)	0.89931 (18)	0.0228 (4)
H6A	0.7175	0.6846	0.9577	0.027*
H6B	0.7669	0.6437	0.8504	0.027*
C7	0.8873 (2)	0.8329 (2)	0.94411 (18)	0.0239 (5)

H7A	0.9283	0.8563	0.8850	0.029*
H7B	0.8734	0.9057	0.9865	0.029*
C8	0.9803 (3)	0.8134 (3)	1.0124 (2)	0.0369 (6)
H8A	1.0637	0.8925	1.0386	0.055*
H8B	0.9960	0.7425	0.9706	0.055*
H8C	0.9414	0.7925	1.0722	0.055*
C9	0.2521 (2)	0.4950 (2)	0.41335 (16)	0.0172 (4)
H9A	0.2197	0.5510	0.3934	0.021*
H9B	0.2380	0.4239	0.3485	0.021*
C10	0.1726 (2)	0.4388 (2)	0.49052 (17)	0.0183 (4)
H10A	0.1809	0.5104	0.5527	0.022*
H10B	0.2104	0.3894	0.5152	0.022*
C11	0.0273 (2)	0.3510 (2)	0.44359 (19)	0.0252 (5)
H11A	0.0181	0.2778	0.3824	0.030*
H11B	-0.0110	0.3995	0.4180	0.030*
C12	-0.0483 (2)	0.2992 (3)	0.5246 (2)	0.0330 (6)
H12A	-0.1410	0.2432	0.4920	0.050*
H12B	-0.0406	0.3714	0.5847	0.050*
H12C	-0.0115	0.2498	0.5492	0.050*
C13	0.6307 (2)	0.76707 (19)	0.47831 (16)	0.0160 (4)
H13A	0.6772	0.7380	0.4247	0.019*
H13B	0.6055	0.8266	0.4568	0.019*
C14	0.7264 (2)	0.8419 (2)	0.58388 (16)	0.0171 (4)
H14A	0.6834	0.8776	0.6370	0.021*
H14B	0.7488	0.7824	0.6082	0.021*
C15	0.8518 (2)	0.9512 (2)	0.57547 (18)	0.0231 (5)
H15A	0.8287	1.0088	0.5488	0.028*
H15B	0.8956	0.9149	0.5237	0.028*
C16	0.9473 (2)	1.0299 (2)	0.6806 (2)	0.0314 (5)
H16A	1.0258	1.0991	0.6709	0.047*
H16B	0.9725	0.9740	0.7065	0.047*
H16C	0.9050	1.0674	0.7319	0.047*
C17	0.5490 (2)	0.4027 (2)	0.81372 (16)	0.0154 (4)
C18	0.5934 (2)	0.30563 (19)	0.81605 (16)	0.0155 (4)
C19	0.5912 (2)	0.2678 (2)	0.90565 (17)	0.0210 (4)
C20	0.6303 (3)	0.1737 (2)	0.9064 (2)	0.0295 (5)
H20	0.6281	0.1472	0.9666	0.035*
C21	0.6721 (3)	0.1191 (2)	0.8199 (2)	0.0313 (6)
H21	0.6990	0.0556	0.8215	0.038*
C22	0.6754 (2)	0.1561 (2)	0.73042 (19)	0.0250 (5)
H22	0.7044	0.1183	0.6712	0.030*
C23	0.6359 (2)	0.2481 (2)	0.72919 (17)	0.0186 (4)
H23	0.6375	0.2732	0.6682	0.022*
C24	0.39034 (19)	0.78038 (19)	0.68108 (17)	0.0148 (4)
C25	0.3413 (2)	0.8755 (2)	0.72378 (16)	0.0167 (4)
C26	0.3334 (2)	0.9564 (2)	0.67047 (17)	0.0179 (4)
C27	0.2884 (2)	1.0455 (2)	0.71614 (18)	0.0224 (4)
H27	0.2829	1.1005	0.6801	0.027*

C28	0.2519 (2)	1.0542 (2)	0.81310 (19)	0.0266 (5)
H28	0.2229	1.1162	0.8442	0.032*
C29	0.2572 (3)	0.9720 (2)	0.86622 (19)	0.0286 (5)
H29	0.2307	0.9772	0.9326	0.034*
C30	0.3010 (2)	0.8841 (2)	0.82159 (19)	0.0251 (5)
H30	0.3042	0.8280	0.8574	0.030*

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
Sn1	0.01990 (8)	0.01605 (8)	0.01136 (8)	0.01119 (6)	0.00618 (5)	0.00671 (6)
Sn2	0.01459 (8)	0.01233 (8)	0.01148 (8)	0.00713 (6)	0.00409 (5)	0.00591 (5)
O1	0.0400 (10)	0.0301 (9)	0.0223 (8)	0.0263 (8)	0.0132 (7)	0.0147 (7)
O2	0.0282 (8)	0.0202 (7)	0.0158 (7)	0.0162 (7)	0.0086 (6)	0.0070 (6)
O3	0.0302 (8)	0.0235 (8)	0.0191 (7)	0.0171 (7)	0.0104 (6)	0.0109 (6)
O4	0.0236 (7)	0.0180 (7)	0.0122 (7)	0.0122 (6)	0.0061 (6)	0.0073 (6)
O5	0.0297 (8)	0.0245 (8)	0.0150 (7)	0.0177 (7)	0.0091 (6)	0.0098 (6)
O6	0.0423 (10)	0.0318 (9)	0.0164 (8)	0.0234 (8)	0.0087 (7)	0.0128 (7)
O7	0.0192 (7)	0.0157 (7)	0.0119 (6)	0.0104 (6)	0.0053 (5)	0.0072 (5)
C1	0.0233 (11)	0.0226 (11)	0.0223 (11)	0.0123 (9)	0.0092 (9)	0.0114 (9)
C2	0.0211 (11)	0.0251 (11)	0.0205 (10)	0.0128 (9)	0.0073 (8)	0.0071 (9)
C3	0.0250 (12)	0.0308 (12)	0.0275 (12)	0.0129 (10)	0.0109 (9)	0.0101 (10)
C4	0.0250 (13)	0.0423 (15)	0.0392 (16)	0.0164 (12)	0.0111 (11)	0.0062 (12)
C5	0.0256 (11)	0.0177 (10)	0.0160 (10)	0.0100 (9)	0.0049 (8)	0.0056 (8)
C6	0.0273 (12)	0.0204 (11)	0.0196 (10)	0.0108 (9)	0.0010 (9)	0.0057 (9)
C7	0.0256 (11)	0.0223 (11)	0.0219 (11)	0.0095 (9)	0.0047 (9)	0.0068 (9)
C8	0.0357 (14)	0.0285 (13)	0.0418 (15)	0.0128 (12)	-0.0047 (12)	0.0097 (12)
C9	0.0166 (10)	0.0213 (10)	0.0147 (9)	0.0089 (8)	0.0035 (8)	0.0071 (8)
C10	0.0170 (10)	0.0202 (10)	0.0182 (10)	0.0078 (8)	0.0049 (8)	0.0079 (8)
C11	0.0197 (11)	0.0267 (12)	0.0240 (11)	0.0065 (9)	0.0041 (9)	0.0078 (9)
C12	0.0210 (12)	0.0326 (13)	0.0364 (14)	0.0031 (10)	0.0091 (10)	0.0125 (11)
C13	0.0202 (10)	0.0154 (9)	0.0148 (9)	0.0084 (8)	0.0065 (8)	0.0075 (8)
C14	0.0198 (10)	0.0152 (9)	0.0161 (10)	0.0074 (8)	0.0043 (8)	0.0057 (8)
C15	0.0206 (11)	0.0201 (11)	0.0245 (11)	0.0056 (9)	0.0064 (9)	0.0075 (9)
C16	0.0219 (12)	0.0273 (12)	0.0337 (13)	0.0053 (10)	-0.0005 (10)	0.0046 (10)
C17	0.0143 (9)	0.0159 (9)	0.0153 (10)	0.0051 (8)	0.0029 (7)	0.0071 (8)
C18	0.0157 (9)	0.0149 (9)	0.0171 (10)	0.0075 (8)	0.0019 (7)	0.0063 (8)
C19	0.0266 (11)	0.0201 (10)	0.0180 (10)	0.0114 (9)	0.0025 (8)	0.0080 (9)
C20	0.0454 (15)	0.0299 (13)	0.0231 (12)	0.0236 (12)	0.0022 (10)	0.0134 (10)
C21	0.0398 (14)	0.0286 (13)	0.0336 (13)	0.0237 (12)	-0.0009 (11)	0.0101 (11)
C22	0.0294 (12)	0.0228 (11)	0.0260 (12)	0.0168 (10)	0.0041 (9)	0.0051 (9)
C23	0.0200 (10)	0.0180 (10)	0.0193 (10)	0.0096 (9)	0.0036 (8)	0.0070 (8)
C24	0.0125 (9)	0.0123 (9)	0.0200 (10)	0.0049 (8)	0.0049 (7)	0.0067 (8)
C25	0.0185 (10)	0.0172 (10)	0.0159 (10)	0.0096 (8)	0.0044 (8)	0.0050 (8)
C26	0.0194 (10)	0.0195 (10)	0.0172 (10)	0.0099 (8)	0.0057 (8)	0.0078 (8)
C27	0.0273 (12)	0.0220 (11)	0.0261 (11)	0.0154 (10)	0.0093 (9)	0.0125 (9)
C28	0.0326 (13)	0.0279 (12)	0.0274 (12)	0.0219 (11)	0.0098 (10)	0.0071 (10)
C29	0.0425 (14)	0.0348 (13)	0.0210 (11)	0.0258 (12)	0.0156 (10)	0.0124 (10)

C30	0.0350 (13)	0.0290 (12)	0.0224 (11)	0.0210 (11)	0.0109 (10)	0.0132 (10)
-----	-------------	-------------	-------------	-------------	-------------	-------------

Geometric parameters (Å, °)

Sn1—C1	2.134 (2)	C9—H9A	0.9900
Sn1—C5	2.130 (2)	C9—H9B	0.9900
Sn1—O1	2.217 (2)	C10—C11	1.525 (3)
Sn1—O4	2.220 (1)	C10—H10A	0.9900
Sn1—O7	2.039 (1)	C10—H10B	0.9900
Sn2—C9	2.127 (2)	C11—C12	1.528 (3)
Sn2—C13	2.124 (2)	C11—H11A	0.9900
Sn2—O2	2.327 (2)	C11—H11B	0.9900
Sn2—O4 ⁱ	2.674 (1)	C12—H12A	0.9800
Sn2—O7	2.046 (1)	C12—H12B	0.9800
Sn2—O7 ⁱ	2.148 (1)	C12—H12C	0.9800
Sn2—Sn2 ⁱ	3.2797 (3)	C13—C14	1.527 (3)
O1—C24	1.254 (3)	C13—H13A	0.9900
O2—C24	1.272 (3)	C13—H13B	0.9900
O3—C26	1.355 (3)	C14—C15	1.522 (3)
O3—H3	0.8400	C14—H14A	0.9900
O4—C17	1.290 (2)	C14—H14B	0.9900
O5—C17	1.249 (3)	C15—C16	1.524 (3)
O6—C19	1.349 (3)	C15—H15A	0.9900
O6—H6	0.8400	C15—H15B	0.9900
O7—Sn2 ⁱ	2.1481 (14)	C16—H16A	0.9800
C1—C2	1.523 (3)	C16—H16B	0.9800
C1—H1A	0.9900	C16—H16C	0.9800
C1—H1B	0.9900	C17—C18	1.478 (3)
C2—C3	1.526 (3)	C18—C19	1.403 (3)
C2—H2A	0.9900	C18—C23	1.404 (3)
C2—H2B	0.9900	C19—C20	1.396 (3)
C3—C4	1.522 (3)	C20—C21	1.381 (4)
C3—H3A	0.9900	C20—H20	0.9500
C3—H3B	0.9900	C21—C22	1.395 (4)
C4—H4A	0.9800	C21—H21	0.9500
C4—H4B	0.9800	C22—C23	1.378 (3)
C4—H4C	0.9800	C22—H22	0.9500
C5—C6	1.529 (3)	C23—H23	0.9500
C5—H5A	0.9900	C24—C25	1.481 (3)
C5—H5B	0.9900	C25—C26	1.398 (3)
C6—C7	1.526 (3)	C25—C30	1.403 (3)
C6—H6A	0.9900	C26—C27	1.396 (3)
C6—H6B	0.9900	C27—C28	1.376 (3)
C7—C8	1.511 (3)	C27—H27	0.9500
C7—H7A	0.9900	C28—C29	1.400 (3)
C7—H7B	0.9900	C28—H28	0.9500
C8—H8A	0.9800	C29—C30	1.371 (3)
C8—H8B	0.9800	C29—H29	0.9500

C8—H8C	0.9800	C30—H30	0.9500
C9—C10	1.524 (3)		
O7—Sn1—C5	106.97 (7)	Sn2—C9—H9A	109.0
O7—Sn1—C1	110.04 (7)	C10—C9—H9B	109.0
C1—Sn1—C5	142.7 (1)	Sn2—C9—H9B	109.0
O7—Sn1—O1	88.26 (6)	H9A—C9—H9B	107.8
C5—Sn1—O1	86.54 (8)	C9—C10—C11	113.68 (18)
C1—Sn1—O1	90.33 (8)	C9—C10—H10A	108.8
O7—Sn1—O4	78.77 (5)	C11—C10—H10A	108.8
C5—Sn1—O4	96.61 (7)	C9—C10—H10B	108.8
C1—Sn1—O4	94.63 (7)	C11—C10—H10B	108.8
O1—Sn1—O4	167.02 (6)	H10A—C10—H10B	107.7
O7—Sn2—C13	109.41 (7)	C10—C11—C12	111.6 (2)
O7—Sn2—C9	105.66 (7)	C10—C11—H11A	109.3
C9—Sn2—C13	144.0 (1)	C12—C11—H11A	109.3
O7—Sn2—O7 ⁱ	77.15 (6)	C10—C11—H11B	109.3
C13—Sn2—O7 ⁱ	98.31 (7)	C12—C11—H11B	109.3
C9—Sn2—O7 ⁱ	97.06 (7)	H11A—C11—H11B	108.0
O7—Sn2—O2	92.54 (5)	C11—C12—H12A	109.5
C13—Sn2—O2	83.38 (7)	C11—C12—H12B	109.5
C9—Sn2—O2	87.28 (7)	H12A—C12—H12B	109.5
O7 ⁱ —Sn2—O2	169.55 (5)	C11—C12—H12C	109.5
O7—Sn2—O4 ⁱ	144.40 (5)	H12A—C12—H12C	109.5
C13—Sn2—O4 ⁱ	77.34 (6)	H12B—C12—H12C	109.5
C9—Sn2—O4 ⁱ	78.99 (6)	C14—C13—Sn2	115.51 (13)
O7 ⁱ —Sn2—O4 ⁱ	67.25 (5)	C14—C13—H13A	108.4
O2—Sn2—O4 ⁱ	123.06 (5)	Sn2—C13—H13A	108.4
O7—Sn2—Sn2 ⁱ	39.68 (4)	C14—C13—H13B	108.4
C13—Sn2—Sn2 ⁱ	107.57 (6)	Sn2—C13—H13B	108.4
C9—Sn2—Sn2 ⁱ	104.41 (6)	H13A—C13—H13B	107.5
O7 ⁱ —Sn2—Sn2 ⁱ	37.46 (4)	C15—C14—C13	111.74 (17)
O2—Sn2—Sn2 ⁱ	132.20 (4)	C15—C14—H14A	109.3
O4 ⁱ —Sn2—Sn2 ⁱ	104.71 (3)	C13—C14—H14A	109.3
C24—O1—Sn1	145.23 (14)	C15—C14—H14B	109.3
C24—O2—Sn2	131.75 (13)	C13—C14—H14B	109.3
C26—O3—H3	120.0	H14A—C14—H14B	107.9
C17—O4—Sn1	109.71 (13)	C14—C15—C16	112.79 (19)
C19—O6—H6	120.0	C14—C15—H15A	109.0
Sn1—O7—Sn2	137.90 (7)	C16—C15—H15A	109.0
Sn1—O7—Sn2 ⁱ	119.21 (6)	C14—C15—H15B	109.0
Sn2—O7—Sn2 ⁱ	102.85 (6)	C16—C15—H15B	109.0
C2—C1—Sn1	117.60 (15)	H15A—C15—H15B	107.8
C2—C1—H1A	107.9	C15—C16—H16A	109.5
Sn1—C1—H1A	107.9	C15—C16—H16B	109.5
C2—C1—H1B	107.9	H16A—C16—H16B	109.5
Sn1—C1—H1B	107.9	C15—C16—H16C	109.5
H1A—C1—H1B	107.2	H16A—C16—H16C	109.5

C1—C2—C3	112.06 (19)	H16B—C16—H16C	109.5
C1—C2—H2A	109.2	O5—C17—O4	120.69 (19)
C3—C2—H2A	109.2	O5—C17—C18	119.94 (18)
C1—C2—H2B	109.2	O4—C17—C18	119.37 (18)
C3—C2—H2B	109.2	C19—C18—C23	118.82 (19)
H2A—C2—H2B	107.9	C19—C18—C17	119.86 (19)
C4—C3—C2	112.4 (2)	C23—C18—C17	121.30 (19)
C4—C3—H3A	109.1	O6—C19—C20	118.1 (2)
C2—C3—H3A	109.1	O6—C19—C18	122.4 (2)
C4—C3—H3B	109.1	C20—C19—C18	119.6 (2)
C2—C3—H3B	109.1	C21—C20—C19	120.3 (2)
H3A—C3—H3B	107.9	C21—C20—H20	119.8
C3—C4—H4A	109.5	C19—C20—H20	119.8
C3—C4—H4B	109.5	C20—C21—C22	120.8 (2)
H4A—C4—H4B	109.5	C20—C21—H21	119.6
C3—C4—H4C	109.5	C22—C21—H21	119.6
H4A—C4—H4C	109.5	C23—C22—C21	119.0 (2)
H4B—C4—H4C	109.5	C23—C22—H22	120.5
C6—C5—Sn1	118.38 (15)	C21—C22—H22	120.5
C6—C5—H5A	107.7	C22—C23—C18	121.5 (2)
Sn1—C5—H5A	107.7	C22—C23—H23	119.3
C6—C5—H5B	107.7	C18—C23—H23	119.3
Sn1—C5—H5B	107.7	O1—C24—O2	123.73 (19)
H5A—C5—H5B	107.1	O1—C24—C25	117.86 (18)
C7—C6—C5	112.48 (19)	O2—C24—C25	118.40 (18)
C7—C6—H6A	109.1	C26—C25—C30	119.1 (2)
C5—C6—H6A	109.1	C26—C25—C24	122.59 (19)
C7—C6—H6B	109.1	C30—C25—C24	118.34 (19)
C5—C6—H6B	109.1	O3—C26—C27	117.32 (19)
H6A—C6—H6B	107.8	O3—C26—C25	123.03 (19)
C8—C7—C6	113.1 (2)	C27—C26—C25	119.6 (2)
C8—C7—H7A	108.9	C28—C27—C26	120.4 (2)
C6—C7—H7A	108.9	C28—C27—H27	119.8
C8—C7—H7B	108.9	C26—C27—H27	119.8
C6—C7—H7B	108.9	C27—C28—C29	120.4 (2)
H7A—C7—H7B	107.8	C27—C28—H28	119.8
C7—C8—H8A	109.5	C29—C28—H28	119.8
C7—C8—H8B	109.5	C30—C29—C28	119.4 (2)
H8A—C8—H8B	109.5	C30—C29—H29	120.3
C7—C8—H8C	109.5	C28—C29—H29	120.3
H8A—C8—H8C	109.5	C29—C30—C25	121.1 (2)
H8B—C8—H8C	109.5	C29—C30—H30	119.5
C10—C9—Sn2	112.74 (13)	C25—C30—H30	119.5
C10—C9—H9A	109.0		
O7—Sn1—O1—C24	-4.1 (3)	O4 ⁱ —Sn2—C9—C10	164.52 (16)
C5—Sn1—O1—C24	103.0 (3)	Sn2 ⁱ —Sn2—C9—C10	61.98 (15)
C1—Sn1—O1—C24	-114.1 (3)	Sn2—C9—C10—C11	-175.14 (15)

O4—Sn1—O1—C24	-1.5 (5)	C9—C10—C11—C12	-179.0 (2)
O7—Sn2—O2—C24	-9.13 (19)	O7—Sn2—C13—C14	-22.38 (17)
C13—Sn2—O2—C24	-118.38 (19)	C9—Sn2—C13—C14	144.04 (15)
C9—Sn2—O2—C24	96.44 (19)	O7 ⁱ —Sn2—C13—C14	-101.60 (15)
O7 ⁱ —Sn2—O2—C24	-18.4 (4)	O2—Sn2—C13—C14	67.99 (15)
O4 ⁱ —Sn2—O2—C24	171.42 (17)	O4 ⁱ —Sn2—C13—C14	-165.93 (16)
Sn2 ⁱ —Sn2—O2—C24	-10.6 (2)	Sn2 ⁱ —Sn2—C13—C14	-64.28 (15)
O7—Sn1—O4—C17	-176.32 (14)	Sn2—C13—C14—C15	176.22 (14)
C5—Sn1—O4—C17	77.63 (14)	C13—C14—C15—C16	178.31 (19)
C1—Sn1—O4—C17	-66.79 (14)	Sn1—O4—C17—O5	0.3 (2)
O1—Sn1—O4—C17	-178.9 (2)	Sn1—O4—C17—C18	-179.56 (14)
C5—Sn1—O7—Sn2	-86.37 (12)	O5—C17—C18—C19	4.5 (3)
C1—Sn1—O7—Sn2	89.20 (12)	O4—C17—C18—C19	-175.62 (19)
O1—Sn1—O7—Sn2	-0.52 (11)	O5—C17—C18—C23	-176.68 (19)
O4—Sn1—O7—Sn2	-179.93 (12)	O4—C17—C18—C23	3.2 (3)
C5—Sn1—O7—Sn2 ⁱ	96.30 (9)	C23—C18—C19—O6	-179.8 (2)
C1—Sn1—O7—Sn2 ⁱ	-88.14 (9)	C17—C18—C19—O6	-0.9 (3)
O1—Sn1—O7—Sn2 ⁱ	-177.85 (8)	C23—C18—C19—C20	-0.4 (3)
O4—Sn1—O7—Sn2 ⁱ	2.74 (7)	C17—C18—C19—C20	178.5 (2)
C13—Sn2—O7—Sn1	87.99 (12)	O6—C19—C20—C21	-180.0 (2)
C9—Sn2—O7—Sn1	-83.77 (12)	C18—C19—C20—C21	0.6 (4)
O7 ⁱ —Sn2—O7—Sn1	-177.61 (15)	C19—C20—C21—C22	-0.4 (4)
O2—Sn2—O7—Sn1	4.11 (11)	C20—C21—C22—C23	-0.1 (4)
O4 ⁱ —Sn2—O7—Sn1	-176.69 (7)	C21—C22—C23—C18	0.4 (4)
Sn2 ⁱ —Sn2—O7—Sn1	-177.61 (15)	C19—C18—C23—C22	-0.1 (3)
C13—Sn2—O7—Sn2 ⁱ	-94.40 (8)	C17—C18—C23—C22	-178.9 (2)
C9—Sn2—O7—Sn2 ⁱ	93.84 (8)	Sn1—O1—C24—O2	0.2 (4)
O7 ⁱ —Sn2—O7—Sn2 ⁱ	0.0	Sn1—O1—C24—C25	179.42 (19)
O2—Sn2—O7—Sn2 ⁱ	-178.28 (6)	Sn2—O2—C24—O1	8.3 (3)
O4 ⁱ —Sn2—O7—Sn2 ⁱ	0.93 (12)	Sn2—O2—C24—C25	-170.89 (14)
O7—Sn1—C1—C2	-106.97 (16)	O1—C24—C25—C26	170.7 (2)
C5—Sn1—C1—C2	66.0 (2)	O2—C24—C25—C26	-10.0 (3)
O1—Sn1—C1—C2	-18.70 (17)	O1—C24—C25—C30	-9.4 (3)
O4—Sn1—C1—C2	173.31 (16)	O2—C24—C25—C30	169.9 (2)
Sn1—C1—C2—C3	-170.46 (16)	C30—C25—C26—O3	179.1 (2)
C1—C2—C3—C4	-179.8 (2)	C24—C25—C26—O3	-1.0 (3)
O7—Sn1—C5—C6	-104.35 (16)	C30—C25—C26—C27	1.3 (3)
C1—Sn1—C5—C6	82.5 (2)	C24—C25—C26—C27	-178.9 (2)
O1—Sn1—C5—C6	168.54 (17)	O3—C26—C27—C28	-178.0 (2)
O4—Sn1—C5—C6	-24.11 (17)	C25—C26—C27—C28	0.0 (3)
Sn1—C5—C6—C7	171.31 (15)	C26—C27—C28—C29	-1.2 (4)
C5—C6—C7—C8	173.7 (2)	C27—C28—C29—C30	1.0 (4)
O7—Sn2—C9—C10	20.85 (16)	C28—C29—C30—C25	0.3 (4)
C13—Sn2—C9—C10	-145.86 (15)	C26—C25—C30—C29	-1.4 (4)
O7 ⁱ —Sn2—C9—C10	99.42 (15)	C24—C25—C30—C29	178.7 (2)
O2—Sn2—C9—C10	-71.03 (15)		

Symmetry code: (i) $-x+1, -y+1, -z+1$.

Hydrogen-bond geometry (Å, °)

<i>D—H...A</i>	<i>D—H</i>	<i>H...A</i>	<i>D...A</i>	<i>D—H...A</i>
O3—H3...O2	0.84	2.02	2.638 (2)	130
O6—H6...O5	0.84	1.91	2.548 (2)	132