

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

2-Aminopyrimidinium hydrogen chloranilate monohydrate

Ping Su, Xue-Ying Huang and Xiang-gao Meng*

Key Laboratory of Pesticides & Chemical Biology, Ministry of Education, College of Chemistry, Central China Normal University, Wuhan 430079, People's Republic of China

Correspondence e-mail: mengxianggao@mail.ccnu.edu.cn


Received 18 October 2008; accepted 24 October 2008

 Key indicators: single-crystal X-ray study; $T = 292$ K; mean $\sigma(\text{C}-\text{C}) = 0.008$ Å; R factor = 0.078; wR factor = 0.197; data-to-parameter ratio = 10.7.

In the title compound, $\text{C}_4\text{H}_6\text{N}_3^+\cdot\text{C}_6\text{HCl}_2\text{O}_4^-\cdot\text{H}_2\text{O}$, anions, cations and water molecules are linked by intermolecular $\text{O}-\text{H}\cdots\text{O}$, $\text{O}-\text{H}\cdots\text{N}$ and $\text{N}-\text{H}\cdots\text{O}$ hydrogen bonds into one-dimensional tapes along [111]. These tapes are further linked by weak $\text{Cl}\cdots\text{Cl}$ interactions [$\text{Cl}\cdots\text{Cl} = 3.394$ (2) Å], forming sheets parallel to the (10 $\bar{1}$) plane.

Related literature

For background information, see: Aakeröy & Salmon (2005); Aakeröy *et al.* (2007); Abrahams *et al.* (2002); Cueto *et al.* (1992); Kawata *et al.* (1994, 1998). For related crystal structures, see: Meng & Qian (2006); Min *et al.* (2006, 2007); Murata *et al.* (2007); Wang & Wei (2005); Yang (2007); Gaballa *et al.* (2008); Gotoh *et al.* (2006, 2007a,b,c); Jia *et al.* (2008). For bond-length data, see: Allen (2002); Allen *et al.* (1987).



Experimental

Crystal data

$\text{C}_4\text{H}_6\text{N}_3^+\cdot\text{C}_6\text{HCl}_2\text{O}_4^-\cdot\text{H}_2\text{O}$
 $M_r = 322.10$
 Triclinic, $P\bar{1}$
 $a = 6.7969$ (5) Å
 $b = 9.4631$ (6) Å
 $c = 11.0604$ (7) Å
 $\alpha = 106.074$ (1)°
 $\beta = 105.892$ (1)°

$\gamma = 101.925$ (1)°
 $V = 626.01$ (7) Å³
 $Z = 2$
 Mo $K\alpha$ radiation
 $\mu = 0.54$ mm⁻¹
 $T = 292$ (2) K
 $0.27 \times 0.10 \times 0.04$ mm

Data collection

Bruker SMART APEX CCD area-detector diffractometer
 Absorption correction: multi-scan (SADABS; Sheldrick, 1996)
 $T_{\min} = 0.857$, $T_{\max} = 0.979$

5691 measured reflections
 2121 independent reflections
 1348 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.071$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.078$
 $wR(F^2) = 0.197$
 $S = 0.97$
 2121 reflections
 199 parameters
 6 restraints

H atoms treated by a mixture of independent and constrained refinement
 $\Delta\rho_{\max} = 0.66$ e Å⁻³
 $\Delta\rho_{\min} = -0.45$ e Å⁻³

Table 1

Hydrogen-bond geometry (Å, °).

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
$\text{O4}-\text{H4}\cdots\text{O3}$	0.83 (2)	2.16 (6)	2.651 (5)	118 (5)
$\text{O4}-\text{H4}\cdots\text{N1}^{\text{i}}$	0.83 (2)	2.07 (4)	2.795 (6)	146 (6)
$\text{O5}-\text{H5A}\cdots\text{O2}$	0.82 (4)	2.09 (3)	2.872 (5)	156 (6)
$\text{O5}-\text{H5A}\cdots\text{O1}$	0.82 (4)	2.34 (4)	2.859 (5)	121 (4)
$\text{O5}-\text{H5B}\cdots\text{O2}^{\text{ii}}$	0.82 (4)	2.09 (4)	2.830 (5)	150 (5)
$\text{N3}-\text{H3A}\cdots\text{O5}$	0.86 (2)	2.02 (3)	2.815 (6)	153 (5)
$\text{N2}-\text{H2}\cdots\text{O1}$	0.84 (5)	1.98 (5)	2.793 (6)	163 (5)
$\text{N3}-\text{H3B}\cdots\text{O3}^{\text{iii}}$	0.86 (2)	2.17 (4)	2.953 (6)	151 (5)

Symmetry codes: (i) $x - 1, y - 1, z - 1$; (ii) $-x, -y, -z + 1$; (iii) $x + 1, y + 1, z + 1$.

Data collection: SMART (Bruker, 2007); cell refinement: SAINT-Plus (Bruker, 2007); data reduction: SAINT-Plus; program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: PLATON (Spek, 2003); software used to prepare material for publication: PLATON.

This work received financial support mainly from the National Key Fundamental Project (No. 2002CCA00500).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: LH2716).

References

- Aakeröy, C. B., Fasulo, M., Schultheiss, N., Desper, J. & Moore, C. (2007). *J. Am. Chem. Soc.* **129**, 13772–3773.
 Aakeröy, C. B. & Salmon, D. J. (2005). *CrystEngComm*, **7**, 439–448.
 Abrahams, B. F., Coleiro, J., Ha, K., Hoskins, B. F., Drchard, S. D. & Robson, R. (2002). *J. Chem. Soc. Dalton Trans.* pp. 1586–1594.
 Allen, F. H. (2002). *Acta Cryst.* **B58**, 380–388.
 Allen, F. H., Kennard, Q., Waterson, D. G., Brammer, L., Orpen, A. G. & Taylor, R. (1987). *J. Chem. Soc. Perkin Trans. 2*, pp. S1–19.
 Bruker (2007). SAINT-Plus and SMART. Bruker AXS Inc., Madison, Wisconsin, USA.
 Cueto, S., Straumann, H.-P., Rys, P., Petter, W., Gramlich, V. & Rys, F. S. (1992). *Acta Cryst.* **C48**, 458–460.
 Gaballa, A. S., Wagner, C., Teleb, S. M., Nour, E. M., Elmosallamy, M. A. F., Kaluderovic, G. N., Schmidt, H. & Steinborn, D. (2008). *J. Mol. Struct.* **876**, 301–307.
 Gotoh, K., Ishikawa, R. & Ishida, H. (2007a). *Acta Cryst.* **E63**, o4433.
 Gotoh, K., Ishikawa, R. & Ishida, H. (2007c). *Acta Cryst.* **E63**, o4518.
 Gotoh, K., Nagoshi, H. & Ishida, H. (2007b). *Acta Cryst.* **E63**, o4295.
 Gotoh, K., Ishikawa, R. & Ishida, H. (2006). *Acta Cryst.* **E62**, o4738–o4740.
 Jia, L.-H., Mu, Z.-E. & Liu, Z.-L. (2008). *Acta Cryst.* **E64**, o32.
 Kawata, S., Kitagawa, S., Kondo, M., Furuchi, I. & Munakata, M. (1994). *Angew. Chem. Int. Ed.* **33**, 1759–1761.

- Kawata, S., Kitagawa, S., Kumagai, H., Ishiyama, T., Honda, K., Tobita, H., Adachi, K. & Katada, M. (1998). *Chem. Mater.* **10**, 3902–3912.
- Meng, X.-G. & Qian, J.-L. (2006). *Acta Cryst.* **E62**, o4178–o4180.
- Min, K. S., DiPasquale, A. G., Golen, J. A., Rheingold, A. L. & Miller, J. S. (2007). *J. Am. Chem. Soc.* **129**, 2360–2368.
- Min, K. S., Rheingold, A. L., DiPasquale, A. & Miller, J. S. (2006). *Inorg. Chem.* **45**, 6135–6137.
- Murata, T., Morita, Y., Yakiyama, Y., Fukui, K., Yamochi, H., Saito, G. & Nakasuji, K. (2007). *J. Am. Chem. Soc.* **129**, 10837–10846.
- Sheldrick, G. M. (1996). *SADABS*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Spek, A. L. (2003). *J. Appl. Cryst.* **36**, 7–13.
- Wang, Z.-L. & Wei, L.-H. (2005). *Acta Cryst.* **E61**, o3129–o3130.
- Yang, D.-J. (2007). *Acta Cryst.* **E63**, o2600.

supporting information

Acta Cryst. (2008). E64, o2217–o2218 [doi:10.1107/S1600536808034740]

2-Aminopyrimidinium hydrogen chloranilate monohydrate

Ping Su, Xue-Ying Huang and Xiang-gao Meng

S1. Comment

Chloranilic acid (CA) can be regarded as a strong organic acid ($pK_{a1} = 1.38$; $pK_{a2} = 2.98$) which can release its two hydroxyl protons easily. For this reason, CA is often used as a bridge ligand in the synthesis of metal coordination complexes (Kawata *et al.*, 1994; Kawata *et al.*, 1998; Abrahams *et al.*, 2002; Cueto *et al.*, 1992; Min *et al.*, 2006; Min *et al.*, 2007) or used as a cocrystal agent in the construction of supramolecular structure based on hydrogen-bonds (Gotoh *et al.*, 2006, 2007a, 2007b and 2007c; Murata *et al.*, 2007; Gaballa *et al.*, 2008; Jia *et al.*, 2008). As part of our continuing studies on the synthesis of co-crystal or organic salts involved CA (Meng & Qian, 2006), we report here the crystal structure of the title compound (I) which was obtained by mixing equivalent amount of CA and 2-aminopyrimidine (2-APy) in 95% methanol solution at room temperature.

In (I), one of the CA hydroxyl protons is transferred to a pyrimidine N atom, forming a 1:1 organic adduct with one water molecule being incorporated into the crystal lattice (Fig. 1). According to the definitions of co-crystal and organic salt proposed by Aakeröy and Salmon (2005), complex (I) can be considered as an organic salt. The bond lengths and bonds angles in the CA⁻ anion are comparable with those from some analogues (Wang & Wei, 2005; Yang, 2007). In the 2-APy⁺ cation, the angles of C7—N1—C8 and C7—N2—C10 [116.5 (1)° and 122.2 (1)°, respectively] are both consistent with the magnitude of C—N—C angles in unprotonated and protonated pyridine molecules [116.3 (16)° and 122.4 (16)°, respectively] (Allen *et al.*, 1987; Allen, 2002). All other geomtric parameters in the structure are as expected.


In the crystal structure, intermolecular O—H...O and N—H...O hydrogen bonds (Table 1), link the components of (I) into one-dimensional tapes along [111] (Fig.2). In addition, neighbouring tapes are linked by weak Cl...Cl interactions [Cl...Cl⁻ = 3.394 (2) Å, see: Aakeröy *et al.*, 2007); symmetry code: (i) x, y+1, z] resulting in two-dimensional sheets parallel to the (10-1) plane.

S2. Experimental


All the reagents and solvents were used as obtained without further purification. Equivalent molar amount of chloranilic acid (1 mmol, 210 mg) and 2-aminopyrimidine (1 mmol, 9.5 mg) were dissolved in 95% methanol (20 ml). The mixture was stirred for half an hour at ambient temperature and then filtered. The resulting red solution was kept in air for two week. Plate-like crystals of (I) suitable for single-crystal X-ray diffraction analysis were grown at the bottom of the vessel by slow evaporation of the solution.

S3. Refinement

H atoms bonded to C atoms were located in difference maps and subsequently treated as riding modes, with C—H=0.93 Å and $U_{iso}(H) = 1.2U_{eq}(C)$. H atoms bonded to N and O atoms were also found in difference maps, with the constraints of N—H=0.86 (2)Å and O—H=0.82 (2) Å, and the $U_{iso}(H)$ values being set k times of their carrier atoms (k=1.2 for N and 1.5 for O atoms)

**Figure 1**

Molecular structure of (I), showing the atom-numbering scheme. Displacement ellipsoids are drawn at the 30% probability level. H-bonds are shown in dashed lines.

**Figure 2**

Part of the crystal structure of (I), showing the formation of the one-dimensional tape (a) linked by intermolecular O-H...O and N-H...O hydrogen bonds parallel to the [111] direction and the two-dimensional sheet (b) linked by Cl...Cl interactions. For the sake of clarity, H atoms not involved in the motif have been omitted from the drawing.

2-Aminopyrimidinium hydrogen chloranilate monohydrate

Crystal data

C₄H₆N₃⁺·C₆HCl₂O₄⁻·H₂O $M_r = 322.10$ Triclinic, $P\bar{1}$

Hall symbol: -P 1

 $a = 6.7969$ (5) Å $b = 9.4631$ (6) Å $c = 11.0604$ (7) Å $\alpha = 106.074$ (1)° $\beta = 105.892$ (1)° $\gamma = 101.925$ (1)° $V = 626.01$ (7) Å³ $Z = 2$ $F(000) = 328$ $D_x = 1.709$ Mg m⁻³Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å

Cell parameters from 1004 reflections

 $\theta = 2.2$ – 25.2 ° $\mu = 0.54$ mm⁻¹ $T = 292$ K

Plate, red

 $0.27 \times 0.10 \times 0.04$ mm

Data collection

Bruker SMART APEX CCD area-detector
diffractometerRadiation source: fine focus sealed Siemens Mo
tube

Graphite monochromator

 0.3° wide ω exposures scansAbsorption correction: multi-scan
(SADABS; Sheldrick, 1996) $T_{\min} = 0.857$, $T_{\max} = 0.979$

5691 measured reflections

2121 independent reflections

1348 reflections with $I > 2\sigma(I)$ $R_{\text{int}} = 0.071$ $\theta_{\text{max}} = 25.0^\circ$, $\theta_{\text{min}} = 2.4^\circ$ $h = -7 \rightarrow 8$ $k = -11 \rightarrow 11$ $l = -13 \rightarrow 13$

Refinement

Refinement on F^2

Least-squares matrix: full

 $R[F^2 > 2\sigma(F^2)] = 0.078$ $wR(F^2) = 0.197$ $S = 0.97$

2121 reflections

199 parameters

6 restraints

Primary atom site location: structure-invariant
direct methodsSecondary atom site location: difference Fourier
mapHydrogen site location: inferred from
neighbouring sitesH atoms treated by a mixture of independent
and constrained refinement $w = 1/[\sigma^2(F_o^2) + (0.1114P)^2]$ where $P = (F_o^2 + 2F_c^2)/3$ $(\Delta/\sigma)_{\text{max}} < 0.001$ $\Delta\rho_{\text{max}} = 0.66$ e Å⁻³ $\Delta\rho_{\text{min}} = -0.45$ e Å⁻³

Special details

Geometry. All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R-factor wR and goodness of fit S are based on F^2 , conventional R-factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > 2\sigma(F^2)$ is used only for calculating R-factors(gt) etc. and is not relevant to the choice of reflections for refinement. R-factors based on F^2 are statistically about twice as large as those based on F , and R-factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (Å²)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
C1	-0.1247 (7)	0.1172 (6)	0.1769 (5)	0.0361 (12)
C2	-0.1473 (7)	-0.0408 (6)	0.2001 (5)	0.0425 (13)

C3	-0.2335 (8)	-0.1755 (5)	0.0838 (5)	0.0378 (12)
C4	-0.3014 (7)	-0.1738 (6)	-0.0449 (5)	0.0358 (12)
C5	-0.2867 (7)	-0.0171 (6)	-0.0623 (5)	0.0372 (12)
C6	-0.2029 (7)	0.1163 (6)	0.0438 (5)	0.0363 (12)
Cl1	-0.1870 (2)	0.29304 (15)	0.02393 (13)	0.0479 (5)
Cl2	-0.2558 (2)	-0.35198 (15)	0.10632 (14)	0.0500 (5)
O1	-0.0385 (6)	0.2339 (4)	0.2793 (3)	0.0506 (10)
O2	-0.0871 (6)	-0.0336 (4)	0.3183 (3)	0.0547 (11)
O3	-0.3780 (6)	-0.2884 (4)	-0.1520 (4)	0.0513 (10)
O4	-0.3561 (6)	-0.0196 (4)	-0.1857 (4)	0.0509 (10)
H4	-0.399 (10)	-0.110 (3)	-0.238 (5)	0.076*
C7	0.3286 (7)	0.6009 (6)	0.5065 (5)	0.0365 (12)
C8	0.5278 (8)	0.8089 (6)	0.4821 (6)	0.0462 (14)
H8	0.6301	0.9059	0.5206	0.055*
C9	0.4403 (9)	0.7485 (6)	0.3461 (6)	0.0481 (14)
H9	0.4801	0.8020	0.2933	0.058*
C10	0.2900 (8)	0.6044 (7)	0.2895 (5)	0.0468 (14)
H10	0.2244	0.5573	0.1967	0.056*
N1	0.4796 (6)	0.7413 (5)	0.5644 (4)	0.0447 (11)
N2	0.2407 (6)	0.5338 (5)	0.3717 (4)	0.0378 (11)
H2	0.162 (9)	0.442 (6)	0.329 (5)	0.045*
N3	0.2768 (7)	0.5294 (6)	0.5858 (5)	0.0504 (12)
H3A	0.200 (8)	0.434 (3)	0.548 (5)	0.060*
H3B	0.337 (9)	0.579 (6)	0.671 (2)	0.060*
O5	0.0043 (6)	0.2393 (4)	0.5451 (3)	0.0493 (10)
H5A	-0.050 (10)	0.171 (5)	0.468 (2)	0.074*
H5B	0.021 (10)	0.205 (6)	0.606 (3)	0.074*

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
C1	0.026 (3)	0.037 (3)	0.041 (3)	0.006 (2)	0.012 (2)	0.009 (3)
C2	0.024 (3)	0.053 (4)	0.050 (3)	0.008 (2)	0.011 (2)	0.023 (3)
C3	0.034 (3)	0.034 (3)	0.046 (3)	0.013 (2)	0.015 (2)	0.013 (3)
C4	0.020 (3)	0.042 (3)	0.040 (3)	0.011 (2)	0.010 (2)	0.006 (3)
C5	0.027 (3)	0.047 (3)	0.042 (3)	0.016 (2)	0.016 (2)	0.016 (3)
C6	0.023 (3)	0.045 (3)	0.048 (3)	0.015 (2)	0.015 (2)	0.020 (3)
Cl1	0.0427 (8)	0.0484 (9)	0.0582 (9)	0.0174 (6)	0.0181 (7)	0.0246 (7)
Cl2	0.0507 (9)	0.0413 (8)	0.0540 (9)	0.0113 (6)	0.0153 (7)	0.0161 (7)
O1	0.058 (2)	0.044 (2)	0.040 (2)	0.0055 (19)	0.0164 (19)	0.0100 (19)
O2	0.070 (3)	0.049 (2)	0.034 (2)	0.010 (2)	0.0066 (19)	0.0145 (18)
O3	0.052 (2)	0.046 (2)	0.044 (2)	0.0126 (19)	0.0096 (19)	0.0068 (19)
O4	0.062 (3)	0.046 (2)	0.038 (2)	0.016 (2)	0.0110 (19)	0.0117 (17)
C7	0.024 (3)	0.045 (3)	0.043 (3)	0.018 (2)	0.013 (2)	0.012 (3)
C8	0.026 (3)	0.047 (3)	0.059 (4)	0.006 (2)	0.015 (3)	0.013 (3)
C9	0.044 (3)	0.057 (4)	0.053 (4)	0.019 (3)	0.019 (3)	0.029 (3)
C10	0.040 (3)	0.062 (4)	0.043 (3)	0.021 (3)	0.017 (3)	0.017 (3)
N1	0.031 (2)	0.048 (3)	0.051 (3)	0.016 (2)	0.010 (2)	0.011 (2)

N2	0.024 (2)	0.037 (2)	0.044 (3)	0.0089 (18)	0.0065 (19)	0.007 (2)
N3	0.041 (3)	0.052 (3)	0.058 (3)	0.014 (2)	0.017 (3)	0.020 (3)
O5	0.051 (2)	0.059 (2)	0.040 (2)	0.021 (2)	0.013 (2)	0.0214 (19)

Geometric parameters (Å, °)

C1—O1	1.234 (6)	C7—N2	1.347 (6)
C1—C6	1.419 (7)	C7—N1	1.354 (6)
C1—C2	1.569 (7)	C8—N1	1.321 (6)
C2—O2	1.236 (5)	C8—C9	1.355 (7)
C2—C3	1.412 (7)	C8—H8	0.9300
C3—C4	1.377 (7)	C9—C10	1.377 (7)
C3—C12	1.738 (5)	C9—H9	0.9300
C4—O3	1.252 (6)	C10—N2	1.341 (6)
C4—C5	1.533 (7)	C10—H10	0.9300
C5—O4	1.308 (6)	N2—H2	0.84 (5)
C5—C6	1.346 (7)	N3—H3A	0.86 (2)
C6—C11	1.732 (5)	N3—H3B	0.86 (2)
O4—H4	0.83 (2)	O5—H5A	0.82 (4)
C7—N3	1.323 (6)	O5—H5B	0.82 (4)
O1—C1—C6	125.3 (5)	N3—C7—N1	118.2 (5)
O1—C1—C2	115.6 (4)	N2—C7—N1	120.6 (4)
C6—C1—C2	119.1 (5)	N1—C8—C9	125.3 (5)
O2—C2—C3	127.1 (5)	N1—C8—H8	117.3
O2—C2—C1	116.4 (5)	C9—C8—H8	117.3
C3—C2—C1	116.5 (4)	C8—C9—C10	117.1 (5)
C4—C3—C2	123.5 (4)	C8—C9—H9	121.4
C4—C3—C12	118.9 (4)	C10—C9—H9	121.4
C2—C3—C12	117.6 (4)	N2—C10—C9	118.2 (5)
O3—C4—C3	126.8 (5)	N2—C10—H10	120.9
O3—C4—C5	115.2 (4)	C9—C10—H10	120.9
C3—C4—C5	118.1 (5)	C8—N1—C7	116.5 (5)
O4—C5—C6	121.7 (5)	C10—N2—C7	122.2 (5)
O4—C5—C4	116.6 (4)	C10—N2—H2	112 (3)
C6—C5—C4	121.8 (4)	C7—N2—H2	126 (3)
C5—C6—C1	121.0 (5)	C7—N3—H3A	117 (4)
C5—C6—C11	121.7 (4)	C7—N3—H3B	117 (4)
C1—C6—C11	117.4 (4)	H3A—N3—H3B	126 (5)
C1—O1—H2	135.7 (14)	H3A—O5—H5A	112 (4)
C2—O2—H5A	118.4 (13)	H3A—O5—H5B	126 (4)
C5—O4—H4	109 (4)	H5A—O5—H5B	114 (3)
N3—C7—N2	121.2 (5)		
O1—C1—C2—O2	3.6 (7)	O4—C5—C6—C11	1.4 (7)
C6—C1—C2—O2	-176.2 (4)	C4—C5—C6—C11	-179.9 (3)
O1—C1—C2—C3	-176.3 (4)	O1—C1—C6—C5	177.2 (5)
C6—C1—C2—C3	3.9 (7)	C2—C1—C6—C5	-3.0 (7)

O2—C2—C3—C4	178.5 (5)	O1—C1—C6—C11	-3.0 (7)
C1—C2—C3—C4	-1.7 (7)	C2—C1—C6—C11	176.8 (3)
O2—C2—C3—C12	-1.0 (7)	C6—C1—O1—H2	-38 (2)
C1—C2—C3—C12	178.8 (3)	C2—C1—O1—H2	143 (2)
C2—C3—C4—O3	179.6 (5)	C3—C2—O2—H5A	-163 (2)
C12—C3—C4—O3	-0.9 (7)	C1—C2—O2—H5A	17 (2)
C2—C3—C4—C5	-1.4 (7)	N1—C8—C9—C10	-0.4 (8)
C12—C3—C4—C5	178.1 (3)	C8—C9—C10—N2	-0.1 (8)
O3—C4—C5—O4	0.4 (6)	C9—C8—N1—C7	-0.7 (8)
C3—C4—C5—O4	-178.8 (4)	N3—C7—N1—C8	179.8 (5)
O3—C4—C5—C6	-178.4 (4)	N2—C7—N1—C8	2.4 (7)
C3—C4—C5—C6	2.5 (7)	C9—C10—N2—C7	1.9 (8)
O4—C5—C6—C1	-178.8 (4)	N3—C7—N2—C10	179.6 (5)
C4—C5—C6—C1	-0.1 (7)	N1—C7—N2—C10	-3.1 (7)

Hydrogen-bond geometry (Å, °)

<i>D</i> —H... <i>A</i>	<i>D</i> —H	H... <i>A</i>	<i>D</i> ... <i>A</i>	<i>D</i> —H... <i>A</i>
O4—H4...O3	0.83 (2)	2.16 (6)	2.651 (5)	118 (5)
O4—H4...N1 ⁱ	0.83 (2)	2.07 (4)	2.795 (6)	146 (6)
O5—H5A...O2	0.82 (4)	2.09 (3)	2.872 (5)	156 (6)
O5—H5A...O1	0.82 (4)	2.34 (4)	2.859 (5)	121 (4)
O5—H5B...O2 ⁱⁱ	0.82 (4)	2.09 (4)	2.830 (5)	150 (5)
N3—H3A...O5	0.86 (2)	2.02 (3)	2.815 (6)	153 (5)
N2—H2...O1	0.84 (5)	1.98 (5)	2.793 (6)	163 (5)
N3—H3B...O3 ⁱⁱⁱ	0.86 (2)	2.17 (4)	2.953 (6)	151 (5)

Symmetry codes: (i) $x-1, y-1, z-1$; (ii) $-x, -y, -z+1$; (iii) $x+1, y+1, z+1$.