

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

2,5-Bis(9*H*-carbazol-9-yl)thiopheneXu-Liang Jiang,^a Er-Fang Huang^a and Guo-Wu Rao^{b*}

^aSchool of Pharmaceutical Engineering, Shenyang Pharmaceutical University, Shenyang, 110016, People's Republic of China, and ^bCollege of Pharmaceutical Science, Zhejiang University of Technology, Hangzhou, 310032, People's Republic of China

Correspondence e-mail: rgw@zjut.edu.cn


Received 21 November 2008; accepted 25 November 2008

Key indicators: single-crystal X-ray study; $T = 298$ K; mean $\sigma(\text{C}-\text{C}) = 0.004$ Å; R factor = 0.063; wR factor = 0.152; data-to-parameter ratio = 14.0.

The molecules of the title compound, $\text{C}_{28}\text{H}_{18}\text{N}_2\text{S}$, are built up from two triply-fused rings and one five-membered ring, with dihedral angles of 66.12 (8) and 70.96 (7)° between the central thiophene ring and the two triply-fused rings.

Related literature

For dicarbazolyl derivatives as potential blue-emitting hole-transporting materials, see: Wu *et al.* (2000, 2001).



Experimental

Crystal data

 $\text{C}_{28}\text{H}_{18}\text{N}_2\text{S}$ $M_r = 414.50$ Orthorhombic, *Pbca* $a = 7.8760$ (16) Å $b = 16.098$ (3) Å $c = 33.986$ (7) Å $V = 4309.1$ (15) Å³ $Z = 8$ Mo $K\alpha$ radiation $\mu = 0.17$ mm⁻¹ $T = 298$ (2) K

0.20 × 0.18 × 0.16 mm

Data collection

Rigaku R-Axis-IV diffractometer

Absorption correction: multi-scan

(ABSCOR; Higashi, 1995)

 $T_{\min} = 0.963$, $T_{\max} = 0.977$

12051 measured reflections

3931 independent reflections

3230 reflections with $I > 2\sigma(I)$ $R_{\text{int}} = 0.091$

3 standard reflections

frequency: 60 min

intensity decay: 0.3%

Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.063$ $wR(F^2) = 0.152$ $S = 1.13$

3931 reflections

281 parameters

H-atom parameters constrained

 $\Delta\rho_{\text{max}} = 0.22$ e Å⁻³ $\Delta\rho_{\text{min}} = -0.23$ e Å⁻³

Data collection: *R-Axis* (Rigaku, 1996); cell refinement: *R-Axis*; data reduction: *R-Axis* program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3 for Windows* (Farrugia, 1997); software used to prepare material for publication: *WinGX* (Farrugia, 1999).

We are grateful to the Top Key Discipline of Pharmaceutics in Zhejiang Provincial Colleges (grant No. 20060611), the Department of Education of Zhejiang Province of China (grant No. 20060806) and the Creative High Level Personal Project of Zhejiang University of Technology (grant No. 071058) for financial support.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: DN2409).

References

- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
 Farrugia, L. J. (1999). *J. Appl. Cryst.* **32**, 837–838.
 Higashi, T. (1995). *ABSCOR*. Rigaku Corporation, Tokyo, Japan.
 Rigaku (1996). *R-Axis*. Rigaku Corporation, Tokyo, Japan.
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
 Wu, I. Y., Lin, J. T., Tao, Y. T. & Balasubramaniam, E. (2000). *Adv. Mater.* **12**, 668–669.
 Wu, I.-Y., Lin, J. T., Tao, Y.-T., Balasubramaniam, E., Su, Y. Z. & Ko, C.-W. (2001). *Chem. Mater.* **13**, 2626–2631.

supporting information

Acta Cryst. (2008). E64, o2502 [doi:10.1107/S1600536808039767]

2,5-Bis(9*H*-carbazol-9-yl)thiophene

Xu-Liang Jiang, Er-Fang Huang and Guo-Wu Rao

S1. Comment

Due to the great potential in flat-panel displays, organic light-emitting diodes (OLEDs) have been received continuous attention for years. Dicarbazolyl derivatives bridged by various aromatic spacers could emit blue light in solution, and could be used as excellent blue-emitting hole-transporting materials (Wu *et al.*, 2000, 2001). As dicarbazolyl derivatives are of great importance in electroluminescent devices, we have undertaken the crystal structure determination of the title compound.

The molecular (I) is built up from two three-fused rings and one five-membered ring. (Fig. 1). The three fused rings are coplanar within 0.0306 (27) and 0.0288 (26) Å, respectively. The five-membered ring is coplanar within 0.0027 (18) Å. The dihedral angles between the thiophene ring and the three-fused rings are 66.12 (8) and 70.96 (7)°, respectively.

S2. Experimental

2,5-dibromothiophene (4.84 g, 20.0 mmol), 9*H*-carbazole (6.69 g, 40.0 mmol), sodium *tert*-butoxide (4.61 g, 48.0 mmol), Pd(OAc)₂ (90 mg, 0.4 mmol), P(*t*-Bu)₃ (0.4 ml, 1.6 mmol, 0.81 *M* in *o*-xylene) and dry *o*-xylene (60 ml) were placed in a round-bottomed flask, and the solution was stirred at reflux for 72 h. After cooling, 2 ml of water was added, and the solution was then pumped dry, and the residue was extracted with dichloromethane/water, filtered and dried over magnesium sulfate. The pure product (m. p. 250–252°C) was obtained through silica gel chromatography (eluant: petroleum ether). A solution of the compound in *n*-hexane/dichloromethane (*v/v*=5/1) was concentrated gradually at room temperature to afford colorless prisms.

S3. Refinement

H atoms were included in calculated positions and refined using a riding model. H atoms were given isotropic displacement parameters equal to 1.2 times the equivalent isotropic displacement parameters of their parent atoms and C—H distances were restrained to 0.93 Å.




Figure 1

The structure of (I), showing the atom-labelling scheme. Ellipsoids are drawn at the 30% probability level.

2,5-Bis(9H-carbazol-9-yl)thiophene

Crystal data

$C_{28}H_{18}N_2S$

$M_r = 414.50$

Orthorhombic, *Pbca*

Hall symbol: $-P\ 2ac\ 2ab$

$a = 7.8760\ (16)\ \text{\AA}$

$b = 16.098\ (3)\ \text{\AA}$

$c = 33.986\ (7)\ \text{\AA}$

$V = 4309.1\ (15)\ \text{\AA}^3$

$Z = 8$

$F(000) = 1728$

$D_x = 1.278\ \text{Mg m}^{-3}$

Mo $K\alpha$ radiation, $\lambda = 0.71073\ \text{\AA}$

Cell parameters from 398 reflections

$\theta = 2\text{--}25.1^\circ$

$\mu = 0.17\ \text{mm}^{-1}$

$T = 298\ \text{K}$

Prismatic, colorless

$0.20 \times 0.18 \times 0.16\ \text{mm}$

Data collection

Rigaku R-AXIS-IV diffractometer	3931 independent reflections
Radiation source: fine-focus sealed tube	3230 reflections with $I > 2\sigma(I)$
Graphite monochromator	$R_{\text{int}} = 0.091$
Oscillation frames scans	$\theta_{\text{max}} = 25.5^\circ$, $\theta_{\text{min}} = 1.2^\circ$
Absorption correction: multi-scan (ABSCOR; Higashi, 1995)	$h = -9 \rightarrow 9$
$T_{\text{min}} = 0.963$, $T_{\text{max}} = 0.977$	$k = -19 \rightarrow 0$
12051 measured reflections	$l = -41 \rightarrow 41$
	3 standard reflections every 60 min
	intensity decay: 0.3%

Refinement

Refinement on F^2	Hydrogen site location: inferred from neighbouring sites
Least-squares matrix: full	H-atom parameters constrained
$R[F^2 > 2\sigma(F^2)] = 0.063$	$w = 1/[\sigma^2(F_o^2) + (0.0561P)^2 + 1.4309P]$
$wR(F^2) = 0.152$	where $P = (F_o^2 + 2F_c^2)/3$
$S = 1.13$	$(\Delta/\sigma)_{\text{max}} = 0.005$
3931 reflections	$\Delta\rho_{\text{max}} = 0.22 \text{ e } \text{\AA}^{-3}$
281 parameters	$\Delta\rho_{\text{min}} = -0.24 \text{ e } \text{\AA}^{-3}$
0 restraints	Extinction correction: SHELXL97 (Sheldrick, 2008), $F_c^* = kFc[1 + 0.001x \text{Fc}^2 \lambda^3 / \sin(2\theta)]^{-1/4}$
Primary atom site location: structure-invariant direct methods	Extinction coefficient: 0.0075 (8)
Secondary atom site location: difference Fourier map	

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
S1	0.42510 (9)	0.38837 (4)	0.134571 (19)	0.0563 (2)
N1	0.1144 (3)	0.45028 (13)	0.15532 (6)	0.0547 (5)
N2	0.5972 (3)	0.31480 (13)	0.07385 (6)	0.0528 (5)
C1	0.1385 (3)	0.52907 (16)	0.17188 (8)	0.0549 (6)
C2	0.2565 (4)	0.5891 (2)	0.16243 (11)	0.0778 (9)
H2A	0.3375	0.5804	0.1429	0.093*
C3	0.2491 (5)	0.6626 (2)	0.18321 (12)	0.0908 (11)
H3A	0.3271	0.7043	0.1776	0.109*
C4	0.1297 (6)	0.6760 (2)	0.21206 (12)	0.0935 (12)
H4A	0.1285	0.7264	0.2254	0.112*
C5	0.0140 (5)	0.6171 (2)	0.22129 (9)	0.0756 (9)
H5A	-0.0666	0.6270	0.2407	0.091*
C6	0.0166 (3)	0.54065 (17)	0.20123 (7)	0.0552 (6)
C7	-0.0844 (3)	0.46647 (17)	0.20323 (7)	0.0536 (6)

C8	-0.2183 (4)	0.4410 (2)	0.22699 (8)	0.0706 (8)
H8A	-0.2620	0.4764	0.2461	0.085*
C9	-0.2852 (4)	0.3632 (2)	0.22198 (9)	0.0797 (9)
H9A	-0.3736	0.3454	0.2381	0.096*
C10	-0.2226 (4)	0.3107 (2)	0.19319 (9)	0.0717 (8)
H10A	-0.2705	0.2582	0.1902	0.086*
C11	-0.0908 (4)	0.33396 (17)	0.16874 (8)	0.0595 (7)
H11A	-0.0508	0.2988	0.1491	0.071*
C12	-0.0208 (3)	0.41184 (15)	0.17466 (7)	0.0484 (6)
C13	0.2153 (3)	0.41352 (16)	0.12579 (7)	0.0518 (6)
C14	0.1618 (4)	0.3893 (2)	0.08962 (8)	0.0721 (9)
H14A	0.0525	0.3978	0.0801	0.087*
C15	0.2932 (4)	0.3495 (2)	0.06807 (8)	0.0737 (9)
H15A	0.2791	0.3287	0.0427	0.088*
C16	0.4400 (3)	0.34488 (16)	0.08817 (7)	0.0517 (6)
C17	0.6898 (3)	0.35122 (15)	0.04319 (7)	0.0484 (6)
C18	0.6625 (4)	0.42622 (17)	0.02422 (8)	0.0626 (7)
H18A	0.5728	0.4608	0.0312	0.075*
C19	0.7746 (4)	0.44742 (19)	-0.00553 (9)	0.0710 (8)
H19A	0.7599	0.4975	-0.0187	0.085*
C20	0.9084 (4)	0.3958 (2)	-0.01618 (9)	0.0715 (8)
H20A	0.9806	0.4114	-0.0365	0.086*
C21	0.9348 (3)	0.32234 (19)	0.00301 (8)	0.0625 (7)
H21A	1.0244	0.2879	-0.0042	0.075*
C22	0.8259 (3)	0.29954 (16)	0.03348 (7)	0.0511 (6)
C23	0.8173 (3)	0.22830 (16)	0.05942 (7)	0.0520 (6)
C24	0.9152 (4)	0.1575 (2)	0.06395 (9)	0.0711 (8)
H24A	1.0113	0.1493	0.0486	0.085*
C25	0.8682 (5)	0.0997 (2)	0.09146 (10)	0.0838 (10)
H25A	0.9330	0.0518	0.0945	0.101*
C26	0.7258 (5)	0.1112 (2)	0.11483 (9)	0.0814 (9)
H26A	0.6974	0.0710	0.1333	0.098*
C27	0.6255 (4)	0.18089 (18)	0.11129 (8)	0.0673 (8)
H27A	0.5297	0.1884	0.1269	0.081*
C28	0.6737 (3)	0.23931 (16)	0.08351 (7)	0.0518 (6)

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
S1	0.0515 (4)	0.0642 (4)	0.0531 (4)	0.0098 (3)	0.0019 (3)	-0.0067 (3)
N1	0.0541 (12)	0.0513 (12)	0.0586 (12)	0.0035 (10)	0.0152 (10)	-0.0071 (10)
N2	0.0474 (11)	0.0548 (12)	0.0564 (12)	0.0049 (10)	0.0114 (9)	-0.0021 (10)
C1	0.0545 (15)	0.0498 (15)	0.0604 (15)	0.0060 (12)	-0.0023 (12)	-0.0032 (12)
C2	0.068 (2)	0.0620 (19)	0.103 (2)	-0.0023 (16)	0.0013 (17)	-0.0029 (17)
C3	0.083 (3)	0.0552 (19)	0.134 (3)	-0.0055 (17)	-0.020 (2)	-0.005 (2)
C4	0.098 (3)	0.064 (2)	0.119 (3)	0.017 (2)	-0.036 (2)	-0.027 (2)
C5	0.080 (2)	0.073 (2)	0.074 (2)	0.0289 (18)	-0.0145 (16)	-0.0226 (16)
C6	0.0568 (15)	0.0560 (15)	0.0529 (14)	0.0156 (13)	-0.0088 (12)	-0.0073 (12)

C7	0.0528 (15)	0.0630 (16)	0.0451 (13)	0.0201 (13)	-0.0010 (11)	-0.0001 (11)
C8	0.0618 (18)	0.096 (2)	0.0544 (16)	0.0204 (17)	0.0139 (13)	-0.0022 (15)
C9	0.0617 (19)	0.106 (3)	0.071 (2)	0.0008 (19)	0.0196 (15)	0.0159 (19)
C10	0.0631 (18)	0.0702 (19)	0.082 (2)	-0.0038 (15)	0.0063 (15)	0.0152 (16)
C11	0.0583 (16)	0.0564 (16)	0.0638 (16)	0.0087 (13)	0.0070 (12)	-0.0001 (12)
C12	0.0459 (13)	0.0514 (14)	0.0481 (13)	0.0100 (11)	0.0048 (10)	0.0005 (11)
C13	0.0488 (14)	0.0532 (14)	0.0533 (14)	0.0030 (12)	0.0089 (11)	-0.0029 (11)
C14	0.0489 (15)	0.107 (2)	0.0605 (17)	0.0097 (16)	0.0022 (12)	-0.0179 (16)
C15	0.0494 (16)	0.112 (3)	0.0594 (17)	0.0088 (17)	0.0050 (13)	-0.0236 (17)
C16	0.0455 (14)	0.0553 (15)	0.0542 (14)	0.0021 (11)	0.0094 (11)	-0.0036 (11)
C17	0.0457 (13)	0.0510 (14)	0.0486 (13)	-0.0043 (11)	0.0042 (10)	-0.0095 (11)
C18	0.0665 (18)	0.0560 (16)	0.0652 (17)	-0.0013 (14)	0.0058 (13)	-0.0043 (13)
C19	0.077 (2)	0.0639 (18)	0.0724 (18)	-0.0182 (16)	0.0076 (16)	0.0036 (15)
C20	0.0661 (19)	0.084 (2)	0.0645 (17)	-0.0250 (17)	0.0170 (14)	-0.0064 (16)
C21	0.0470 (15)	0.0776 (19)	0.0629 (16)	-0.0076 (14)	0.0120 (12)	-0.0205 (15)
C22	0.0447 (13)	0.0586 (15)	0.0501 (13)	-0.0056 (11)	0.0025 (10)	-0.0168 (12)
C23	0.0495 (14)	0.0572 (15)	0.0494 (13)	0.0041 (12)	-0.0014 (11)	-0.0134 (12)
C24	0.0687 (19)	0.077 (2)	0.0676 (18)	0.0213 (16)	-0.0006 (14)	-0.0157 (16)
C25	0.105 (3)	0.071 (2)	0.076 (2)	0.0317 (19)	-0.0114 (19)	-0.0026 (17)
C26	0.109 (3)	0.069 (2)	0.0669 (19)	0.0126 (19)	0.0003 (19)	0.0067 (16)
C27	0.0769 (19)	0.0672 (18)	0.0579 (16)	0.0052 (15)	0.0090 (14)	0.0010 (14)
C28	0.0528 (14)	0.0536 (15)	0.0490 (14)	0.0038 (12)	0.0012 (11)	-0.0067 (11)

Geometric parameters (Å, °)

S1—C13	1.727 (3)	C11—H11A	0.9300
S1—C16	1.729 (3)	C13—C14	1.356 (4)
N1—C12	1.396 (3)	C14—C15	1.421 (4)
N1—C1	1.401 (3)	C14—H14A	0.9300
N1—C13	1.410 (3)	C15—C16	1.345 (4)
N2—C28	1.396 (3)	C15—H15A	0.9300
N2—C17	1.401 (3)	C17—C18	1.385 (4)
N2—C16	1.415 (3)	C17—C22	1.396 (3)
C1—C2	1.379 (4)	C18—C19	1.385 (4)
C1—C6	1.397 (4)	C18—H18A	0.9300
C2—C3	1.379 (5)	C19—C20	1.390 (4)
C2—H2A	0.9300	C19—H19A	0.9300
C3—C4	1.376 (6)	C20—C21	1.366 (4)
C3—H3A	0.9300	C20—H20A	0.9300
C4—C5	1.352 (5)	C21—C22	1.394 (4)
C4—H4A	0.9300	C21—H21A	0.9300
C5—C6	1.407 (4)	C22—C23	1.448 (4)
C5—H5A	0.9300	C23—C24	1.385 (4)
C6—C7	1.437 (4)	C23—C28	1.408 (3)
C7—C8	1.390 (4)	C24—C25	1.370 (5)
C7—C12	1.403 (3)	C24—H24A	0.9300
C8—C9	1.370 (5)	C25—C26	1.387 (5)
C8—H8A	0.9300	C25—H25A	0.9300

C9—C10	1.384 (4)	C26—C27	1.377 (4)
C9—H9A	0.9300	C26—H26A	0.9300
C10—C11	1.381 (4)	C27—C28	1.386 (4)
C10—H10A	0.9300	C27—H27A	0.9300
C11—C12	1.384 (4)		
C13—S1—C16	90.13 (12)	C13—C14—C15	111.8 (3)
C12—N1—C1	108.4 (2)	C13—C14—H14A	124.1
C12—N1—C13	125.4 (2)	C15—C14—H14A	124.1
C1—N1—C13	126.1 (2)	C16—C15—C14	112.9 (3)
C28—N2—C17	108.34 (19)	C16—C15—H15A	123.6
C28—N2—C16	126.5 (2)	C14—C15—H15A	123.6
C17—N2—C16	124.6 (2)	C15—C16—N2	126.6 (2)
C2—C1—C6	122.4 (3)	C15—C16—S1	112.49 (19)
C2—C1—N1	129.2 (3)	N2—C16—S1	120.76 (18)
C6—C1—N1	108.3 (2)	C18—C17—C22	121.9 (2)
C3—C2—C1	117.0 (3)	C18—C17—N2	129.1 (2)
C3—C2—H2A	121.5	C22—C17—N2	109.0 (2)
C1—C2—H2A	121.5	C19—C18—C17	117.1 (3)
C4—C3—C2	121.9 (4)	C19—C18—H18A	121.5
C4—C3—H3A	119.0	C17—C18—H18A	121.5
C2—C3—H3A	119.0	C18—C19—C20	121.7 (3)
C5—C4—C3	121.1 (3)	C18—C19—H19A	119.1
C5—C4—H4A	119.5	C20—C19—H19A	119.1
C3—C4—H4A	119.5	C21—C20—C19	120.5 (3)
C4—C5—C6	119.4 (3)	C21—C20—H20A	119.7
C4—C5—H5A	120.3	C19—C20—H20A	119.7
C6—C5—H5A	120.3	C20—C21—C22	119.3 (3)
C1—C6—C5	118.2 (3)	C20—C21—H21A	120.4
C1—C6—C7	107.7 (2)	C22—C21—H21A	120.4
C5—C6—C7	134.1 (3)	C21—C22—C17	119.4 (3)
C8—C7—C12	119.2 (3)	C21—C22—C23	133.6 (2)
C8—C7—C6	133.8 (3)	C17—C22—C23	107.0 (2)
C12—C7—C6	106.9 (2)	C24—C23—C28	119.1 (3)
C9—C8—C7	119.3 (3)	C24—C23—C22	133.9 (2)
C9—C8—H8A	120.4	C28—C23—C22	107.0 (2)
C7—C8—H8A	120.4	C25—C24—C23	119.0 (3)
C8—C9—C10	120.6 (3)	C25—C24—H24A	120.5
C8—C9—H9A	119.7	C23—C24—H24A	120.5
C10—C9—H9A	119.7	C24—C25—C26	121.2 (3)
C11—C10—C9	121.8 (3)	C24—C25—H25A	119.4
C11—C10—H10A	119.1	C26—C25—H25A	119.4
C9—C10—H10A	119.1	C27—C26—C25	121.5 (3)
C10—C11—C12	117.2 (3)	C27—C26—H26A	119.2
C10—C11—H11A	121.4	C25—C26—H26A	119.2
C12—C11—H11A	121.4	C26—C27—C28	117.1 (3)
C11—C12—N1	129.6 (2)	C26—C27—H27A	121.5
C11—C12—C7	121.7 (2)	C28—C27—H27A	121.5

N1—C12—C7	108.7 (2)	C27—C28—N2	129.3 (2)
C14—C13—N1	126.2 (2)	C27—C28—C23	122.1 (2)
C14—C13—S1	112.72 (19)	N2—C28—C23	108.6 (2)
N1—C13—S1	120.95 (19)		
C12—N1—C1—C2	179.9 (3)	C14—C15—C16—N2	-174.8 (3)
C13—N1—C1—C2	3.4 (5)	C14—C15—C16—S1	0.4 (4)
C12—N1—C1—C6	-0.9 (3)	C28—N2—C16—C15	-106.6 (4)
C13—N1—C1—C6	-177.4 (2)	C17—N2—C16—C15	63.8 (4)
C6—C1—C2—C3	-0.4 (5)	C28—N2—C16—S1	78.6 (3)
N1—C1—C2—C3	178.6 (3)	C17—N2—C16—S1	-111.0 (2)
C1—C2—C3—C4	-0.1 (5)	C13—S1—C16—C15	-0.4 (3)
C2—C3—C4—C5	0.1 (6)	C13—S1—C16—N2	175.1 (2)
C3—C4—C5—C6	0.4 (5)	C28—N2—C17—C18	-179.5 (3)
C2—C1—C6—C5	0.9 (4)	C16—N2—C17—C18	8.6 (4)
N1—C1—C6—C5	-178.3 (2)	C28—N2—C17—C22	-0.5 (3)
C2—C1—C6—C7	180.0 (3)	C16—N2—C17—C22	-172.3 (2)
N1—C1—C6—C7	0.8 (3)	C22—C17—C18—C19	1.2 (4)
C4—C5—C6—C1	-0.9 (4)	N2—C17—C18—C19	-179.9 (3)
C4—C5—C6—C7	-179.6 (3)	C17—C18—C19—C20	0.3 (4)
C1—C6—C7—C8	177.8 (3)	C18—C19—C20—C21	-0.9 (5)
C5—C6—C7—C8	-3.4 (5)	C19—C20—C21—C22	0.0 (4)
C1—C6—C7—C12	-0.3 (3)	C20—C21—C22—C17	1.4 (4)
C5—C6—C7—C12	178.6 (3)	C20—C21—C22—C23	-179.8 (3)
C12—C7—C8—C9	0.0 (4)	C18—C17—C22—C21	-2.1 (4)
C6—C7—C8—C9	-177.9 (3)	N2—C17—C22—C21	178.8 (2)
C7—C8—C9—C10	-1.0 (5)	C18—C17—C22—C23	178.8 (2)
C8—C9—C10—C11	0.4 (5)	N2—C17—C22—C23	-0.3 (3)
C9—C10—C11—C12	1.3 (4)	C21—C22—C23—C24	1.2 (5)
C10—C11—C12—N1	178.2 (3)	C17—C22—C23—C24	-179.9 (3)
C10—C11—C12—C7	-2.4 (4)	C21—C22—C23—C28	-178.0 (3)
C1—N1—C12—C11	-179.8 (3)	C17—C22—C23—C28	0.9 (3)
C13—N1—C12—C11	-3.2 (4)	C28—C23—C24—C25	0.8 (4)
C1—N1—C12—C7	0.7 (3)	C22—C23—C24—C25	-178.3 (3)
C13—N1—C12—C7	177.2 (2)	C23—C24—C25—C26	-0.4 (5)
C8—C7—C12—C11	1.8 (4)	C24—C25—C26—C27	0.3 (6)
C6—C7—C12—C11	-179.8 (2)	C25—C26—C27—C28	-0.4 (5)
C8—C7—C12—N1	-178.7 (2)	C26—C27—C28—N2	-179.7 (3)
C6—C7—C12—N1	-0.3 (3)	C26—C27—C28—C23	0.8 (4)
C12—N1—C13—C14	64.9 (4)	C17—N2—C28—C27	-178.5 (3)
C1—N1—C13—C14	-119.2 (3)	C16—N2—C28—C27	-6.8 (4)
C12—N1—C13—S1	-110.7 (3)	C17—N2—C28—C23	1.1 (3)
C1—N1—C13—S1	65.2 (3)	C16—N2—C28—C23	172.7 (2)
C16—S1—C13—C14	0.3 (2)	C24—C23—C28—C27	-0.9 (4)
C16—S1—C13—N1	176.5 (2)	C22—C23—C28—C27	178.4 (2)
N1—C13—C14—C15	-176.0 (3)	C24—C23—C28—N2	179.4 (2)
S1—C13—C14—C15	-0.1 (4)	C22—C23—C28—N2	-1.2 (3)
C13—C14—C15—C16	-0.2 (4)		
