

Acta Crystallographica Section E

## Structure Reports

Online

ISSN 1600-5368

## 2-Bromo-1,3-diphenylpropan-1,3-dione

Zainudin Arifin and Seik Weng Ng\*

Department of Chemistry, University of Malaya, 50603 Kuala Lumpur, Malaysia

Correspondence e-mail: seikweng@um.edu.my


Received 11 November 2008; accepted 19 November 2008

 Key indicators: single-crystal X-ray study;  $T = 100$  K; mean  $\sigma(\text{C}-\text{C}) = 0.006$  Å;  $R$  factor = 0.037;  $wR$  factor = 0.087; data-to-parameter ratio = 17.1.

The title compound,  $\text{C}_{15}\text{H}_{11}\text{BrO}_2$ , exists as a diketone in which the two benzoyl groups are nearly perpendicular to each other [dihedral angles =  $79.9$  (1) and  $87.4$  (1) $^\circ$  in the two independent molecules].

## Related literature

The compound is claimed to exist in the enol form as it condenses with 2-aminothiazole and 2-mercaptoimidazoline; see: Robert & Panouse (1979). The parent dibenzoylmethane molecule exists in two modifications, as 1,3-diphenyl-1-hydroxypropen-1-one; see: Kaitner & Meštrović (1993); Ozturk *et al.* (1997).



## Experimental

## Crystal data

 $\text{C}_{15}\text{H}_{11}\text{BrO}_2$ 
 $M_r = 303.15$ 

 Orthorhombic,  $Pca2_1$   
 $a = 28.0680$  (6) Å  
 $b = 5.6508$  (1) Å  
 $c = 15.3741$  (3) Å  
 $V = 2438.43$  (8) Å<sup>3</sup>
 $Z = 8$   
 Mo  $K\alpha$  radiation  
 $\mu = 3.36$  mm<sup>-1</sup>  
 $T = 100$  (2) K  
 $0.27 \times 0.20 \times 0.06$  mm

## Data collection

 Bruker SMART APEX  
 diffractometer  
 Absorption correction: multi-scan  
 (SADABS; Sheldrick, 1996)  
 $T_{\min} = 0.464$ ,  $T_{\max} = 0.824$ 

 21610 measured reflections  
 5562 independent reflections  
 4774 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.060$ 

## Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.037$   
 $wR(F^2) = 0.086$   
 $S = 0.99$   
 5562 reflections  
 325 parameters  
 1 restraint

 H-atom parameters constrained  
 $\Delta\rho_{\text{max}} = 0.76$  e Å<sup>-3</sup>  
 $\Delta\rho_{\text{min}} = -0.52$  e Å<sup>-3</sup>  
 Absolute structure: Flack (1983),  
 2644 Friedel pairs  
 Flack parameter:  $-0.002$  (9)

Data collection: APEX2 (Bruker, 2007); cell refinement: SAINT (Bruker, 2007); data reduction: SAINT; program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: X-SEED (Barbour, 2001); software used to prepare material for publication: publCIF (Westrip, 2008).

We thank the University of Malaya for supporting this study.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: PK2135).

## References

- Barbour, L. J. (2001). *J. Supramol. Chem.* **1**, 189–191.  
 Bruker (2007). APEX2 and SAINT. Bruker AXS Inc., Madison, Wisconsin, USA.  
 Flack, H. D. (1983). *Acta Cryst.* **A39**, 876–881.  
 Kaitner, B. & Meštrović, E. (1993). *Acta Cryst.* **C49**, 1523–1525.  
 Ozturk, S., Akkurt, M. & Ide, S. (1997). *Z. Kristallogr.* **212**, 808–810.  
 Robert, J. F. & Panouse, J. J. (1979). *J. Heterocycl. Chem.* **16**, 1201–1207.  
 Sheldrick, G. M. (1996). SADABS. University of Göttingen, Germany.  
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.  
 Westrip, S. P. (2008). publCIF. In preparation.

## supporting information

*Acta Cryst.* (2008). E64, o2439 [doi:10.1107/S1600536808038646]

## 2-Bromo-1,3-diphenylpropan-1,3-dione

Zainudin Arifin and Seik Weng Ng


### S1. Experimental

The commercially available compound was recrystallized from toluene.

### S2. Refinement

Carbon-bound H-atoms were placed in calculated positions (C—H 0.95 Å) and were included in the refinement using a riding model approximation, with  $U(\text{H})$  set to  $1.2U(\text{C})$ .

The (200) reflection was omitted.



**Figure 1**

Thermal ellipsoid (Barbour, 2001) plot of the two independent molecules of  $\text{C}_{15}\text{H}_{11}\text{BrO}_2$  at the 70% probability level. Hydrogen atoms are drawn as spheres of arbitrary radius.

### 2-Bromo-1,3-diphenylpropan-1,3-dione

#### Crystal data

$\text{C}_{15}\text{H}_{11}\text{BrO}_2$

$M_r = 303.15$

Orthorhombic,  $Pca2_1$

Hall symbol:  $P\ 2c\ -2ac$

$a = 28.0680$  (6) Å

$b = 5.6508$  (1) Å

$c = 15.3741$  (3) Å

$V = 2438.43$  (8) Å<sup>3</sup>

$Z = 8$

$F(000) = 1216$

$D_x = 1.652$  Mg m<sup>-3</sup>

Mo  $K\alpha$  radiation,  $\lambda = 0.71073$  Å

Cell parameters from 4583 reflections

$\theta = 2.6\text{--}25.4^\circ$

$\mu = 3.36 \text{ mm}^{-1}$   
 $T = 100 \text{ K}$

Plate, colorless  
 $0.27 \times 0.20 \times 0.06 \text{ mm}$

*Data collection*

Bruker SMART APEX  
 diffractometer  
 Radiation source: fine-focus sealed tube  
 Graphite monochromator  
 $\omega$  scans  
 Absorption correction: multi-scan  
 (SADABS; Sheldrick, 1996)  
 $T_{\min} = 0.464$ ,  $T_{\max} = 0.824$

21610 measured reflections  
 5562 independent reflections  
 4774 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.060$   
 $\theta_{\max} = 27.5^\circ$ ,  $\theta_{\min} = 2.0^\circ$   
 $h = -36 \rightarrow 35$   
 $k = -7 \rightarrow 7$   
 $l = -19 \rightarrow 19$

*Refinement*

Refinement on  $F^2$   
 Least-squares matrix: full  
 $R[F^2 > 2\sigma(F^2)] = 0.037$   
 $wR(F^2) = 0.087$   
 $S = 0.99$   
 5562 reflections  
 325 parameters  
 1 restraint  
 Primary atom site location: structure-invariant  
 direct methods  
 Secondary atom site location: difference Fourier  
 map

Hydrogen site location: inferred from  
 neighbouring sites  
 H-atom parameters constrained  
 $w = 1/[\sigma^2(F_o^2) + (0.0511P)^2]$   
 where  $P = (F_o^2 + 2F_c^2)/3$   
 $(\Delta/\sigma)_{\max} = 0.001$   
 $\Delta\rho_{\max} = 0.76 \text{ e } \text{\AA}^{-3}$   
 $\Delta\rho_{\min} = -0.52 \text{ e } \text{\AA}^{-3}$   
 Absolute structure: Flack (1983), 2644 Fridel  
 pairs  
 Absolute structure parameter:  $-0.002$  (9)

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
Br1	0.264659 (13)	0.21340 (7)	0.50000 (3)	0.01660 (9)
Br2	0.355868 (14)	1.36089 (7)	0.23689 (3)	0.01981 (10)
O1	0.18018 (11)	-0.0909 (5)	0.52553 (18)	0.0212 (7)
O2	0.17207 (11)	0.1525 (5)	0.33248 (18)	0.0181 (6)
O3	0.44667 (12)	1.6039 (6)	0.1914 (2)	0.0312 (8)
O4	0.44450 (11)	1.4517 (5)	0.39763 (19)	0.0216 (7)
C1	0.11351 (15)	0.1585 (6)	0.5074 (3)	0.0147 (8)
C2	0.09476 (15)	0.3667 (8)	0.4735 (3)	0.0183 (9)
H2	0.1153	0.4846	0.4505	0.022*
C3	0.04576 (15)	0.4012 (8)	0.4733 (3)	0.0188 (9)
H3	0.0330	0.5411	0.4482	0.023*
C4	0.01566 (16)	0.2367 (7)	0.5086 (3)	0.0233 (10)
H4	-0.0178	0.2623	0.5080	0.028*
C5	0.03430 (16)	0.0314 (8)	0.5455 (3)	0.0208 (9)
H5	0.0136	-0.0818	0.5711	0.025*
C6	0.08317 (16)	-0.0077 (8)	0.5446 (3)	0.0194 (9)
H6	0.0959	-0.1481	0.5695	0.023*
C7	0.16522 (15)	0.1006 (7)	0.5035 (3)	0.0171 (8)
C8	0.19934 (14)	0.2929 (7)	0.4686 (3)	0.0145 (8)
H8	0.1906	0.4505	0.4936	0.017*
C9	0.19594 (15)	0.3008 (7)	0.3688 (3)	0.0150 (8)

C10	0.22242 (14)	0.4836 (7)	0.3189 (2)	0.0138 (8)
C11	0.22560 (13)	0.4551 (7)	0.2283 (3)	0.0165 (8)
H11	0.2121	0.3196	0.2013	0.020*
C12	0.24831 (16)	0.6234 (8)	0.1785 (3)	0.0168 (9)
H12	0.2501	0.6042	0.1172	0.020*
C13	0.26858 (15)	0.8212 (8)	0.2174 (3)	0.0188 (9)
H13	0.2841	0.9373	0.1829	0.023*
C14	0.26596 (15)	0.8482 (7)	0.3067 (3)	0.0176 (9)
H14	0.2800	0.9830	0.3334	0.021*
C15	0.24308 (15)	0.6804 (7)	0.3579 (3)	0.0153 (8)
H15	0.2416	0.7000	0.4192	0.018*
C16	0.39938 (16)	1.1076 (8)	0.4260 (3)	0.0168 (9)
C17	0.37847 (15)	0.9021 (8)	0.3946 (3)	0.0174 (9)
H17	0.3785	0.8690	0.3341	0.021*
C18	0.35758 (18)	0.7456 (8)	0.4527 (3)	0.0198 (10)
H18	0.3440	0.6026	0.4318	0.024*
C19	0.3564 (2)	0.7951 (9)	0.5399 (3)	0.0252 (11)
H19	0.3413	0.6878	0.5786	0.030*
C20	0.37725 (19)	1.0017 (9)	0.5725 (3)	0.0272 (11)
H20	0.3769	1.0341	0.6331	0.033*
C21	0.39847 (16)	1.1585 (7)	0.5150 (3)	0.0214 (10)
H21	0.4124	1.3006	0.5361	0.026*
C22	0.42297 (14)	1.2851 (8)	0.3686 (3)	0.0159 (8)
C23	0.42002 (14)	1.2619 (8)	0.2686 (3)	0.0159 (9)
H23	0.4256	1.0942	0.2505	0.019*
C24	0.45729 (14)	1.4232 (7)	0.2285 (3)	0.0187 (8)
C25	0.50847 (14)	1.3574 (7)	0.2417 (3)	0.0163 (8)
C26	0.52174 (17)	1.1460 (7)	0.2826 (3)	0.0175 (9)
H26	0.4980	1.0340	0.2985	0.021*
C27	0.56937 (15)	1.0990 (7)	0.3001 (3)	0.0170 (9)
H27	0.5783	0.9553	0.3276	0.020*
C28	0.60386 (16)	1.2646 (8)	0.2768 (3)	0.0193 (9)
H28	0.6364	1.2366	0.2901	0.023*
C29	0.59053 (14)	1.4708 (7)	0.2339 (3)	0.0190 (8)
H29	0.6141	1.5809	0.2159	0.023*
C30	0.54305 (15)	1.5154 (8)	0.2177 (2)	0.0179 (9)
H30	0.5342	1.6581	0.1893	0.022*

Atomic displacement parameters ( $\text{\AA}^2$ )

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
Br1	0.01624 (19)	0.01938 (19)	0.01417 (16)	0.00186 (15)	-0.00319 (19)	-0.00273 (19)
Br2	0.01400 (19)	0.0249 (2)	0.02058 (18)	0.00115 (17)	-0.0026 (2)	-0.00051 (18)
O1	0.0241 (17)	0.0178 (16)	0.0216 (15)	0.0040 (13)	0.0017 (12)	0.0053 (11)
O2	0.0206 (17)	0.0167 (16)	0.0169 (14)	-0.0018 (12)	-0.0004 (12)	-0.0016 (12)
O3	0.0200 (18)	0.026 (2)	0.047 (2)	0.0031 (14)	-0.0006 (16)	0.0203 (16)
O4	0.0191 (17)	0.0190 (16)	0.0269 (16)	-0.0045 (13)	0.0007 (13)	-0.0065 (13)
C1	0.018 (2)	0.015 (2)	0.0107 (18)	0.0009 (14)	-0.0032 (17)	0.0021 (18)

C2	0.023 (2)	0.016 (2)	0.0162 (19)	-0.0028 (17)	0.0000 (17)	-0.0040 (15)
C3	0.020 (2)	0.016 (2)	0.021 (2)	0.0056 (16)	-0.0044 (17)	0.0010 (16)
C4	0.017 (2)	0.027 (3)	0.025 (2)	0.0053 (16)	0.001 (2)	-0.002 (2)
C5	0.020 (2)	0.027 (3)	0.015 (2)	-0.0058 (19)	0.0001 (17)	0.0050 (18)
C6	0.023 (2)	0.017 (2)	0.018 (2)	-0.0011 (17)	0.0024 (18)	0.0005 (17)
C7	0.024 (2)	0.018 (2)	0.0094 (16)	0.0007 (16)	0.0012 (18)	0.0010 (19)
C8	0.015 (2)	0.015 (2)	0.0140 (16)	0.0032 (16)	0.0006 (15)	-0.0054 (16)
C9	0.016 (2)	0.013 (2)	0.0155 (18)	0.0025 (17)	-0.0016 (16)	-0.0046 (15)
C10	0.011 (2)	0.014 (2)	0.0168 (19)	-0.0004 (15)	-0.0006 (15)	0.0013 (16)
C11	0.0124 (18)	0.018 (2)	0.019 (2)	-0.0006 (15)	-0.0032 (19)	0.0013 (18)
C12	0.022 (2)	0.021 (2)	0.0079 (17)	0.0013 (17)	-0.0003 (16)	-0.0039 (17)
C13	0.020 (2)	0.016 (2)	0.021 (2)	-0.0026 (16)	0.0036 (17)	-0.0006 (16)
C14	0.018 (2)	0.015 (2)	0.021 (2)	-0.0008 (17)	-0.0016 (17)	-0.0037 (16)
C15	0.016 (2)	0.016 (2)	0.0138 (18)	0.0020 (16)	-0.0038 (16)	-0.0024 (16)
C16	0.018 (2)	0.017 (2)	0.0153 (19)	0.0037 (17)	-0.0010 (17)	0.0029 (17)
C17	0.016 (2)	0.021 (2)	0.0158 (19)	0.0024 (17)	-0.0009 (17)	0.0000 (17)
C18	0.014 (2)	0.017 (2)	0.028 (3)	-0.0018 (18)	0.000 (2)	0.0058 (18)
C19	0.024 (3)	0.026 (3)	0.026 (2)	0.006 (2)	0.007 (2)	0.006 (2)
C20	0.038 (3)	0.029 (3)	0.014 (2)	0.002 (2)	-0.0012 (19)	0.0036 (18)
C21	0.026 (2)	0.017 (2)	0.021 (2)	0.0014 (17)	-0.0040 (18)	-0.0013 (17)
C22	0.010 (2)	0.019 (2)	0.0186 (19)	0.0059 (17)	-0.0013 (16)	-0.0006 (17)
C23	0.008 (2)	0.021 (2)	0.0192 (19)	0.0036 (16)	-0.0002 (16)	0.0040 (16)
C24	0.020 (2)	0.020 (2)	0.016 (2)	0.0006 (16)	0.000 (2)	0.0043 (18)
C25	0.018 (2)	0.0157 (19)	0.0155 (18)	0.0032 (17)	0.004 (2)	-0.0018 (17)
C26	0.024 (2)	0.012 (2)	0.017 (2)	-0.0009 (17)	0.0009 (18)	-0.0021 (16)
C27	0.022 (2)	0.013 (2)	0.0164 (19)	0.0042 (16)	0.0014 (17)	-0.0012 (15)
C28	0.016 (2)	0.023 (2)	0.019 (2)	0.0013 (17)	0.0012 (17)	-0.0073 (18)
C29	0.021 (2)	0.018 (2)	0.0180 (17)	-0.0010 (16)	0.003 (2)	0.0013 (19)
C30	0.018 (2)	0.017 (2)	0.020 (2)	0.0005 (16)	0.0001 (16)	0.0003 (16)

*Geometric parameters (Å, °)*

Br1—C8	1.948 (4)	C14—C15	1.389 (6)
Br2—C23	1.947 (4)	C14—H14	0.9500
O1—C7	1.209 (5)	C15—H15	0.9500
O2—C9	1.209 (5)	C16—C17	1.388 (6)
O3—C24	1.207 (5)	C16—C21	1.398 (6)
O4—C22	1.204 (5)	C16—C22	1.491 (6)
C1—C2	1.390 (6)	C17—C18	1.387 (6)
C1—C6	1.391 (6)	C17—H17	0.9500
C1—C7	1.489 (6)	C18—C19	1.369 (6)
C2—C3	1.389 (6)	C18—H18	0.9500
C2—H2	0.9500	C19—C20	1.399 (7)
C3—C4	1.369 (6)	C19—H19	0.9500
C3—H3	0.9500	C20—C21	1.386 (6)
C4—C5	1.393 (6)	C20—H20	0.9500
C4—H4	0.9500	C21—H21	0.9500
C5—C6	1.389 (6)	C22—C23	1.545 (6)

---

C5—H5	0.9500	C23—C24	1.518 (6)
C6—H6	0.9500	C23—H23	1.0000
C7—C8	1.544 (6)	C24—C25	1.498 (6)
C8—C9	1.538 (5)	C25—C30	1.370 (6)
C8—H8	1.0000	C25—C26	1.400 (6)
C9—C10	1.487 (6)	C26—C27	1.389 (6)
C10—C15	1.391 (6)	C26—H26	0.9500
C10—C11	1.405 (6)	C27—C28	1.393 (6)
C11—C12	1.377 (6)	C27—H27	0.9500
C11—H11	0.9500	C28—C29	1.390 (6)
C12—C13	1.390 (6)	C28—H28	0.9500
C12—H12	0.9500	C29—C30	1.379 (6)
C13—C14	1.384 (6)	C29—H29	0.9500
C13—H13	0.9500	C30—H30	0.9500
C2—C1—C6	119.6 (4)	C17—C16—C21	120.3 (4)
C2—C1—C7	122.7 (4)	C17—C16—C22	123.0 (4)
C6—C1—C7	117.7 (3)	C21—C16—C22	116.7 (4)
C3—C2—C1	119.7 (4)	C18—C17—C16	119.3 (4)
C3—C2—H2	120.2	C18—C17—H17	120.4
C1—C2—H2	120.2	C16—C17—H17	120.4
C4—C3—C2	121.0 (4)	C19—C18—C17	120.7 (5)
C4—C3—H3	119.5	C19—C18—H18	119.7
C2—C3—H3	119.5	C17—C18—H18	119.7
C3—C4—C5	119.7 (4)	C18—C19—C20	120.7 (5)
C3—C4—H4	120.2	C18—C19—H19	119.6
C5—C4—H4	120.2	C20—C19—H19	119.6
C6—C5—C4	120.0 (4)	C21—C20—C19	119.0 (4)
C6—C5—H5	120.0	C21—C20—H20	120.5
C4—C5—H5	120.0	C19—C20—H20	120.5
C5—C6—C1	120.0 (4)	C20—C21—C16	120.0 (4)
C5—C6—H6	120.0	C20—C21—H21	120.0
C1—C6—H6	120.0	C16—C21—H21	120.0
O1—C7—C1	121.6 (4)	O4—C22—C16	121.9 (4)
O1—C7—C8	120.8 (4)	O4—C22—C23	117.5 (4)
C1—C7—C8	117.6 (3)	C16—C22—C23	120.5 (4)
C9—C8—C7	109.2 (3)	C24—C23—C22	108.4 (3)
C9—C8—Br1	108.2 (3)	C24—C23—Br2	111.3 (3)
C7—C8—Br1	109.6 (3)	C22—C23—Br2	105.9 (3)
C9—C8—H8	110.0	C24—C23—H23	110.4
C7—C8—H8	110.0	C22—C23—H23	110.4
Br1—C8—H8	110.0	Br2—C23—H23	110.4
O2—C9—C10	121.3 (4)	O3—C24—C25	120.7 (4)
O2—C9—C8	118.4 (4)	O3—C24—C23	122.0 (4)
C10—C9—C8	120.3 (3)	C25—C24—C23	117.2 (3)
C15—C10—C11	119.5 (4)	C30—C25—C26	119.3 (4)
C15—C10—C9	122.8 (4)	C30—C25—C24	118.8 (4)
C11—C10—C9	117.7 (3)	C26—C25—C24	121.8 (4)

---

---

C12—C11—C10	120.1 (4)	C27—C26—C25	120.4 (4)
C12—C11—H11	120.0	C27—C26—H26	119.8
C10—C11—H11	120.0	C25—C26—H26	119.8
C11—C12—C13	120.4 (4)	C26—C27—C28	119.4 (4)
C11—C12—H12	119.8	C26—C27—H27	120.3
C13—C12—H12	119.8	C28—C27—H27	120.3
C14—C13—C12	119.6 (4)	C29—C28—C27	119.9 (4)
C14—C13—H13	120.2	C29—C28—H28	120.1
C12—C13—H13	120.2	C27—C28—H28	120.1
C13—C14—C15	120.8 (4)	C30—C29—C28	119.9 (4)
C13—C14—H14	119.6	C30—C29—H29	120.0
C15—C14—H14	119.6	C28—C29—H29	120.0
C14—C15—C10	119.6 (4)	C25—C30—C29	121.1 (4)
C14—C15—H15	120.2	C25—C30—H30	119.4
C10—C15—H15	120.2	C29—C30—H30	119.4
C6—C1—C2—C3	-3.2 (6)	C21—C16—C17—C18	-1.4 (7)
C7—C1—C2—C3	175.0 (4)	C22—C16—C17—C18	179.5 (4)
C1—C2—C3—C4	2.2 (6)	C16—C17—C18—C19	1.7 (8)
C2—C3—C4—C5	0.1 (7)	C17—C18—C19—C20	-1.5 (9)
C3—C4—C5—C6	-1.3 (7)	C18—C19—C20—C21	1.1 (8)
C4—C5—C6—C1	0.3 (6)	C19—C20—C21—C16	-0.8 (7)
C2—C1—C6—C5	1.9 (6)	C17—C16—C21—C20	1.0 (7)
C7—C1—C6—C5	-176.4 (4)	C22—C16—C21—C20	-179.9 (4)
C2—C1—C7—O1	-172.5 (4)	C17—C16—C22—O4	-173.4 (4)
C6—C1—C7—O1	5.7 (6)	C21—C16—C22—O4	7.5 (6)
C2—C1—C7—C8	6.3 (6)	C17—C16—C22—C23	7.3 (6)
C6—C1—C7—C8	-175.4 (4)	C21—C16—C22—C23	-171.9 (4)
O1—C7—C8—C9	101.3 (5)	O4—C22—C23—C24	15.6 (5)
C1—C7—C8—C9	-77.6 (5)	C16—C22—C23—C24	-165.0 (4)
O1—C7—C8—Br1	-17.1 (5)	O4—C22—C23—Br2	-103.9 (4)
C1—C7—C8—Br1	164.1 (3)	C16—C22—C23—Br2	75.4 (4)
C7—C8—C9—O2	-6.1 (5)	C22—C23—C24—O3	-107.7 (5)
Br1—C8—C9—O2	113.1 (4)	Br2—C23—C24—O3	8.4 (6)
C7—C8—C9—C10	175.3 (3)	C22—C23—C24—C25	68.5 (5)
Br1—C8—C9—C10	-65.5 (4)	Br2—C23—C24—C25	-175.4 (3)
O2—C9—C10—C15	168.2 (4)	O3—C24—C25—C30	5.6 (7)
C8—C9—C10—C15	-13.3 (6)	C23—C24—C25—C30	-170.6 (4)
O2—C9—C10—C11	-10.7 (6)	O3—C24—C25—C26	-178.3 (4)
C8—C9—C10—C11	167.9 (4)	C23—C24—C25—C26	5.5 (6)
C15—C10—C11—C12	-1.2 (6)	C30—C25—C26—C27	1.2 (6)
C9—C10—C11—C12	177.8 (4)	C24—C25—C26—C27	-174.9 (4)
C10—C11—C12—C13	0.6 (7)	C25—C26—C27—C28	0.2 (6)
C11—C12—C13—C14	0.2 (7)	C26—C27—C28—C29	-2.1 (6)
C12—C13—C14—C15	-0.3 (7)	C27—C28—C29—C30	2.6 (7)
C13—C14—C15—C10	-0.3 (6)	C26—C25—C30—C29	-0.7 (7)
C11—C10—C15—C14	1.0 (6)	C24—C25—C30—C29	175.5 (4)
C9—C10—C15—C14	-177.9 (4)	C28—C29—C30—C25	-1.2 (7)

---