

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

8-Phenyl-10-oxa-8-azatricyclo-[4.3.0.1^{2,5}]decane-7,9-dione

Wen-Zhong Zhu and Qiu-Yue Lin*

Zhejiang Key Laboratory for Reactive Chemistry on Solid Surfaces, Institute of Physical Chemistry, Zhejiang Normal University, Jinhua, Zhejiang 321004, People's Republic of China, and, College of Chemistry and Life Science, Zhejiang Normal University, Jinhua 321004, Zhejiang, People's Republic of China
Correspondence e-mail: sky51@zjnu.cn


Received 25 December 2008; accepted 5 January 2009

Key indicators: single-crystal X-ray study; $T = 296$ K; mean $\sigma(\text{C}-\text{C}) = 0.003$ Å; R factor = 0.041; wR factor = 0.177; data-to-parameter ratio = 16.6.

The reaction of aniline with norcantharidin produced the imide title compound, $\text{C}_{14}\text{H}_{13}\text{NO}_3$, which shows no significant hydrogen bonds in the crystal structure. The dihedral angle between the phenyl and pyrrolidine rings is 48.48 (6)°.

Related literature

For the use of norcantharidin in synthesis see: Hill *et al.* (2007).
For background, see: Wang (1989).



Experimental

Crystal data

$\text{C}_{14}\text{H}_{13}\text{NO}_3$ $a = 9.5914$ (4) Å
 $M_r = 243.25$ $b = 8.4345$ (3) Å
 Monoclinic, $P2_1/c$ $c = 14.4101$ (6) Å

$\beta = 93.468$ (3)°
 $V = 1163.62$ (8) Å³
 $Z = 4$
 Mo $K\alpha$ radiation

$\mu = 0.10$ mm⁻¹
 $T = 296$ (2) K
 $0.32 \times 0.25 \times 0.04$ mm

Data collection

Bruker APEXII CCD area-detector diffractometer 18085 measured reflections
 2699 independent reflections
 Absorption correction: multi-scan (SADABS; Sheldrick, 1996) 1898 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.041$
 $T_{\text{min}} = 0.971$, $T_{\text{max}} = 0.996$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.041$ 163 parameters
 $wR(F^2) = 0.177$ H-atom parameters constrained
 $S = 0.61$ $\Delta\rho_{\text{max}} = 0.16$ e Å⁻³
 2699 reflections $\Delta\rho_{\text{min}} = -0.17$ e Å⁻³

Table 1

Hydrogen-bond geometry (Å, °).

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
$\text{C}10-H10B\cdots\text{O}2^i$	0.97	2.59	3.502 (3)	156

 Symmetry code: (i) $-x, -y + 1, -z + 1$.

Data collection: APEX2 (Bruker, 2004); cell refinement: SAINT (Bruker, 2004); data reduction: SAINT; program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: SHELXTL (Sheldrick, 2008); software used to prepare material for publication: SHELXL97.

The authors acknowledge financial support from the Natural Science Foundation of Zhejiang Province, China (grant No. Y407301).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: AT2701).

References

- Bruker (2004). SAINT and APEX2. Bruker AXS Inc., Madison, Wisconsin, USA.
 Hill, T. A., Stewart, S. G., Ackland, S. P., Gilbert, J., Sauer, B., Sakoff, J. A. & McCluskey, A. (2007). *Bioorg. Med. Chem.* **15**, 6126–6134.
 Sheldrick, G. M. (1996). SADABS. University of Göttingen, Germany.
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
 Wang, G.-S. (1989). *J. Ethnopharmacol.* **26**, 147–162.

supporting information

Acta Cryst. (2009). E65, o287 [doi:10.1107/S1600536809000282]

8-Phenyl-10-oxa-8-azatricyclo[4.3.0.1^{2,5}]decane-7,9-dione

Wen-Zhong Zhu and Qiu-Yue Lin

S1. Comment

Norcantharidin are a variety of pharmacologically important compounds such as protein kinase inhibitors and antitumor properties (Wang, 1989). We have designed, synthesized and crystallized several norcantharidin derivatives to study their anticancer properties. In order to study on the relationship between the activity of norcantharidin and the importance of aromatic ring linked to the carboxyl, the norcantharidin derivative was synthesized and its crystal structure is reported here.

X-ray crystallography confirmed the molecular structure and the atom connectivity for the title compound, as illustrated in Fig. 1. In the compound, the dihedral angle between the mean planes of pyrrolidine (C7/C8/C13/C14/N1) rings and the phenyl (C1—C6) is 48.48 (6)°. It exhibits no unusual crystal packing features, and each molecule acts as a donor and acceptor for one C10—H10B...O2 weak intermolecular hydrogen bonds.

S2. Experimental

The title compound was synthesized by the condensation of norcantharidin (1 mmol) with aniline (1 mmol) in DMF (10 mL). After refluxing for 3 h, the reaction mixture was left to stand for two weeks, colourless crystals were isolated.

S3. Refinement

The H atoms bonded to C atoms were positioned geometrically and refined using a riding model [C—H = 0.93 - 0.98 Å, $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$].




Figure 1

A view of the molecule of (I) showing the atom-labelling scheme with displacement ellipsoids drawn at the 30% probability.

8-Phenyl-10-oxa-8-azatricyclo[4.3.0.1^{2,5}]decane-7,9-dione*Crystal data*C₁₄H₁₃NO₃ $M_r = 243.25$ Monoclinic, $P2_1/c$

Hall symbol: -P 2ybc

 $a = 9.5914$ (4) Å $b = 8.4345$ (3) Å $c = 14.4101$ (6) Å $\beta = 93.468$ (3)° $V = 1163.62$ (8) Å³ $Z = 4$ $F(000) = 512$ $D_x = 1.389$ Mg m⁻³ $D_m = 1.389$ Mg m⁻³ D_m measured by not measuredMo $K\alpha$ radiation, $\lambda = 0.71073$ Å

Cell parameters from 3324 reflections

 $\theta = 2.1$ – 27.7 ° $\mu = 0.10$ mm⁻¹ $T = 296$ K

Sheet, colourless

 $0.32 \times 0.25 \times 0.04$ mm*Data collection*Bruker SMART CCD area-detector
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

 φ and ω scans

Absorption correction: multi-scan

(SADABS; Sheldrick, 1996)

 $T_{\min} = 0.971$, $T_{\max} = 0.996$

18085 measured reflections

2699 independent reflections

1898 reflections with $I > 2\sigma(I)$ $R_{\text{int}} = 0.041$ $\theta_{\text{max}} = 27.7$ °, $\theta_{\text{min}} = 2.1$ ° $h = -12 \rightarrow 12$ $k = -11 \rightarrow 10$ $l = -18 \rightarrow 18$ *Refinement*Refinement on F^2

Least-squares matrix: full

 $R[F^2 > 2\sigma(F^2)] = 0.041$ $wR(F^2) = 0.177$ $S = 0.61$

2699 reflections

163 parameters

0 restraints

Primary atom site location: structure-invariant
direct methodsSecondary atom site location: difference Fourier
mapHydrogen site location: inferred from
neighbouring sites

H-atom parameters constrained

 $w = 1/[\sigma^2(F_o^2) + (0.1908P)^2 + 0.6671P]$ where $P = (F_o^2 + 2F_c^2)/3$ $(\Delta/\sigma)_{\text{max}} < 0.001$ $\Delta\rho_{\text{max}} = 0.16$ e Å⁻³ $\Delta\rho_{\text{min}} = -0.17$ e Å⁻³*Special details*

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (Å²)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
N1	0.10268 (15)	0.22038 (16)	0.69370 (9)	0.0418 (4)
O1	-0.04620 (15)	0.1156 (2)	0.79702 (10)	0.0655 (4)
O2	0.19084 (14)	0.33610 (17)	0.56481 (9)	0.0579 (4)

O3	-0.13027 (14)	0.06451 (14)	0.54810 (10)	0.0526 (4)
C1	0.32246 (19)	0.0814 (2)	0.68510 (13)	0.0513 (4)
H1A	0.3026	0.0665	0.6217	0.062*
C2	0.4439 (2)	0.0209 (3)	0.72752 (17)	0.0620 (5)
H2A	0.5055	-0.0358	0.6927	0.074*
C3	0.4743 (2)	0.0442 (3)	0.82150 (17)	0.0646 (6)
H3A	0.5562	0.0034	0.8499	0.078*
C4	0.3832 (2)	0.1278 (2)	0.87295 (15)	0.0599 (5)
H4A	0.4042	0.1435	0.9361	0.072*
C5	0.2603 (2)	0.1891 (2)	0.83178 (13)	0.0493 (4)
H5A	0.1989	0.2457	0.8668	0.059*
C6	0.23040 (18)	0.16445 (19)	0.73715 (12)	0.0421 (4)
C7	0.09220 (19)	0.29901 (19)	0.60787 (11)	0.0432 (4)
C8	-0.05956 (18)	0.32348 (19)	0.57997 (11)	0.0432 (4)
H8A	-0.0820	0.4349	0.5668	0.052*
C9	-0.1114 (2)	0.2122 (2)	0.50018 (13)	0.0502 (4)
H9A	-0.0485	0.2054	0.4492	0.060*
C10	-0.2605 (2)	0.2614 (3)	0.46982 (14)	0.0592 (5)
H10A	-0.2906	0.2148	0.4104	0.071*
H10B	-0.2696	0.3758	0.4659	0.071*
C11	-0.3429 (2)	0.1933 (2)	0.54908 (16)	0.0585 (5)
H11A	-0.3931	0.2756	0.5802	0.070*
H11B	-0.4082	0.1120	0.5267	0.070*
C12	-0.22552 (19)	0.1238 (2)	0.61262 (14)	0.0488 (4)
H12A	-0.2570	0.0432	0.6556	0.059*
C13	-0.13944 (18)	0.25713 (19)	0.66061 (11)	0.0430 (4)
H13A	-0.1973	0.3369	0.6894	0.052*
C14	-0.02839 (18)	0.1892 (2)	0.72702 (12)	0.0449 (4)

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
N1	0.0422 (8)	0.0437 (7)	0.0400 (7)	0.0010 (6)	0.0060 (6)	0.0082 (6)
O1	0.0549 (8)	0.0882 (11)	0.0546 (8)	0.0025 (7)	0.0131 (6)	0.0281 (7)
O2	0.0542 (8)	0.0651 (8)	0.0555 (8)	-0.0097 (6)	0.0127 (6)	0.0158 (6)
O3	0.0538 (7)	0.0369 (6)	0.0678 (8)	0.0025 (5)	0.0099 (6)	-0.0059 (5)
C1	0.0465 (10)	0.0543 (10)	0.0534 (10)	-0.0008 (8)	0.0072 (8)	-0.0011 (8)
C2	0.0440 (10)	0.0628 (12)	0.0799 (14)	0.0028 (9)	0.0097 (9)	0.0026 (10)
C3	0.0417 (10)	0.0654 (13)	0.0851 (15)	-0.0065 (9)	-0.0098 (10)	0.0115 (11)
C4	0.0588 (12)	0.0611 (12)	0.0580 (11)	-0.0136 (9)	-0.0121 (9)	0.0061 (9)
C5	0.0533 (10)	0.0465 (9)	0.0481 (9)	-0.0053 (8)	0.0025 (8)	0.0012 (7)
C6	0.0414 (8)	0.0397 (8)	0.0456 (9)	-0.0038 (6)	0.0042 (7)	0.0050 (7)
C7	0.0486 (9)	0.0398 (8)	0.0415 (8)	-0.0053 (7)	0.0059 (7)	0.0044 (6)
C8	0.0490 (9)	0.0359 (8)	0.0444 (9)	-0.0014 (7)	0.0015 (7)	0.0053 (6)
C9	0.0568 (11)	0.0490 (9)	0.0450 (9)	-0.0032 (8)	0.0053 (8)	-0.0019 (7)
C10	0.0640 (13)	0.0534 (10)	0.0579 (11)	-0.0032 (9)	-0.0139 (9)	-0.0036 (9)
C11	0.0462 (10)	0.0540 (11)	0.0741 (13)	0.0006 (8)	-0.0060 (9)	-0.0081 (9)
C12	0.0434 (9)	0.0398 (8)	0.0639 (11)	-0.0005 (7)	0.0090 (8)	0.0043 (8)

C13	0.0441 (9)	0.0396 (8)	0.0459 (9)	0.0050 (7)	0.0082 (7)	0.0018 (7)
C14	0.0434 (9)	0.0472 (9)	0.0450 (9)	0.0024 (7)	0.0100 (7)	0.0044 (7)

Geometric parameters (Å, °)

N1—C14	1.398 (2)	C5—H5A	0.9300
N1—C7	1.402 (2)	C7—C8	1.501 (2)
N1—C6	1.422 (2)	C8—C13	1.536 (2)
O1—C14	1.205 (2)	C8—C9	1.543 (2)
O2—C7	1.204 (2)	C8—H8A	0.9800
O3—C12	1.433 (2)	C9—C10	1.528 (3)
O3—C9	1.441 (2)	C9—H9A	0.9800
C1—C2	1.380 (3)	C10—C11	1.539 (3)
C1—C6	1.383 (2)	C10—H10A	0.9700
C1—H1A	0.9300	C10—H10B	0.9700
C2—C3	1.382 (3)	C11—C12	1.525 (3)
C2—H2A	0.9300	C11—H11A	0.9700
C3—C4	1.374 (3)	C11—H11B	0.9700
C3—H3A	0.9300	C12—C13	1.535 (2)
C4—C5	1.387 (3)	C12—H12A	0.9800
C4—H4A	0.9300	C13—C14	1.502 (2)
C5—C6	1.392 (3)	C13—H13A	0.9800
C14—N1—C7	111.99 (14)	O3—C9—C8	102.29 (14)
C14—N1—C6	123.71 (14)	C10—C9—C8	107.58 (15)
C7—N1—C6	124.01 (14)	O3—C9—H9A	114.2
C12—O3—C9	96.47 (12)	C10—C9—H9A	114.2
C2—C1—C6	119.77 (18)	C8—C9—H9A	114.2
C2—C1—H1A	120.1	C9—C10—C11	101.54 (15)
C6—C1—H1A	120.1	C9—C10—H10A	111.5
C1—C2—C3	120.2 (2)	C11—C10—H10A	111.5
C1—C2—H2A	119.9	C9—C10—H10B	111.5
C3—C2—H2A	119.9	C11—C10—H10B	111.5
C4—C3—C2	119.91 (19)	H10A—C10—H10B	109.3
C4—C3—H3A	120.0	C12—C11—C10	101.26 (16)
C2—C3—H3A	120.0	C12—C11—H11A	111.5
C3—C4—C5	120.8 (2)	C10—C11—H11A	111.5
C3—C4—H4A	119.6	C12—C11—H11B	111.5
C5—C4—H4A	119.6	C10—C11—H11B	111.5
C4—C5—C6	118.85 (18)	H11A—C11—H11B	109.3
C4—C5—H5A	120.6	O3—C12—C11	102.78 (16)
C6—C5—H5A	120.6	O3—C12—C13	101.63 (13)
C1—C6—C5	120.45 (17)	C11—C12—C13	110.30 (14)
C1—C6—N1	119.36 (16)	O3—C12—H12A	113.7
C5—C6—N1	120.16 (16)	C11—C12—H12A	113.7
O2—C7—N1	124.14 (17)	C13—C12—H12A	113.7
O2—C7—C8	127.30 (15)	C14—C13—C12	110.43 (14)
N1—C7—C8	108.55 (14)	C14—C13—C8	104.73 (14)

C7—C8—C13	105.51 (13)	C12—C13—C8	101.86 (13)
C7—C8—C9	112.30 (14)	C14—C13—H13A	113.0
C13—C8—C9	100.91 (14)	C12—C13—H13A	113.0
C7—C8—H8A	112.5	C8—C13—H13A	113.0
C13—C8—H8A	112.5	O1—C14—N1	124.09 (17)
C9—C8—H8A	112.5	O1—C14—C13	126.79 (16)
O3—C9—C10	103.26 (15)	N1—C14—C13	109.10 (14)
C6—C1—C2—C3	-0.6 (3)	C13—C8—C9—C10	74.97 (17)
C1—C2—C3—C4	0.1 (3)	O3—C9—C10—C11	31.94 (17)
C2—C3—C4—C5	0.2 (3)	C8—C9—C10—C11	-75.77 (17)
C3—C4—C5—C6	0.0 (3)	C9—C10—C11—C12	2.39 (18)
C2—C1—C6—C5	0.8 (3)	C9—O3—C12—C11	56.48 (16)
C2—C1—C6—N1	-177.25 (17)	C9—O3—C12—C13	-57.71 (15)
C4—C5—C6—C1	-0.6 (3)	C10—C11—C12—O3	-36.30 (17)
C4—C5—C6—N1	177.52 (16)	C10—C11—C12—C13	71.41 (18)
C14—N1—C6—C1	126.96 (18)	O3—C12—C13—C14	-74.48 (16)
C7—N1—C6—C1	-46.3 (2)	C11—C12—C13—C14	177.05 (15)
C14—N1—C6—C5	-51.1 (2)	O3—C12—C13—C8	36.33 (16)
C7—N1—C6—C5	135.62 (17)	C11—C12—C13—C8	-72.14 (17)
C14—N1—C7—O2	-178.77 (17)	C7—C8—C13—C14	-3.54 (17)
C6—N1—C7—O2	-4.8 (3)	C9—C8—C13—C14	113.50 (15)
C14—N1—C7—C8	-0.10 (19)	C7—C8—C13—C12	-118.62 (14)
C6—N1—C7—C8	173.85 (14)	C9—C8—C13—C12	-1.58 (16)
O2—C7—C8—C13	-179.03 (18)	C7—N1—C14—O1	176.01 (17)
N1—C7—C8—C13	2.35 (18)	C6—N1—C14—O1	2.0 (3)
O2—C7—C8—C9	71.9 (2)	C7—N1—C14—C13	-2.3 (2)
N1—C7—C8—C9	-106.67 (16)	C6—N1—C14—C13	-176.26 (14)
C12—O3—C9—C10	-54.79 (16)	C12—C13—C14—O1	-65.7 (2)
C12—O3—C9—C8	56.86 (16)	C8—C13—C14—O1	-174.64 (18)
C7—C8—C9—O3	78.51 (17)	C12—C13—C14—N1	112.55 (16)
C13—C8—C9—O3	-33.41 (16)	C8—C13—C14—N1	3.61 (18)
C7—C8—C9—C10	-173.12 (14)		

Hydrogen-bond geometry (\AA , $^\circ$)

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
C10—H10B \cdots O2 ⁱ	0.97	2.59	3.502 (3)	156

Symmetry code: (i) $-x, -y+1, -z+1$.