

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

3-Methoxybenzaldehyde thiosemi-carbazone

Jian Zhang,^a Lin-ping Wu,^a Ling-hua Zhuang^b and Guo-wei Wang^{a*}^aDepartment of Light Chemical Engineering, Nanjing University of Technology, Nanjing 210009, People's Republic of China, and ^bDepartment of Applied Chemistry, College of Science, Nanjing University of Technology, Nanjing 210009, People's Republic of China

Correspondence e-mail: kingwell2004@sina.com.cn


Received 10 March 2009; accepted 20 March 2009

Key indicators: single-crystal X-ray study; $T = 293$ K; mean $\sigma(\text{C}-\text{C}) = 0.003$ Å; R factor = 0.041; wR factor = 0.110; data-to-parameter ratio = 14.5.

The title compound, $\text{C}_9\text{H}_{11}\text{N}_3\text{OS}$, was prepared by the reaction of 3-methoxybenzaldehyde and thiosemicarbazide. The benzylidene ring and the thiosemicarbazone fragment are slightly twisted, making a dihedral angle of $14.1(1)^\circ$. A weak intramolecular $\text{N}-\text{H}\cdots\text{N}$ hydrogen bond may influence the conformation of the molecule. Intermolecular $\text{N}-\text{H}\cdots\text{S}$ hydrogen bonds build up a three-dimensional network.

Related literature

For a general background to thiosemicarbazone compounds, see: Casas *et al.* (2000); Tarafder *et al.* (2000); Ferrari *et al.* (2000); Deschamps *et al.* (2003); Maccioni *et al.* (2003); Chimenti *et al.* (2007). For bond-length data, see: Allen *et al.* (1987).



Experimental

Crystal data

$\text{C}_9\text{H}_{11}\text{N}_3\text{OS}$
 $M_r = 209.27$
 Monoclinic, $P2_1/c$
 $a = 11.814(2)$ Å
 $b = 5.6760(11)$ Å
 $c = 15.248(3)$ Å
 $\beta = 90.29(3)^\circ$

$V = 1022.5(3)$ Å³
 $Z = 4$
 Mo $K\alpha$ radiation
 $\mu = 0.29$ mm⁻¹
 $T = 293$ K
 $0.30 \times 0.20 \times 0.10$ mm

Data collection

Enraf-Nonius CAD-4 diffractometer
 Absorption correction: ψ scan (North *et al.*, 1968)
 $T_{\min} = 0.908$, $T_{\max} = 0.969$
 1946 measured reflections

1852 independent reflections
 1494 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.017$
 3 standard reflections every 200 reflections
 intensity decay: 9%

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.041$
 $wR(F^2) = 0.110$
 $S = 1.06$
 1852 reflections

128 parameters
 H-atom parameters constrained
 $\Delta\rho_{\text{max}} = 0.20$ e Å⁻³
 $\Delta\rho_{\text{min}} = -0.26$ e Å⁻³

Table 1
 Hydrogen-bond geometry (Å, °).

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
$\text{N2}-\text{H2}\cdots\text{S1}^i$	0.86	2.57	3.370 (2)	156
$\text{N3}-\text{H3B}\cdots\text{S1}^{ii}$	0.86	2.57	3.411 (2)	166
$\text{N3}-\text{H3A}\cdots\text{N1}$	0.86	2.25	2.611 (3)	105

Symmetry codes: (i) $-x + 1, -y + 3, -z + 1$; (ii) $-x + 1, y - \frac{1}{2}, -z + \frac{1}{2}$.

Data collection: *CAD-4 Software* (Enraf-Nonius, 1989); cell refinement: *CAD-4 Software*; data reduction: *XCAD4* (Harms & Wocadlo, 1995); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008) and *PLATON* (Spek, 2009); software used to prepare material for publication: *SHELXTL*.

The authors thank the Center of Testing and Analysis, Nanjing University, for support.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: DN2432).

References

- Allen, F. H., Kennard, O., Watson, D. G., Brammer, L., Orpen, A. G. & Taylor, R. (1987). *J. Chem. Soc. Perkin Trans. 2*, pp. S1–19.
- Casas, J. S., Garcia-Tasende, M. S. & Sordo, J. (2000). *Coord. Chem. Rev.* **209**, 197–261.
- Chimenti, F., Maccioni, E., Secci, D., Bolasco, A., Chimenti, P., Granese, A., Befani, O., Turini, P., Alcaro, S., Ortuso, F., Cardia, M. C. & Distinto, S. (2007). *J. Med. Chem.* **50**, 707–712.
- Deschamps, P., Kulkarni, P. P. & Sarkar, B. (2003). *Inorg. Chem.* **42**, 7366–7368.
- Enraf-Nonius (1989). *CAD-4 Software*. Enraf-Nonius, Delft, The Netherlands.
- Ferrari, M. B., Capacchi, S., Reffo, G., Pelosi, G., Tarasconi, P., Albertini, R., Pinelli, S. & Lunghi, P. (2000). *J. Inorg. Biochem.* **81**, 89–97.
- Harms, K. & Wocadlo, S. (1995). *XCAD4*. University of Marburg, Germany.
- Maccioni, E., Cardia, M. C., Distinto, S., Bonsignore, L. & De Logu, A. (2003). *Farmaco*, **58**, 951–959.
- North, A. C. T., Phillips, D. C. & Mathews, F. S. (1968). *Acta Cryst.* **A24**, 351–359.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Spek, A. L. (2009). *Acta Cryst.* **D65**, 148–155.
- Tarafder, M. T. H., Ali, M. A., Wee, D. J., Azahari, K., Silong, S. & Crouse, K. A. (2000). *Transition Met. Chem.* **25**, 456–460.

supporting information

Acta Cryst. (2009). E65, o884 [doi:10.1107/S160053680901040X]

3-Methoxybenzaldehyde thiosemicarbazone

Jian Zhang, Lin-ping Wu, Ling-hua Zhuang and Guo-wei Wang

S1. Comment

Thiosemicarbazones constitute an important class of *N,S* donor ligands due to their propensity to react with a wide range of metals (Casas *et al.*, 2000). Thiosemicarbazones exhibit various biological activities and have therefore attracted considerable pharmaceutical interest (Maccioni *et al.*, 2003; Ferrari *et al.*, 2000). They have been evaluated as antiviral, antibacterial and anticancer therapeutics. Thiosemicarbazones belong to a large group of thiourea derivatives, whose biological activities are a function of parent aldehyde or ketone moiety (Chimenti *et al.*, 2007). Schiff bases show potential as antimicrobial and anticancer agents (Tarafder *et al.*, 2000; Deschamps *et al.*, 2003) and so have biochemical and pharmacological applications. We here report the crystal structure of the title compound (I).

The sulfur atom and the hydrazine nitrogen N1 are in *trans* position with respect to the C9–N2 bond. This conformation may be induced by the weak intramolecular N–H \cdots N hydrogen bond (Fig. 1, Table 1). All bond lengths are within normal ranges (Allen *et al.*, 1987).

At first glance the molecule is roughly planar with the largest deviation from the mean plane being $-0.272(3)$ Å at N3, however the benzaldehyde ring and the thiosemicarbazone fragment are twisted with respect to each other making a dihedral angle of $14.1(1)^\circ$.


The molecules are connected by intermolecular N—H \cdots S hydrogen bonds which build up a three dimensional network (Table 1, Fig.2).

S2. Experimental


A mixture of 3-methoxybenzaldehyde (1.36 g, 0.01 mol) and hydrazinecarbothioamide (0.91 g, 0.01 mol) in 20 ml of absolute methanol was refluxed for about 3 h. On cooling, the solid separated was filtered and recrystallized from ethyl acetate. Crystals of (I) suitable for X-ray diffraction were obtained by slow evaporation of ethyl acetate. $^1\text{H NMR}$ (DMSO, δ , p.p.m.) 11.39 (s, 1 H), 8.17 (s, 1 H), 8.02 (s, 2 H), 7.42 (m, 1 H), 7.30 (t, 2 H), 6.99 (t, 1 H), 3.79 (t, 3 H).

S3. Refinement

All H atoms were positioned geometrically, with C—H = 0.93 Å (aromatic) or 0.96 Å (methyl) and N—H = 0.86 Å, and constrained to ride on their parent atoms, with $U_{\text{iso}}(\text{H}) = xU_{\text{eq}}(\text{C})$, where $x = 1.5$ for methyl H and $x = 1.2$ for C(aromatic) and N atoms.

**Figure 1**

A view of the molecular structure of (I) showing the atom-numbering scheme and 30% displacement ellipsoids. H atoms are represented as small sphere of arbitrary radii. Intramolecular hydrogen bond is shown as dashed line.

**Figure 2**

Partial packing view showing the N-H...S hydrogen bonds network. H atoms not involved in hydrogen bonding have been omitted for clarity. H bonds are shown as dashed lines. [Symmetry codes: (i) $-x+1, -y+3, -z+1$; (ii) $-x+1, y-1/2, -z+1/2$]

3-Methoxybenzaldehyde thiosemicarbazone

Crystal data

$C_9H_{11}N_3OS$

$M_r = 209.27$

Monoclinic, $P2_1/c$

Hall symbol: $-P 2_1/c$

$a = 11.814 (2) \text{ \AA}$

$b = 5.6760 (11) \text{ \AA}$

$c = 15.248 (3) \text{ \AA}$

$\beta = 90.29 (3)^\circ$

$V = 1022.5 (3) \text{ \AA}^3$
 $Z = 4$
 $F(000) = 440$
 $D_x = 1.359 \text{ Mg m}^{-3}$
 Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$
 Cell parameters from 27 reflections

$\theta = 1-25^\circ$
 $\mu = 0.29 \text{ mm}^{-1}$
 $T = 293 \text{ K}$
 Block, colorless
 $0.30 \times 0.20 \times 0.10 \text{ mm}$

Data collection

Enraf–Nonius CAD-4
 diffractometer
 Radiation source: fine-focus sealed tube
 Graphite monochromator
 $\omega/2\theta$ scans
 Absorption correction: ψ scan
 (North *et al.*, 1968)
 $T_{\min} = 0.908$, $T_{\max} = 0.969$
 1946 measured reflections

1852 independent reflections
 1494 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.017$
 $\theta_{\max} = 25.3^\circ$, $\theta_{\min} = 1.7^\circ$
 $h = -14 \rightarrow 0$
 $k = 0 \rightarrow 6$
 $l = -18 \rightarrow 18$
 3 standard reflections every 200 reflections
 intensity decay: 9%

Refinement

Refinement on F^2
 Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.041$
 $wR(F^2) = 0.110$
 $S = 1.06$
 1852 reflections
 128 parameters
 0 restraints
 Primary atom site location: structure-invariant
 direct methods

Secondary atom site location: difference Fourier
 map
 Hydrogen site location: inferred from
 neighbouring sites
 H-atom parameters constrained
 $w = 1/[\sigma^2(F_o^2) + (0.0521P)^2 + 0.3815P]$
 where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} < 0.001$
 $\Delta\rho_{\max} = 0.20 \text{ e \AA}^{-3}$
 $\Delta\rho_{\min} = -0.26 \text{ e \AA}^{-3}$

Special details

Geometry. All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
S1	0.51511 (6)	1.47619 (10)	0.35880 (3)	0.0442 (2)
O1	0.85492 (14)	0.6407 (3)	0.83956 (9)	0.0496 (5)
N1	0.66878 (15)	1.0213 (3)	0.50804 (11)	0.0369 (4)
N2	0.60984 (16)	1.2149 (3)	0.47967 (11)	0.0407 (5)
H2	0.5936	1.3268	0.5155	0.049*
N3	0.59915 (18)	1.0451 (4)	0.34546 (12)	0.0497 (5)
H3A	0.6324	0.9237	0.3674	0.060*
H3B	0.5800	1.0463	0.2910	0.060*
C1	0.9085 (2)	0.4449 (6)	0.88050 (16)	0.0614 (8)
H1A	0.9862	0.4377	0.8627	0.092*

H1B	0.8706	0.3024	0.8634	0.092*
H1C	0.9049	0.4624	0.9430	0.092*
C2	0.84356 (18)	0.6327 (4)	0.75008 (14)	0.0383 (5)
C3	0.77906 (17)	0.8120 (4)	0.71427 (13)	0.0366 (5)
H3	0.7479	0.9264	0.7505	0.044*
C4	0.76070 (17)	0.8221 (4)	0.62447 (13)	0.0350 (5)
C5	0.8097 (2)	0.6510 (4)	0.57024 (14)	0.0428 (6)
H5	0.7982	0.6566	0.5099	0.051*
C6	0.8741 (2)	0.4764 (4)	0.60621 (16)	0.0503 (6)
H6	0.9071	0.3642	0.5700	0.060*
C7	0.8914 (2)	0.4638 (4)	0.69715 (16)	0.0472 (6)
H7	0.9346	0.3430	0.7214	0.057*
C8	0.69256 (18)	1.0136 (4)	0.58932 (13)	0.0379 (5)
H8	0.6663	1.1311	0.6265	0.045*
C9	0.57769 (17)	1.2279 (4)	0.39499 (13)	0.0332 (5)

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
S1	0.0643 (4)	0.0374 (3)	0.0309 (3)	0.0090 (3)	-0.0081 (3)	0.0035 (2)
O1	0.0534 (10)	0.0621 (12)	0.0333 (8)	0.0106 (9)	-0.0062 (7)	0.0109 (8)
N1	0.0429 (10)	0.0363 (10)	0.0315 (9)	0.0058 (9)	-0.0045 (8)	0.0024 (8)
N2	0.0555 (12)	0.0378 (11)	0.0286 (9)	0.0118 (9)	-0.0091 (8)	-0.0020 (8)
N3	0.0732 (14)	0.0442 (12)	0.0315 (9)	0.0164 (11)	-0.0128 (9)	-0.0056 (9)
C1	0.0631 (16)	0.077 (2)	0.0444 (14)	0.0194 (15)	-0.0057 (12)	0.0225 (14)
C2	0.0335 (11)	0.0471 (14)	0.0343 (11)	-0.0031 (10)	-0.0041 (9)	0.0072 (10)
C3	0.0338 (11)	0.0429 (13)	0.0331 (11)	0.0020 (10)	0.0002 (9)	0.0024 (10)
C4	0.0331 (11)	0.0380 (12)	0.0340 (11)	-0.0035 (10)	-0.0043 (9)	0.0045 (10)
C5	0.0526 (14)	0.0413 (14)	0.0346 (11)	0.0013 (11)	-0.0061 (10)	-0.0020 (10)
C6	0.0622 (16)	0.0432 (14)	0.0454 (13)	0.0109 (12)	-0.0051 (12)	-0.0084 (11)
C7	0.0517 (14)	0.0401 (13)	0.0497 (14)	0.0076 (11)	-0.0091 (11)	0.0061 (11)
C8	0.0389 (11)	0.0439 (13)	0.0309 (11)	0.0039 (10)	-0.0012 (9)	0.0002 (10)
C9	0.0372 (11)	0.0357 (12)	0.0266 (10)	-0.0032 (10)	-0.0024 (8)	0.0015 (9)

Geometric parameters (Å, °)

S1—C9	1.683 (2)	C2—C7	1.377 (3)
O1—C2	1.371 (2)	C2—C3	1.382 (3)
O1—C1	1.422 (3)	C3—C4	1.386 (3)
N1—C8	1.270 (3)	C3—H3	0.9300
N1—N2	1.370 (2)	C4—C5	1.402 (3)
N2—C9	1.346 (3)	C4—C8	1.454 (3)
N2—H2	0.8600	C5—C6	1.363 (3)
N3—C9	1.309 (3)	C5—H5	0.9300
N3—H3A	0.8600	C6—C7	1.402 (3)
N3—H3B	0.8600	C6—H6	0.9300
C1—H1A	0.9600	C7—H7	0.9300
C1—H1B	0.9600	C8—H8	0.9300

C1—H1C	0.9600		
C2—O1—C1	116.9 (2)	C4—C3—H3	119.9
C8—N1—N2	116.44 (18)	C3—C4—C5	119.4 (2)
C9—N2—N1	119.16 (18)	C3—C4—C8	118.6 (2)
C9—N2—H2	120.4	C5—C4—C8	122.00 (19)
N1—N2—H2	120.4	C6—C5—C4	119.8 (2)
C9—N3—H3A	120.0	C6—C5—H5	120.1
C9—N3—H3B	120.0	C4—C5—H5	120.1
H3A—N3—H3B	120.0	C5—C6—C7	120.9 (2)
O1—C1—H1A	109.5	C5—C6—H6	119.6
O1—C1—H1B	109.5	C7—C6—H6	119.6
H1A—C1—H1B	109.5	C2—C7—C6	119.1 (2)
O1—C1—H1C	109.5	C2—C7—H7	120.5
H1A—C1—H1C	109.5	C6—C7—H7	120.5
H1B—C1—H1C	109.5	N1—C8—C4	120.3 (2)
O1—C2—C7	124.6 (2)	N1—C8—H8	119.8
O1—C2—C3	114.8 (2)	C4—C8—H8	119.8
C7—C2—C3	120.6 (2)	N3—C9—N2	117.1 (2)
C2—C3—C4	120.2 (2)	N3—C9—S1	124.11 (16)
C2—C3—H3	119.9	N2—C9—S1	118.78 (16)

Hydrogen-bond geometry (Å, °)

<i>D</i> —H \cdots <i>A</i>	<i>D</i> —H	H \cdots <i>A</i>	<i>D</i> \cdots <i>A</i>	<i>D</i> —H \cdots <i>A</i>
N2—H2 \cdots S1 ⁱ	0.86	2.57	3.370 (2)	156
N3—H3B \cdots S1 ⁱⁱ	0.86	2.57	3.411 (2)	166
N3—H3A \cdots N1	0.86	2.25	2.611 (3)	105

Symmetry codes: (i) $-x+1, -y+3, -z+1$; (ii) $-x+1, y-1/2, -z+1/2$.