

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

1,3-Bis(1-benzyl-1*H*-benzimidazol-2-yl)-2-oxopropane

Huilu Wu,* Ruirui Yun, Kaitong Wang, Xingcai Huang and Qingyu Sun

School of Chemical and Biological Engineering, Lanzhou Jiaotong University, Lanzhou 730070, People's Republic of China
Correspondence e-mail: wuhuilu@163.com


Received 28 March 2009; accepted 4 April 2009

Key indicators: single-crystal X-ray study; $T = 153$ K; mean $\sigma(\text{C}-\text{C}) = 0.002$ Å; R factor = 0.038; wR factor = 0.126; data-to-parameter ratio = 16.6.

In the title compound, $\text{C}_{30}\text{H}_{26}\text{N}_4\text{O}$, the dihedral angle between the two benzimidazole rings is 69.35 (9)°. The dihedral angles between the benzimidazole ring system and the phenyl ring are 76.79 (12) and 86.10 (11)° in the two benzylbenzimidazole moieties.

Related literature

For the biological activity of the benzimidazole core, see: Horton *et al.* (2003). For the antiprotozoal activity of 2- and 5-substituted benzimidazoles, see: Navarrete-Vázquez *et al.* (2001).



Experimental

Crystal data

$\text{C}_{30}\text{H}_{26}\text{N}_4\text{O}$

$M_r = 458.55$

Triclinic, $P\bar{1}$

$a = 8.5477$ (3) Å

$b = 11.8976$ (5) Å

$c = 12.3961$ (5) Å

$\alpha = 101.300$ (1)°

$\beta = 92.394$ (1)°

$\gamma = 107.765$ (1)°

$V = 1170.28$ (8) Å³

$Z = 2$

Mo $K\alpha$ radiation

$\mu = 0.08$ mm⁻¹

$T = 153$ K

$0.58 \times 0.52 \times 0.19$ mm

Data collection

Rigaku R-Axis Spider diffractometer

Absorption correction: multi-scan

(*ABSCOR*; Higashi, 1995)

$T_{\min} = 0.955$, $T_{\max} = 0.985$

11531 measured reflections

5275 independent reflections

4542 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.013$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.038$

$wR(F^2) = 0.126$

$S = 1.09$

5275 reflections

317 parameters

H-atom parameters constrained

$\Delta\rho_{\text{max}} = 0.50$ e Å⁻³

$\Delta\rho_{\text{min}} = -0.34$ e Å⁻³

Data collection: *RAPID-AUTO* (Rigaku/MSC, 2004); cell refinement: *RAPID-AUTO*; data reduction: *RAPID-AUTO*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXTL*.

The authors acknowledge financial support and a grant from the 'Qing Lan' Talent Engineering Funds and Students' Science and Technology Innovation Funds (grant No. DXS2008-040,041) of Lanzhou Jiaotong University. A grant from the Middle-Young Age Science Foundation (grant No. 3YS061-A25-023) and 'Long Yuan Qing Nian' of Gansu Province is also acknowledged.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: LH2800).

References

- Higashi, T. (1995). *ABSCOR*. Rigaku Corporation, Tokyo, Japan.
Horton, D. A., Bourne, G. T. & Smythe, M. L. (2003). *Chem. Rev.* **103**, 893–930.
Navarrete-Vázquez, G., Cedillo, R., Hernández-Campos, A., Yépez, L., Hernández-Luis, F., Valdez, J., Morales, R., Cortés, R., Hernández, M. & Castillo, R. (2001). *Bioorg. Med. Chem. Lett.* **11**, 187–190.
Rigaku/MSC (2004). *RAPID-AUTO*. Rigaku/MSC, The Woodlands, Texas, USA.
Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.

supporting information

Acta Cryst. (2009). E65, o1014 [doi:10.1107/S1600536809012781]

1,3-Bis(1-benzyl-1*H*-benzimidazol-2-yl)-2-oxapropane

Huilu Wu, Ruirui Yun, Kaitong Wang, Xingcai Huang and Qingyu Sun

S1. Comment


Benzimidazole derivatives, such as mebendazole and albendazole, are used as anthelmintic drugs. More recently, the antiprotozoal activity of 2- and 5-substituted benzimidazoles has been reported (Navarrete-Vázquez *et al.* 2001). The benzimidazole core is of interest because of its diverse biological activities, and it is a well known structure in medicinal chemistry (Horton *et al.* 2003). The molecular structure of the title compound is shown in Fig. 1. The dihedral angle between N3/N4/C10-C16 and C18-C23 is 76.79 (12)° and that between N1/N2/C1-C7 and C25-C30 is 86.10 (11)°.

S2. Experimental

A solution of 5.56 (20 mmol) of 1,3-bis(benzimidazol-2-yl)-2-oxopropane with 1.56 g (40 mmol) potassium in 150 ml tetrahydrofuran followed by addition of 5.06 g (40 mmol) benzyl bromide was concentrated and recrystallized from methanol, forming white block crystals suitable for X-ray diffraction studies. (found: C, 78.51; H, 5.73; N, 12.24 Calcd. for C₃₀H₂₆N₄O: C, 78.58; H, 5.71; N, 12.22)

S3. Refinement

All H atoms were positioned geometrically with C—H distances ranging from 0.95 to 0.99 Å and allowed to ride on their parent atoms with $U_{\text{iso}}(\text{H}) = 1.2 U_{\text{eq}}$ of the carrier atom.

**Figure 1**

Molecular structure of the title compound. Hydrogen atoms have been omitted for clarity and the displacement ellipsoids are shown at the 30% probability level.

1,3-Bis(1-benzyl-1*H*-benzimidazol-2-yl)-2-oxapropane

Crystal data

$C_{30}H_{26}N_4O$

$M_r = 458.55$

Triclinic, $P\bar{1}$

Hall symbol: $-P\ 1$

$a = 8.5477\ (3)\ \text{\AA}$

$b = 11.8976\ (5)\ \text{\AA}$

$c = 12.3961\ (5)\ \text{\AA}$

$\alpha = 101.300\ (1)^\circ$

$\beta = 92.394\ (1)^\circ$

$\gamma = 107.765\ (1)^\circ$

$V = 1170.28\ (8)\ \text{\AA}^3$

$Z = 2$

$F(000) = 484$

$D_x = 1.301\ \text{Mg m}^{-3}$

Melting point = 450–451 K

Mo $K\alpha$ radiation, $\lambda = 0.71073\ \text{\AA}$

Cell parameters from 5275 reflections

$\theta = 3.0\text{--}27.5^\circ$

$\mu = 0.08\ \text{mm}^{-1}$

$T = 153\ \text{K}$

Block, white

$0.58 \times 0.52 \times 0.19\ \text{mm}$

Data collection

Rigaku R-Axis Spider
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

φ and ω scans

Absorption correction: multi-scan
(*ABSCOR*; Higashi, 1995)

$T_{\min} = 0.955$, $T_{\max} = 0.985$

11531 measured reflections

5275 independent reflections

4542 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.013$

$\theta_{\max} = 27.5^\circ$, $\theta_{\min} = 3.0^\circ$

$h = -11 \rightarrow 10$

$k = -15 \rightarrow 15$

$l = -16 \rightarrow 16$

*Refinement*Refinement on F^2

Least-squares matrix: full

 $R[F^2 > 2\sigma(F^2)] = 0.038$ $wR(F^2) = 0.126$ $S = 1.09$

5275 reflections

317 parameters

0 restraints

Primary atom site location: structure-invariant
direct methodsSecondary atom site location: difference Fourier
mapHydrogen site location: inferred from
neighbouring sites

H-atom parameters constrained

 $w = 1/[\sigma^2(F_o^2) + (0.0736P)^2 + 0.3041P]$ where $P = (F_o^2 + 2F_c^2)/3$ $(\Delta/\sigma)_{\max} < 0.001$ $\Delta\rho_{\max} = 0.50 \text{ e } \text{\AA}^{-3}$ $\Delta\rho_{\min} = -0.34 \text{ e } \text{\AA}^{-3}$ Extinction correction: *SHELXL*, $F_c^* = kF_c[1 + 0.001x F_c^2 \lambda^3 / \sin(2\theta)]^{-1/4}$

Extinction coefficient: 0.044 (4)

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
O	0.80479 (11)	0.49510 (8)	0.70677 (7)	0.0252 (2)
N1	0.73219 (13)	0.71312 (9)	0.90708 (8)	0.0233 (2)
N2	0.54296 (12)	0.52783 (9)	0.85764 (8)	0.0214 (2)
N3	0.99857 (12)	0.31236 (9)	0.79071 (8)	0.0231 (2)
N4	0.77779 (12)	0.22141 (9)	0.66368 (8)	0.0231 (2)
C1	0.58038 (15)	0.71864 (10)	0.93941 (9)	0.0213 (2)
C2	0.53783 (16)	0.81685 (11)	0.99680 (10)	0.0256 (3)
H2	0.6172	0.8953	1.0182	0.031*
C3	0.37662 (17)	0.79594 (12)	1.02133 (10)	0.0276 (3)
H3	0.3451	0.8610	1.0611	0.033*
C4	0.25816 (16)	0.68035 (12)	0.98864 (10)	0.0276 (3)
H4	0.1483	0.6695	1.0065	0.033*
C5	0.29667 (15)	0.58181 (11)	0.93114 (10)	0.0247 (3)
H5	0.2164	0.5039	0.9086	0.030*
C6	0.46015 (15)	0.60377 (10)	0.90831 (9)	0.0208 (2)
C7	0.70389 (15)	0.59876 (11)	0.85997 (9)	0.0217 (2)
C8	0.83822 (16)	0.55036 (12)	0.82143 (10)	0.0264 (3)
H8A	0.9446	0.6171	0.8349	0.032*
H8B	0.8481	0.4902	0.8640	0.032*
C9	0.92732 (15)	0.44005 (11)	0.67180 (10)	0.0258 (3)
H9A	1.0385	0.4975	0.7013	0.031*
H9B	0.9208	0.4227	0.5900	0.031*
C10	0.90483 (14)	0.32529 (11)	0.71040 (10)	0.0222 (2)

C11	0.79369 (14)	0.13374 (11)	0.71787 (9)	0.0221 (2)
C12	0.70094 (16)	0.01242 (12)	0.70590 (11)	0.0284 (3)
H12	0.6078	-0.0257	0.6520	0.034*
C13	0.75138 (17)	-0.04945 (12)	0.77646 (11)	0.0295 (3)
H13	0.6919	-0.1325	0.7706	0.035*
C14	0.88820 (17)	0.00726 (12)	0.85663 (11)	0.0283 (3)
H14	0.9187	-0.0382	0.9040	0.034*
C15	0.98002 (15)	0.12805 (12)	0.86844 (10)	0.0258 (3)
H15	1.0722	0.1661	0.9231	0.031*
C16	0.93194 (14)	0.19187 (10)	0.79690 (10)	0.0212 (2)
C17	0.64947 (15)	0.20654 (12)	0.57568 (10)	0.0257 (3)
H17A	0.6159	0.2803	0.5873	0.031*
H17B	0.5516	0.1378	0.5808	0.031*
C18	0.70267 (15)	0.18411 (11)	0.46087 (10)	0.0236 (3)
C19	0.66731 (18)	0.24654 (12)	0.38477 (11)	0.0312 (3)
H19	0.6115	0.3040	0.4057	0.037*
C20	0.7125 (2)	0.22588 (14)	0.27833 (12)	0.0403 (4)
H20	0.6869	0.2686	0.2266	0.048*
C21	0.7950 (2)	0.14290 (14)	0.24755 (12)	0.0393 (3)
H21	0.8275	0.1294	0.1750	0.047*
C22	0.82983 (19)	0.07973 (13)	0.32288 (12)	0.0363 (3)
H22	0.8861	0.0225	0.3020	0.044*
C23	0.78271 (17)	0.09980 (12)	0.42866 (11)	0.0303 (3)
H23	0.8055	0.0553	0.4797	0.036*
C24	0.46863 (16)	0.39871 (10)	0.81196 (10)	0.0250 (3)
H24A	0.3901	0.3635	0.8622	0.030*
H24B	0.5565	0.3603	0.8095	0.030*
C25	0.37816 (14)	0.36798 (10)	0.69711 (10)	0.0214 (2)
C26	0.28424 (15)	0.24803 (12)	0.65272 (12)	0.0289 (3)
H26	0.2773	0.1885	0.6950	0.035*
C27	0.20114 (18)	0.21494 (13)	0.54754 (13)	0.0383 (3)
H27	0.1383	0.1327	0.5179	0.046*
C28	0.20876 (18)	0.30063 (14)	0.48511 (12)	0.0382 (3)
H28	0.1505	0.2778	0.4132	0.046*
C29	0.30168 (19)	0.41940 (14)	0.52837 (12)	0.0352 (3)
H29	0.3079	0.4787	0.4859	0.042*
C30	0.38665 (17)	0.45315 (12)	0.63410 (11)	0.0287 (3)
H30	0.4508	0.5352	0.6631	0.034*

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
O	0.0294 (4)	0.0282 (4)	0.0204 (4)	0.0137 (4)	0.0023 (3)	0.0041 (3)
N1	0.0256 (5)	0.0211 (5)	0.0220 (5)	0.0072 (4)	-0.0003 (4)	0.0032 (4)
N2	0.0266 (5)	0.0177 (5)	0.0187 (5)	0.0064 (4)	-0.0011 (4)	0.0031 (4)
N3	0.0228 (5)	0.0223 (5)	0.0224 (5)	0.0066 (4)	0.0023 (4)	0.0019 (4)
N4	0.0236 (5)	0.0234 (5)	0.0208 (5)	0.0060 (4)	-0.0005 (4)	0.0043 (4)
C1	0.0254 (6)	0.0206 (5)	0.0176 (5)	0.0066 (4)	0.0005 (4)	0.0051 (4)

C2	0.0331 (6)	0.0207 (6)	0.0217 (6)	0.0085 (5)	0.0023 (5)	0.0023 (4)
C3	0.0374 (7)	0.0288 (6)	0.0200 (6)	0.0159 (5)	0.0062 (5)	0.0044 (5)
C4	0.0297 (6)	0.0346 (7)	0.0204 (6)	0.0120 (5)	0.0047 (5)	0.0075 (5)
C5	0.0265 (6)	0.0262 (6)	0.0192 (5)	0.0046 (5)	0.0011 (4)	0.0060 (4)
C6	0.0268 (6)	0.0208 (5)	0.0147 (5)	0.0072 (4)	0.0002 (4)	0.0045 (4)
C7	0.0250 (6)	0.0221 (6)	0.0181 (5)	0.0079 (4)	-0.0011 (4)	0.0046 (4)
C8	0.0286 (6)	0.0284 (6)	0.0225 (6)	0.0128 (5)	-0.0019 (5)	0.0015 (5)
C9	0.0272 (6)	0.0257 (6)	0.0260 (6)	0.0094 (5)	0.0086 (5)	0.0065 (5)
C10	0.0217 (5)	0.0223 (6)	0.0217 (5)	0.0071 (4)	0.0051 (4)	0.0021 (4)
C11	0.0240 (6)	0.0232 (6)	0.0182 (5)	0.0071 (5)	0.0030 (4)	0.0034 (4)
C12	0.0294 (6)	0.0251 (6)	0.0243 (6)	0.0019 (5)	-0.0017 (5)	0.0022 (5)
C13	0.0358 (7)	0.0217 (6)	0.0281 (6)	0.0046 (5)	0.0050 (5)	0.0056 (5)
C14	0.0343 (7)	0.0292 (6)	0.0253 (6)	0.0138 (5)	0.0050 (5)	0.0083 (5)
C15	0.0256 (6)	0.0290 (6)	0.0224 (6)	0.0099 (5)	0.0003 (5)	0.0036 (5)
C16	0.0209 (5)	0.0211 (5)	0.0201 (5)	0.0064 (4)	0.0040 (4)	0.0011 (4)
C17	0.0225 (6)	0.0314 (6)	0.0229 (6)	0.0092 (5)	0.0002 (5)	0.0048 (5)
C18	0.0225 (6)	0.0210 (5)	0.0230 (6)	0.0025 (4)	-0.0037 (4)	0.0030 (4)
C19	0.0393 (7)	0.0268 (6)	0.0285 (6)	0.0122 (5)	-0.0017 (5)	0.0070 (5)
C20	0.0543 (9)	0.0395 (8)	0.0271 (7)	0.0124 (7)	-0.0023 (6)	0.0127 (6)
C21	0.0470 (8)	0.0395 (8)	0.0243 (6)	0.0057 (6)	0.0046 (6)	0.0036 (6)
C22	0.0408 (8)	0.0321 (7)	0.0352 (7)	0.0125 (6)	0.0092 (6)	0.0032 (6)
C23	0.0348 (7)	0.0297 (6)	0.0298 (7)	0.0132 (5)	0.0044 (5)	0.0096 (5)
C24	0.0343 (6)	0.0171 (5)	0.0223 (6)	0.0064 (5)	0.0001 (5)	0.0048 (4)
C25	0.0205 (5)	0.0211 (6)	0.0217 (6)	0.0071 (4)	0.0030 (4)	0.0019 (4)
C26	0.0247 (6)	0.0222 (6)	0.0367 (7)	0.0056 (5)	0.0011 (5)	0.0027 (5)
C27	0.0330 (7)	0.0272 (7)	0.0438 (8)	0.0053 (5)	-0.0093 (6)	-0.0076 (6)
C28	0.0369 (7)	0.0422 (8)	0.0285 (7)	0.0121 (6)	-0.0081 (6)	-0.0050 (6)
C29	0.0403 (7)	0.0370 (7)	0.0262 (7)	0.0099 (6)	-0.0040 (6)	0.0077 (6)
C30	0.0337 (7)	0.0238 (6)	0.0245 (6)	0.0044 (5)	-0.0022 (5)	0.0046 (5)

Geometric parameters (Å, °)

O—C8	1.4211 (14)	C13—H13	0.9500
O—C9	1.4350 (14)	C14—C15	1.3865 (18)
N1—C7	1.3141 (15)	C14—H14	0.9500
N1—C1	1.3907 (16)	C15—C16	1.3985 (17)
N2—C7	1.3726 (15)	C15—H15	0.9500
N2—C6	1.3846 (15)	C17—C18	1.5108 (17)
N2—C24	1.4553 (14)	C17—H17A	0.9900
N3—C10	1.3136 (16)	C17—H17B	0.9900
N3—C16	1.3905 (15)	C18—C23	1.3850 (18)
N4—C10	1.3748 (15)	C18—C19	1.3859 (18)
N4—C11	1.3825 (15)	C19—C20	1.387 (2)
N4—C17	1.4596 (15)	C19—H19	0.9500
C1—C2	1.3996 (17)	C20—C21	1.384 (2)
C1—C6	1.4056 (16)	C20—H20	0.9500
C2—C3	1.3816 (18)	C21—C22	1.383 (2)
C2—H2	0.9500	C21—H21	0.9500

C3—C4	1.4065 (19)	C22—C23	1.385 (2)
C3—H3	0.9500	C22—H22	0.9500
C4—C5	1.3851 (18)	C23—H23	0.9500
C4—H4	0.9500	C24—C25	1.5134 (16)
C5—C6	1.3929 (17)	C24—H24A	0.9900
C5—H5	0.9500	C24—H24B	0.9900
C7—C8	1.4898 (17)	C25—C30	1.3828 (17)
C8—H8A	0.9900	C25—C26	1.3930 (16)
C8—H8B	0.9900	C26—C27	1.382 (2)
C9—C10	1.4945 (17)	C26—H26	0.9500
C9—H9A	0.9900	C27—C28	1.384 (2)
C9—H9B	0.9900	C27—H27	0.9500
C11—C12	1.3935 (17)	C28—C29	1.378 (2)
C11—C16	1.4049 (16)	C28—H28	0.9500
C12—C13	1.3811 (19)	C29—C30	1.3938 (18)
C12—H12	0.9500	C29—H29	0.9500
C13—C14	1.4033 (19)	C30—H30	0.9500
C8—O—C9	110.65 (9)	C13—C14—H14	119.2
C7—N1—C1	104.47 (10)	C14—C15—C16	117.55 (11)
C7—N2—C6	106.33 (9)	C14—C15—H15	121.2
C7—N2—C24	128.47 (10)	C16—C15—H15	121.2
C6—N2—C24	125.20 (10)	N3—C16—C15	130.02 (11)
C10—N3—C16	104.83 (10)	N3—C16—C11	109.99 (10)
C10—N4—C11	106.39 (10)	C15—C16—C11	119.97 (11)
C10—N4—C17	127.05 (11)	N4—C17—C18	113.67 (10)
C11—N4—C17	126.55 (10)	N4—C17—H17A	108.8
N1—C1—C2	129.86 (11)	C18—C17—H17A	108.8
N1—C1—C6	110.28 (10)	N4—C17—H17B	108.8
C2—C1—C6	119.85 (11)	C18—C17—H17B	108.8
C3—C2—C1	117.78 (11)	H17A—C17—H17B	107.7
C3—C2—H2	121.1	C23—C18—C19	118.91 (12)
C1—C2—H2	121.1	C23—C18—C17	121.38 (11)
C2—C3—C4	121.34 (12)	C19—C18—C17	119.69 (11)
C2—C3—H3	119.3	C18—C19—C20	120.65 (13)
C4—C3—H3	119.3	C18—C19—H19	119.7
C5—C4—C3	122.06 (12)	C20—C19—H19	119.7
C5—C4—H4	119.0	C21—C20—C19	119.97 (13)
C3—C4—H4	119.0	C21—C20—H20	120.0
C4—C5—C6	116.01 (11)	C19—C20—H20	120.0
C4—C5—H5	122.0	C22—C21—C20	119.69 (13)
C6—C5—H5	122.0	C22—C21—H21	120.2
N2—C6—C5	131.85 (11)	C20—C21—H21	120.2
N2—C6—C1	105.17 (10)	C21—C22—C23	120.05 (14)
C5—C6—C1	122.96 (11)	C21—C22—H22	120.0
N1—C7—N2	113.75 (11)	C23—C22—H22	120.0
N1—C7—C8	122.39 (11)	C18—C23—C22	120.71 (12)
N2—C7—C8	123.68 (11)	C18—C23—H23	119.6

O—C8—C7	110.75 (10)	C22—C23—H23	119.6
O—C8—H8A	109.5	N2—C24—C25	114.13 (10)
C7—C8—H8A	109.5	N2—C24—H24A	108.7
O—C8—H8B	109.5	C25—C24—H24A	108.7
C7—C8—H8B	109.5	N2—C24—H24B	108.7
H8A—C8—H8B	108.1	C25—C24—H24B	108.7
O—C9—C10	112.03 (10)	H24A—C24—H24B	107.6
O—C9—H9A	109.2	C30—C25—C26	118.82 (11)
C10—C9—H9A	109.2	C30—C25—C24	122.96 (11)
O—C9—H9B	109.2	C26—C25—C24	118.21 (11)
C10—C9—H9B	109.2	C27—C26—C25	120.48 (13)
H9A—C9—H9B	107.9	C27—C26—H26	119.8
N3—C10—N4	113.39 (11)	C25—C26—H26	119.8
N3—C10—C9	125.14 (11)	C26—C27—C28	120.52 (13)
N4—C10—C9	121.46 (11)	C26—C27—H27	119.7
N4—C11—C12	131.98 (11)	C28—C27—H27	119.7
N4—C11—C16	105.38 (10)	C29—C28—C27	119.31 (13)
C12—C11—C16	122.64 (11)	C29—C28—H28	120.3
C13—C12—C11	116.55 (11)	C27—C28—H28	120.3
C13—C12—H12	121.7	C28—C29—C30	120.41 (13)
C11—C12—H12	121.7	C28—C29—H29	119.8
C12—C13—C14	121.68 (12)	C30—C29—H29	119.8
C12—C13—H13	119.2	C25—C30—C29	120.44 (12)
C14—C13—H13	119.2	C25—C30—H30	119.8
C15—C14—C13	121.61 (12)	C29—C30—H30	119.8
C15—C14—H14	119.2		
C7—N1—C1—C2	177.64 (12)	C17—N4—C11—C16	-178.40 (11)
C7—N1—C1—C6	-0.91 (12)	N4—C11—C12—C13	-179.01 (13)
N1—C1—C2—C3	-178.07 (12)	C16—C11—C12—C13	0.11 (19)
C6—C1—C2—C3	0.35 (17)	C11—C12—C13—C14	0.5 (2)
C1—C2—C3—C4	-0.82 (18)	C12—C13—C14—C15	-0.4 (2)
C2—C3—C4—C5	0.42 (19)	C13—C14—C15—C16	-0.32 (19)
C3—C4—C5—C6	0.47 (18)	C10—N3—C16—C15	-178.95 (12)
C7—N2—C6—C5	-178.66 (12)	C10—N3—C16—C11	-0.61 (13)
C24—N2—C6—C5	1.42 (19)	C14—C15—C16—N3	179.09 (12)
C7—N2—C6—C1	-0.40 (12)	C14—C15—C16—C11	0.90 (17)
C24—N2—C6—C1	179.68 (10)	N4—C11—C16—N3	-0.03 (13)
C4—C5—C6—N2	177.04 (12)	C12—C11—C16—N3	-179.35 (11)
C4—C5—C6—C1	-0.95 (17)	N4—C11—C16—C15	178.50 (10)
N1—C1—C6—N2	0.82 (12)	C12—C11—C16—C15	-0.82 (18)
C2—C1—C6—N2	-177.89 (10)	C10—N4—C17—C18	82.90 (15)
N1—C1—C6—C5	179.27 (10)	C11—N4—C17—C18	-98.27 (14)
C2—C1—C6—C5	0.56 (17)	N4—C17—C18—C23	47.20 (16)
C1—N1—C7—N2	0.66 (13)	N4—C17—C18—C19	-134.51 (12)
C1—N1—C7—C8	-174.66 (11)	C23—C18—C19—C20	-0.6 (2)
C6—N2—C7—N1	-0.17 (13)	C17—C18—C19—C20	-178.91 (12)
C24—N2—C7—N1	179.75 (11)	C18—C19—C20—C21	-0.5 (2)

C6—N2—C7—C8	175.08 (10)	C19—C20—C21—C22	0.9 (2)
C24—N2—C7—C8	-5.00 (18)	C20—C21—C22—C23	-0.2 (2)
C9—O—C8—C7	-175.36 (10)	C19—C18—C23—C22	1.3 (2)
N1—C7—C8—O	-122.70 (12)	C17—C18—C23—C22	179.60 (12)
N2—C7—C8—O	62.45 (15)	C21—C22—C23—C18	-0.9 (2)
C8—O—C9—C10	74.56 (13)	C7—N2—C24—C25	-98.23 (14)
C16—N3—C10—N4	1.06 (13)	C6—N2—C24—C25	81.68 (14)
C16—N3—C10—C9	-179.86 (11)	N2—C24—C25—C30	9.57 (17)
C11—N4—C10—N3	-1.10 (14)	N2—C24—C25—C26	-171.39 (11)
C17—N4—C10—N3	177.92 (11)	C30—C25—C26—C27	0.00 (19)
C11—N4—C10—C9	179.78 (10)	C24—C25—C26—C27	-179.08 (12)
C17—N4—C10—C9	-1.20 (18)	C25—C26—C27—C28	-0.6 (2)
O—C9—C10—N3	-106.11 (13)	C26—C27—C28—C29	0.7 (2)
O—C9—C10—N4	72.90 (14)	C27—C28—C29—C30	-0.3 (2)
C10—N4—C11—C12	179.86 (13)	C26—C25—C30—C29	0.43 (19)
C17—N4—C11—C12	0.8 (2)	C24—C25—C30—C29	179.46 (13)
C10—N4—C11—C16	0.63 (13)	C28—C29—C30—C25	-0.3 (2)
