

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

1-(2-Fluorobenzylideneamino)pyridinium bis(1,2-dicyanoethene-1,2-dithiolato)-nickelate(II)

Hui Zhang,* Quan Zhou, Fengkai Hu, Han Xu and Guanru Chang

Department of Chemistry, Huangshan University, Huangshang 245001, People's Republic of China

Correspondence e-mail: xuanfang.1984@163.com


Received 14 April 2009; accepted 24 April 2009

 Key indicators: single-crystal X-ray study; $T = 293$ K; mean $\sigma(\text{C}-\text{C}) = 0.006$ Å; R factor = 0.052; wR factor = 0.094; data-to-parameter ratio = 14.2.

In the title complex, $(\text{C}_{12}\text{H}_{10}\text{FN}_2)_2[\text{Ni}(\text{C}_4\text{N}_2\text{S}_2)_2]$, the anion lies on an inversion center with the Ni^{II} ion coordinated by four S atoms in a slightly distorted square-planar environment. In the unique cation, the dihedral angle between the benzene and pyridine rings is 7.1 (2) Å.

Related literature

For metal-[dithiolene]₂ complexes, see: Ni *et al.* (2004, 2005); Nishijo *et al.* (2000); Ren *et al.* (2004); Robertson & Cronin (2002).



Experimental

Crystal data

$(\text{C}_{12}\text{H}_{10}\text{FN}_2)_2[\text{Ni}(\text{C}_4\text{N}_2\text{S}_2)_2]$
 $M_r = 741.51$
 Triclinic, $P\bar{1}$
 $a = 7.9248$ (13) Å
 $b = 9.1774$ (15) Å
 $c = 11.1526$ (18) Å
 $\alpha = 88.326$ (3)°
 $\beta = 77.202$ (4)°

$\gamma = 85.448$ (4)°
 $V = 788.4$ (2) Å³
 $Z = 1$
 Mo $K\alpha$ radiation
 $\mu = 0.93$ mm⁻¹
 $T = 293$ K
 $0.30 \times 0.20 \times 0.20$ mm

Data collection

Bruker SMART CCD area-detector diffractometer
 Absorption correction: multi-scan (*SADABS*; Bruker, 2000)
 $T_{\text{min}} = 0.732$, $T_{\text{max}} = 0.809$
 4282 measured reflections
 3030 independent reflections
 1785 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.038$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.052$
 $wR(F^2) = 0.094$
 $S = 0.76$
 3030 reflections
 214 parameters
 H-atom parameters constrained
 $\Delta\rho_{\text{max}} = 0.31$ e Å⁻³
 $\Delta\rho_{\text{min}} = -0.24$ e Å⁻³

Data collection: *SMART* (Bruker, 2000); cell refinement: *SAINTE* (Bruker, 2000); data reduction: *SAINTE*; program(s) used to solve structure: *SHELXTL* (Sheldrick, 2008); program(s) used to refine structure: *SHELXTL*; molecular graphics: *SHELXTL*; software used to prepare material for publication: *SHELXTL*.

The authors thank the Natural Science Foundation of High Learning Institutions of Anhui Province, China, for financial support (grant No. KJ2009B275Z).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: LH2806).

References

- Bruker (2000). *SMART*, *SAINTE* and *SADABS*. Bruker AXS Inc., Madison, Wisconsin, USA.
 Ni, C. L., Dang, D. B. & Song, Y. (2004). *Chem. Phys. Lett.* **396**, 353–358.
 Ni, Z. P., Ren, X. M. & Ma, J. (2005). *J. Am. Chem. Soc.* **127**, 14330–14338.
 Nishijo, J., Ogura, E., Yamaura, J. & Miyazaki, A. (2000). *Solid State Commun.* **116**, 661–664.
 Ren, X. M., Okudera, H. & Kremer, R. K. (2004). *Inorg. Chem.* **43**, 2569–2576.
 Robertson, N. & Cronin, L. (2002). *Coord. Chem. Rev.* **227**, 93–127.
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.

supporting information

Acta Cryst. (2009). E65, m599 [doi:10.1107/S1600536809015360]

1-(2-Fluorobenzylideneamino)pyridinium bis(1,2-dicyanoethene-1,2-dithiolato)nickelate(II)

Hui Zhang, Quan Zhou, Fengkai Hu, Han Xu and Guanru Chang

S1. Comment

Molecular solids based on transition metal dithiolene complexes have attracted intense interest in recent years, not only owing to the fundamental research of magnetic interactions and magneto-structural correlations but also to the development of new functional molecule-based materials (Robertson & Cronin (2002)). Much work has been performed on molecular solids based on $M[\text{dithiolene}]_2$ complexes owing to their application as building blocks in molecular-based materials showing magnetic, superconducting, and optical properties (Nishijo *et al.*, 2000; Ni *et al.*, 2005). Herein we report the crystal structure of the title compound (I).


The molecular structure of (I) is illustrated in Fig. 1. The asymmetric unit contains one half $[\text{Ni}(\text{mnt})_2]^{2-}$ (mnt = maleonitriledithiolato) dianion and one *o*-fluorbenzylidene-1-aminopyridinium cation, the formula unit being generated by an inversion center. In the $[\text{Ni}(\text{mnt})_2]^{2-}$ cation the bond lengths and angles are in good agreement with related $[\text{Ni}(\text{mnt})_2]^{2-}$ compounds (Ni *et al.*, 2004; Ren *et al.*, 2004)

S2. Experimental

Disodium maleonitriledithiolate (456 mg, 2.5 mmol) and nickel chloride hexahydrate (297 mg, 1.25 mmol) were mixed under stirring in water (20 mL) at room temperature. A solution of *o*-fluorbenzylidene-1-aminopyridinium bromide (665 mg, 2.5 mmol) in methanol (10 mL) was added to the mixture, and the red precipitate that was immediately formed was filtered off, and washed with methanol. The crude product was recrystallized in acetone (20 mL) to give red block crystals. Anal. Calcd. for $\text{C}_{32}\text{H}_{20}\text{F}_2\text{N}_8\text{NiS}_4$: C, 51.83; H, 2.72; N, 15.11%. Found: C, 51.96; H, 2.93; N, 15.03%.

S3. Refinement

The H atoms were placed in geometrically idealized positions (C—H = 0.93 Å) and refined as riding atoms, with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$.

**Figure 1**

The molecular structure of (I), showing the atom-numbering scheme and displacement ellipsoids at the 30% probability level. Only the symmetry unique anion is shown. Symmetry code (A): $-x, -y+1, -z$.

1-(2-Fluorobenzylideneamino)pyridinium bis(1,2-dicyanoethene-1,2-dithiolato)nickelate(II)

Crystal data

$(C_{12}H_{10}FN_2)_2[Ni(C_4N_2S_2)_2]$

$M_r = 741.51$

Triclinic, $P\bar{1}$

Hall symbol: $-P\ 1$

$a = 7.9248$ (13) Å

$b = 9.1774$ (15) Å

$c = 11.1526$ (18) Å

$\alpha = 88.326$ (3)°

$\beta = 77.202$ (4)°

$\gamma = 85.448$ (4)°

$V = 788.4$ (2) Å³

$Z = 1$

$F(000) = 378$

$D_x = 1.562$ Mg m⁻³

Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å

$\theta = 1.9$ – 26.0 °

$\mu = 0.93$ mm⁻¹

$T = 293$ K

Block, red

$0.30 \times 0.20 \times 0.20$ mm

Data collection

Bruker SMART CCD area-detector
 diffractometer
 Radiation source: fine-focus sealed tube
 Graphite monochromator
 φ and ω scans
 Absorption correction: multi-scan
 (SADABS; Bruker, 2000)
 $T_{\min} = 0.732$, $T_{\max} = 0.809$

4282 measured reflections
 3030 independent reflections
 1785 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.038$
 $\theta_{\text{max}} = 26.0^\circ$, $\theta_{\text{min}} = 1.9^\circ$
 $h = -8 \rightarrow 9$
 $k = -11 \rightarrow 11$
 $l = -13 \rightarrow 12$

Refinement

Refinement on F^2
 Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.052$
 $wR(F^2) = 0.094$
 $S = 0.76$
 3030 reflections
 214 parameters
 0 restraints
 Primary atom site location: structure-invariant
 direct methods

Secondary atom site location: difference Fourier
 map
 Hydrogen site location: inferred from
 neighbouring sites
 H-atom parameters constrained
 $w = 1/[\sigma^2(F_o^2) + (0.0323P)^2]$
 where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\text{max}} = 0.004$
 $\Delta\rho_{\text{max}} = 0.31 \text{ e } \text{\AA}^{-3}$
 $\Delta\rho_{\text{min}} = -0.24 \text{ e } \text{\AA}^{-3}$

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
F1	0.5021 (3)	0.3555 (2)	-0.1896 (2)	0.0724 (7)
N7	0.7362 (4)	0.1871 (3)	0.1593 (3)	0.0528 (8)
N8	0.7118 (5)	0.1192 (3)	0.0532 (3)	0.0646 (10)
C21	0.5600 (5)	0.2153 (4)	-0.2199 (4)	0.0561 (11)
C22	0.5388 (6)	0.1628 (5)	-0.3283 (4)	0.0735 (13)
H22A	0.4832	0.2200	-0.3804	0.088*
C23	0.6029 (6)	0.0220 (5)	-0.3571 (4)	0.0797 (14)
H23A	0.5949	-0.0156	-0.4320	0.096*
C24	0.6779 (6)	-0.0643 (5)	-0.2792 (4)	0.0742 (14)
H24A	0.7179	-0.1602	-0.3001	0.089*
C25	0.6944 (5)	-0.0094 (4)	-0.1700 (4)	0.0609 (11)
H25A	0.7452	-0.0686	-0.1166	0.073*
C26	0.6362 (5)	0.1333 (4)	-0.1381 (3)	0.0484 (10)
C27	0.6580 (5)	0.1978 (4)	-0.0257 (4)	0.0531 (10)
H27A	0.6319	0.2974	-0.0126	0.064*
C28	0.8296 (6)	0.1020 (4)	0.2236 (4)	0.0616 (12)

H28A	0.8723	0.0089	0.1956	0.074*
C29	0.8626 (6)	0.1496 (4)	0.3287 (4)	0.0704 (13)
H29A	0.9291	0.0905	0.3725	0.085*
C30	0.7965 (5)	0.2868 (4)	0.3703 (4)	0.0622 (12)
H30A	0.8182	0.3215	0.4425	0.075*
C31	0.6997 (6)	0.3708 (4)	0.3049 (4)	0.0667 (13)
H31A	0.6533	0.4632	0.3326	0.080*
C32	0.6708 (6)	0.3200 (4)	0.1996 (4)	0.0700 (13)
H32A	0.6048	0.3780	0.1546	0.084*
Ni1	0.0000	0.5000	0.0000	0.0484 (2)
S1	0.17387 (15)	0.40603 (10)	0.11191 (9)	0.0589 (3)
S2	-0.08272 (14)	0.68427 (10)	0.12200 (9)	0.0585 (3)
N1	0.2744 (5)	0.4501 (4)	0.4175 (3)	0.0771 (12)
N2	-0.0466 (5)	0.8166 (4)	0.4231 (3)	0.0776 (12)
C1	-0.0194 (5)	0.7374 (4)	0.3440 (4)	0.0571 (11)
C2	0.0169 (5)	0.6389 (4)	0.2423 (3)	0.0490 (10)
C3	0.1256 (5)	0.5188 (4)	0.2397 (3)	0.0501 (10)
C4	0.2087 (6)	0.4806 (4)	0.3384 (4)	0.0553 (11)

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
F1	0.0756 (18)	0.0615 (15)	0.0818 (18)	0.0122 (13)	-0.0271 (14)	-0.0013 (13)
N7	0.063 (2)	0.0415 (18)	0.054 (2)	0.0031 (17)	-0.0156 (18)	-0.0038 (16)
N8	0.088 (3)	0.050 (2)	0.062 (2)	0.0107 (19)	-0.033 (2)	-0.0115 (18)
C21	0.049 (3)	0.057 (3)	0.061 (3)	-0.001 (2)	-0.010 (2)	-0.006 (2)
C22	0.076 (4)	0.084 (3)	0.067 (3)	-0.005 (3)	-0.031 (3)	0.004 (3)
C23	0.089 (4)	0.091 (4)	0.066 (3)	-0.004 (3)	-0.027 (3)	-0.023 (3)
C24	0.090 (4)	0.062 (3)	0.072 (3)	0.006 (3)	-0.022 (3)	-0.021 (3)
C25	0.070 (3)	0.049 (2)	0.068 (3)	0.003 (2)	-0.026 (2)	-0.006 (2)
C26	0.048 (3)	0.050 (2)	0.048 (2)	-0.006 (2)	-0.010 (2)	-0.0039 (19)
C27	0.053 (3)	0.044 (2)	0.061 (3)	0.003 (2)	-0.011 (2)	-0.007 (2)
C28	0.078 (3)	0.046 (2)	0.062 (3)	0.010 (2)	-0.024 (2)	-0.001 (2)
C29	0.091 (4)	0.058 (3)	0.068 (3)	0.013 (3)	-0.036 (3)	-0.005 (2)
C30	0.072 (3)	0.064 (3)	0.053 (3)	-0.001 (2)	-0.020 (2)	-0.009 (2)
C31	0.089 (4)	0.050 (3)	0.060 (3)	0.014 (2)	-0.019 (3)	-0.016 (2)
C32	0.095 (4)	0.053 (3)	0.066 (3)	0.026 (2)	-0.035 (3)	-0.012 (2)
Ni1	0.0527 (5)	0.0408 (4)	0.0520 (5)	0.0016 (3)	-0.0130 (4)	-0.0090 (3)
S1	0.0704 (8)	0.0504 (6)	0.0575 (7)	0.0119 (5)	-0.0214 (6)	-0.0151 (5)
S2	0.0655 (8)	0.0496 (6)	0.0631 (7)	0.0100 (5)	-0.0230 (6)	-0.0163 (5)
N1	0.100 (3)	0.068 (2)	0.068 (3)	0.008 (2)	-0.032 (2)	-0.010 (2)
N2	0.109 (3)	0.061 (2)	0.066 (3)	0.007 (2)	-0.028 (2)	-0.0186 (19)
C1	0.064 (3)	0.051 (3)	0.058 (3)	-0.002 (2)	-0.018 (2)	0.000 (2)
C2	0.050 (3)	0.039 (2)	0.056 (3)	-0.0034 (19)	-0.008 (2)	-0.0112 (19)
C3	0.057 (3)	0.043 (2)	0.051 (3)	0.000 (2)	-0.013 (2)	-0.0091 (19)
C4	0.068 (3)	0.042 (2)	0.055 (3)	0.001 (2)	-0.011 (2)	-0.011 (2)

Geometric parameters (Å, °)

F1—C21	1.358 (4)	C29—C30	1.378 (5)
N7—C28	1.335 (4)	C29—H29A	0.9300
N7—C32	1.337 (4)	C30—C31	1.355 (5)
N7—N8	1.410 (4)	C30—H30A	0.9300
N8—C27	1.249 (4)	C31—C32	1.348 (5)
C21—C22	1.364 (5)	C31—H31A	0.9300
C21—C26	1.377 (5)	C32—H32A	0.9300
C22—C23	1.371 (5)	Ni1—S2 ⁱ	2.1689 (10)
C22—H22A	0.9300	Ni1—S2	2.1689 (9)
C23—C24	1.360 (5)	Ni1—S1 ⁱ	2.1703 (10)
C23—H23A	0.9300	Ni1—S1	2.1703 (10)
C24—C25	1.369 (4)	S1—C3	1.741 (3)
C24—H24A	0.9300	S2—C2	1.726 (4)
C25—C26	1.382 (5)	N1—C4	1.138 (4)
C25—H25A	0.9300	N2—C1	1.132 (4)
C26—C27	1.451 (4)	C1—C2	1.436 (5)
C27—H27A	0.9300	C2—C3	1.341 (5)
C28—C29	1.348 (5)	C3—C4	1.424 (5)
C28—H28A	0.9300		
C28—N7—C32	120.4 (3)	C28—C29—C30	119.2 (4)
C28—N7—N8	113.1 (3)	C28—C29—H29A	120.4
C32—N7—N8	126.4 (3)	C30—C29—H29A	120.4
C27—N8—N7	118.0 (3)	C31—C30—C29	119.3 (4)
F1—C21—C22	118.7 (4)	C31—C30—H30A	120.3
F1—C21—C26	117.7 (3)	C29—C30—H30A	120.3
C22—C21—C26	123.5 (4)	C32—C31—C30	119.8 (4)
C21—C22—C23	117.0 (4)	C32—C31—H31A	120.1
C21—C22—H22A	121.5	C30—C31—H31A	120.1
C23—C22—H22A	121.5	N7—C32—C31	120.6 (4)
C24—C23—C22	121.9 (4)	N7—C32—H32A	119.7
C24—C23—H23A	119.1	C31—C32—H32A	119.7
C22—C23—H23A	119.1	S2 ⁱ —Ni1—S2	180.0
C23—C24—C25	119.7 (4)	S2 ⁱ —Ni1—S1 ⁱ	92.10 (4)
C23—C24—H24A	120.1	S2—Ni1—S1 ⁱ	87.90 (4)
C25—C24—H24A	120.1	S2 ⁱ —Ni1—S1	87.90 (4)
C24—C25—C26	120.7 (4)	S2—Ni1—S1	92.10 (4)
C24—C25—H25A	119.7	S1 ⁱ —Ni1—S1	180.00 (4)
C26—C25—H25A	119.7	C3—S1—Ni1	102.69 (14)
C21—C26—C25	117.1 (4)	C2—S2—Ni1	102.72 (13)
C21—C26—C27	120.4 (4)	N2—C1—C2	178.9 (5)
C25—C26—C27	122.5 (4)	C3—C2—C1	121.6 (4)
N8—C27—C26	119.8 (3)	C3—C2—S2	121.5 (3)
N8—C27—H27A	120.1	C1—C2—S2	116.9 (3)
C26—C27—H27A	120.1	C2—C3—C4	121.9 (3)
N7—C28—C29	120.7 (4)	C2—C3—S1	120.3 (3)

N7—C28—H28A	119.7	C4—C3—S1	117.7 (3)
C29—C28—H28A	119.7	N1—C4—C3	179.7 (5)

Symmetry code: (i) $-x, -y+1, -z$.