

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

4*H*-Cyclopenta[*def*]phenanthren-4-one

 Wen-Sheng Jiang,^a Di Sun,^a Su-Yuan Xie,^a Rong-Bin Huang^{a*} and Lan-Sun Zheng^b
^aDepartment of Chemistry, College of Chemistry and Chemical Engineering, Xiamen University, Xiamen 361005, People's Republic of China, and ^bState Key Laboratory for Physical Chemistry of Solid Surfaces, Xiamen University, Xiamen 361005, People's Republic of China

Correspondence e-mail: rbhuang@xmu.edu.cn


Received 16 July 2009; accepted 1 August 2009

 Key indicators: single-crystal X-ray study; $T = 293$ K; mean $\sigma(\text{C}-\text{C}) = 0.004$ Å; R factor = 0.051; wR factor = 0.129; data-to-parameter ratio = 11.7.

In the title compound, $\text{C}_{15}\text{H}_8\text{O}$, the asymmetric unit contains four independent molecules and crystallizes with aromatic π - π stacking interactions [centroid-centroid distances = 3.5326 (18) Å].

Related literature

The title compound (Muzart, 1987) can be readily obtained by oxidation of the corresponding hydrocarbon, 4*H*-cyclopenta[*def*]phenanthrene, see: Yang & Harvey (1992). We recently obtained it in our low pressure premixed benzene-oxygen combustion system, see: Sun *et al.* (2008). For our work on the use of a variety of non-organic methods to generate and trap a family of chlorinated fullerene fragments and clusters, see: Huang *et al.* (1997); Peng *et al.* (2001); Tan *et al.* (2008); Xie *et al.* (2001, 2004); For a related structures, see: Peng *et al.* (2004). For the synthesis, see: Harvey *et al.* (1992).



Experimental

Crystal data

$\text{C}_{15}\text{H}_8\text{O}$	$\gamma = 91.824$ (5)°
$M_r = 204.1$	$V = 1933.8$ (2) Å ³
Triclinic, $P\bar{1}$	$Z = 8$
$a = 7.7884$ (5) Å	Mo $K\alpha$ radiation
$b = 15.1558$ (8) Å	$\mu = 0.09$ mm ⁻¹
$c = 17.0236$ (10) Å	$T = 293$ K
$\alpha = 100.588$ (5)°	$0.45 \times 0.22 \times 0.20$ mm
$\beta = 101.065$ (5)°	

Data collection

Oxford Gemini S Ultra diffractometer	16146 measured reflections
Absorption correction: multi-scan (<i>CrysAlis RED</i> ; Oxford Diffraction, 2007)	6739 independent reflections
$T_{\min} = 0.962$, $T_{\max} = 0.983$	4205 reflections with $I > 2\sigma(I)$
	$R_{\text{int}} = 0.036$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.051$	30 restraints
$wR(F^2) = 0.129$	H-atom parameters constrained
$S = 0.93$	$\Delta\rho_{\max} = 0.41$ e Å ⁻³
6739 reflections	$\Delta\rho_{\min} = -0.26$ e Å ⁻³
577 parameters	

Data collection: *CrysAlis CCD* (Oxford Diffraction, 2007); cell refinement: *CrysAlis RED* (Oxford Diffraction, 2007); data reduction: *CrysAlis RED*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXL97*; software used to prepare material for publication: *SHELXL97* and *publCIF* (Westrip, 2009).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: BX2227).

References

- Harvey, R. G., Abu-shqara, E. & Yang, C. X. (1992). *J. Org. Chem.* **57**, 6313–6317.
- Huang, R.-B., Huang, W.-J., Wang, Y.-H., Tang, Z.-C. & Zheng, L.-S. (1997). *J. Am. Chem. Soc.* **117**, 5954–5955.
- Muzart, J. (1987). *Tetrahedron Lett.* **28**, 2131–2132.
- Oxford Diffraction (2007). *CrysAlis CCD* and *CrysAlis RED*. Oxford Diffraction Ltd, Abingdon, England.
- Peng, Y., Xie, S.-Y., Huang, R.-B. & Zheng, L.-S. (2001). *Acta Cryst.* **E57**, o617–o618.
- Peng, Y., Xie, S.-Y., Deng, S.-L., Huang, R.-B. & Zheng, L.-S. (2004). *Acta Cryst.* **E60**, o899–o900.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Sun, D., Luo, G.-G., Xie, S.-Y., Huang, R.-B. & Zheng, L.-S. (2008). *Acta Cryst.* **E64**, o1468.
- Tan, Y.-Z., Liao, Z.-J., Qian, Z.-Z., Chen, R.-T., Wu, X., Liang, H., Han, X., Zhu, F., Zhou, S.-J., Zheng, Z., Lu, X., Xie, S.-Y., Huang, R.-B. & Zheng, L.-S. (2008). *Nature Mater.* **7**, 790–794.
- Westrip, S. (2009). *publCIF*. In preparation.
- Xie, S.-Y., Deng, S.-L., Yu, L.-J., Huang, R.-B. & Zheng, L.-S. (2001). *J. Phys. Chem. B*, **105**, 1734–1738.
- Xie, S.-Y., Gao, F., Lu, X., Huang, R.-B., Wang, C.-R., Zhang, X., Liu, M.-L., Deng, S.-L. & Zheng, L.-S. (2004). *Science*, **304**, 699–699.
- Yang, C. X. & Harvey, R. G. (1992). *Polycyclic Aromat. Compd.* **2**, 229–233.

supporting information

Acta Cryst. (2009). E65, o2105 [doi:10.1107/S1600536809030633]

4H-Cyclopenta[def]phenanthren-4-one**Wen-Sheng Jiang, Di Sun, Su-Yuan Xie, Rong-Bin Huang and Lan-Sun Zheng****S1. Comment**

The title compound (I) (Muzart,1987) can be readily obtained by oxidation of the corresponding hydrocarbon, 4H-cyclopenta[def]-phenanthrene (Yang & Harvey 1992), but its crystal structure determination has not been carried out yet. During the past decade, our group has used various non-organic methods, such as high-voltage electric discharge in liquid (Huang *et al.*, 1997), vaporized (Xie *et al.*, 2001, 2004) chloroform and CCl₄ and solvothermal reaction (Peng *et al.*, 2001) to generate and trap a family of chlorinated fullerene fragments and clusters (Tan *et al.*, 2008). Recently in our low pressure premixed benzene-oxygen combustion system (Sun *et al.*, 2008), we obtained the title compound, C₁₅H₈O. The skeleton of title compound is similar to that of previously reported, C₁₅Cl₈O, (Peng *et al.*,2004). We report here the synthesis and crystal structure of the title compound, (I) (Figure 1), which was separated from the products of combustion process. Due to the aromatic nature of the molecule, the crystal packing of (I) is dominated by arene-arene supramolecular contacts and characterized by molecular stacks which are stabilized by offset face-to-face interactions.

S2. Experimental

The title compound, C₁₅H₈O, was prepared in low pressure premixed benzene-oxygen flames. The premixed flames conditions for the soot production as the following range: atom C/O ratio:1–2; combustion chamber pressure: 350 torr. The soot collected from the water-cooled coping was extracted with toluene using an ultrasonic bath under room temperature, the resulting nigger-brown solution separated and purified by multi-stage HPLC, finally we obtained one of fractions contained pure C₁₅H₈O. The red single crystals suitable for X-ray diffraction crystallized from toluene at room temperature only in one day. The product was analyzed by mass spectrometry. The molecular peak appeared at a mass/charge ratio of 204.

S3. Refinement

All H atoms were placed geometrically with C—H distances of 0.95 Å, N—H distances of 0.88Å and refined using a riding atom model with their isotropic displacement factors, J_{iso} fixed at 1.2 time the U_{eq} of the parent N and phenyl C atom, at 1.5 of methyl C atom.




Figure 1

ORTEP plot of the compound. The thermal ellipsoids are drawn at 30% probability level, hydrogen atoms are omitted for clarity.

4H-cyclopenta[def]phenanthren-4-one

Crystal data

$C_{15}H_8O$

$M_r = 204.1$

Triclinic, $P\bar{1}$

Hall symbol: $-P\ 1$

$a = 7.7884$ (5) Å

$b = 15.1558$ (8) Å

$c = 17.0236$ (10) Å

$\alpha = 100.588$ (5)°

$\beta = 101.065$ (5)°

$\gamma = 91.824$ (5)°

$V = 1933.8$ (2) Å³

$Z = 8$

$F(000) = 848$

$D_x = 1.403$ Mg m⁻³

Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å

Cell parameters from 4555 reflections

$\theta = 2.5$ – 32.6 °

$\mu = 0.09$ mm⁻¹

$T = 293$ K

Prism, red

$0.45 \times 0.22 \times 0.20$ mm

Data collection

Oxford Gemini S Ultra
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

Detector resolution: 16.1903 pixels mm⁻¹

ω scans

Absorption correction: multi-scan

(*CrysAlis RED*; Oxford Diffraction, 2007)

$T_{\min} = 0.962$, $T_{\max} = 0.983$

16146 measured reflections

6739 independent reflections

4205 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.036$

$\theta_{\max} = 25.0^\circ$, $\theta_{\min} = 2.5^\circ$
 $h = -9 \rightarrow 8$

$k = -18 \rightarrow 18$
 $l = -20 \rightarrow 20$

Refinement

Refinement on F^2
 Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.051$
 $wR(F^2) = 0.129$
 $S = 0.93$
 6739 reflections
 577 parameters
 30 restraints
 Primary atom site location: structure-invariant
 direct methods

Secondary atom site location: difference Fourier
 map
 Hydrogen site location: inferred from
 neighbouring sites
 H-atom parameters constrained
 $w = 1/[\sigma^2(F_o^2) + (0.0688P)^2]$
 where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} < 0.001$
 $\Delta\rho_{\max} = 0.41 \text{ e } \text{\AA}^{-3}$
 $\Delta\rho_{\min} = -0.26 \text{ e } \text{\AA}^{-3}$

Special details

Experimental. CrysAlis RED, Oxford Diffraction (2007) Ltd., Version 1.171.32.5 (release 08-05 CrysAlis171 .NET) (compiled May 8 ,13:10:02) Empirical absorption correction using spherical harmonics, implemented in SCALE3 ABSPACK scaling algorithm.

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
C1	0.8063 (4)	0.33098 (18)	0.03517 (17)	0.0399 (7)
C2	0.9978 (3)	0.36444 (17)	0.05461 (16)	0.0367 (7)
C3	1.0372 (3)	0.37987 (16)	-0.01840 (16)	0.0348 (6)
C4	0.8892 (3)	0.35928 (16)	-0.08247 (16)	0.0340 (6)
C5	0.7456 (4)	0.32899 (17)	-0.05450 (16)	0.0356 (6)
C6	0.5917 (4)	0.30514 (18)	-0.11001 (17)	0.0408 (7)
H6A	0.4922	0.2844	-0.0943	0.049*
C7	0.5879 (4)	0.31286 (19)	-0.19101 (17)	0.0450 (8)
H7A	0.4833	0.2974	-0.2288	0.054*
C8	0.7328 (4)	0.34248 (18)	-0.21725 (17)	0.0446 (7)
H8A	0.7241	0.3466	-0.2717	0.053*
C9	0.8934 (4)	0.36642 (17)	-0.16181 (16)	0.0377 (7)
C10	1.0617 (4)	0.39708 (19)	-0.17468 (18)	0.0473 (8)
H10A	1.0728	0.4031	-0.2269	0.057*
C11	1.2049 (4)	0.41741 (19)	-0.11228 (18)	0.0468 (8)
H11A	1.3102	0.4372	-0.1236	0.056*
C12	1.1994 (4)	0.40946 (17)	-0.02998 (17)	0.0392 (7)
C13	1.3329 (4)	0.42358 (18)	0.04128 (19)	0.0472 (8)
H13A	1.4461	0.4426	0.0388	0.057*
C14	1.2970 (4)	0.40944 (19)	0.11378 (19)	0.0491 (8)

H14A	1.3873	0.4202	0.1596	0.059*
C15	1.1294 (4)	0.37934 (19)	0.12227 (17)	0.0463 (8)
H15A	1.1093	0.3699	0.1723	0.056*
C16	0.6568 (4)	0.5839 (3)	0.4052 (2)	0.0694 (10)
C17	0.6797 (4)	0.5821 (2)	0.4937 (2)	0.0525 (8)
C18	0.7531 (3)	0.50091 (18)	0.50378 (18)	0.0410 (7)
C19	0.7789 (3)	0.45052 (19)	0.42931 (16)	0.0388 (7)
C20	0.7242 (4)	0.4942 (3)	0.3652 (2)	0.0632 (11)
C21	0.7356 (5)	0.4504 (3)	0.2896 (2)	0.0766 (12)
H21A	0.6995	0.4765	0.2444	0.092*
C22	0.8009 (5)	0.3669 (3)	0.2807 (2)	0.0779 (12)
H22A	0.8062	0.3375	0.2283	0.093*
C23	0.8598 (4)	0.3236 (2)	0.3453 (2)	0.0635 (10)
H23A	0.9054	0.2675	0.3364	0.076*
C24	0.8480 (4)	0.3675 (2)	0.42488 (17)	0.0424 (7)
C25	0.8946 (4)	0.3359 (2)	0.49970 (18)	0.0471 (8)
H25A	0.9442	0.2808	0.4990	0.057*
C26	0.8696 (4)	0.38269 (18)	0.57053 (18)	0.0438 (7)
H26A	0.9007	0.3591	0.6176	0.053*
C27	0.7939 (3)	0.47103 (18)	0.57593 (17)	0.0384 (7)
C28	0.7557 (4)	0.52866 (19)	0.64403 (19)	0.0503 (8)
H28A	0.7793	0.5124	0.6949	0.060*
C29	0.6842 (4)	0.6086 (2)	0.6360 (2)	0.0628 (10)
H29A	0.6600	0.6452	0.6822	0.075*
C30	0.6458 (4)	0.6379 (2)	0.5620 (3)	0.0669 (11)
H30A	0.5990	0.6931	0.5587	0.080*
C31	-0.1975 (3)	0.08775 (17)	0.10259 (15)	0.0332 (6)
C32	-0.0113 (3)	0.11963 (16)	0.14630 (15)	0.0316 (6)
C33	0.0789 (3)	0.13636 (15)	0.08627 (14)	0.0292 (6)
C34	-0.0332 (3)	0.11806 (15)	0.00853 (15)	0.0285 (6)
C35	-0.2014 (3)	0.08791 (16)	0.01345 (15)	0.0302 (6)
C36	-0.3248 (3)	0.06629 (17)	-0.05763 (15)	0.0342 (6)
H36A	-0.4383	0.0453	-0.0576	0.041*
C37	-0.2745 (4)	0.07684 (17)	-0.13048 (16)	0.0375 (7)
H37A	-0.3575	0.0626	-0.1789	0.045*
C38	-0.1079 (4)	0.10733 (17)	-0.13356 (15)	0.0374 (7)
H38A	-0.0813	0.1137	-0.1833	0.045*
C39	0.0232 (3)	0.12901 (16)	-0.06143 (15)	0.0315 (6)
C40	0.2048 (4)	0.16059 (17)	-0.04878 (17)	0.0391 (7)
H40A	0.2498	0.1699	-0.0936	0.047*
C41	0.3131 (4)	0.17747 (18)	0.02610 (17)	0.0399 (7)
H41A	0.4295	0.1973	0.0306	0.048*
C42	0.2528 (3)	0.16546 (16)	0.09839 (16)	0.0335 (6)
C43	0.3441 (4)	0.17931 (17)	0.18063 (16)	0.0390 (7)
H43A	0.4622	0.1991	0.1941	0.047*
C44	0.2574 (4)	0.16333 (17)	0.24065 (17)	0.0406 (7)
H44A	0.3200	0.1729	0.2942	0.049*
C45	0.0794 (4)	0.13330 (17)	0.22509 (16)	0.0388 (7)

H45A	0.0251	0.1231	0.2670	0.047*
C46	0.8208 (3)	-0.10522 (18)	0.52660 (16)	0.0344 (6)
C47	0.7622 (3)	-0.01303 (17)	0.55685 (15)	0.0320 (6)
C48	0.7321 (3)	0.02944 (17)	0.48979 (15)	0.0304 (6)
C49	0.7657 (3)	-0.02706 (17)	0.41971 (15)	0.0309 (6)
C50	0.8189 (3)	-0.10950 (17)	0.43687 (15)	0.0319 (6)
C51	0.8496 (4)	-0.17342 (18)	0.37382 (16)	0.0388 (7)
H51A	0.8842	-0.2297	0.3823	0.047*
C52	0.8269 (4)	-0.15119 (19)	0.29552 (16)	0.0409 (7)
H52A	0.8489	-0.1939	0.2525	0.049*
C53	0.7739 (3)	-0.06923 (19)	0.28018 (16)	0.0386 (7)
H53A	0.7601	-0.0576	0.2276	0.046*
C54	0.7405 (3)	-0.00288 (17)	0.34402 (15)	0.0328 (6)
C55	0.6794 (4)	0.08598 (18)	0.34298 (17)	0.0399 (7)
H55A	0.6614	0.1068	0.2941	0.048*
C56	0.6472 (4)	0.14037 (18)	0.41073 (17)	0.0394 (7)
H56A	0.6086	0.1971	0.4065	0.047*
C57	0.6706 (3)	0.11364 (17)	0.48878 (16)	0.0341 (6)
C58	0.6382 (3)	0.15905 (18)	0.56446 (17)	0.0403 (7)
H58A	0.5969	0.2163	0.5688	0.048*
C59	0.6678 (4)	0.11875 (18)	0.63199 (17)	0.0424 (7)
H59A	0.6461	0.1500	0.6811	0.051*
C60	0.7296 (3)	0.03219 (18)	0.62916 (16)	0.0378 (7)
H60A	0.7478	0.0064	0.6753	0.045*
O1	0.7197 (3)	0.30949 (15)	0.08162 (12)	0.0563 (6)
O2	0.5989 (4)	0.64120 (19)	0.37039 (19)	0.1032 (10)
O3	-0.3173 (2)	0.06667 (13)	0.13308 (11)	0.0466 (5)
O4	0.8593 (3)	-0.16354 (13)	0.56584 (11)	0.0487 (5)

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
C1	0.0362 (17)	0.0442 (17)	0.0390 (17)	0.0025 (13)	0.0127 (14)	0.0018 (13)
C2	0.0364 (17)	0.0351 (15)	0.0360 (16)	0.0059 (12)	0.0061 (13)	0.0012 (12)
C3	0.0315 (16)	0.0299 (15)	0.0414 (16)	0.0041 (12)	0.0067 (13)	0.0029 (12)
C4	0.0317 (16)	0.0279 (14)	0.0395 (16)	0.0022 (11)	0.0050 (13)	0.0016 (11)
C5	0.0327 (16)	0.0358 (15)	0.0369 (16)	0.0027 (12)	0.0064 (13)	0.0039 (12)
C6	0.0332 (17)	0.0438 (17)	0.0443 (18)	-0.0038 (13)	0.0084 (13)	0.0060 (13)
C7	0.0393 (18)	0.0504 (18)	0.0409 (18)	-0.0052 (14)	-0.0009 (14)	0.0084 (13)
C8	0.049 (2)	0.0484 (18)	0.0358 (16)	-0.0025 (14)	0.0065 (14)	0.0098 (13)
C9	0.0369 (17)	0.0385 (16)	0.0380 (17)	-0.0011 (13)	0.0072 (13)	0.0091 (12)
C10	0.0449 (19)	0.0537 (19)	0.0469 (18)	-0.0029 (15)	0.0115 (15)	0.0173 (14)
C11	0.0386 (18)	0.0475 (18)	0.059 (2)	-0.0019 (14)	0.0156 (15)	0.0165 (15)
C12	0.0345 (17)	0.0302 (15)	0.0514 (18)	0.0013 (12)	0.0064 (14)	0.0066 (13)
C13	0.0332 (17)	0.0432 (18)	0.061 (2)	-0.0038 (13)	0.0040 (15)	0.0066 (14)
C14	0.0395 (19)	0.0480 (18)	0.049 (2)	-0.0028 (14)	-0.0082 (15)	0.0019 (14)
C15	0.0435 (19)	0.0505 (18)	0.0395 (17)	0.0011 (14)	0.0025 (14)	0.0011 (14)
C16	0.0469 (19)	0.070 (2)	0.091 (2)	-0.0149 (16)	-0.0093 (17)	0.0422 (19)

C17	0.0331 (16)	0.0526 (18)	0.070 (2)	-0.0078 (14)	0.0007 (14)	0.0199 (16)
C18	0.0284 (16)	0.0365 (16)	0.055 (2)	-0.0100 (13)	0.0022 (13)	0.0089 (14)
C19	0.0296 (16)	0.0485 (18)	0.0372 (17)	-0.0114 (14)	0.0009 (13)	0.0139 (14)
C20	0.039 (2)	0.092 (3)	0.057 (2)	-0.0307 (19)	-0.0119 (16)	0.038 (2)
C21	0.065 (2)	0.105 (2)	0.060 (2)	-0.0390 (19)	-0.0037 (16)	0.0431 (19)
C22	0.073 (2)	0.107 (3)	0.0495 (19)	-0.042 (2)	0.0203 (17)	0.0042 (19)
C23	0.054 (2)	0.066 (2)	0.068 (2)	-0.0193 (17)	0.0235 (18)	-0.0038 (18)
C24	0.0345 (17)	0.054 (2)	0.0374 (17)	-0.0143 (14)	0.0069 (13)	0.0102 (14)
C25	0.0442 (19)	0.0440 (18)	0.053 (2)	-0.0002 (14)	0.0093 (15)	0.0099 (15)
C26	0.0389 (18)	0.0476 (18)	0.0422 (18)	-0.0092 (14)	0.0095 (14)	0.0023 (14)
C27	0.0301 (16)	0.0368 (16)	0.0446 (18)	-0.0074 (12)	0.0055 (13)	0.0023 (13)
C28	0.0458 (19)	0.0451 (19)	0.054 (2)	-0.0080 (15)	0.0112 (15)	-0.0041 (15)
C29	0.049 (2)	0.046 (2)	0.087 (3)	-0.0020 (16)	0.0202 (19)	-0.0094 (19)
C30	0.035 (2)	0.0394 (19)	0.120 (3)	0.0013 (15)	0.010 (2)	0.007 (2)
C31	0.0328 (16)	0.0344 (15)	0.0330 (15)	0.0025 (12)	0.0090 (12)	0.0054 (11)
C32	0.0340 (16)	0.0305 (14)	0.0300 (15)	0.0039 (11)	0.0050 (12)	0.0065 (11)
C33	0.0284 (15)	0.0269 (14)	0.0297 (14)	0.0041 (11)	0.0020 (12)	0.0023 (11)
C34	0.0302 (15)	0.0247 (13)	0.0302 (14)	0.0034 (11)	0.0061 (11)	0.0041 (11)
C35	0.0274 (15)	0.0286 (14)	0.0349 (15)	0.0013 (11)	0.0061 (12)	0.0070 (11)
C36	0.0262 (15)	0.0379 (16)	0.0360 (16)	-0.0007 (12)	0.0028 (12)	0.0052 (12)
C37	0.0373 (17)	0.0412 (16)	0.0287 (15)	0.0002 (13)	-0.0014 (12)	0.0019 (12)
C38	0.0453 (18)	0.0425 (16)	0.0261 (15)	0.0035 (13)	0.0098 (13)	0.0080 (12)
C39	0.0327 (16)	0.0316 (14)	0.0305 (15)	0.0037 (12)	0.0075 (12)	0.0051 (11)
C40	0.0388 (18)	0.0411 (16)	0.0399 (17)	-0.0008 (13)	0.0150 (14)	0.0074 (13)
C41	0.0305 (16)	0.0422 (16)	0.0470 (18)	-0.0030 (13)	0.0116 (13)	0.0057 (13)
C42	0.0308 (16)	0.0301 (14)	0.0371 (16)	0.0034 (12)	0.0047 (12)	0.0020 (11)
C43	0.0313 (16)	0.0341 (16)	0.0444 (17)	0.0037 (12)	-0.0037 (13)	0.0009 (13)
C44	0.0431 (18)	0.0409 (16)	0.0312 (16)	0.0054 (13)	-0.0044 (13)	0.0022 (12)
C45	0.0466 (19)	0.0376 (16)	0.0311 (16)	0.0080 (13)	0.0060 (13)	0.0053 (12)
C46	0.0309 (16)	0.0383 (16)	0.0346 (15)	-0.0021 (12)	0.0033 (12)	0.0129 (13)
C47	0.0284 (15)	0.0359 (15)	0.0317 (15)	-0.0029 (12)	0.0036 (11)	0.0099 (12)
C48	0.0223 (14)	0.0333 (15)	0.0336 (15)	-0.0038 (11)	0.0010 (11)	0.0071 (12)
C49	0.0229 (14)	0.0376 (16)	0.0314 (15)	-0.0042 (11)	0.0037 (11)	0.0077 (12)
C50	0.0275 (15)	0.0352 (15)	0.0337 (15)	-0.0006 (12)	0.0050 (12)	0.0100 (12)
C51	0.0393 (17)	0.0372 (16)	0.0417 (17)	0.0037 (13)	0.0095 (13)	0.0108 (13)
C52	0.0425 (18)	0.0468 (18)	0.0336 (16)	0.0032 (14)	0.0099 (13)	0.0057 (13)
C53	0.0366 (17)	0.0522 (18)	0.0302 (15)	0.0009 (13)	0.0088 (12)	0.0138 (13)
C54	0.0272 (15)	0.0372 (16)	0.0363 (16)	-0.0027 (12)	0.0060 (12)	0.0143 (12)
C55	0.0374 (17)	0.0474 (18)	0.0388 (17)	0.0022 (13)	0.0047 (13)	0.0213 (14)
C56	0.0374 (17)	0.0365 (16)	0.0455 (18)	0.0029 (13)	0.0054 (13)	0.0139 (13)
C57	0.0247 (15)	0.0360 (16)	0.0396 (16)	-0.0039 (12)	0.0015 (12)	0.0085 (12)
C58	0.0345 (17)	0.0334 (16)	0.0509 (19)	-0.0022 (13)	0.0054 (14)	0.0068 (13)
C59	0.0422 (18)	0.0417 (17)	0.0400 (17)	-0.0007 (13)	0.0101 (13)	-0.0016 (13)
C60	0.0371 (17)	0.0458 (18)	0.0303 (15)	-0.0037 (13)	0.0046 (12)	0.0098 (12)
O1	0.0450 (13)	0.0841 (16)	0.0400 (12)	-0.0058 (11)	0.0129 (10)	0.0094 (11)
O2	0.0798 (18)	0.0976 (19)	0.133 (2)	-0.0129 (14)	-0.0255 (15)	0.0757 (17)
O3	0.0400 (12)	0.0637 (13)	0.0390 (11)	-0.0042 (10)	0.0136 (9)	0.0132 (9)
O4	0.0678 (15)	0.0444 (12)	0.0379 (12)	0.0088 (10)	0.0101 (10)	0.0178 (10)

Geometric parameters (Å, °)

C1—O1	1.213 (3)	C31—O3	1.213 (3)
C1—C5	1.503 (4)	C31—C35	1.512 (4)
C1—C2	1.514 (4)	C31—C32	1.516 (4)
C2—C15	1.366 (4)	C32—C45	1.366 (3)
C2—C3	1.393 (4)	C32—C33	1.400 (3)
C3—C12	1.389 (4)	C33—C42	1.376 (3)
C3—C4	1.409 (4)	C33—C34	1.413 (3)
C4—C9	1.381 (4)	C34—C39	1.381 (3)
C4—C5	1.393 (4)	C34—C35	1.396 (3)
C5—C6	1.368 (4)	C35—C36	1.372 (3)
C6—C7	1.400 (4)	C36—C37	1.405 (4)
C6—H6A	0.9300	C36—H36A	0.9300
C7—C8	1.381 (4)	C37—C38	1.377 (4)
C7—H7A	0.9300	C37—H37A	0.9300
C8—C9	1.407 (4)	C38—C39	1.417 (3)
C8—H8A	0.9300	C38—H38A	0.9300
C9—C10	1.446 (4)	C39—C40	1.441 (3)
C10—C11	1.368 (4)	C40—C41	1.363 (4)
C10—H10A	0.9300	C40—H40A	0.9300
C11—C12	1.437 (4)	C41—C42	1.438 (4)
C11—H11A	0.9300	C41—H41A	0.9300
C12—C13	1.416 (4)	C42—C43	1.418 (4)
C13—C14	1.369 (4)	C43—C44	1.380 (4)
C13—H13A	0.9300	C43—H43A	0.9300
C14—C15	1.411 (4)	C44—C45	1.405 (4)
C14—H14A	0.9300	C44—H44A	0.9300
C15—H15A	0.9300	C45—H45A	0.9300
C16—O2	1.191 (4)	C46—O4	1.214 (3)
C16—C17	1.488 (5)	C46—C47	1.514 (4)
C16—C20	1.559 (6)	C46—C50	1.514 (4)
C17—C30	1.380 (5)	C47—C60	1.368 (4)
C17—C18	1.399 (4)	C47—C48	1.396 (3)
C18—C27	1.371 (4)	C48—C57	1.379 (4)
C18—C19	1.408 (4)	C48—C49	1.409 (4)
C19—C24	1.379 (4)	C49—C54	1.383 (3)
C19—C20	1.384 (4)	C49—C50	1.392 (4)
C20—C21	1.356 (5)	C50—C51	1.371 (4)
C21—C22	1.372 (5)	C51—C52	1.414 (4)
C21—H21A	0.9300	C51—H51A	0.9300
C22—C23	1.393 (5)	C52—C53	1.376 (4)
C22—H22A	0.9300	C52—H52A	0.9300
C23—C24	1.417 (4)	C53—C54	1.408 (4)
C23—H23A	0.9300	C53—H53A	0.9300
C24—C25	1.429 (4)	C54—C55	1.445 (4)
C25—C26	1.334 (4)	C55—C56	1.359 (4)
C25—H25A	0.9300	C55—H55A	0.9300

C26—C27	1.475 (4)	C56—C57	1.439 (4)
C26—H26A	0.9300	C56—H56A	0.9300
C27—C28	1.404 (4)	C57—C58	1.417 (4)
C28—C29	1.368 (4)	C58—C59	1.383 (4)
C28—H28A	0.9300	C58—H58A	0.9300
C29—C30	1.394 (5)	C59—C60	1.407 (4)
C29—H29A	0.9300	C59—H59A	0.9300
C30—H30A	0.9300	C60—H60A	0.9300
O1—C1—C5	126.9 (3)	O3—C31—C35	127.6 (2)
O1—C1—C2	127.6 (3)	O3—C31—C32	127.0 (2)
C5—C1—C2	105.4 (2)	C35—C31—C32	105.5 (2)
C15—C2—C3	118.1 (3)	C45—C32—C33	118.0 (2)
C15—C2—C1	135.8 (3)	C45—C32—C31	135.6 (2)
C3—C2—C1	106.1 (2)	C33—C32—C31	106.4 (2)
C12—C3—C2	126.4 (3)	C42—C33—C32	126.4 (2)
C12—C3—C4	122.5 (3)	C42—C33—C34	123.0 (2)
C2—C3—C4	111.1 (2)	C32—C33—C34	110.7 (2)
C9—C4—C5	126.4 (2)	C39—C34—C35	126.5 (2)
C9—C4—C3	122.9 (2)	C39—C34—C33	122.4 (2)
C5—C4—C3	110.6 (2)	C35—C34—C33	111.1 (2)
C6—C5—C4	117.7 (2)	C36—C35—C34	117.8 (2)
C6—C5—C1	135.6 (2)	C36—C35—C31	135.8 (2)
C4—C5—C1	106.7 (2)	C34—C35—C31	106.4 (2)
C5—C6—C7	118.2 (2)	C35—C36—C37	118.0 (2)
C5—C6—H6A	120.9	C35—C36—H36A	121.0
C7—C6—H6A	120.9	C37—C36—H36A	121.0
C8—C7—C6	122.9 (3)	C38—C37—C36	123.0 (2)
C8—C7—H7A	118.5	C38—C37—H37A	118.5
C6—C7—H7A	118.5	C36—C37—H37A	118.5
C7—C8—C9	120.2 (3)	C37—C38—C39	120.4 (2)
C7—C8—H8A	119.9	C37—C38—H38A	119.8
C9—C8—H8A	119.9	C39—C38—H38A	119.8
C4—C9—C8	114.6 (2)	C34—C39—C38	114.3 (2)
C4—C9—C10	115.0 (2)	C34—C39—C40	114.7 (2)
C8—C9—C10	130.4 (3)	C38—C39—C40	131.0 (2)
C11—C10—C9	121.9 (3)	C41—C40—C39	122.8 (2)
C11—C10—H10A	119.1	C41—C40—H40A	118.6
C9—C10—H10A	119.1	C39—C40—H40A	118.6
C10—C11—C12	122.7 (3)	C40—C41—C42	121.9 (2)
C10—C11—H11A	118.7	C40—C41—H41A	119.1
C12—C11—H11A	118.7	C42—C41—H41A	119.1
C3—C12—C13	114.0 (3)	C33—C42—C43	114.6 (2)
C3—C12—C11	114.9 (2)	C33—C42—C41	115.2 (2)
C13—C12—C11	131.0 (3)	C43—C42—C41	130.2 (3)
C14—C13—C12	120.6 (3)	C44—C43—C42	119.9 (3)
C14—C13—H13A	119.7	C44—C43—H43A	120.1
C12—C13—H13A	119.7	C42—C43—H43A	120.1

C13—C14—C15	123.1 (3)	C43—C44—C45	123.4 (2)
C13—C14—H14A	118.5	C43—C44—H44A	118.3
C15—C14—H14A	118.5	C45—C44—H44A	118.3
C2—C15—C14	117.8 (3)	C32—C45—C44	117.8 (3)
C2—C15—H15A	121.1	C32—C45—H45A	121.1
C14—C15—H15A	121.1	C44—C45—H45A	121.1
O2—C16—C17	128.2 (4)	O4—C46—C47	127.3 (2)
O2—C16—C20	125.8 (4)	O4—C46—C50	127.4 (2)
C17—C16—C20	106.1 (3)	C47—C46—C50	105.3 (2)
C30—C17—C18	117.8 (3)	C60—C47—C48	118.0 (2)
C30—C17—C16	136.2 (4)	C60—C47—C46	135.6 (2)
C18—C17—C16	105.9 (3)	C48—C47—C46	106.3 (2)
C27—C18—C17	125.6 (3)	C57—C48—C47	126.2 (2)
C27—C18—C19	122.6 (3)	C57—C48—C49	122.8 (2)
C17—C18—C19	111.7 (3)	C47—C48—C49	110.9 (2)
C24—C19—C20	126.9 (3)	C54—C49—C50	125.9 (2)
C24—C19—C18	121.5 (3)	C54—C49—C48	123.0 (3)
C20—C19—C18	111.6 (3)	C50—C49—C48	111.0 (2)
C21—C20—C19	117.0 (4)	C51—C50—C49	118.0 (2)
C21—C20—C16	138.3 (3)	C51—C50—C46	135.5 (3)
C19—C20—C16	104.7 (3)	C49—C50—C46	106.4 (2)
C20—C21—C22	119.2 (3)	C50—C51—C52	117.9 (3)
C20—C21—H21A	120.4	C50—C51—H51A	121.0
C22—C21—H21A	120.4	C52—C51—H51A	121.0
C21—C22—C23	124.0 (4)	C53—C52—C51	122.9 (3)
C21—C22—H22A	118.0	C53—C52—H52A	118.5
C23—C22—H22A	118.0	C51—C52—H52A	118.5
C22—C23—C24	118.1 (3)	C52—C53—C54	120.0 (2)
C22—C23—H23A	121.0	C52—C53—H53A	120.0
C24—C23—H23A	121.0	C54—C53—H53A	120.0
C19—C24—C23	114.9 (3)	C49—C54—C53	115.2 (2)
C19—C24—C25	116.7 (3)	C49—C54—C55	114.4 (2)
C23—C24—C25	128.4 (3)	C53—C54—C55	130.4 (2)
C26—C25—C24	122.3 (3)	C56—C55—C54	122.5 (2)
C26—C25—H25A	118.8	C56—C55—H55A	118.8
C24—C25—H25A	118.8	C54—C55—H55A	118.8
C25—C26—C27	121.5 (3)	C55—C56—C57	122.6 (3)
C25—C26—H26A	119.3	C55—C56—H56A	118.7
C27—C26—H26A	119.3	C57—C56—H56A	118.7
C18—C27—C28	115.2 (3)	C48—C57—C58	114.7 (2)
C18—C27—C26	115.3 (3)	C48—C57—C56	114.7 (2)
C28—C27—C26	129.5 (3)	C58—C57—C56	130.6 (3)
C29—C28—C27	120.4 (3)	C59—C58—C57	120.4 (3)
C29—C28—H28A	119.8	C59—C58—H58A	119.8
C27—C28—H28A	119.8	C57—C58—H58A	119.8
C28—C29—C30	123.2 (3)	C58—C59—C60	122.4 (3)
C28—C29—H29A	118.4	C58—C59—H59A	118.8
C30—C29—H29A	118.4	C60—C59—H59A	118.8

C17—C30—C29	117.7 (3)	C47—C60—C59	118.4 (2)
C17—C30—H30A	121.2	C47—C60—H60A	120.8
C29—C30—H30A	121.2	C59—C60—H60A	120.8
O1—C1—C2—C15	1.6 (5)	O1—C1—C2—C15	1.6 (5)
C5—C1—C2—C15	-177.9 (3)	C5—C1—C2—C15	-177.9 (3)
O1—C1—C2—C3	179.8 (3)	O1—C1—C2—C3	179.8 (3)
C5—C1—C2—C3	0.4 (3)	C5—C1—C2—C3	0.4 (3)
C15—C2—C3—C12	0.0 (4)	C15—C2—C3—C12	0.0 (4)
C1—C2—C3—C12	-178.7 (3)	C1—C2—C3—C12	-178.7 (3)
C15—C2—C3—C4	178.5 (2)	C15—C2—C3—C4	178.5 (2)
C1—C2—C3—C4	-0.1 (3)	C1—C2—C3—C4	-0.1 (3)
C12—C3—C4—C9	0.3 (4)	C12—C3—C4—C9	0.3 (4)
C2—C3—C4—C9	-178.3 (3)	C2—C3—C4—C9	-178.3 (3)
C12—C3—C4—C5	178.4 (3)	C12—C3—C4—C5	178.4 (3)
C2—C3—C4—C5	-0.2 (3)	C2—C3—C4—C5	-0.2 (3)
C9—C4—C5—C6	-1.2 (4)	C9—C4—C5—C6	-1.2 (4)
C3—C4—C5—C6	-179.2 (2)	C3—C4—C5—C6	-179.2 (2)
C9—C4—C5—C1	178.5 (3)	C9—C4—C5—C1	178.5 (3)
C3—C4—C5—C1	0.4 (3)	C3—C4—C5—C1	0.4 (3)
O1—C1—C5—C6	-0.4 (5)	O1—C1—C5—C6	-0.4 (5)
C2—C1—C5—C6	179.1 (3)	C2—C1—C5—C6	179.1 (3)
O1—C1—C5—C4	-180.0 (3)	O1—C1—C5—C4	-180.0 (3)
C2—C1—C5—C4	-0.5 (3)	C2—C1—C5—C4	-0.5 (3)
C4—C5—C6—C7	-0.2 (4)	C4—C5—C6—C7	-0.2 (4)
C1—C5—C6—C7	-179.7 (3)	C1—C5—C6—C7	-179.7 (3)
C5—C6—C7—C8	0.7 (4)	C5—C6—C7—C8	0.7 (4)
C6—C7—C8—C9	0.1 (5)	C6—C7—C8—C9	0.1 (5)
C5—C4—C9—C8	1.9 (4)	C5—C4—C9—C8	1.9 (4)
C3—C4—C9—C8	179.7 (2)	C3—C4—C9—C8	179.7 (2)
C5—C4—C9—C10	-178.0 (3)	C5—C4—C9—C10	-178.0 (3)
C3—C4—C9—C10	-0.2 (4)	C3—C4—C9—C10	-0.2 (4)
C7—C8—C9—C4	-1.3 (4)	C7—C8—C9—C4	-1.3 (4)
C7—C8—C9—C10	178.6 (3)	C7—C8—C9—C10	178.6 (3)
C4—C9—C10—C11	-0.1 (4)	C4—C9—C10—C11	-0.1 (4)
C8—C9—C10—C11	180.0 (3)	C8—C9—C10—C11	180.0 (3)
C9—C10—C11—C12	0.3 (5)	C9—C10—C11—C12	0.3 (5)
C2—C3—C12—C13	0.5 (4)	C2—C3—C12—C13	0.5 (4)
C4—C3—C12—C13	-177.9 (2)	C4—C3—C12—C13	-177.9 (2)
C2—C3—C12—C11	178.3 (3)	C2—C3—C12—C11	178.3 (3)
C4—C3—C12—C11	-0.1 (4)	C4—C3—C12—C11	-0.1 (4)
C10—C11—C12—C3	-0.3 (4)	C10—C11—C12—C3	-0.3 (4)
C10—C11—C12—C13	177.2 (3)	C10—C11—C12—C13	177.2 (3)
C3—C12—C13—C14	-0.9 (4)	C3—C12—C13—C14	-0.9 (4)
C11—C12—C13—C14	-178.3 (3)	C11—C12—C13—C14	-178.3 (3)
C12—C13—C14—C15	0.9 (5)	C12—C13—C14—C15	0.9 (5)
C3—C2—C15—C14	0.0 (4)	C3—C2—C15—C14	0.0 (4)
C1—C2—C15—C14	178.1 (3)	C1—C2—C15—C14	178.1 (3)

C13—C14—C15—C2	-0.4 (5)	C13—C14—C15—C2	-0.4 (5)
O2—C16—C17—C30	0.9 (6)	O2—C16—C17—C30	0.9 (6)
C20—C16—C17—C30	-179.0 (3)	C20—C16—C17—C30	-179.0 (3)
O2—C16—C17—C18	-179.8 (3)	O2—C16—C17—C18	-179.8 (3)
C20—C16—C17—C18	0.4 (3)	C20—C16—C17—C18	0.4 (3)
C30—C17—C18—C27	0.5 (4)	C30—C17—C18—C27	0.5 (4)
C16—C17—C18—C27	-179.0 (3)	C16—C17—C18—C27	-179.0 (3)
C30—C17—C18—C19	179.4 (3)	C30—C17—C18—C19	179.4 (3)
C16—C17—C18—C19	-0.1 (3)	C16—C17—C18—C19	-0.1 (3)
C27—C18—C19—C24	-0.3 (4)	C27—C18—C19—C24	-0.3 (4)
C17—C18—C19—C24	-179.2 (2)	C17—C18—C19—C24	-179.2 (2)
C27—C18—C19—C20	178.7 (2)	C27—C18—C19—C20	178.7 (2)
C17—C18—C19—C20	-0.3 (3)	C17—C18—C19—C20	-0.3 (3)
C24—C19—C20—C21	1.6 (4)	C24—C19—C20—C21	1.6 (4)
C18—C19—C20—C21	-177.3 (3)	C18—C19—C20—C21	-177.3 (3)
C24—C19—C20—C16	179.4 (3)	C24—C19—C20—C16	179.4 (3)
C18—C19—C20—C16	0.5 (3)	C18—C19—C20—C16	0.5 (3)
O2—C16—C20—C21	-3.4 (6)	O2—C16—C20—C21	-3.4 (6)
C17—C16—C20—C21	176.4 (4)	C17—C16—C20—C21	176.4 (4)
O2—C16—C20—C19	179.6 (3)	O2—C16—C20—C19	179.6 (3)
C17—C16—C20—C19	-0.5 (3)	C17—C16—C20—C19	-0.5 (3)
C19—C20—C21—C22	-0.6 (5)	C20—C19—C24—C23	-1.1 (4)
C16—C20—C21—C22	-177.3 (3)	C18—C19—C24—C23	177.7 (2)
C20—C21—C22—C23	-0.9 (5)	C20—C19—C24—C25	-179.8 (3)
C21—C22—C23—C24	1.4 (5)	C18—C19—C24—C25	-1.0 (4)
C20—C19—C24—C23	-1.1 (4)	C22—C23—C24—C19	-0.4 (4)
C18—C19—C24—C23	177.7 (2)	C22—C23—C24—C25	178.1 (3)
C20—C19—C24—C25	-179.8 (3)	C19—C24—C25—C26	1.5 (4)
C18—C19—C24—C25	-1.0 (4)	C23—C24—C25—C26	-177.0 (3)
C22—C23—C24—C19	-0.4 (4)	C24—C25—C26—C27	-0.8 (4)
C22—C23—C24—C25	178.1 (3)	C17—C18—C27—C28	0.3 (4)
C19—C24—C25—C26	1.5 (4)	C19—C18—C27—C28	-178.5 (2)
C23—C24—C25—C26	-177.0 (3)	C17—C18—C27—C26	179.7 (2)
C24—C25—C26—C27	-0.8 (4)	C19—C18—C27—C26	1.0 (4)
C17—C18—C27—C28	0.3 (4)	C25—C26—C27—C18	-0.4 (4)
C19—C18—C27—C28	-178.5 (2)	C25—C26—C27—C28	178.9 (3)
C17—C18—C27—C26	179.7 (2)	C18—C27—C28—C29	-0.4 (4)
C19—C18—C27—C26	1.0 (4)	C26—C27—C28—C29	-179.8 (3)
C25—C26—C27—C18	-0.4 (4)	C27—C28—C29—C30	-0.3 (5)
C25—C26—C27—C28	178.9 (3)	C18—C17—C30—C29	-1.2 (4)
C18—C27—C28—C29	-0.4 (4)	C16—C17—C30—C29	178.2 (3)
C26—C27—C28—C29	-179.8 (3)	C28—C29—C30—C17	1.1 (5)
C27—C28—C29—C30	-0.3 (5)	O3—C31—C32—C45	1.1 (5)
C18—C17—C30—C29	-1.2 (4)	C35—C31—C32—C45	-178.9 (3)
C16—C17—C30—C29	178.2 (3)	O3—C31—C32—C33	-179.7 (3)
C28—C29—C30—C17	1.1 (5)	C35—C31—C32—C33	0.3 (3)
O3—C31—C32—C45	1.1 (5)	C45—C32—C33—C42	0.2 (4)
C35—C31—C32—C45	-178.9 (3)	C31—C32—C33—C42	-179.2 (2)

O3—C31—C32—C33	-179.7 (3)	C45—C32—C33—C34	179.4 (2)
C35—C31—C32—C33	0.3 (3)	C31—C32—C33—C34	0.0 (3)
C45—C32—C33—C42	0.2 (4)	C42—C33—C34—C39	-0.7 (4)
C31—C32—C33—C42	-179.2 (2)	C32—C33—C34—C39	-180.0 (2)
C45—C32—C33—C34	179.4 (2)	C42—C33—C34—C35	178.8 (2)
C31—C32—C33—C34	0.0 (3)	C32—C33—C34—C35	-0.4 (3)
C42—C33—C34—C39	-0.7 (4)	C39—C34—C35—C36	0.3 (4)
C32—C33—C34—C39	-180.0 (2)	C33—C34—C35—C36	-179.2 (2)
C42—C33—C34—C35	178.8 (2)	C39—C34—C35—C31	-179.9 (2)
C32—C33—C34—C35	-0.4 (3)	C33—C34—C35—C31	0.6 (3)
C39—C34—C35—C36	0.3 (4)	O3—C31—C35—C36	-0.8 (5)
C33—C34—C35—C36	-179.2 (2)	C32—C31—C35—C36	179.2 (3)
C39—C34—C35—C31	-179.9 (2)	O3—C31—C35—C34	179.4 (3)
C33—C34—C35—C31	0.6 (3)	C32—C31—C35—C34	-0.6 (3)
O3—C31—C35—C36	-0.8 (5)	C34—C35—C36—C37	-0.7 (4)
C32—C31—C35—C36	179.2 (3)	C31—C35—C36—C37	179.5 (3)
O3—C31—C35—C34	179.4 (3)	C35—C36—C37—C38	0.3 (4)
C32—C31—C35—C34	-0.6 (3)	C36—C37—C38—C39	0.6 (4)
C34—C35—C36—C37	-0.7 (4)	C35—C34—C39—C38	0.6 (4)
C31—C35—C36—C37	179.5 (3)	C33—C34—C39—C38	-180.0 (2)
C35—C36—C37—C38	0.3 (4)	C35—C34—C39—C40	-179.5 (2)
C36—C37—C38—C39	0.6 (4)	C33—C34—C39—C40	-0.1 (4)
C35—C34—C39—C38	0.6 (4)	C37—C38—C39—C34	-1.0 (4)
C33—C34—C39—C38	-180.0 (2)	C37—C38—C39—C40	179.2 (3)
C35—C34—C39—C40	-179.5 (2)	C34—C39—C40—C41	0.7 (4)
C33—C34—C39—C40	-0.1 (4)	C38—C39—C40—C41	-179.4 (3)
C37—C38—C39—C34	-1.0 (4)	C39—C40—C41—C42	-0.5 (4)
C37—C38—C39—C40	179.2 (3)	C32—C33—C42—C43	-0.3 (4)
C34—C39—C40—C41	0.7 (4)	C34—C33—C42—C43	-179.4 (2)
C38—C39—C40—C41	-179.4 (3)	C32—C33—C42—C41	180.0 (2)
C39—C40—C41—C42	-0.5 (4)	C34—C33—C42—C41	0.9 (4)
C32—C33—C42—C43	-0.3 (4)	C40—C41—C42—C33	-0.3 (4)
C34—C33—C42—C43	-179.4 (2)	C40—C41—C42—C43	-179.9 (3)
C32—C33—C42—C41	180.0 (2)	C33—C42—C43—C44	0.2 (4)
C34—C33—C42—C41	0.9 (4)	C41—C42—C43—C44	179.8 (3)
C40—C41—C42—C33	-0.3 (4)	C42—C43—C44—C45	0.1 (4)
C40—C41—C42—C43	-179.9 (3)	C33—C32—C45—C44	0.0 (4)
C33—C42—C43—C44	0.2 (4)	C31—C32—C45—C44	179.1 (3)
C41—C42—C43—C44	179.8 (3)	C43—C44—C45—C32	-0.1 (4)
C42—C43—C44—C45	0.1 (4)	O4—C46—C47—C60	-2.2 (5)
C33—C32—C45—C44	0.0 (4)	C50—C46—C47—C60	177.1 (3)
C31—C32—C45—C44	179.1 (3)	O4—C46—C47—C48	-179.6 (2)
C43—C44—C45—C32	-0.1 (4)	C50—C46—C47—C48	-0.3 (3)
O4—C46—C47—C60	-2.2 (5)	C60—C47—C48—C57	-0.5 (4)
C50—C46—C47—C60	177.1 (3)	C46—C47—C48—C57	177.5 (2)
O4—C46—C47—C48	-179.6 (2)	C60—C47—C48—C49	-177.9 (2)
C50—C46—C47—C48	-0.3 (3)	C46—C47—C48—C49	0.1 (3)
C60—C47—C48—C57	-0.5 (4)	C57—C48—C49—C54	0.2 (4)

C46—C47—C48—C57	177.5 (2)	C47—C48—C49—C54	177.7 (2)
C60—C47—C48—C49	-177.9 (2)	C57—C48—C49—C50	-177.3 (2)
C46—C47—C48—C49	0.1 (3)	C47—C48—C49—C50	0.2 (3)
C57—C48—C49—C54	0.2 (4)	C54—C49—C50—C51	-0.1 (4)
C47—C48—C49—C54	177.7 (2)	C48—C49—C50—C51	177.3 (2)
C57—C48—C49—C50	-177.3 (2)	C54—C49—C50—C46	-177.8 (2)
C47—C48—C49—C50	0.2 (3)	C48—C49—C50—C46	-0.4 (3)
C54—C49—C50—C51	-0.1 (4)	O4—C46—C50—C51	2.6 (5)
C48—C49—C50—C51	177.3 (2)	C47—C46—C50—C51	-176.7 (3)
C54—C49—C50—C46	-177.8 (2)	O4—C46—C50—C49	179.8 (2)
C48—C49—C50—C46	-0.4 (3)	C47—C46—C50—C49	0.5 (3)
O4—C46—C50—C51	2.6 (5)	C49—C50—C51—C52	0.6 (4)
C47—C46—C50—C51	-176.7 (3)	C46—C50—C51—C52	177.6 (3)
O4—C46—C50—C49	179.8 (2)	C50—C51—C52—C53	-0.8 (4)
C47—C46—C50—C49	0.5 (3)	C51—C52—C53—C54	0.3 (4)
C49—C50—C51—C52	0.6 (4)	C50—C49—C54—C53	-0.4 (4)
C46—C50—C51—C52	177.6 (3)	C48—C49—C54—C53	-177.5 (2)
C50—C51—C52—C53	-0.8 (4)	C50—C49—C54—C55	178.1 (2)
C51—C52—C53—C54	0.3 (4)	C48—C49—C54—C55	1.0 (3)
C50—C49—C54—C53	-0.4 (4)	C52—C53—C54—C49	0.2 (4)
C48—C49—C54—C53	-177.5 (2)	C52—C53—C54—C55	-177.9 (2)
C50—C49—C54—C55	178.1 (2)	C49—C54—C55—C56	-0.9 (4)
C48—C49—C54—C55	1.0 (3)	C53—C54—C55—C56	177.2 (3)
C52—C53—C54—C49	0.2 (4)	C54—C55—C56—C57	-0.3 (4)
C52—C53—C54—C55	-177.9 (2)	C47—C48—C57—C58	0.6 (4)
C49—C54—C55—C56	-0.9 (4)	C49—C48—C57—C58	177.7 (2)
C53—C54—C55—C56	177.2 (3)	C47—C48—C57—C56	-178.5 (2)
C54—C55—C56—C57	-0.3 (4)	C49—C48—C57—C56	-1.4 (3)
C47—C48—C57—C58	0.6 (4)	C55—C56—C57—C48	1.4 (4)
C49—C48—C57—C58	177.7 (2)	C55—C56—C57—C58	-177.4 (3)
C47—C48—C57—C56	-178.5 (2)	C48—C57—C58—C59	-0.2 (3)
C49—C48—C57—C56	-1.4 (3)	C56—C57—C58—C59	178.7 (2)
C55—C56—C57—C48	1.4 (4)	C57—C58—C59—C60	-0.3 (4)
C55—C56—C57—C58	-177.4 (3)	C48—C47—C60—C59	0.0 (4)
C48—C57—C58—C59	-0.2 (3)	C46—C47—C60—C59	-177.2 (3)
C56—C57—C58—C59	178.7 (2)	C58—C59—C60—C47	0.4 (4)
C57—C58—C59—C60	-0.3 (4)	C24—C23—C22—C21	1.4 (5)
C48—C47—C60—C59	0.0 (4)	C19—C20—C21—C22	-0.6 (5)
C46—C47—C60—C59	-177.2 (3)	C16—C20—C21—C22	-177.3 (3)
C58—C59—C60—C47	0.4 (4)	C23—C22—C21—C20	-0.9 (5)
