

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

(E)-3-(9-Anthryl)-1-(4-chlorophenyl)-2-(1H-1,2,4-triazol-1-yl)prop-2-en-1-one

Guang-Zhou Wang, Yuan Shi, Kun Wan and Cheng-He Zhou*


 Laboratory of Bioorganic & Medicinal Chemistry, School of Chemistry and Chemical Engineering, Southwest University, Chongqing 400715, People's Republic of China
 Correspondence e-mail: zhouch@swu.edu.cn

Received 23 September 2009; accepted 24 September 2009

 Key indicators: single-crystal X-ray study; $T = 298$ K; mean $\sigma(\text{C}-\text{C}) = 0.004$ Å; R factor = 0.065; wR factor = 0.162; data-to-parameter ratio = 14.2.

 In the title compound, $\text{C}_{25}\text{H}_{16}\text{ClN}_3\text{O}$, the anthryl and chlorophenyl substituents are on opposite sides of the triazole ring. The anthryl and benzene mean planes are aligned at $83.35(2)$ and $89.09(2)^\circ$, respectively, with respect to the triazole ring.

Related literature

 For general background to the biological properties of chalcones, see: Corr ea *et al.* (2001). For the synthesis, see: Erhardt *et al.* (1985); Kranz *et al.* (1980). For similar crystal structures, see: Lu *et al.* (2009); Wang *et al.* (2009); Yan *et al.* (2009).


Experimental

Crystal data

 $\text{C}_{25}\text{H}_{16}\text{ClN}_3\text{O}$
 $M_r = 409.86$

 Orthorhombic, $Pbca$
 $a = 13.1464(11)$ Å

 $b = 13.5485(12)$ Å

 $c = 22.0974(19)$ Å

 $V = 3935.9(6)$ Å³
 $Z = 8$

 Mo $K\alpha$ radiation

 $\mu = 0.22$ mm⁻¹
 $T = 298$ K

 $0.26 \times 0.12 \times 0.10$ mm

Data collection

Bruker SMART diffractometer

Absorption correction: multi-scan

(SADABS; Sheldrick, 1996)

 $T_{\min} = 0.946$, $T_{\max} = 0.979$

19759 measured reflections

3859 independent reflections

 3430 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.119$

Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.065$
 $wR(F^2) = 0.162$
 $S = 1.12$

3859 reflections

271 parameters

H-atom parameters constrained

 $\Delta\rho_{\text{max}} = 0.43$ e Å⁻³
 $\Delta\rho_{\text{min}} = -0.34$ e Å⁻³

Data collection: SMART (Bruker, 2001); cell refinement: SAINT-Plus (Bruker, 2001); data reduction: SAINT-Plus; program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: SHELXTL (Sheldrick, 2008); software used to prepare material for publication: SHELXTL.

We thank Southwest University (SWUB2006018, XSGX0602 and SWUF2007023) and the Natural Science Foundation of Chongqing (2007BB5369) for financial support.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: NG2650).

References

- Bruker (2001). *SAINT-Plus* and *SMART*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Corr ea, R., Pereira, M. A. S., Buffon, D., Santos, L., Filho, V. C., Santos, A. R. S. & Nunes, R. J. (2001). *Arch. Pharm. Med. Chem.* **334**, 332–334.
- Erhardt, H., Mildenerger, H., Handte, R., Sachse, B., Hartz, P. & B rstell, H. (1985). German Patent No. DE3406908.
- Kranz, E., Kr amer, W., B chel, K. H., Brandes, W. & Forhberger, P. E. (1980). German Patent No. DE2832233.
- Lu, Y.-H., Wang, G.-Z., Zhou, C.-H. & Zhang, Y.-Y. (2009). *Acta Cryst.* **E65**, o1396.
- Sheldrick, G. M. (1996). *SADABS*. University of G ttingen, Germany.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Wang, G., Lu, Y., Zhou, C. & Zhang, Y. (2009). *Acta Cryst.* **E65**, o1113.
- Yan, C.-Y., Wang, G.-Z. & Zhou, C.-H. (2009). *Acta Cryst.* **E65**, o2054.

supporting information

Acta Cryst. (2009). E65, o2631 [https://doi.org/10.1107/S1600536809038628]

(E)-3-(9-Anthryl)-1-(4-chlorophenyl)-2-(1H-1,2,4-triazol-1-yl)prop-2-en-1-one**Guang-Zhou Wang, Yuan Shi, Kun Wan and Cheng-He Zhou****S1. Comment**

Chalcone derivatives possess wide biological properties such as antimicrobial, antifungal, antileishmanial, antibacterial, antimalarial, analgesic, anti-inflammatory and chemopreventive activities (Corréa *et al.*, 2001). Recently chalcone-containing derivatives received special attention. Our interest is the research and development ofazole-derived chalcones as medicinal agents. We found that all the synthesized imidazole-derived chalcone compounds exhibited significant antimicrobial and anticancer activities, and have reported several crystal structures of nitroimidazole-containing chalcones (Lu *et al.*, 2009; Wang *et al.*, 2009b) and a triazole-derived phenyl compound (Yan *et al.*, 2009c). In our ongoing research, here we would like to report the crystal structure of the first both triazole and anthracene derived chalcone.

In the crystal structure (Fig. 1), the title compound is non-planar, display a 'Y' shape, with the anthryl ring and phenyl moiety on opposite sides of the triazole ring, the anthracene and benzene mean planes make dihedral angles of 83.35 (2) and 89.09 (2)°, respectively, with the plane of the triazole ring. The crystal structure is stabilized by weak intermolecular C—H...O hydrogen bonds.

S2. Experimental

Compound (I) was synthesized according to the procedure of Erhardt *et al.* (1985); Kranz *et al.*, (1980). A crystal of (I) suitable for X-ray analysis was grown from a mixture solution of chloroform and acetone by slow evaporation at room temperature.

S3. Refinement

All the hydrogen atoms were placed at their geometrical positions with C—H = 0.93 Å and $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$.




Figure 1

The molecular structure of (I), showing the atom-numbering scheme. Displacement ellipsoids are drawn at the 50% probability level.




Figure 2

Part of the crystal structure of (I), showing the formation of the three-dimensional network.

(*E*)-3-(9-Anthryl)-1-(4-chlorophenyl)-2-(1*H*-1,2,4-triazol-1-yl)prop-2-en-1-one

Crystal data

$C_{25}H_{16}ClN_3O$

$M_r = 409.86$

Orthorhombic, *Pbca*

Hall symbol: -P 2ac 2ab

$a = 13.1464$ (11) Å

$b = 13.5485$ (12) Å

$c = 22.0974$ (19) Å

$V = 3935.9$ (6) Å³

$Z = 8$

$F(000) = 1696$

$D_x = 1.383$ Mg m⁻³

Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å

Cell parameters from 6265 reflections

$\theta = 2.4$ – 27.5°

$\mu = 0.22$ mm⁻¹

$T = 298$ K

Block, yellow

$0.26 \times 0.12 \times 0.10$ mm

Data collection

Bruker SMART diffractometer	19759 measured reflections
Radiation source: fine-focus sealed tube	3859 independent reflections
Graphite monochromator	3430 reflections with $I > 2\sigma(I)$
φ and ω scans	$R_{\text{int}} = 0.119$
Absorption correction: multi-scan (<i>SADABS</i> ; Sheldrick, 1996)	$\theta_{\text{max}} = 26.0^\circ$, $\theta_{\text{min}} = 2.4^\circ$
$T_{\text{min}} = 0.946$, $T_{\text{max}} = 0.979$	$h = -16 \rightarrow 16$
	$k = -16 \rightarrow 16$
	$l = -17 \rightarrow 27$

Refinement

Refinement on F^2	Secondary atom site location: difference Fourier map
Least-squares matrix: full	Hydrogen site location: inferred from neighbouring sites
$R[F^2 > 2\sigma(F^2)] = 0.065$	H-atom parameters constrained
$wR(F^2) = 0.162$	$w = 1/[\sigma^2(F_o^2) + (0.0638P)^2 + 1.7945P]$
$S = 1.12$	where $P = (F_o^2 + 2F_c^2)/3$
3859 reflections	$(\Delta/\sigma)_{\text{max}} < 0.001$
271 parameters	$\Delta\rho_{\text{max}} = 0.43 \text{ e } \text{\AA}^{-3}$
0 restraints	$\Delta\rho_{\text{min}} = -0.34 \text{ e } \text{\AA}^{-3}$
Primary atom site location: structure-invariant direct methods	

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
C1	0.30643 (17)	1.1607 (2)	0.39287 (11)	0.0426 (6)
C2	0.27174 (18)	1.0658 (2)	0.40129 (11)	0.0447 (6)
H2	0.2393	1.0481	0.4371	0.054*
C3	0.28585 (17)	0.99743 (18)	0.35589 (11)	0.0391 (5)
H3	0.2607	0.9337	0.3604	0.047*
C4	0.33774 (15)	1.02351 (17)	0.30331 (9)	0.0330 (5)
C5	0.37216 (18)	1.11961 (18)	0.29626 (11)	0.0421 (6)
H5	0.4068	1.1373	0.2612	0.051*
C6	0.35564 (19)	1.18896 (19)	0.34055 (12)	0.0474 (6)
H6	0.3772	1.2538	0.3353	0.057*
C7	0.35073 (16)	0.95057 (16)	0.25405 (10)	0.0346 (5)
C8	0.45084 (15)	0.95049 (15)	0.22047 (9)	0.0303 (5)
C9	0.3687 (2)	0.9653 (2)	0.11838 (12)	0.0535 (7)
H9	0.3044	0.9863	0.1304	0.064*
C10	0.4936 (2)	0.9244 (2)	0.06792 (11)	0.0484 (6)
H10	0.5345	0.9105	0.0347	0.058*

C11	0.54031 (16)	0.94857 (17)	0.24822 (9)	0.0340 (5)
H11	0.5985	0.9497	0.2243	0.041*
C12	0.55381 (15)	0.94475 (17)	0.31479 (9)	0.0327 (5)
C13	0.52315 (15)	0.86077 (17)	0.34745 (9)	0.0332 (5)
C14	0.48195 (18)	0.77419 (18)	0.32006 (11)	0.0406 (5)
H14	0.4733	0.7724	0.2783	0.049*
C15	0.4552 (2)	0.6945 (2)	0.35349 (13)	0.0506 (6)
H15	0.4292	0.6389	0.3343	0.061*
C16	0.4662 (2)	0.6944 (2)	0.41698 (12)	0.0517 (7)
H16	0.4470	0.6393	0.4394	0.062*
C17	0.5045 (2)	0.7742 (2)	0.44502 (11)	0.0464 (6)
H17	0.5110	0.7735	0.4869	0.056*
C18	0.53536 (16)	0.85998 (18)	0.41238 (10)	0.0376 (5)
C19	0.57685 (18)	0.94139 (19)	0.44096 (10)	0.0423 (6)
H19	0.5826	0.9411	0.4829	0.051*
C20	0.61025 (17)	1.02352 (18)	0.40905 (10)	0.0386 (5)
C21	0.6548 (2)	1.1069 (2)	0.43795 (12)	0.0534 (7)
H21	0.6603	1.1075	0.4799	0.064*
C22	0.6890 (3)	1.1848 (2)	0.40624 (14)	0.0653 (8)
H22	0.7177	1.2383	0.4263	0.078*
C23	0.6813 (2)	1.1853 (2)	0.34226 (13)	0.0590 (7)
H23	0.7065	1.2386	0.3204	0.071*
C24	0.63764 (19)	1.10861 (19)	0.31269 (11)	0.0450 (6)
H24	0.6321	1.1108	0.2708	0.054*
C25	0.60008 (16)	1.02502 (17)	0.34426 (9)	0.0345 (5)
Cl1	0.28705 (6)	1.24841 (6)	0.44918 (4)	0.0647 (3)
N4	0.39691 (19)	0.95338 (19)	0.06181 (9)	0.0571 (6)
N5	0.52736 (15)	0.91671 (17)	0.12348 (9)	0.0449 (5)
N6	0.44473 (13)	0.94308 (14)	0.15650 (8)	0.0334 (4)
O1	0.28455 (12)	0.89224 (14)	0.24077 (9)	0.0505 (5)

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
C1	0.0445 (12)	0.0499 (15)	0.0335 (12)	0.0064 (11)	0.0001 (9)	-0.0160 (11)
C2	0.0506 (14)	0.0532 (16)	0.0303 (12)	0.0020 (11)	0.0086 (10)	-0.0021 (11)
C3	0.0449 (12)	0.0371 (13)	0.0354 (12)	-0.0013 (10)	0.0042 (9)	0.0017 (10)
C4	0.0348 (11)	0.0350 (12)	0.0293 (11)	0.0028 (9)	0.0000 (8)	-0.0028 (9)
C5	0.0513 (13)	0.0387 (13)	0.0364 (13)	-0.0036 (10)	0.0105 (10)	-0.0026 (10)
C6	0.0573 (15)	0.0347 (13)	0.0503 (15)	-0.0030 (11)	0.0081 (11)	-0.0093 (11)
C7	0.0378 (11)	0.0346 (12)	0.0313 (11)	0.0009 (9)	-0.0031 (8)	-0.0021 (9)
C8	0.0418 (11)	0.0280 (11)	0.0211 (10)	0.0010 (8)	0.0003 (8)	-0.0030 (8)
C9	0.0489 (14)	0.078 (2)	0.0332 (13)	0.0122 (13)	-0.0078 (10)	-0.0027 (13)
C10	0.0687 (16)	0.0541 (16)	0.0225 (11)	0.0060 (13)	0.0009 (11)	-0.0051 (11)
C11	0.0397 (11)	0.0380 (12)	0.0244 (11)	0.0011 (9)	0.0025 (8)	-0.0015 (9)
C12	0.0365 (11)	0.0386 (12)	0.0230 (11)	0.0049 (9)	-0.0012 (8)	-0.0014 (9)
C13	0.0358 (11)	0.0377 (12)	0.0260 (11)	0.0070 (9)	0.0000 (8)	-0.0019 (9)
C14	0.0520 (13)	0.0389 (13)	0.0309 (12)	0.0042 (10)	-0.0024 (10)	-0.0025 (10)

C15	0.0654 (16)	0.0412 (15)	0.0454 (15)	-0.0044 (12)	-0.0060 (12)	0.0003 (12)
C16	0.0632 (16)	0.0476 (16)	0.0444 (15)	-0.0039 (12)	-0.0039 (12)	0.0151 (12)
C17	0.0566 (15)	0.0524 (16)	0.0303 (12)	0.0013 (12)	-0.0055 (10)	0.0108 (11)
C18	0.0423 (12)	0.0432 (13)	0.0272 (11)	0.0060 (10)	-0.0009 (9)	0.0012 (10)
C19	0.0568 (14)	0.0494 (15)	0.0208 (11)	0.0048 (11)	-0.0032 (9)	-0.0036 (10)
C20	0.0487 (13)	0.0406 (13)	0.0264 (11)	0.0074 (10)	-0.0045 (9)	-0.0051 (10)
C21	0.0813 (19)	0.0464 (15)	0.0324 (13)	-0.0027 (13)	-0.0121 (12)	-0.0104 (11)
C22	0.102 (2)	0.0429 (16)	0.0509 (17)	-0.0114 (15)	-0.0188 (16)	-0.0087 (13)
C23	0.087 (2)	0.0419 (15)	0.0486 (16)	-0.0120 (14)	-0.0113 (14)	0.0063 (12)
C24	0.0604 (15)	0.0420 (14)	0.0325 (12)	-0.0027 (11)	-0.0076 (10)	0.0040 (10)
C25	0.0397 (11)	0.0376 (12)	0.0261 (11)	0.0057 (9)	-0.0041 (8)	-0.0021 (9)
C11	0.0712 (5)	0.0703 (5)	0.0526 (5)	0.0044 (4)	0.0062 (3)	-0.0339 (4)
N4	0.0731 (15)	0.0724 (17)	0.0258 (11)	0.0103 (13)	-0.0114 (10)	-0.0013 (10)
N5	0.0533 (11)	0.0574 (13)	0.0240 (10)	0.0118 (10)	0.0013 (8)	-0.0069 (9)
N6	0.0422 (10)	0.0347 (10)	0.0234 (9)	0.0036 (8)	-0.0032 (7)	-0.0042 (7)
O1	0.0446 (9)	0.0519 (11)	0.0550 (11)	-0.0086 (8)	0.0035 (8)	-0.0199 (9)

Geometric parameters (Å, °)

C1—C2	1.377 (4)	C12—C13	1.406 (3)
C1—C6	1.379 (4)	C13—C14	1.427 (3)
C1—C11	1.740 (2)	C13—C18	1.444 (3)
C2—C3	1.378 (3)	C14—C15	1.355 (4)
C2—H2	0.9300	C14—H14	0.9300
C3—C4	1.393 (3)	C15—C16	1.411 (4)
C3—H3	0.9300	C15—H15	0.9300
C4—C5	1.387 (3)	C16—C17	1.344 (4)
C4—C7	1.480 (3)	C16—H16	0.9300
C5—C6	1.374 (3)	C17—C18	1.427 (4)
C5—H5	0.9300	C17—H17	0.9300
C6—H6	0.9300	C18—C19	1.383 (3)
C7—O1	1.211 (3)	C19—C20	1.388 (4)
C7—C8	1.511 (3)	C19—H19	0.9300
C8—C11	1.327 (3)	C20—C21	1.424 (3)
C8—N6	1.419 (3)	C20—C25	1.438 (3)
C9—N4	1.314 (3)	C21—C22	1.344 (4)
C9—N6	1.342 (3)	C21—H21	0.9300
C9—H9	0.9300	C22—C23	1.417 (4)
C10—N5	1.310 (3)	C22—H22	0.9300
C10—N4	1.337 (4)	C23—C24	1.355 (4)
C10—H10	0.9300	C23—H23	0.9300
C11—C12	1.483 (3)	C24—C25	1.419 (3)
C11—H11	0.9300	C24—H24	0.9300
C12—C25	1.406 (3)	N5—N6	1.356 (3)
C2—C1—C6	121.9 (2)	C15—C14—H14	119.2
C2—C1—C11	119.53 (19)	C13—C14—H14	119.2
C6—C1—C11	118.6 (2)	C14—C15—C16	121.1 (2)

C1—C2—C3	119.0 (2)	C14—C15—H15	119.5
C1—C2—H2	120.5	C16—C15—H15	119.5
C3—C2—H2	120.5	C17—C16—C15	119.8 (2)
C2—C3—C4	120.2 (2)	C17—C16—H16	120.1
C2—C3—H3	119.9	C15—C16—H16	120.1
C4—C3—H3	119.9	C16—C17—C18	121.9 (2)
C5—C4—C3	119.4 (2)	C16—C17—H17	119.0
C5—C4—C7	120.4 (2)	C18—C17—H17	119.0
C3—C4—C7	120.0 (2)	C19—C18—C17	122.1 (2)
C6—C5—C4	120.7 (2)	C19—C18—C13	119.5 (2)
C6—C5—H5	119.7	C17—C18—C13	118.5 (2)
C4—C5—H5	119.7	C18—C19—C20	122.1 (2)
C5—C6—C1	118.8 (2)	C18—C19—H19	118.9
C5—C6—H6	120.6	C20—C19—H19	118.9
C1—C6—H6	120.6	C19—C20—C21	122.6 (2)
O1—C7—C4	122.1 (2)	C19—C20—C25	119.2 (2)
O1—C7—C8	120.4 (2)	C21—C20—C25	118.3 (2)
C4—C7—C8	117.53 (18)	C22—C21—C20	121.8 (2)
C11—C8—N6	120.60 (18)	C22—C21—H21	119.1
C11—C8—C7	123.04 (19)	C20—C21—H21	119.1
N6—C8—C7	116.10 (17)	C21—C22—C23	120.0 (3)
N4—C9—N6	111.1 (2)	C21—C22—H22	120.0
N4—C9—H9	124.5	C23—C22—H22	120.0
N6—C9—H9	124.5	C24—C23—C22	120.5 (3)
N5—C10—N4	116.1 (2)	C24—C23—H23	119.8
N5—C10—H10	121.9	C22—C23—H23	119.8
N4—C10—H10	121.9	C23—C24—C25	121.5 (2)
C8—C11—C12	124.43 (19)	C23—C24—H24	119.3
C8—C11—H11	117.8	C25—C24—H24	119.3
C12—C11—H11	117.8	C12—C25—C24	122.7 (2)
C25—C12—C13	120.81 (19)	C12—C25—C20	119.4 (2)
C25—C12—C11	119.0 (2)	C24—C25—C20	117.9 (2)
C13—C12—C11	120.2 (2)	C9—N4—C10	102.0 (2)
C12—C13—C14	123.8 (2)	C10—N5—N6	102.22 (19)
C12—C13—C18	118.9 (2)	C9—N6—N5	108.56 (19)
C14—C13—C18	117.2 (2)	C9—N6—C8	130.66 (19)
C15—C14—C13	121.5 (2)	N5—N6—C8	120.59 (17)
C6—C1—C2—C3	-0.6 (4)	C14—C13—C18—C19	178.7 (2)
C11—C1—C2—C3	178.79 (19)	C12—C13—C18—C17	-179.7 (2)
C1—C2—C3—C4	2.3 (4)	C14—C13—C18—C17	-0.9 (3)
C2—C3—C4—C5	-2.0 (3)	C17—C18—C19—C20	177.7 (2)
C2—C3—C4—C7	-178.6 (2)	C13—C18—C19—C20	-1.9 (3)
C3—C4—C5—C6	0.1 (4)	C18—C19—C20—C21	-178.8 (2)
C7—C4—C5—C6	176.6 (2)	C18—C19—C20—C25	1.0 (3)
C4—C5—C6—C1	1.6 (4)	C19—C20—C21—C22	178.3 (3)
C2—C1—C6—C5	-1.4 (4)	C25—C20—C21—C22	-1.5 (4)
C11—C1—C6—C5	179.2 (2)	C20—C21—C22—C23	-0.1 (5)

C5—C4—C7—O1	-138.9 (2)	C21—C22—C23—C24	1.5 (5)
C3—C4—C7—O1	37.7 (3)	C22—C23—C24—C25	-1.2 (5)
C5—C4—C7—C8	41.5 (3)	C13—C12—C25—C24	176.2 (2)
C3—C4—C7—C8	-142.0 (2)	C11—C12—C25—C24	-2.1 (3)
O1—C7—C8—C11	-129.5 (2)	C13—C12—C25—C20	-3.9 (3)
C4—C7—C8—C11	50.1 (3)	C11—C12—C25—C20	177.82 (19)
O1—C7—C8—N6	44.7 (3)	C23—C24—C25—C12	179.6 (2)
C4—C7—C8—N6	-135.7 (2)	C23—C24—C25—C20	-0.4 (4)
N6—C8—C11—C12	-173.0 (2)	C19—C20—C25—C12	1.9 (3)
C7—C8—C11—C12	1.0 (4)	C21—C20—C25—C12	-178.2 (2)
C8—C11—C12—C25	-115.3 (3)	C19—C20—C25—C24	-178.1 (2)
C8—C11—C12—C13	66.4 (3)	C21—C20—C25—C24	1.7 (3)
C25—C12—C13—C14	-175.7 (2)	N6—C9—N4—C10	-0.8 (3)
C11—C12—C13—C14	2.5 (3)	N5—C10—N4—C9	0.4 (4)
C25—C12—C13—C18	3.0 (3)	N4—C10—N5—N6	0.1 (3)
C11—C12—C13—C18	-178.76 (19)	N4—C9—N6—N5	0.9 (3)
C12—C13—C14—C15	178.8 (2)	N4—C9—N6—C8	175.9 (2)
C18—C13—C14—C15	0.1 (3)	C10—N5—N6—C9	-0.6 (3)
C13—C14—C15—C16	0.6 (4)	C10—N5—N6—C8	-176.1 (2)
C14—C15—C16—C17	-0.5 (4)	C11—C8—N6—C9	-162.8 (3)
C15—C16—C17—C18	-0.4 (4)	C7—C8—N6—C9	22.9 (4)
C16—C17—C18—C19	-178.6 (2)	C11—C8—N6—N5	11.6 (3)
C16—C17—C18—C13	1.1 (4)	C7—C8—N6—N5	-162.7 (2)
C12—C13—C18—C19	-0.1 (3)		

Hydrogen-bond geometry (\AA , $^\circ$)

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
C23—H23 ⁱ —O1 ⁱ	0.93	2.48	3.381 (3)	162

Symmetry code: (i) $-x+1, y+1/2, -z+1/2$.