

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

2,7-Bis(trichloromethyl)-1,8-naphthyridine¹Hoong-Kun Fun,^{a,*§} Suchada Chantrapromma,^{b,¶}
Annada C. Maity^c and Shyamaprosad Goswami^c

^aX-ray Crystallography Unit, School of Physics, Universiti Sains Malaysia, 11800 USM, Penang, Malaysia, ^bCrystal Materials Research Unit, Department of Chemistry, Faculty of Science, Prince of Songkla University, Hat-Yai, Songkhla 90112, Thailand, and ^cDepartment of Chemistry, Bengal Engineering and Science University, Shibpur, Howrah, India 711 103
Correspondence e-mail: hkfun@usm.my


Received 10 January 2010; accepted 9 February 2010

Key indicators: single-crystal X-ray study; $T = 100$ K; mean $\sigma(\text{C}-\text{C}) = 0.002$ Å; R factor = 0.035; wR factor = 0.089; data-to-parameter ratio = 44.1.

The complete molecule of the title compound, $\text{C}_{10}\text{H}_4\text{Cl}_6\text{N}_2$, is generated by crystallographic twofold symmetry, with two C atoms lying on the rotation axis; the 1,8-naphthyridine ring is almost planar with an r.m.s. deviation of 0.0002 Å. In the crystal structure, the molecules are stacked in an antiparallel manner along [001]. Short $\text{Cl}\cdots\text{Cl}$ [3.3502 (4)] and $\text{Cl}\cdots\text{N}$ [3.2004 (11)–3.2220 (10) Å] contacts are observed in the crystal structure.

Related literature

For bond-length data, see: Allen *et al.* (1987). For graph-set notation of hydrogen-bond motifs, see: Bernstein *et al.* (1995). For related structures, see: Fun *et al.* (2009); Wang *et al.* (2008). For background to the properties and applications of 1,8-naphthyridines, see: Braccio *et al.* (2008); Chen *et al.* (2001); Ferrarini *et al.* (1998; 2000). For the stability of the temperature controller used in the data collection, see: Cosier & Glazer (1986).



Experimental

Crystal data

$\text{C}_{10}\text{H}_4\text{Cl}_6\text{N}_2$
 $M_r = 364.85$
Monoclinic, $C2/c$
 $a = 19.9154$ (4) Å
 $b = 6.5977$ (1) Å
 $c = 10.5975$ (2) Å
 $\beta = 111.483$ (2)°
 $V = 1295.73$ (4) Å³
 $Z = 4$
Mo $K\alpha$ radiation
 $\mu = 1.30$ mm⁻¹
 $T = 100$ K
 $0.40 \times 0.26 \times 0.05$ mm

Data collection

Bruker APEXII CCD diffractometer
Absorption correction: multi-scan (SADABS; Bruker, 2005)
 $T_{\min} = 0.624$, $T_{\max} = 0.944$
28872 measured reflections
4010 independent reflections
3136 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.053$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.035$
 $wR(F^2) = 0.089$
 $S = 1.05$
4010 reflections
91 parameters
All H-atom parameters refined
 $\Delta\rho_{\max} = 0.64$ e Å⁻³
 $\Delta\rho_{\min} = -0.56$ e Å⁻³

Data collection: APEX2 (Bruker, 2005); cell refinement: SAINT (Bruker, 2005); data reduction: SAINT; program(s) used to solve structure: SHELXTL (Sheldrick, 2008); program(s) used to refine structure: SHELXTL; molecular graphics: SHELXTL; software used to prepare material for publication: SHELXTL and PLATON (Spek, 2009).

SPG thanks the CSIR and DST, Government of India for funds and ACM acknowledges the UGC for a fellowship. The authors also thank the Malaysian Government and Universiti Sains Malaysia for the Research University Golden Goose grant No. 1001/PFIZIK/811012.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HB5307).

References

- Allen, F. H., Kennard, O., Watson, D. G., Brammer, L., Orpen, A. G. & Taylor, R. (1987). *J. Chem. Soc. Perkin Trans. 2*, pp. S1–S19.
Bernstein, J., Davis, R. E., Shimoni, L. & Chang, N.-L. (1995). *Angew. Chem. Int. Ed. Engl.* **34**, 1555–1573.
Braccio, M. D., Grossi, G., Roma, G., Piras, D., Mattioli, F. & Gosmar, M. (2008). *Eur. J. Med. Chem.* **43**, 584–594.
Bruker (2005). APEX2, SAINT and SADABS. Bruker AXS Inc., Madison, Wisconsin, USA.
Chen, Y.-L., Fang, K.-C., Sheu, J.-Y., Hsu, S.-L. & Tzeng, C.-C. (2001). *J. Med. Chem.* **44**, 2374–2378.
Cosier, J. & Glazer, A. M. (1986). *J. Appl. Cryst.* **19**, 105–107.
Ferrarini, P. L., Manera, C., Nori, C., Badawneh, M. & Saccomanni, G. (1998). *Farmaco.* **53**, 741–746.
Ferrarini, P. L., Mori, C., Badawneh, M., Calderone, V., Greco, R., Manera, C., Martinelli, A., Nieri, P. & Saccomanni, G. (2000). *Eur. J. Chem.* **35**, 815–819.
Fun, H.-K., Yeap, C. S., Das, N. K., Mahapatra, A. K. & Goswami, S. (2009). *Acta Cryst.* **E65**, o1747.
Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
Spek, A. L. (2009). *Acta Cryst.* **D65**, 148–155.
Wang, D.-H., Yu, Y.-M., Chen, J.-H. & Fu, W.-F. (2008). *Acta Cryst.* **E64**, o112.

¹This paper is dedicated to His Majesty King Bhumibol Adulyadej of Thailand (King Rama IX) for his sustainable development of the country.

§ Thomson Reuters ResearcherID: A-3561-2009.

¶ Additional correspondence author, email: suchada.c@psu.ac.th. Thomson Reuters ResearcherID: A-5085-2009.

supporting information

Acta Cryst. (2010). E66, o622 [doi:10.1107/S1600536810005234]

2,7-Bis(trichloromethyl)-1,8-naphthyridine

Hoong-Kun Fun, Suchada Chantrapromma, Annada C. Maity and Shyamaprosad Goswami

S1. Comment

The substituted 1,8-naphthyridine compounds have been studied for their chemical and biological activities for a long time. They show various biological activities such as antibacterial (Chen *et al.*, 2001; Ferrarini *et al.*, 1998), anti-inflammatory (Braccio *et al.*, 2008) as well as antihypertensive (Ferrarini *et al.*, 2000) properties. Trichloromethyl-substituted heterocyclic compounds are of great importance due to their broad spectrum biological activities. These interesting properties prompt us to synthesise the title compound (I) and its crystal structure was reported.

The asymmetric unit of the title molecule (Fig. 1), C₁₀H₄Cl₆N₂, contains one half-molecule with two shared C atoms (C3 and C4) lying on a twofold rotation axis. The 1,8-naphthyridine ring is planar with the r.m.s. deviation of 0.0002 (2) Å. One Cl atom (Cl3) of the trichloromethyl substituent is co-planar with the 1,8-naphthyridine ring which can be indicated by the torsion angle C1–C2–C6–Cl3 = 1.85 (14) Å whereas the other two Cl atoms are in the (+)-anti-clinal and (-)-anti-clinal configurations with the torsion angles C1–C2–C6–Cl1 = 122.04 (10)° and C1–C2–C6–Cl2 = -119.02 (10)°, respectively. The C1—H1...Cl3 intramolecular interaction (Table 1) generates S(5) ring motif (Bernstein *et al.*, 1995). The bond distances are of normal values (Allen *et al.*, 1987) and are comparable with related structures (Fun *et al.*, 2009; Wang *et al.*, 2008).

In the crystal structure (Fig. 2), the non-covalent interactions play a significant role in the three-dimensional supramolecular architecture in which the molecules are stacked in an antiparallel manner along the [0 0 1] direction and the neighbouring molecules are interlinked by C—Cl...Cl interactions into polymeric chains along the [0 1 0] direction. The molecules are also consolidated by Cl...Cl [3.3502 (4)Å] and Cl...N [3.2004 (11)–3.2220 (10) Å] short contacts. $\pi\cdots\pi$ interactions were observed with the distances of $Cg_1\cdots Cg_1 = 4.2360 (6) \text{ \AA}$ (symmetry code: $-x, 1 - y, 2 - z$) and $Cg_2\cdots Cg_2 = 4.2360 (6) \text{ \AA}$ (symmetry code: $-x, 1 - y, 1 - z$): Cg_1 and Cg_2 are the centroids of C1–C4/C5A/N1 and C1A–C2A/C3–C5/N1A, respectively. All these interactions connect the molecules into a three-dimensional supramolecular network.

S2. Experimental

A mixture of *N*-chlorosuccinimide (500 mg, 4.5 mmol) and triphenylphosphine (500 mg, 4.2 mmol) was moistened with CCl₄ (60 ml) in a round bottom flask and stirred at room temperature for 25 min. A solution of 2,7-dimethyl-1,8-naphthyridine (0.9 g, 5.25 mmol) was added to the suspension and the reaction mixture was stirred and heated under reflux for 7 hr. The solution was cooled and filtered. The evaporated filtrate was washed with saturated aqueous Na₂CO₃ and extracted repeatedly with CHCl₃. Drying over anhydrous Na₂SO₄, the solvent was removed under reduced pressure. The crude product was purified with SiO₂ chromatography (eluted with 1% ethylacetate in petroleum ether) to give the title compound as a white crystalline solid. Colorless slabs of (I) were recrystallized from CH₂Cl₂:hexane (1:10, v/v) by the slow evaporation of the solvent at room temperature after a week.

S3. Refinement

H atoms were located in a difference maps and refined isotropically. The highest residual electron density peak is located at 1.72 Å from H6 and the deepest hole is located at 0.65 Å from Cl2.




Figure 1

The molecular structure of (I) showing 50% probability displacement ellipsoids. Atoms with suffix A were generated by symmetry code $-x, y, -1/2 - z$.




Figure 2

The crystal packing of the title compound viewed along the *b* axis, N \cdots Cl and C \cdots Cl short contacts are shown as dashed lines.

2,7-Bis(trichloromethyl)-1,8-naphthyridine

Crystal data

$C_{10}H_4Cl_6N_2$
 $M_r = 364.85$
 Monoclinic, $C2/c$
 Hall symbol: $-C 2yc$
 $a = 19.9154 (4) \text{ \AA}$
 $b = 6.5977 (1) \text{ \AA}$
 $c = 10.5975 (2) \text{ \AA}$
 $\beta = 111.483 (2)^\circ$
 $V = 1295.73 (4) \text{ \AA}^3$
 $Z = 4$

$F(000) = 720$
 $D_x = 1.870 \text{ Mg m}^{-3}$
 Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$
 Cell parameters from 4010 reflections
 $\theta = 2.2\text{--}40.0^\circ$
 $\mu = 1.30 \text{ mm}^{-1}$
 $T = 100 \text{ K}$
 Slab, colorless
 $0.40 \times 0.26 \times 0.05 \text{ mm}$

Data collection

Bruker APEXII CCD
 diffractometer
 Radiation source: sealed tube

Graphite monochromator
 φ and ω scans

Absorption correction: multi-scan
(SADABS; Bruker, 2005)
 $T_{\min} = 0.624$, $T_{\max} = 0.944$
28872 measured reflections
4010 independent reflections
3136 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.053$
 $\theta_{\max} = 40.0^\circ$, $\theta_{\min} = 2.2^\circ$
 $h = -36 \rightarrow 34$
 $k = -11 \rightarrow 11$
 $l = -18 \rightarrow 19$

Refinement

Refinement on F^2
Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.035$
 $wR(F^2) = 0.089$
 $S = 1.05$
4010 reflections
91 parameters
0 restraints
Primary atom site location: structure-invariant
direct methods

Secondary atom site location: difference Fourier
map
Hydrogen site location: inferred from
neighbouring sites
All H-atom parameters refined
 $w = 1/[\sigma^2(F_o^2) + (0.0403P)^2 + 0.889P]$
where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} = 0.002$
 $\Delta\rho_{\max} = 0.64 \text{ e } \text{\AA}^{-3}$
 $\Delta\rho_{\min} = -0.56 \text{ e } \text{\AA}^{-3}$

Special details

Experimental. The crystal was placed in the cold stream of an Oxford Cryosystems Cobra open-flow nitrogen cryostat (Cosier & Glazer, 1986) operating at 120.0 (1) K.

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
C11	0.090117 (15)	0.01827 (4)	1.12884 (3)	0.01585 (6)
C12	0.194324 (15)	0.02817 (4)	0.99732 (3)	0.01645 (6)
C13	0.202697 (15)	0.31574 (4)	1.20815 (3)	0.01848 (6)
N1	0.04657 (5)	0.21807 (14)	0.85379 (9)	0.01358 (15)
C1	0.09721 (6)	0.53166 (17)	0.96675 (12)	0.01599 (18)
C2	0.09266 (6)	0.31794 (16)	0.95656 (11)	0.01302 (16)
C3	0.0000	0.3281 (2)	0.7500	0.0124 (2)
C4	0.0000	0.5430 (2)	0.7500	0.0136 (2)
C5	-0.05049 (6)	0.64457 (17)	0.63741 (11)	0.01611 (18)
C6	0.14272 (6)	0.17959 (16)	1.06796 (10)	0.01333 (16)
H6	-0.0513 (10)	0.788 (3)	0.6355 (18)	0.021 (4)*
H1	0.1292 (10)	0.598 (3)	1.038 (2)	0.024 (5)*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
C11	0.01798 (11)	0.01518 (11)	0.01362 (10)	-0.00263 (8)	0.00487 (8)	0.00164 (8)

C12	0.01578 (11)	0.01700 (12)	0.01533 (11)	0.00202 (8)	0.00425 (8)	0.00040 (8)
C13	0.02005 (12)	0.01629 (11)	0.01330 (11)	-0.00383 (9)	-0.00076 (8)	-0.00181 (8)
N1	0.0155 (4)	0.0114 (3)	0.0115 (3)	-0.0004 (3)	0.0021 (3)	0.0002 (3)
C1	0.0186 (4)	0.0110 (4)	0.0152 (4)	-0.0022 (3)	0.0025 (4)	-0.0012 (3)
C2	0.0145 (4)	0.0113 (4)	0.0123 (4)	-0.0008 (3)	0.0038 (3)	0.0001 (3)
C3	0.0137 (5)	0.0101 (5)	0.0117 (5)	0.000	0.0027 (4)	0.000
C4	0.0173 (6)	0.0095 (5)	0.0132 (5)	0.000	0.0045 (5)	0.000
C5	0.0198 (5)	0.0104 (4)	0.0155 (4)	0.0011 (3)	0.0033 (4)	0.0009 (3)
C6	0.0148 (4)	0.0122 (4)	0.0113 (4)	-0.0015 (3)	0.0028 (3)	-0.0007 (3)

Geometric parameters (Å, °)

C11—C6	1.7725 (11)	C2—C6	1.5358 (15)
C12—C6	1.7827 (11)	C3—N1 ⁱ	1.3602 (12)
C13—C6	1.7723 (10)	C3—C4	1.418 (2)
N1—C2	1.3156 (14)	C4—C5	1.4160 (13)
N1—C3	1.3602 (12)	C4—C5 ⁱ	1.4160 (13)
C1—C5 ⁱ	1.3736 (16)	C5—C1 ⁱ	1.3737 (16)
C1—C2	1.4145 (15)	C5—H6	0.95 (2)
C1—H1	0.90 (2)		
C2—N1—C3	117.68 (10)	C5—C4—C3	118.24 (7)
C5 ⁱ —C1—C2	118.28 (10)	C5 ⁱ —C4—C3	118.24 (7)
C5 ⁱ —C1—H1	118.1 (14)	C1 ⁱ —C5—C4	118.91 (11)
C2—C1—H1	123.6 (14)	C1 ⁱ —C5—H6	121.6 (11)
N1—C2—C1	124.62 (10)	C4—C5—H6	119.5 (11)
N1—C2—C6	113.48 (9)	C2—C6—C13	113.05 (7)
C1—C2—C6	121.90 (9)	C2—C6—C11	109.44 (7)
N1—C3—N1 ⁱ	115.46 (13)	C13—C6—C11	107.82 (6)
N1—C3—C4	122.27 (6)	C2—C6—C12	108.79 (7)
N1 ⁱ —C3—C4	122.27 (6)	C13—C6—C12	108.72 (6)
C5—C4—C5 ⁱ	123.51 (14)	C11—C6—C12	108.95 (6)
C3—N1—C2—C1	0.00 (16)	N1 ⁱ —C3—C4—C5 ⁱ	179.98 (8)
C3—N1—C2—C6	-179.95 (8)	C5 ⁱ —C4—C5—C1 ⁱ	180.00 (13)
C5 ⁱ —C1—C2—N1	-0.02 (19)	C3—C4—C5—C1 ⁱ	0.00 (13)
C5 ⁱ —C1—C2—C6	179.92 (11)	N1—C2—C6—C13	-178.20 (8)
C2—N1—C3—N1 ⁱ	-179.98 (11)	C1—C2—C6—C13	1.85 (14)
C2—N1—C3—C4	0.02 (11)	N1—C2—C6—C11	-58.01 (11)
N1—C3—C4—C5	179.98 (8)	C1—C2—C6—C11	122.04 (10)
N1 ⁱ —C3—C4—C5	-0.02 (8)	N1—C2—C6—C12	60.93 (11)
N1—C3—C4—C5 ⁱ	-0.02 (8)	C1—C2—C6—C12	-119.02 (10)

Symmetry code: (i) $-x, y, -z+3/2$.*Hydrogen-bond geometry (Å, °)*

<i>D</i> —H... <i>A</i>	<i>D</i> —H	H... <i>A</i>	<i>D</i> ... <i>A</i>	<i>D</i> —H... <i>A</i>
C1—H1...C13	0.90 (2)	2.63 (2)	3.0085 (12)	106.0 (14)