

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

N-Benzoyl-2-methylbenzenesulfonamide

P. A. Suchetan,^a B. Thimme Gowda,^{a*} Sabine Foro^b and Hartmut Fuess^b

^aDepartment of Chemistry, Mangalore University, Mangalagangotri 574 199, Mangalore, India, and ^bInstitute of Materials Science, Darmstadt University of Technology, Petersenstrasse 23, D-64287 Darmstadt, Germany
Correspondence e-mail: gowdabt@yahoo.com


Received 29 March 2010; accepted 30 March 2010

Key indicators: single-crystal X-ray study; $T = 299$ K; mean $\sigma(\text{C}-\text{C}) = 0.007$ Å; R factor = 0.053; wR factor = 0.132; data-to-parameter ratio = 11.5.

In the title compound, $\text{C}_{14}\text{H}_{13}\text{NO}_3\text{S}$, the conformation of the N—H bond in the C—SO₂—NH—C(O) segment is *anti* to the C=O bond. The tolyl and benzoyl groups are twisted about the S—N bond, with a C—S—N—C torsion angle of 68.8 (4)°. The dihedral angle between the sulfonyl and the benzoyl benzene rings is 73.9 (1)°. In the crystal, the molecules are linked into *C*(4) chains along the *c* axis by N—H···O hydrogen bonds.

Related literature

For background literature and similar structures, see: Gowda *et al.* (2009, 2010); Suchetan *et al.* (2010).



Experimental

Crystal data

$\text{C}_{14}\text{H}_{13}\text{NO}_3\text{S}$
 $M_r = 275.31$
Orthorhombic, $Pna2_1$
 $a = 19.772$ (2) Å
 $b = 11.894$ (1) Å
 $c = 5.6368$ (5) Å

$V = 1325.6$ (2) Å³
 $Z = 4$
Mo $K\alpha$ radiation
 $\mu = 0.25$ mm⁻¹
 $T = 299$ K
 $0.30 \times 0.18 \times 0.04$ mm

Data collection

Oxford Diffraction Xcalibur diffractometer with a Sapphire CCD detector
Absorption correction: multi-scan (*CrysAlis RED*; Oxford

Diffraction, 2009)
 $T_{\min} = 0.930$, $T_{\max} = 0.990$
4891 measured reflections
2028 independent reflections
1760 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.029$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.053$
 $wR(F^2) = 0.132$
 $S = 1.18$
2028 reflections
176 parameters
2 restraints

H atoms treated by a mixture of independent and constrained refinement
 $\Delta\rho_{\text{max}} = 0.52$ e Å⁻³
 $\Delta\rho_{\text{min}} = -0.38$ e Å⁻³
Absolute structure: Flack (1983), 541 Friedel pairs
Flack parameter: -0.11 (15)

Table 1

Hydrogen-bond geometry (Å, °).

<i>D</i> —H··· <i>A</i>	<i>D</i> —H	H··· <i>A</i>	<i>D</i> ··· <i>A</i>	<i>D</i> —H··· <i>A</i>
N1—H1N···O1 ¹	0.81 (3)	2.09 (3)	2.902 (4)	172 (5)

Symmetry code: (i) $-x, -y + 1, z - \frac{1}{2}$.

Data collection: *CrysAlis CCD* (Oxford Diffraction, 2009); cell refinement: *CrysAlis RED* (Oxford Diffraction, 2009); data reduction: *CrysAlis RED*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *PLATON* (Spek, 2009); software used to prepare material for publication: *SHELXL97* (Sheldrick, 2008).

PAS thanks the Council of Scientific and Industrial Research (CSIR), Government of India, New Delhi, for the award of a research fellowship.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: CI5072).

References

- Flack, H. D. (1983). *Acta Cryst.* **A39**, 876–881.
Gowda, B. T., Foro, S., Suchetan, P. A. & Fuess, H. (2009). *Acta Cryst.* **E65**, o2516.
Gowda, B. T., Foro, S., Suchetan, P. A. & Fuess, H. (2010). *Acta Cryst.* **E66**, o794.
Oxford Diffraction (2009). *CrysAlis CCD* and *CrysAlis RED*. Oxford Diffraction Ltd, Yarnton, England.
Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
Spek, A. L. (2009). *Acta Cryst.* **D65**, 148–155.
Suchetan, P. A., Gowda, B. T., Foro, S. & Fuess, H. (2010). *Acta Cryst.* **E66** [BT5236].

supporting information

Acta Cryst. (2010). E66, o1024 [https://doi.org/10.1107/S1600536810012067]

***N*-Benzoyl-2-methylbenzenesulfonamide**

P. A. Suchetan, B. Thimme Gowda, Sabine Foro and Hartmut Fues

S1. Comment

As a part of studying the effect of ring and the side chain substituents on the crystal structures of *N*-aromatic sulfonamides (Gowda *et al.*, 2009, 2010; Suchetan *et al.*, 2010), the structure of *N*-(benzoyl)2-methylbenzenesulfonamide, (I), has been determined.

The conformation of the N—H bond in the C—SO₂—NH—C(O) segment is *anti* to the C=O bond (Fig.1), similar to those observed in *N*-(benzoyl)benzenesulfonamide (II) (Gowda *et al.*, 2009), *N*-(benzoyl)2-chlorobenzenesulfonamide (III) (Gowda *et al.*, 2010) and *N*-(benzoyl)4-methylbenzenesulfonamide (IV) (Suchetan *et al.*, 2010).

The sulfonyl-bound tolyl and benzoyl groups are twisted about the S—N bond with a C1—S1—N1—C7 torsional angle of 68.8 (4)°, compared to 66.7 (2)° in (III) and 73.2 (2)° in (IV). The dihedral angle between the sulfonyl and the benzoyl benzene rings is 73.9 (1)°, compared to the values of 80.3(0.1) in (II), 73.3 (1)° in (III) and 79.4 (1)° in (IV).


The packing of molecules linked by of N—H···O(S) hydrogen bonds (Table 1) is shown in Fig. 2.

S2. Experimental


The title compound was prepared by refluxing a mixture of benzoic acid (0.02 mol), 2-methylbenzenesulfonamide (0.02 mol) and excess phosphorous oxy chloride for 3 h on a water bath. The resultant mixture was cooled and poured into crushed ice. The solid, *N*-(benzoyl)-2-methyl-benzenesulfonamide, obtained was filtered, washed thoroughly with water and then dissolved in a sodium bicarbonate solution. The compound was later reprecipitated by acidifying the filtered solution with dilute HCl. It was filtered, dried and recrystallized. Rod like colourless single crystals of the title compound used in X-ray diffraction studies were obtained by slow evaporation of its toluene solution at room temperature.

S3. Refinement

The H atom of the NH group was located in a difference map and refined with a N—H distance restraint of 0.86 (3) %A. The other H atoms were positioned with idealized geometry using a riding model with C—H = 0.93–0.96 Å. All H atoms were refined with isotropic displacement parameters (set to 1.2 times of the U_{eq} of the parent atom).

**Figure 1**

Molecular structure of the title compound, showing the atom-labelling scheme. Displacement ellipsoids are drawn at the 50% probability level.

**Figure 2**

Molecular packing in the title compound. Hydrogen bonds are shown as dashed lines.

N-Benzoyl-2-methylbenzenesulfonamide

Crystal data

$C_{14}H_{13}NO_3S$

$M_r = 275.31$

Orthorhombic, *Pna*2₁

Hall symbol: P 2c -2n

$a = 19.772(2) \text{ \AA}$

$b = 11.894(1) \text{ \AA}$

$c = 5.6368(5) \text{ \AA}$

$V = 1325.6(2) \text{ \AA}^3$

$Z = 4$
 $F(000) = 576$
 $D_x = 1.380 \text{ Mg m}^{-3}$
 Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$
 Cell parameters from 2401 reflections

$\theta = 3.1\text{--}27.9^\circ$
 $\mu = 0.25 \text{ mm}^{-1}$
 $T = 299 \text{ K}$
 Rod, colourless
 $0.30 \times 0.18 \times 0.04 \text{ mm}$

Data collection

Oxford Diffraction Xcalibur
 diffractometer with a Sapphire CCD detector
 Radiation source: fine-focus sealed tube
 Graphite monochromator
 Rotation method data acquisition using ω and ϕ
 scans
 Absorption correction: multi-scan
 (*CrysAlis RED*; Oxford Diffraction, 2009)
 $T_{\min} = 0.930$, $T_{\max} = 0.990$

4891 measured reflections
 2028 independent reflections
 1760 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.029$
 $\theta_{\max} = 26.4^\circ$, $\theta_{\min} = 3.4^\circ$
 $h = -24 \rightarrow 24$
 $k = -14 \rightarrow 11$
 $l = -5 \rightarrow 7$

Refinement

Refinement on F^2
 Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.053$
 $wR(F^2) = 0.132$
 $S = 1.18$
 2028 reflections
 176 parameters
 2 restraints
 Primary atom site location: structure-invariant
 direct methods
 Secondary atom site location: difference Fourier
 map

Hydrogen site location: inferred from
 neighbouring sites
 H atoms treated by a mixture of independent
 and constrained refinement
 $w = 1/[\sigma^2(F_o^2) + (0.0676P)^2 + 0.4459P]$
 where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} = 0.001$
 $\Delta\rho_{\max} = 0.52 \text{ e \AA}^{-3}$
 $\Delta\rho_{\min} = -0.38 \text{ e \AA}^{-3}$
 Absolute structure: Flack (1983), 541 Friedel
 pairs
 Absolute structure parameter: $-0.11 (15)$

Special details

Geometry. All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
S1	0.01516 (5)	0.66278 (7)	0.7707 (2)	0.0435 (3)
O1	-0.02885 (13)	0.56674 (19)	0.7833 (7)	0.0557 (8)
O2	0.05286 (16)	0.6940 (3)	0.9718 (6)	0.0641 (9)
O3	0.12916 (15)	0.7901 (2)	0.5428 (7)	0.0668 (9)
N1	0.06761 (16)	0.6295 (3)	0.5573 (7)	0.0452 (9)
H1N	0.058 (2)	0.578 (3)	0.469 (7)	0.054*
C1	-0.03320 (19)	0.7795 (3)	0.6767 (8)	0.0419 (9)
C2	-0.07765 (19)	0.7733 (3)	0.4882 (8)	0.0462 (9)
C3	-0.1141 (2)	0.8708 (4)	0.4372 (10)	0.0660 (14)

H3	-0.1439	0.8710	0.3095	0.079*
C4	-0.1069 (3)	0.9667 (4)	0.5716 (12)	0.0715 (15)
H4	-0.1320	1.0304	0.5338	0.086*
C5	-0.0643 (3)	0.9694 (3)	0.7562 (12)	0.0686 (14)
H5	-0.0604	1.0344	0.8469	0.082*
C6	-0.0263 (2)	0.8761 (3)	0.8122 (9)	0.0542 (12)
H6	0.0037	0.8779	0.9393	0.065*
C7	0.12242 (19)	0.6934 (3)	0.4833 (8)	0.0467 (10)
C8	0.17044 (19)	0.6327 (3)	0.3244 (8)	0.0458 (10)
C9	0.1851 (2)	0.5197 (3)	0.3616 (10)	0.0549 (11)
H9	0.1652	0.4808	0.4864	0.066*
C10	0.2297 (2)	0.4660 (4)	0.2110 (12)	0.0692 (15)
H10	0.2402	0.3908	0.2376	0.083*
C11	0.2586 (2)	0.5202 (4)	0.0250 (13)	0.0754 (15)
H11	0.2876	0.4821	-0.0771	0.091*
C12	0.2444 (2)	0.6331 (5)	-0.0109 (11)	0.0715 (14)
H12	0.2641	0.6713	-0.1371	0.086*
C13	0.2012 (2)	0.6883 (4)	0.1397 (10)	0.0616 (12)
H13	0.1926	0.7644	0.1166	0.074*
C14	-0.0893 (3)	0.6700 (4)	0.3393 (9)	0.0638 (14)
H14A	-0.1102	0.6128	0.4342	0.077*
H14B	-0.0467	0.6428	0.2804	0.077*
H14C	-0.1182	0.6884	0.2082	0.077*

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
S1	0.0501 (5)	0.0380 (4)	0.0425 (5)	-0.0008 (4)	-0.0026 (6)	0.0032 (5)
O1	0.0651 (17)	0.0372 (12)	0.065 (2)	-0.0059 (10)	0.005 (2)	0.0136 (16)
O2	0.0712 (19)	0.0661 (17)	0.055 (2)	0.0070 (16)	-0.0160 (17)	0.0020 (17)
O3	0.0731 (19)	0.0327 (12)	0.095 (3)	-0.0069 (13)	0.011 (2)	-0.0074 (16)
N1	0.0459 (18)	0.0366 (15)	0.053 (2)	-0.0042 (13)	0.0025 (18)	-0.0071 (16)
C1	0.0450 (19)	0.0377 (18)	0.043 (2)	-0.0016 (14)	0.0079 (18)	0.0020 (16)
C2	0.046 (2)	0.045 (2)	0.048 (3)	0.0009 (16)	0.002 (2)	0.0005 (19)
C3	0.059 (3)	0.065 (3)	0.075 (4)	0.013 (2)	-0.006 (3)	0.011 (3)
C4	0.069 (3)	0.050 (2)	0.095 (5)	0.017 (2)	0.004 (3)	0.006 (3)
C5	0.081 (3)	0.0373 (19)	0.087 (4)	0.0009 (19)	0.026 (4)	-0.009 (3)
C6	0.061 (3)	0.0428 (18)	0.058 (4)	-0.0068 (17)	0.004 (2)	-0.010 (2)
C7	0.047 (2)	0.0415 (19)	0.052 (3)	-0.0001 (16)	-0.002 (2)	0.0041 (19)
C8	0.043 (2)	0.0416 (18)	0.052 (3)	-0.0011 (15)	-0.003 (2)	0.0018 (17)
C9	0.052 (2)	0.0411 (19)	0.072 (3)	0.0015 (17)	0.000 (2)	0.0031 (19)
C10	0.056 (2)	0.053 (2)	0.098 (5)	0.0040 (19)	0.007 (3)	-0.009 (3)
C11	0.060 (3)	0.085 (3)	0.082 (4)	0.006 (3)	-0.002 (3)	-0.022 (4)
C12	0.057 (3)	0.095 (3)	0.063 (3)	-0.001 (3)	0.013 (3)	0.013 (3)
C13	0.056 (3)	0.060 (2)	0.069 (3)	0.006 (2)	-0.001 (3)	0.015 (2)
C14	0.070 (3)	0.067 (3)	0.055 (3)	-0.001 (2)	-0.012 (2)	-0.008 (2)

Geometric parameters (Å, °)

S1—O2	1.407 (3)	C6—H6	0.93
S1—O1	1.438 (2)	C7—C8	1.491 (6)
S1—N1	1.637 (4)	C8—C13	1.375 (6)
S1—C1	1.767 (4)	C8—C9	1.392 (5)
O3—C7	1.206 (5)	C9—C10	1.380 (7)
N1—C7	1.387 (5)	C9—H9	0.93
N1—H1N	0.81 (3)	C10—C11	1.357 (9)
C1—C2	1.381 (6)	C10—H10	0.93
C1—C6	1.386 (6)	C11—C12	1.387 (7)
C2—C3	1.395 (6)	C11—H11	0.93
C2—C14	1.505 (6)	C12—C13	1.371 (7)
C3—C4	1.377 (7)	C12—H12	0.93
C3—H3	0.93	C13—H13	0.93
C4—C5	1.339 (8)	C14—H14A	0.96
C4—H4	0.93	C14—H14B	0.96
C5—C6	1.377 (6)	C14—H14C	0.96
C5—H5	0.93		
O2—S1—O1	119.4 (2)	O3—C7—N1	121.7 (4)
O2—S1—N1	108.70 (19)	O3—C7—C8	123.9 (4)
O1—S1—N1	103.17 (18)	N1—C7—C8	114.4 (3)
O2—S1—C1	108.7 (2)	C13—C8—C9	119.1 (4)
O1—S1—C1	108.14 (17)	C13—C8—C7	120.3 (4)
N1—S1—C1	108.21 (19)	C9—C8—C7	120.6 (4)
C7—N1—S1	125.7 (3)	C10—C9—C8	119.2 (4)
C7—N1—H1N	115 (3)	C10—C9—H9	120.4
S1—N1—H1N	119 (3)	C8—C9—H9	120.4
C2—C1—C6	122.1 (4)	C11—C10—C9	121.6 (4)
C2—C1—S1	122.2 (3)	C11—C10—H10	119.2
C6—C1—S1	115.6 (3)	C9—C10—H10	119.2
C1—C2—C3	116.3 (4)	C10—C11—C12	119.2 (5)
C1—C2—C14	124.7 (4)	C10—C11—H11	120.4
C3—C2—C14	119.0 (4)	C12—C11—H11	120.4
C4—C3—C2	121.5 (5)	C13—C12—C11	120.0 (5)
C4—C3—H3	119.2	C13—C12—H12	120.0
C2—C3—H3	119.2	C11—C12—H12	120.0
C5—C4—C3	120.8 (4)	C12—C13—C8	120.9 (4)
C5—C4—H4	119.6	C12—C13—H13	119.5
C3—C4—H4	119.6	C8—C13—H13	119.5
C4—C5—C6	120.2 (5)	C2—C14—H14A	109.5
C4—C5—H5	119.9	C2—C14—H14B	109.5
C6—C5—H5	119.9	H14A—C14—H14B	109.5
C5—C6—C1	119.2 (5)	C2—C14—H14C	109.5
C5—C6—H6	120.4	H14A—C14—H14C	109.5
C1—C6—H6	120.4	H14B—C14—H14C	109.5

O2—S1—N1—C7	-49.1 (4)	C4—C5—C6—C1	-0.6 (7)
O1—S1—N1—C7	-176.8 (3)	C2—C1—C6—C5	-0.7 (6)
C1—S1—N1—C7	68.8 (4)	S1—C1—C6—C5	-177.4 (3)
O2—S1—C1—C2	-177.3 (3)	S1—N1—C7—O3	-13.8 (6)
O1—S1—C1—C2	-46.3 (4)	S1—N1—C7—C8	167.0 (3)
N1—S1—C1—C2	64.8 (3)	O3—C7—C8—C13	-36.2 (7)
O2—S1—C1—C6	-0.5 (4)	N1—C7—C8—C13	143.0 (4)
O1—S1—C1—C6	130.5 (3)	O3—C7—C8—C9	143.4 (5)
N1—S1—C1—C6	-118.4 (3)	N1—C7—C8—C9	-37.5 (6)
C6—C1—C2—C3	1.6 (6)	C13—C8—C9—C10	-0.6 (6)
S1—C1—C2—C3	178.2 (3)	C7—C8—C9—C10	179.9 (4)
C6—C1—C2—C14	-177.9 (4)	C8—C9—C10—C11	-1.2 (7)
S1—C1—C2—C14	-1.3 (6)	C9—C10—C11—C12	1.7 (8)
C1—C2—C3—C4	-1.4 (7)	C10—C11—C12—C13	-0.4 (8)
C14—C2—C3—C4	178.1 (5)	C11—C12—C13—C8	-1.3 (8)
C2—C3—C4—C5	0.2 (8)	C9—C8—C13—C12	1.8 (7)
C3—C4—C5—C6	0.9 (8)	C7—C8—C13—C12	-178.6 (4)

Hydrogen-bond geometry (Å, °)

<i>D</i> —H \cdots <i>A</i>	<i>D</i> —H	H \cdots <i>A</i>	<i>D</i> \cdots <i>A</i>	<i>D</i> —H \cdots <i>A</i>
N1—H1N \cdots O1 ⁱ	0.81 (3)	2.09 (3)	2.902 (4)	172 (5)

Symmetry code: (i) $-x, -y+1, z-1/2$.