

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

(E)-1-(4-Methoxybenzylidene)-2-phenylhydrazine

Muhammad Mufakkar,^a M. Nawaz Tahir,^{b*}
 Muhammad Ilyas Tariq,^c Shahbaz Ahmad^c and
 Muhammad Sarfraz^c

^aDepartment of Chemistry, Government College University, Lahore, Pakistan,

^bDepartment of Physics, University of Sargodha, Sargodha, Pakistan, and

^cDepartment of Chemistry, University of Sargodha, Sargodha, Pakistan

Correspondence e-mail: dmntahir_uos@yahoo.com


Received 27 June 2010; accepted 28 June 2010

 Key indicators: single-crystal X-ray study; $T = 296$ K; mean $\sigma(\text{C}-\text{C}) = 0.002$ Å; R factor = 0.045; wR factor = 0.124; data-to-parameter ratio = 19.4.

In the title compound, $\text{C}_{14}\text{H}_{14}\text{N}_2\text{O}$, the dihedral angle between the aromatic rings is $9.30(6)^\circ$. In the crystal, molecules are linked by $\text{C}-\text{H}\cdots\pi$ and $\text{N}-\text{H}\cdots\pi$ interactions.

Related literature

For related structures, see: Tunç *et al.* (2003); Harada *et al.* (2004).



Experimental

Crystal data

 $\text{C}_{14}\text{H}_{14}\text{N}_2\text{O}$
 $M_r = 226.27$

 Monoclinic, $P2_1/n$
 $a = 5.8021(2)$ Å

 $b = 7.5819(2)$ Å

 $c = 27.7907(9)$ Å

 $\beta = 95.808(1)^\circ$
 $V = 1216.26(7)$ Å³
 $Z = 4$

 Mo $K\alpha$ radiation

 $\mu = 0.08$ mm⁻¹
 $T = 296$ K

 $0.30 \times 0.16 \times 0.14$ mm

Data collection

Bruker Kappa APEXII CCD

diffractometer

Absorption correction: multi-scan

(SADABS; Bruker, 2005)

 $T_{\min} = 0.942$, $T_{\max} = 0.959$

18675 measured reflections

3004 independent reflections

 2257 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.028$

Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.045$
 $wR(F^2) = 0.124$
 $S = 1.01$

3004 reflections

155 parameters

H-atom parameters constrained

 $\Delta\rho_{\text{max}} = 0.17$ e Å⁻³
 $\Delta\rho_{\text{min}} = -0.16$ e Å⁻³
Table 1

Hydrogen-bond geometry (Å, °).

 Cg1 is the centroid of the C8–C13 phenyl ring.

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
$\text{N1}-\text{H1}\cdots\text{Cg1}^{\text{i}}$	0.86	2.69	3.3484 (13)	146
$\text{C3}-\text{H3}\cdots\text{Cg1}^{\text{ii}}$	0.93	2.63	3.3796 (14)	138

 Symmetry codes: (i) $-x + \frac{3}{2}, y + \frac{1}{2}, -z + \frac{1}{2}$; (ii) $-x + \frac{5}{2}, y - \frac{1}{2}, -z + \frac{1}{2}$

Data collection: APEX2 (Bruker, 2009); cell refinement: SAINT (Bruker, 2009); data reduction: SAINT; program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: ORTEP-3 for Windows (Farrugia, 1997) and PLATON (Spek, 2009); software used to prepare material for publication: WinGX (Farrugia, 1999) and PLATON.

The authors acknowledge the provision of funds for the purchase of diffractometer and encouragement by Dr Muhammad Akram Chaudhary, Vice Chancellor, University of Sargodha, Pakistan.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HB5529).

References

- Bruker (2005). SADABS. Bruker AXS Inc., Madison, Wisconsin, USA.
 Bruker (2009). APEX2 and SAINT. Bruker AXS Inc., Madison, Wisconsin, USA.
 Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
 Farrugia, L. J. (1999). *J. Appl. Cryst.* **32**, 837–838.
 Harada, J., Harakawa, M. & Ogawa, K. (2004). *Acta Cryst.* **B60**, 578–588.
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
 Spek, A. L. (2009). *Acta Cryst.* **D65**, 148–155.
 Tunç, T., Sarı, M., Yagbasan, R., Tezcan, H. & Şahin, E. (2003). *Acta Cryst.* **C59**, o192–o193.

supporting information

Acta Cryst. (2010). E66, o1887 [https://doi.org/10.1107/S160053681002533X]

(E)-1-(4-Methoxybenzylidene)-2-phenylhydrazine

Muhammad Mufakkar, M. Nawaz Tahir, Muhammad Ilyas Tariq, Shahbaz Ahmad and Muhammad Sarfraz

S1. Comment

The crystal structure of (II) *i.e.*, *N*-(4-methoxybenzylidene)-*N'*-(2-pyridyl)hydrazine (Tunç *et al.* 2003) and *N*-(4-methoxybenzylidene)aniline (Harada *et al.* 2004) have been published which are related to the title compound (I, Fig. 1).

In (I) the phenyl ring A (C1–C6) of phenylhydrazide and B (C8–C13) of 4-anisaldehyde are planar with r. m. s. deviation of 0.0015 and 0.0096 Å, respectively. The dihedral angle between A/B is 9.30 (6)°. The central group C (N1/N2/C7) is of course planar and the orientation of A/C and B/C is 11.59 (17) and 2.89 (18)°, respectively. The molecules are essentially monomer. Due to the packing and unavailability of strong acceptor atom, the H-atom of N—H is not directly involved in H-bonding. The molecules are stabilized through C—H \cdots π and N—H \cdots π interactions (Table 1).

S2. Experimental

Equimolar quantities of phenylhydrazine and 4-methoxybenzaldehyde were refluxed in methanol for 45 min resulting in yellow solution. The solution was kept at room temperature which afforded yellow needles of (I) after 72 h.

S3. Refinement

Although all H-atoms appear in the difference Fourier map but were positioned geometrically (N—H = 0.86, C—H = 0.93–0.96 Å) and refined as riding with $U_{\text{iso}}(\text{H}) = xU_{\text{eq}}(\text{C, N})$, where $x = 1.5$ for methyl and $x = 1.2$ for all other H-atoms.




Figure 1

View of (I) with displacement ellipsoids drawn at the 50% probability level. H-atoms are shown by circles of arbitrary radius.

(E)-1-(4-Methoxybenzylidene)-2-phenylhydrazine*Crystal data*C₁₄H₁₄N₂O $M_r = 226.27$ Monoclinic, $P2_1/n$

Hall symbol: -P 2yn

 $a = 5.8021$ (2) Å $b = 7.5819$ (2) Å $c = 27.7907$ (9) Å $\beta = 95.808$ (1)° $V = 1216.26$ (7) Å³ $Z = 4$ $F(000) = 480$ $D_x = 1.236$ Mg m⁻³Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å

Cell parameters from 2257 reflections

 $\theta = 2.8$ – 28.4 ° $\mu = 0.08$ mm⁻¹ $T = 296$ K

Cut needle, yellow

 $0.30 \times 0.16 \times 0.14$ mm*Data collection*

Bruker Kappa APEXII CCD

diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

Detector resolution: 8.20 pixels mm⁻¹ ω scans

Absorption correction: multi-scan

(SADABS; Bruker, 2005)

 $T_{\min} = 0.942$, $T_{\max} = 0.959$

18675 measured reflections

3004 independent reflections

2257 reflections with $I > 2\sigma(I)$ $R_{\text{int}} = 0.028$ $\theta_{\max} = 28.4$ °, $\theta_{\min} = 2.8$ ° $h = -7$ → 7 $k = -9$ → 10 $l = -37$ → 37 *Refinement*Refinement on F^2

Least-squares matrix: full

 $R[F^2 > 2\sigma(F^2)] = 0.045$ $wR(F^2) = 0.124$ $S = 1.01$

3004 reflections

155 parameters

0 restraints

Primary atom site location: structure-invariant

direct methods

Secondary atom site location: difference Fourier map

Hydrogen site location: inferred from neighbouring sites

H-atom parameters constrained

 $w = 1/[\sigma^2(F_o^2) + (0.0582P)^2 + 0.2017P]$ where $P = (F_o^2 + 2F_c^2)/3$ $(\Delta/\sigma)_{\max} < 0.001$ $\Delta\rho_{\max} = 0.17$ e Å⁻³ $\Delta\rho_{\min} = -0.16$ e Å⁻³*Special details*

Geometry. Bond distances, angles *etc.* have been calculated using the rounded fractional coordinates. All su's are estimated from the variances of the (full) variance-covariance matrix. The cell e.s.d.'s are taken into account in the estimation of distances, angles and torsion angles

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (Å²)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
O1	0.58571 (17)	0.12817 (13)	0.05523 (3)	0.0593 (3)
N1	1.0199 (2)	0.27807 (16)	0.32418 (4)	0.0576 (4)
N2	0.99619 (18)	0.22429 (14)	0.27710 (4)	0.0475 (3)
C1	1.1991 (2)	0.21880 (15)	0.35653 (4)	0.0431 (4)
C2	1.3896 (2)	0.13069 (16)	0.34188 (5)	0.0486 (4)

C3	1.5625 (2)	0.07433 (18)	0.37608 (6)	0.0594 (5)
C4	1.5495 (3)	0.1038 (2)	0.42465 (6)	0.0659 (5)
C5	1.3613 (3)	0.1917 (2)	0.43908 (5)	0.0616 (5)
C6	1.1872 (2)	0.24896 (17)	0.40553 (5)	0.0520 (4)
C7	0.8064 (2)	0.26802 (16)	0.25267 (4)	0.0458 (4)
C8	0.7500 (2)	0.22464 (14)	0.20197 (4)	0.0404 (3)
C9	0.9001 (2)	0.13387 (15)	0.17420 (4)	0.0436 (4)
C10	0.8384 (2)	0.10202 (16)	0.12601 (4)	0.0458 (4)
C11	0.6270 (2)	0.16101 (15)	0.10379 (4)	0.0438 (4)
C12	0.4738 (2)	0.24744 (16)	0.13072 (4)	0.0458 (4)
C13	0.5363 (2)	0.27705 (16)	0.17934 (4)	0.0449 (4)
C14	0.3755 (3)	0.1915 (3)	0.03100 (5)	0.0771 (6)
H1	0.92065	0.35071	0.33393	0.0691*
H2	1.40053	0.10982	0.30922	0.0583*
H3	1.69010	0.01538	0.36620	0.0713*
H4	1.66685	0.06457	0.44740	0.0791*
H5	1.35170	0.21259	0.47179	0.0739*
H6	1.06052	0.30834	0.41570	0.0624*
H7	0.69829	0.33119	0.26824	0.0550*
H9	1.04277	0.09490	0.18855	0.0523*
H10	0.93876	0.04044	0.10807	0.0550*
H12	0.33060	0.28509	0.11628	0.0550*
H13	0.43235	0.33379	0.19749	0.0539*
H14A	0.24713	0.13841	0.04481	0.1156*
H14B	0.36847	0.16173	-0.00269	0.1156*
H14C	0.36828	0.31731	0.03446	0.1156*

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
O1	0.0679 (6)	0.0706 (6)	0.0389 (5)	0.0039 (5)	0.0023 (4)	-0.0054 (4)
N1	0.0616 (7)	0.0695 (7)	0.0400 (6)	0.0237 (6)	-0.0038 (5)	-0.0104 (5)
N2	0.0537 (6)	0.0484 (6)	0.0398 (6)	0.0048 (4)	0.0018 (5)	-0.0027 (4)
C1	0.0458 (6)	0.0395 (6)	0.0431 (7)	0.0005 (5)	0.0004 (5)	-0.0025 (5)
C2	0.0480 (7)	0.0464 (6)	0.0512 (7)	-0.0004 (5)	0.0045 (5)	-0.0080 (5)
C3	0.0476 (7)	0.0518 (7)	0.0771 (10)	0.0065 (6)	-0.0020 (7)	-0.0102 (7)
C4	0.0627 (9)	0.0603 (8)	0.0690 (10)	0.0073 (7)	-0.0207 (7)	-0.0022 (7)
C5	0.0714 (9)	0.0650 (9)	0.0458 (8)	0.0017 (7)	-0.0066 (7)	-0.0033 (6)
C6	0.0560 (7)	0.0546 (8)	0.0452 (7)	0.0065 (6)	0.0035 (6)	-0.0055 (5)
C7	0.0503 (7)	0.0449 (6)	0.0421 (7)	0.0051 (5)	0.0038 (5)	-0.0012 (5)
C8	0.0444 (6)	0.0370 (5)	0.0400 (6)	-0.0027 (4)	0.0048 (5)	0.0016 (4)
C9	0.0412 (6)	0.0434 (6)	0.0462 (7)	0.0004 (5)	0.0044 (5)	0.0036 (5)
C10	0.0465 (6)	0.0467 (6)	0.0458 (7)	0.0008 (5)	0.0125 (5)	-0.0029 (5)
C11	0.0509 (7)	0.0430 (6)	0.0376 (6)	-0.0061 (5)	0.0050 (5)	-0.0006 (5)
C12	0.0413 (6)	0.0495 (7)	0.0457 (7)	-0.0009 (5)	-0.0004 (5)	-0.0010 (5)
C13	0.0435 (6)	0.0460 (6)	0.0456 (7)	0.0027 (5)	0.0070 (5)	-0.0024 (5)
C14	0.0929 (12)	0.0906 (12)	0.0443 (8)	0.0169 (10)	-0.0095 (8)	-0.0024 (8)

Geometric parameters (Å, °)

O1—C11	1.3694 (14)	C10—C11	1.3902 (16)
O1—C14	1.416 (2)	C11—C12	1.3836 (16)
N1—N2	1.3641 (16)	C12—C13	1.3815 (16)
N1—C1	1.3792 (16)	C2—H2	0.9300
N2—C7	1.2776 (16)	C3—H3	0.9300
N1—H1	0.8600	C4—H4	0.9300
C1—C6	1.3894 (18)	C5—H5	0.9300
C1—C2	1.3874 (17)	C6—H6	0.9300
C2—C3	1.3782 (19)	C7—H7	0.9300
C3—C4	1.378 (2)	C9—H9	0.9300
C4—C5	1.373 (2)	C10—H10	0.9300
C5—C6	1.374 (2)	C12—H12	0.9300
C7—C8	1.4516 (16)	C13—H13	0.9300
C8—C13	1.3903 (16)	C14—H14A	0.9600
C8—C9	1.4013 (16)	C14—H14B	0.9600
C9—C10	1.3722 (16)	C14—H14C	0.9600
C11—O1—C14	117.60 (10)	C3—C2—H2	120.00
N2—N1—C1	121.61 (11)	C2—C3—H3	119.00
N1—N2—C7	115.47 (11)	C4—C3—H3	119.00
N2—N1—H1	119.00	C3—C4—H4	120.00
C1—N1—H1	119.00	C5—C4—H4	120.00
N1—C1—C2	122.42 (11)	C4—C5—H5	120.00
N1—C1—C6	118.45 (11)	C6—C5—H5	120.00
C2—C1—C6	119.14 (11)	C1—C6—H6	120.00
C1—C2—C3	119.53 (12)	C5—C6—H6	120.00
C2—C3—C4	121.14 (13)	N2—C7—H7	118.00
C3—C4—C5	119.26 (14)	C8—C7—H7	118.00
C4—C5—C6	120.46 (13)	C8—C9—H9	120.00
C1—C6—C5	120.47 (12)	C10—C9—H9	120.00
N2—C7—C8	123.68 (11)	C9—C10—H10	120.00
C9—C8—C13	117.82 (10)	C11—C10—H10	120.00
C7—C8—C9	123.66 (10)	C11—C12—H12	120.00
C7—C8—C13	118.52 (10)	C13—C12—H12	120.00
C8—C9—C10	120.57 (11)	C8—C13—H13	119.00
C9—C10—C11	120.55 (11)	C12—C13—H13	119.00
O1—C11—C12	124.15 (11)	O1—C14—H14A	109.00
O1—C11—C10	115.96 (10)	O1—C14—H14B	109.00
C10—C11—C12	119.89 (10)	O1—C14—H14C	109.00
C11—C12—C13	119.12 (11)	H14A—C14—H14B	109.00
C8—C13—C12	121.99 (11)	H14A—C14—H14C	109.00
C1—C2—H2	120.00	H14B—C14—H14C	109.00
C14—O1—C11—C12	1.90 (19)	C4—C5—C6—C1	0.0 (2)
C14—O1—C11—C10	-177.93 (13)	N2—C7—C8—C13	179.04 (12)
N2—N1—C1—C2	13.07 (18)	N2—C7—C8—C9	-1.57 (19)

N2—N1—C1—C6	-166.94 (11)	C7—C8—C13—C12	177.18 (11)
C1—N1—N2—C7	170.35 (11)	C9—C8—C13—C12	-2.24 (17)
N1—N2—C7—C8	179.36 (11)	C7—C8—C9—C10	-177.96 (11)
N1—C1—C6—C5	179.76 (12)	C13—C8—C9—C10	1.44 (17)
N1—C1—C2—C3	-179.78 (12)	C8—C9—C10—C11	0.73 (18)
C6—C1—C2—C3	0.24 (18)	C9—C10—C11—C12	-2.17 (18)
C2—C1—C6—C5	-0.26 (19)	C9—C10—C11—O1	177.67 (11)
C1—C2—C3—C4	0.1 (2)	O1—C11—C12—C13	-178.45 (11)
C2—C3—C4—C5	-0.3 (2)	C10—C11—C12—C13	1.38 (18)
C3—C4—C5—C6	0.3 (2)	C11—C12—C13—C8	0.85 (18)

Hydrogen-bond geometry (\AA , $^\circ$)

Cg1 is the centroid of the C8–C13 phenyl ring.

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
N1—H1 \cdots Cg1 ⁱ	0.86	2.69	3.3484 (13)	146
C3—H3 \cdots Cg1 ⁱⁱ	0.93	2.63	3.3796 (14)	138

Symmetry codes: (i) $-x+3/2, y+1/2, -z+1/2$; (ii) $-x+5/2, y-1/2, -z+1/2$.