

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

4-Bromo-*N*-cyclohexylbenzene-sulfonamide

 Peter John,^a Faiza Anwar,^a Islam Ullah Khan,^{a‡} Shahzad Sharif^a and Edward R. T. Tiekink^{b*}
^aMaterials Chemistry Laboratory, Department of Chemistry, Government College University, Lahore 54000, Pakistan, and ^bDepartment of Chemistry, University of Malaya, 50603 Kuala Lumpur, Malaysia


Correspondence e-mail: edward.tiekink@gmail.com

Received 5 July 2010; accepted 6 July 2010

 Key indicators: single-crystal X-ray study; $T = 293$ K; mean $\sigma(C-C) = 0.007$ Å; R factor = 0.048; wR factor = 0.132; data-to-parameter ratio = 20.4.

The title compound, $C_{12}H_{16}BrNO_2S$, adopts an L-shaped conformation with the central C–S–N–C torsion angle being $-77.8(3)^\circ$. The crystal packing features N–H \cdots O hydrogen bonds, which lead to $C(4)$ chains propagating in [010]; the second O atom is involved in short intramolecular C–H \cdots O contacts.

Related literature

 For related structures and background information on sulfonamides, see: Khan *et al.* (2010); Sharif *et al.* (2010).


Experimental

Crystal data

 $C_{12}H_{16}BrNO_2S$
 $M_r = 318.24$

 Monoclinic, $P2_1/c$
 $a = 11.2539(5)$ Å

 $b = 6.2575(3)$ Å

 $c = 19.9743(10)$ Å

 $\beta = 97.214(3)^\circ$
 $V = 1395.48(11)$ Å³
 $Z = 4$

 Mo $K\alpha$ radiation

 $\mu = 3.09$ mm⁻¹
 $T = 293$ K

 $0.24 \times 0.12 \times 0.08$ mm

Data collection

Bruker APEXII CCD

diffractometer

Absorption correction: multi-scan

 (*SADABS*; Sheldrick, 1996)

 $T_{\min} = 0.218$, $T_{\max} = 0.529$

12505 measured reflections

3199 independent reflections

 1620 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.048$

Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.048$
 $wR(F^2) = 0.132$
 $S = 1.01$

3199 reflections

157 parameters

1 restraint

H atoms treated by a mixture of independent and constrained refinement

 $\Delta\rho_{\text{max}} = 0.52$ e Å⁻³
 $\Delta\rho_{\text{min}} = -0.46$ e Å⁻³
Table 1

Hydrogen bonds and short intramolecular contacts (Å, °).

| $D-H\cdots A$ | $D-H$ | $H\cdots A$ | $D\cdots A$ | $D-H\cdots A$ |
|---------------------|----------|-------------|-------------|---------------|
| $C2-H2\cdots O2$ | 0.93 | 2.53 | 2.903 (4) | 104 |
| $C7-H7\cdots O2$ | 0.98 | 2.54 | 2.992 (4) | 108 |
| $N1-H1n\cdots O1^i$ | 0.88 (3) | 2.03 (3) | 2.898 (4) | 169 (3) |

 Symmetry code: (i) $-x + 1, y + \frac{1}{2}, -z + \frac{3}{2}$.

Data collection: *APEX2* (Bruker, 2007); cell refinement: *SAINT* (Bruker, 2007); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3* (Farrugia, 1997) and *DIAMOND* (Brandenburg, 2006); software used to prepare material for publication: *publCIF* (Westrip, 2010).

We are grateful to Mr Munawar Hussain, Engineering Cell GC University, Lahore, for providing support services to the Materials Chemistry Laboratory.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HB5542).

References

- Brandenburg, K. (2006). *DIAMOND*. Crystal Impact GbR, Bonn, Germany.
- Bruker (2007). *APEX2* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- Khan, I. U., Javaid, R., Sharif, S. & Tiekink, E. R. T. (2010). *Acta Cryst.* **E66**, o1687.
- Sharif, S., Iqbal, H., Khan, I. U., John, P. & Tiekink, E. R. T. (2010). *Acta Cryst.* **E66**, o1288.
- Sheldrick, G. M. (1996). *SADABS*. University of Göttingen, Germany.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Westrip, S. P. (2010). *J. Appl. Cryst.* **43**, 920–925.

[‡] Additional correspondence author, e-mail: iuklodhi@yahoo.com.

supporting information

Acta Cryst. (2010). E66, o1989 [https://doi.org/10.1107/S1600536810026796]

4-Bromo-*N*-cyclohexylbenzenesulfonamide

Peter John, Faiza Anwar, Islam Ullah Khan, Shahzad Sharif and Edward R. T. Tiekink

S1. Comment

The title sulfonamide has been prepared as a part of on-going structural studies of such compounds (Khan *et al.*, 2010; Sharif *et al.*, 2010).


Overall, the molecule in (I), Fig. 1, has an *L*-shaped conformation. This is best quantified in the C1–S1–N1–C7 torsion angle of $-77.8(3)^\circ$. When viewed down the spine of the benzene ring, the cyclohexyl group, with a regular chain conformation, appears almost side-on. With respect to the plane through the benzene ring, the O2 atom is roughly coplanar [the C2–C1–S1–O2 torsion angle is $18.8(4)^\circ$]. By contrast, the O1 and N1 atoms lie to either side [C2–C1–S1–O1 = $-109.1(3)^\circ$ and C2–C11–S1–N1 = $136.8(3)^\circ$]. This conformation allows for the formation of two intramolecular C–H \cdots O2 short contacts and it is not surprising that the O2 atom does not participate in significant intermolecular interactions. Supramolecular chains along the *b* axis are found in the crystal structure. These are mediated by N–H \cdots O1 hydrogen bonding, Fig. 2 and Table 1.

S2. Experimental


To 4-bromobenzene sulfonylchloride (499 mg, 1.96 mmol) in distilled water (10 ml), was added cyclohexylamine (225 ml, 1.96 mmol) with continuous stirring at room temperature. The pH of the reaction mixture was maintained at 8 using a 3% sodium carbonate solution. The progress of the reaction was monitored by TLC. After the consumption of all the reactants, the precipitates were filtered, dried and crystallized using ethyl acetate to yield colourless prisms of (I), m.pt. 375 K.

S3. Refinement

The C-bound H atoms were geometrically placed (C–H = 0.93–0.98 Å) and refined as riding with $U_{iso}(\text{H}) = 1.2U_{eq}(\text{C})$. The N-bound H atom was refined with the distance restraint N–H = 0.88 ± 0.01 Å, and with $U_{iso}(\text{H}) = 1.2U_{eq}(\text{N})$. In the final refinement two low angle reflections evidently effected by the beam stop were omitted, *i.e.* 1 0 0 and 0 0 2.

**Figure 1**

The molecular structure of (I) showing displacement ellipsoids at the 35% probability level.

**Figure 2**

A view of the supramolecular chain along the *b* axis in (I) mediated by N–H···O hydrogen bonding (orange dashed lines) in (I). Colour code: Br, olive; S, yellow; O, red; N, blue; C, grey; and H, green.

4-Bromo-*N*-cyclohexylbenzenesulfonamide

Crystal data

C₁₂H₁₆BrNO₂S $M_r = 318.24$ Monoclinic, $P2_1/c$

Hall symbol: -P 2ybc

 $a = 11.2539$ (5) Å $b = 6.2575$ (3) Å $c = 19.9743$ (10) Å $\beta = 97.214$ (3)° $V = 1395.48$ (11) Å³ $Z = 4$ $F(000) = 648$ $D_x = 1.515$ Mg m⁻³Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å

Cell parameters from 2185 reflections

 $\theta = 2.6$ – 20.1 ° $\mu = 3.09$ mm⁻¹ $T = 293$ K

Prism, colourless

 $0.24 \times 0.12 \times 0.08$ mm

Data collection

Bruker APEXII CCD

diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

 φ and ω scansAbsorption correction: multi-scan
(SADABS; Sheldrick, 1996) $T_{\min} = 0.218$, $T_{\max} = 0.529$

12505 measured reflections

3199 independent reflections

1620 reflections with $I > 2\sigma(I)$ $R_{\text{int}} = 0.048$ $\theta_{\text{max}} = 27.5$ °, $\theta_{\text{min}} = 1.8$ ° $h = -14 \rightarrow 14$ $k = -7 \rightarrow 8$ $l = -25 \rightarrow 23$

Refinement

Refinement on F^2

Least-squares matrix: full

 $R[F^2 > 2\sigma(F^2)] = 0.048$ $wR(F^2) = 0.132$ $S = 1.01$

3199 reflections

157 parameters

1 restraint

Primary atom site location: structure-invariant
direct methodsSecondary atom site location: difference Fourier
mapHydrogen site location: inferred from
neighbouring sitesH atoms treated by a mixture of independent
and constrained refinement $w = 1/[\sigma^2(F_o^2) + (0.0552P)^2 + 0.4435P]$ where $P = (F_o^2 + 2F_c^2)/3$ $(\Delta/\sigma)_{\text{max}} < 0.001$ $\Delta\rho_{\text{max}} = 0.52$ e Å⁻³ $\Delta\rho_{\text{min}} = -0.46$ e Å⁻³

Special details

Geometry. All s.u.'s (except the s.u. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell s.u.'s are taken into account individually in the estimation of s.u.'s in distances, angles and torsion angles; correlations between s.u.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell s.u.'s is used for estimating s.u.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > 2\sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (Å²)

| | x | y | z | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|-----|-------------|--------------|--------------|----------------------------------|
| Br1 | 0.03064 (5) | 1.13493 (9) | 0.90414 (3) | 0.1022 (3) |
| S1 | 0.32555 (8) | 0.51051 (14) | 0.73331 (5) | 0.0523 (3) |
| O1 | 0.4205 (2) | 0.4370 (4) | 0.78229 (16) | 0.0763 (9) |

| | | | | |
|------|------------|-------------|--------------|-------------|
| O2 | 0.2437 (2) | 0.3587 (3) | 0.70013 (15) | 0.0685 (8) |
| N1 | 0.3875 (3) | 0.6368 (4) | 0.67782 (17) | 0.0497 (8) |
| H1N | 0.450 (2) | 0.714 (5) | 0.6936 (17) | 0.060* |
| C1 | 0.2414 (3) | 0.6900 (5) | 0.77706 (17) | 0.0435 (8) |
| C2 | 0.1289 (3) | 0.6312 (6) | 0.7906 (2) | 0.0584 (10) |
| H2 | 0.0958 | 0.5019 | 0.7746 | 0.070* |
| C3 | 0.0658 (3) | 0.7644 (7) | 0.8278 (2) | 0.0660 (11) |
| H3 | -0.0102 | 0.7259 | 0.8372 | 0.079* |
| C4 | 0.1155 (3) | 0.9538 (6) | 0.8508 (2) | 0.0582 (10) |
| C5 | 0.2265 (4) | 1.0149 (6) | 0.8369 (2) | 0.0597 (10) |
| H5 | 0.2586 | 1.1454 | 0.8524 | 0.072* |
| C6 | 0.2899 (3) | 0.8824 (6) | 0.8000 (2) | 0.0555 (10) |
| H6 | 0.3655 | 0.9223 | 0.7904 | 0.067* |
| C7 | 0.3239 (3) | 0.7049 (5) | 0.61271 (19) | 0.0515 (9) |
| H7 | 0.2584 | 0.6039 | 0.6000 | 0.062* |
| C8 | 0.4105 (5) | 0.6910 (9) | 0.5601 (3) | 0.0944 (16) |
| H8A | 0.4799 | 0.7797 | 0.5739 | 0.113* |
| H8B | 0.4376 | 0.5446 | 0.5569 | 0.113* |
| C9 | 0.3511 (6) | 0.7641 (13) | 0.4915 (3) | 0.121 (2) |
| H9A | 0.4100 | 0.7639 | 0.4599 | 0.146* |
| H9B | 0.2886 | 0.6634 | 0.4751 | 0.146* |
| C10 | 0.2986 (5) | 0.9797 (11) | 0.4935 (3) | 0.1082 (19) |
| H10A | 0.2572 | 1.0147 | 0.4493 | 0.130* |
| H10B | 0.3623 | 1.0833 | 0.5043 | 0.130* |
| C11 | 0.2126 (5) | 0.9940 (9) | 0.5448 (3) | 0.1004 (17) |
| H11A | 0.1436 | 0.9042 | 0.5310 | 0.121* |
| H11B | 0.1848 | 1.1402 | 0.5474 | 0.121* |
| C12 | 0.2716 (4) | 0.9235 (7) | 0.6137 (2) | 0.0770 (13) |
| H12A | 0.3344 | 1.0241 | 0.6297 | 0.092* |
| H12B | 0.2126 | 0.9260 | 0.6452 | 0.092* |

Atomic displacement parameters (Å²)

| | U^{11} | U^{22} | U^{33} | U^{12} | U^{13} | U^{23} |
|-----|-------------|-------------|------------|--------------|-------------|--------------|
| Br1 | 0.0808 (4) | 0.1222 (5) | 0.1086 (5) | 0.0104 (3) | 0.0315 (3) | -0.0430 (3) |
| S1 | 0.0472 (5) | 0.0401 (5) | 0.0703 (7) | 0.0070 (4) | 0.0101 (5) | 0.0059 (5) |
| O1 | 0.0616 (17) | 0.0779 (19) | 0.088 (2) | 0.0278 (15) | 0.0053 (16) | 0.0236 (16) |
| O2 | 0.0717 (18) | 0.0390 (14) | 0.098 (2) | -0.0085 (13) | 0.0227 (17) | -0.0093 (13) |
| N1 | 0.0382 (16) | 0.0525 (18) | 0.058 (2) | -0.0045 (13) | 0.0052 (15) | -0.0051 (15) |
| C1 | 0.0385 (19) | 0.0442 (19) | 0.047 (2) | 0.0044 (16) | 0.0015 (16) | 0.0099 (16) |
| C2 | 0.043 (2) | 0.052 (2) | 0.079 (3) | -0.0051 (18) | 0.003 (2) | -0.003 (2) |
| C3 | 0.040 (2) | 0.076 (3) | 0.083 (3) | 0.001 (2) | 0.010 (2) | 0.001 (2) |
| C4 | 0.052 (2) | 0.070 (3) | 0.053 (3) | 0.012 (2) | 0.0077 (19) | -0.006 (2) |
| C5 | 0.065 (2) | 0.058 (2) | 0.058 (3) | -0.007 (2) | 0.014 (2) | -0.007 (2) |
| C6 | 0.050 (2) | 0.057 (2) | 0.062 (3) | -0.0101 (18) | 0.0186 (19) | -0.0018 (19) |
| C7 | 0.044 (2) | 0.051 (2) | 0.059 (3) | -0.0072 (17) | 0.0042 (19) | -0.0070 (18) |
| C8 | 0.098 (4) | 0.127 (4) | 0.062 (3) | 0.026 (3) | 0.024 (3) | -0.016 (3) |
| C9 | 0.118 (5) | 0.192 (7) | 0.057 (4) | 0.009 (5) | 0.024 (3) | -0.018 (4) |

| | | | | | | |
|-----|-----------|-----------|-----------|------------|-----------|-----------|
| C10 | 0.083 (4) | 0.158 (6) | 0.084 (4) | -0.013 (4) | 0.012 (3) | 0.046 (4) |
| C11 | 0.104 (4) | 0.113 (4) | 0.085 (4) | 0.023 (3) | 0.015 (3) | 0.034 (3) |
| C12 | 0.095 (3) | 0.071 (3) | 0.066 (3) | 0.021 (2) | 0.016 (3) | 0.008 (2) |

Geometric parameters (Å, °)

| | | | |
|-----------|-------------|---------------|-----------|
| Br1—C4 | 1.893 (4) | C7—C12 | 1.490 (5) |
| S1—O2 | 1.427 (3) | C7—C8 | 1.523 (5) |
| S1—O1 | 1.431 (3) | C7—H7 | 0.9800 |
| S1—N1 | 1.591 (3) | C8—C9 | 1.518 (8) |
| S1—C1 | 1.769 (3) | C8—H8A | 0.9700 |
| N1—C7 | 1.467 (5) | C8—H8B | 0.9700 |
| N1—H1N | 0.88 (3) | C9—C10 | 1.475 (8) |
| C1—C6 | 1.376 (5) | C9—H9A | 0.9700 |
| C1—C2 | 1.378 (5) | C9—H9B | 0.9700 |
| C2—C3 | 1.372 (5) | C10—C11 | 1.499 (7) |
| C2—H2 | 0.9300 | C10—H10A | 0.9700 |
| C3—C4 | 1.366 (6) | C10—H10B | 0.9700 |
| C3—H3 | 0.9300 | C11—C12 | 1.517 (6) |
| C4—C5 | 1.369 (5) | C11—H11A | 0.9700 |
| C5—C6 | 1.368 (5) | C11—H11B | 0.9700 |
| C5—H5 | 0.9300 | C12—H12A | 0.9700 |
| C6—H6 | 0.9300 | C12—H12B | 0.9700 |
| O2—S1—O1 | 119.11 (17) | C8—C7—H7 | 108.1 |
| O2—S1—N1 | 108.71 (17) | C9—C8—C7 | 111.0 (4) |
| O1—S1—N1 | 106.31 (17) | C9—C8—H8A | 109.4 |
| O2—S1—C1 | 107.33 (16) | C7—C8—H8A | 109.4 |
| O1—S1—C1 | 105.45 (17) | C9—C8—H8B | 109.4 |
| N1—S1—C1 | 109.69 (15) | C7—C8—H8B | 109.4 |
| C7—N1—S1 | 123.6 (2) | H8A—C8—H8B | 108.0 |
| C7—N1—H1N | 116 (2) | C10—C9—C8 | 112.5 (5) |
| S1—N1—H1N | 115 (2) | C10—C9—H9A | 109.1 |
| C6—C1—C2 | 120.3 (3) | C8—C9—H9A | 109.1 |
| C6—C1—S1 | 120.4 (3) | C10—C9—H9B | 109.1 |
| C2—C1—S1 | 119.3 (3) | C8—C9—H9B | 109.1 |
| C3—C2—C1 | 119.7 (3) | H9A—C9—H9B | 107.8 |
| C3—C2—H2 | 120.2 | C9—C10—C11 | 111.6 (5) |
| C1—C2—H2 | 120.2 | C9—C10—H10A | 109.3 |
| C2—C3—C4 | 119.5 (4) | C11—C10—H10A | 109.3 |
| C2—C3—H3 | 120.3 | C9—C10—H10B | 109.3 |
| C4—C3—H3 | 120.3 | C11—C10—H10B | 109.3 |
| C5—C4—C3 | 121.3 (4) | H10A—C10—H10B | 108.0 |
| C5—C4—Br1 | 119.0 (3) | C10—C11—C12 | 110.9 (4) |
| C3—C4—Br1 | 119.7 (3) | C10—C11—H11A | 109.5 |
| C6—C5—C4 | 119.4 (4) | C12—C11—H11A | 109.5 |
| C6—C5—H5 | 120.3 | C10—C11—H11B | 109.5 |
| C4—C5—H5 | 120.3 | C12—C11—H11B | 109.5 |

| | | | |
|--------------|------------|----------------|------------|
| C5—C6—C1 | 119.9 (3) | H11A—C11—H11B | 108.0 |
| C5—C6—H6 | 120.1 | C7—C12—C11 | 112.5 (4) |
| C1—C6—H6 | 120.1 | C7—C12—H12A | 109.1 |
| N1—C7—C12 | 113.8 (3) | C11—C12—H12A | 109.1 |
| N1—C7—C8 | 108.2 (3) | C7—C12—H12B | 109.1 |
| C12—C7—C8 | 110.5 (4) | C11—C12—H12B | 109.1 |
| N1—C7—H7 | 108.1 | H12A—C12—H12B | 107.8 |
| C12—C7—H7 | 108.1 | | |
| O2—S1—N1—C7 | 39.2 (3) | Br1—C4—C5—C6 | 178.2 (3) |
| O1—S1—N1—C7 | 168.6 (3) | C4—C5—C6—C1 | 0.3 (6) |
| C1—S1—N1—C7 | -77.8 (3) | C2—C1—C6—C5 | 0.6 (6) |
| O2—S1—C1—C6 | -164.1 (3) | S1—C1—C6—C5 | -176.5 (3) |
| O1—S1—C1—C6 | 68.0 (3) | S1—N1—C7—C12 | 91.1 (4) |
| N1—S1—C1—C6 | -46.1 (3) | S1—N1—C7—C8 | -145.7 (3) |
| O2—S1—C1—C2 | 18.8 (4) | N1—C7—C8—C9 | -178.8 (4) |
| O1—S1—C1—C2 | -109.1 (3) | C12—C7—C8—C9 | -53.5 (6) |
| N1—S1—C1—C2 | 136.8 (3) | C7—C8—C9—C10 | 54.4 (7) |
| C6—C1—C2—C3 | -0.8 (6) | C8—C9—C10—C11 | -55.0 (7) |
| S1—C1—C2—C3 | 176.3 (3) | C9—C10—C11—C12 | 54.5 (7) |
| C1—C2—C3—C4 | 0.1 (6) | N1—C7—C12—C11 | 176.7 (4) |
| C2—C3—C4—C5 | 0.8 (7) | C8—C7—C12—C11 | 54.8 (5) |
| C2—C3—C4—Br1 | -178.4 (3) | C10—C11—C12—C7 | -55.3 (6) |
| C3—C4—C5—C6 | -1.0 (6) | | |

Hydrogen-bond geometry (Å, °)

| <i>D</i> —H... <i>A</i> | <i>D</i> —H | H... <i>A</i> | <i>D</i> ... <i>A</i> | <i>D</i> —H... <i>A</i> |
|---------------------------------------|-------------|---------------|-----------------------|-------------------------|
| C2—H2...O2 | 0.93 | 2.53 | 2.903 (4) | 104 |
| C7—H7...O2 | 0.98 | 2.54 | 2.992 (4) | 108 |
| N1—H1 _n ...O1 ⁱ | 0.88 (3) | 2.03 (3) | 2.898 (4) | 169 (3) |

Symmetry code: (i) $-x+1, y+1/2, -z+3/2$.