

8 β -Acetoxy-14 α -benzoyloxy-N-methyl-13 β ,15 α -dihydroxy-1 α ,6 α ,16 β -trimethoxy-4 β -(methoxymethyl)aconitane: hypaconitine isolated from 'fuzi'

Ling-Li Zheng, Yan Li, Tie-Ying Zi and Ming-Yong Yuan*

The First Affiliated Hospital, Chengdu Medical College, Xindu 610500, People's Republic of China

Correspondence e-mail: dr.gao@gmail.com


Received 20 September 2010; accepted 6 October 2010

Key indicators: single-crystal X-ray study; $T = 113\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.003\text{ \AA}$; disorder in main residue; R factor = 0.035; wR factor = 0.083; data-to-parameter ratio = 10.1.

The title compound, $C_{33}H_{45}NO_{10}$, has an aconitine carbon skeleton with four six-membered rings and two five-membered rings. The five-membered rings adopt envelope configurations and the six-membered N-containing heterocyclic ring displays a chair conformation. Two intramolecular O-H \cdots O hydrogen bonds occur.

Related literature

The title compound is an aconitine-type C_{19} -diterpenoid alkaloid, which is isolated from the roots of *Aconitum carmichaeli* Debx., known as fuzi. For reviews of diterpenoid alkaloids, see Wang *et al.* (2009, 2010); Wang & Chen (2010). For the chemical structure of the title compound established from NMR and MS data, see: Pelletier *et al.* (1984). For the crystal structures of related C_{19} -diterpenoid alkaloids, see: Gao *et al.* (2010); Tashkhodjaev & Sultankhodjaev (2009); He *et al.* (2008). For the absolute configuration of aconitine-type diterpenoid alkaloids, see: Pelletier & Djarmati (1976); Tsuda & Marion (1963); Zhapova *et al.* (1986).



Experimental

Crystal data

$C_{33}H_{45}NO_{10}$	$V = 3082.3(10)\text{ \AA}^3$
$M_r = 615.70$	$Z = 4$
Orthorhombic, $P2_12_12_1$	Mo $K\alpha$ radiation
$a = 12.457(2)\text{ \AA}$	$\mu = 0.10\text{ mm}^{-1}$
$b = 15.689(3)\text{ \AA}$	$T = 113\text{ K}$
$c = 15.771(3)\text{ \AA}$	$0.32 \times 0.29 \times 0.21\text{ mm}$

Data collection

Rigaku Saturn CCD area-detector diffractometer	28410 measured reflections
Absorption correction: multi-scan (<i>CrystalClear</i> ; Rigaku/MSC, 2005)	4094 independent reflections
$R_{\text{int}} = 0.040$	3805 reflections with $I > 2\sigma(I)$
$T_{\min} = 0.969$, $T_{\max} = 0.980$	

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.035$	3 restraints
$wR(F^2) = 0.083$	H-atom parameters constrained
$S = 1.02$	$\Delta\rho_{\max} = 0.25\text{ e \AA}^{-3}$
4094 reflections	$\Delta\rho_{\min} = -0.21\text{ e \AA}^{-3}$
406 parameters	

Table 1
Hydrogen-bond geometry (\AA , $^\circ$).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
O8—H8 \cdots O5	0.84	2.11	2.7887 (19)	137
O10—H10O \cdots O9	0.84	2.05	2.5620 (19)	118

Data collection: *CrystalClear* (Rigaku/MSC, 2005); cell refinement: *CrystalClear*; data reduction: *CrystalClear*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP03* (Farrugia, 1997); software used to prepare material for publication: *SHELXL97*.

This project was supported by the Education Department of Sichuan Province of China (No. 09ZB048) and the Scientific Research Fund of Chengdu Medical College, China (No. CYZ07-010). We thank Professor Zhi-Hua Mao of the Analytical & Testing Center of Sichuan University for technical support.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: NG5034).

References

- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- Gao, F., Zhu, S.-A. & Xiong, S.-J. (2010). *Acta Cryst. E66*, o1342.
- He, D.-H., Zhu, Y.-C. & Hu, A.-X. (2008). *Acta Cryst. E64*, o1033–o1034.
- Pelletier, S. W. & Djarmati, Z. (1976). *J. Am. Chem. Soc.* **98**, 2626–2636.
- Pelletier, S. W., Mody, N. V., Joshi, B. S. & Schramm, L. C. (1984). *The Alkaloids: Chemistry and Perspectives*, Vol. 2, edited by S. W. Pelletier, pp. 206–264. New York: Wiley.
- Rigaku/MSC (2005). *CrystalClear*. Rigaku/MSC, The Woodlands, Texas, USA.
- Sheldrick, G. M. (2008). *Acta Cryst. A64*, 112–122.
- Tashkhodjaev, B. & Sultankhodjaev, M. N. (2009). *Acta Cryst. E65*, o1543–o1544.

organic compounds

- Tsuda, Y. & Marion, L. (1963). *Can. J. Chem.* **41**, 1485–1489.
- Wang, F.-P. & Chen, Q.-H. (2010). *The Alkaloids: Chemistry and Biology*, Vol. 69, edited by G. A. Cordell, pp. 1–577. New York: Elsevier.
- Wang, F.-P., Chen, Q.-H. & Liang, X.-T. (2009). *The Alkaloids: Chemistry and Biology*, Vol. 67, edited by G. A. Cordell, pp. 1–78. New York: Elsevier.
- Wang, F.-P., Chen, Q.-H. & Liu, X.-Y. (2010). *Nat. Prod. Rep.* **27**, 529–570.
- Zhapova, T., Modonova, L. D. & Semenov, A. A. (1986). *Chem. Nat. Compd.* **21**, 7678–679.

supporting information

Acta Cryst. (2010). E66, o2787–o2788 [https://doi.org/10.1107/S1600536810039887]

8 β -Acetoxy-14 α -benzoyloxy-N-methyl-13 β ,15 α -dihydroxy-1 α ,6 α ,16 β -trimethoxy-4 β -(methoxymethyl)aconitane: hypaconitine isolated from ‘fuzi’

Ling-Li Zheng, Yan Li, Tie-Ying Zi and Ming-Yong Yuan

S1. Comment

As a famous Chinese traditional herbal, the plant *Aconitum carmichaeli* Debx. known as fuzi, has been therapeutically used to the treatment of rheumatic pain, rheumatoid arthritis and some other inflammations. The title compound 8 β -acetoxy- 14 α -benzoyloxy-N-methyl-13 β ,15 α -dihydroxy-1 α ,6 α ,16 β -trimethoxy-4 β -(methoxymethylene)aconitane, hypaconitine, has been isolated previously from *A. carmichaeli* Debx. (Pelletier *et al.* 1984), and its structure was established from the NMR and MS data. However, the crystal structure of hypaconitine has not been reported. In view of this, the crystal structure determination of the title compound was carried out and the results are presented here.

The molecular structure of the title compound is shown in Fig. 1. Six-membered ring A (C1/C2/C3/C4/C5/C11) and B (C7/C8/C9/C10/C11/C17) adopt chair conformations; six-membered heterocyclic ring E (C4/C5/C11/C17/N1/C19) adopts the same chair conformation; the five-membered rings C (C9/C10/C12/C13/C14) and F (C5/C6/C7/C17/C11) display an envelope conformation. While the six-membered ring D (C8/C9/C14/C13/C16/C15) adopt boat conformations. The crystal structure contains intermolecular O—H \cdots O hydrogen bond between the hydroxy group and carbonyl O atom. The absolute configuration of the title compound can not be confirmed by the MoKa diffraction data. But it could be determined through the comparison of the similar natural products for their unique and same configuration (He *et al.*, 2008).

S2. Experimental

The title compound was isolated from the roots of *Aconitum carmichaeli* Debx. according to the literature procedure of Gao *et al.* (2010) and crystals of X-ray quality were grown from acetone at room temperature by slow evaporation.

S3. Refinement

Hydroxy H atoms were located in a difference Fourier map and refined as riding in their as-found relative positions with $U_{\text{iso}}(\text{H}) = 1.5U_{\text{eq}}(\text{O})$. Other H atoms were located geometrically with C—H = 0.93–0.98 Å, and refined using a riding model with $U_{\text{iso}}(\text{H}) = 1.5U_{\text{eq}}(\text{C})$ for methyl and $1.2U_{\text{eq}}(\text{C})$ for the others. The absolute configuration has not been determined from the X-ray analysis, owing to the absence of strong anomalous scattering, and Friedel's pairs were merged. Bond distance restraints for three bonds were applied. The absolute configuration was assigned on the basis of the related literature (Pelletier & Djarmati, 1976; Tsuda & Marion, 1963; Zhapova *et al.*, 1986).





Figure 1

Perspective view of the title compound.

**Figure 2**

View of the packing of the title compound

8β-Acetoxy-14α-benzoyloxy-N-methyl-13β,15α-dihydroxy- 1α,6α,16β-trimethoxy-4β-(methoxymethyl)aconitane*Crystal data*

$C_{33}H_{43}NO_{10}$
 $M_r = 615.70$
Orthorhombic, $P2_12_12_1$
Hall symbol: P 2ac 2ab
 $a = 12.457 (2)$ Å
 $b = 15.689 (3)$ Å
 $c = 15.771 (3)$ Å
 $V = 3082.3 (10)$ Å³
 $Z = 4$

$F(000) = 1320$
 $D_x = 1.327$ Mg m⁻³
Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å
Cell parameters from 11109 reflections
 $\theta = 1.3\text{--}27.9^\circ$
 $\mu = 0.10$ mm⁻¹
 $T = 113$ K
Block, colourless
 $0.32 \times 0.29 \times 0.21$ mm

Data collection

Rigaku Saturn CCD area-detector
diffractometer
Radiation source: rotating anode
Multiplayer monochromator

Detector resolution: 14.63 pixels mm⁻¹
 ω and φ scans
Absorption correction: multi-scan
(*CrystalClear*; Rigaku/MSC, 2005)

$T_{\min} = 0.969$, $T_{\max} = 0.980$
 28410 measured reflections
 4094 independent reflections
 3805 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.040$

$\theta_{\max} = 27.9^\circ$, $\theta_{\min} = 1.8^\circ$
 $h = -16 \rightarrow 12$
 $k = -20 \rightarrow 20$
 $l = -20 \rightarrow 20$

Refinement

Refinement on F^2
 Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.035$
 $wR(F^2) = 0.083$
 $S = 1.02$
 4094 reflections
 406 parameters
 3 restraints
 Primary atom site location: structure-invariant direct methods

Secondary atom site location: difference Fourier map
 Hydrogen site location: inferred from neighbouring sites
 H-atom parameters constrained
 $w = 1/[\sigma^2(F_o^2) + (0.0542P)^2]$
 where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} < 0.001$
 $\Delta\rho_{\max} = 0.25 \text{ e } \text{\AA}^{-3}$
 $\Delta\rho_{\min} = -0.21 \text{ e } \text{\AA}^{-3}$

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$	Occ. (<1)
O1	1.23858 (11)	0.89466 (8)	0.31289 (9)	0.0302 (3)	
O2	1.07598 (11)	0.84457 (8)	0.13939 (9)	0.0302 (3)	
O3	0.91073 (10)	0.62972 (8)	0.42341 (8)	0.0256 (3)	
O4	0.79646 (10)	0.87205 (8)	0.12467 (8)	0.0224 (3)	
O5	0.80028 (12)	0.78668 (9)	0.00869 (8)	0.0314 (3)	
O6	0.66939 (11)	1.02025 (8)	0.23958 (11)	0.0381 (4)	
O7	0.60560 (10)	0.88599 (8)	0.23532 (8)	0.0245 (3)	
O8	0.74141 (11)	0.66278 (8)	0.12664 (9)	0.0278 (3)	
H8	0.7649	0.6749	0.0782	0.042*	
O9	0.52663 (10)	0.71641 (9)	0.22035 (8)	0.0286 (3)	
O10	0.55459 (10)	0.76257 (9)	0.37461 (9)	0.0302 (3)	
H10O	0.5011	0.7562	0.3428	0.045*	
N1	1.03362 (12)	0.64061 (9)	0.23693 (10)	0.0228 (3)	
C1	0.98310 (14)	0.69978 (11)	0.41053 (11)	0.0216 (4)	
H1	0.9735	0.7401	0.4591	0.026*	
C2	1.09733 (14)	0.66559 (12)	0.41484 (12)	0.0252 (4)	
H2A	1.1154	0.6519	0.4744	0.030*	
H2B	1.1023	0.6124	0.3814	0.030*	
C3	1.17712 (15)	0.72968 (12)	0.38090 (12)	0.0254 (4)	
H3A	1.2493	0.7033	0.3798	0.030*	

H3B	1.1800	0.7792	0.4198	0.030*
C4	1.14877 (14)	0.76100 (12)	0.29144 (11)	0.0226 (4)
C5	1.04062 (14)	0.80980 (11)	0.29511 (11)	0.0213 (4)
H5	1.0466	0.8612	0.3323	0.026*
C6	0.99822 (14)	0.83478 (12)	0.20478 (11)	0.0222 (4)
H6	0.9574	0.8894	0.2099	0.027*
C7	0.91787 (14)	0.76308 (11)	0.18088 (11)	0.0208 (4)
H7	0.9326	0.7409	0.1226	0.025*
C8	0.80427 (15)	0.80051 (11)	0.18664 (11)	0.0206 (4)
C9	0.79423 (14)	0.84829 (11)	0.27182 (11)	0.0210 (4)
H9	0.8295	0.9054	0.2679	0.025*
C10	0.84333 (14)	0.79591 (11)	0.34650 (11)	0.0217 (4)
H10	0.8581	0.8372	0.3934	0.026*
C11	0.95087 (14)	0.74792 (11)	0.32833 (11)	0.0197 (4)
C12	0.74725 (14)	0.73924 (12)	0.37588 (12)	0.0258 (4)
H12A	0.7630	0.6783	0.3653	0.031*
H12B	0.7339	0.7471	0.4373	0.031*
C13	0.64957 (14)	0.76738 (12)	0.32456 (11)	0.0238 (4)
C14	0.67831 (14)	0.85795 (12)	0.30017 (11)	0.0231 (4)
H14	0.6738	0.8963	0.3507	0.028*
C15	0.70879 (14)	0.73879 (11)	0.16864 (11)	0.0224 (4)
H15	0.6605	0.7694	0.1282	0.027*
C16	0.63726 (15)	0.71180 (12)	0.24422 (12)	0.0240 (4)
H16	0.6546	0.6514	0.2593	0.029*
C17	0.93745 (14)	0.69281 (11)	0.24888 (11)	0.0209 (4)
H17	0.8726	0.6556	0.2544	0.025*
C18	1.24163 (15)	0.81852 (12)	0.26341 (13)	0.0267 (4)
H18A	1.3109	0.7889	0.2719	0.032*
H18B	1.2344	0.8325	0.2025	0.032*
C19	1.13661 (15)	0.68636 (12)	0.22852 (12)	0.0254 (4)
H19A	1.1429	0.7087	0.1700	0.031*
H19B	1.1961	0.6456	0.2376	0.031*
C20	1.02178 (17)	0.57792 (12)	0.16930 (13)	0.0306 (4)
H20A	0.9539	0.5472	0.1765	0.046*
H20B	1.0816	0.5374	0.1716	0.046*
H20C	1.0219	0.6070	0.1143	0.046*
C21	0.89680 (16)	0.60786 (13)	0.50979 (12)	0.0308 (4)
H21A	0.9656	0.5893	0.5336	0.046*
H21B	0.8444	0.5615	0.5144	0.046*
H21C	0.8707	0.6576	0.5412	0.046*
C22	1.32008 (17)	0.95307 (13)	0.29058 (14)	0.0355 (5)
H22A	1.3905	0.9271	0.3007	0.053*
H22B	1.3130	1.0047	0.3251	0.053*
H22C	1.3133	0.9679	0.2305	0.053*
C23	1.0854 (9)	0.9162 (7)	0.0954 (9)	0.058 (3)*
H23A	1.0189	0.9267	0.0639	0.087*
H23B	1.1454	0.9109	0.0555	0.087*
H23C	1.0990	0.9637	0.1342	0.087*
				0.333 (16)
				0.333 (16)
				0.333 (16)
				0.333 (16)

C23'	1.0983 (3)	0.9342 (2)	0.1242 (3)	0.0289 (12)*	0.667 (16)
H23D	1.1498	0.9396	0.0775	0.043*	0.667 (16)
H23E	1.1286	0.9598	0.1756	0.043*	0.667 (16)
H23F	1.0315	0.9636	0.1092	0.043*	0.667 (16)
C24	0.79618 (15)	0.85677 (13)	0.04047 (12)	0.0267 (4)	
C25	0.78886 (19)	0.93861 (14)	-0.00785 (14)	0.0385 (5)	
H25A	0.7831	0.9263	-0.0686	0.058*	
H25B	0.8534	0.9728	0.0026	0.058*	
H25C	0.7254	0.9704	0.0107	0.058*	
C26	0.49317 (17)	0.65471 (14)	0.15989 (14)	0.0386 (5)	
H26A	0.5280	0.6662	0.1054	0.058*	
H26B	0.4151	0.6577	0.1530	0.058*	
H26C	0.5134	0.5977	0.1796	0.058*	
C27	0.61137 (15)	0.96722 (11)	0.20869 (13)	0.0255 (4)	
C28	0.53567 (14)	0.98128 (12)	0.13698 (12)	0.0254 (4)	
C29	0.47300 (16)	0.91484 (13)	0.10516 (12)	0.0292 (4)	
H29	0.4788	0.8593	0.1287	0.035*	
C30	0.40216 (18)	0.93033 (14)	0.03905 (14)	0.0370 (5)	
H30	0.3594	0.8853	0.0173	0.044*	
C31	0.39364 (18)	1.01139 (15)	0.00471 (13)	0.0383 (5)	
H31	0.3456	1.0216	-0.0409	0.046*	
C32	0.45470 (18)	1.07705 (15)	0.03665 (15)	0.0415 (5)	
H32	0.4483	1.1327	0.0134	0.050*	
C33	0.52578 (16)	1.06205 (13)	0.10295 (15)	0.0353 (5)	
H33	0.5677	1.1075	0.1249	0.042*	

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
O1	0.0263 (7)	0.0297 (7)	0.0346 (8)	-0.0064 (6)	0.0061 (6)	-0.0036 (6)
O2	0.0296 (7)	0.0332 (7)	0.0277 (7)	-0.0010 (6)	0.0076 (6)	0.0077 (6)
O3	0.0288 (7)	0.0261 (6)	0.0218 (6)	-0.0049 (5)	-0.0031 (5)	0.0017 (5)
O4	0.0232 (6)	0.0241 (6)	0.0198 (6)	0.0034 (5)	-0.0013 (5)	0.0009 (5)
O5	0.0372 (8)	0.0343 (8)	0.0226 (7)	0.0021 (6)	0.0010 (6)	-0.0028 (6)
O6	0.0319 (8)	0.0268 (7)	0.0556 (10)	-0.0007 (6)	-0.0138 (7)	-0.0073 (7)
O7	0.0217 (6)	0.0249 (6)	0.0269 (7)	0.0033 (5)	-0.0036 (5)	-0.0022 (5)
O8	0.0304 (7)	0.0277 (6)	0.0254 (7)	0.0018 (6)	0.0020 (6)	-0.0085 (6)
O9	0.0212 (6)	0.0337 (7)	0.0311 (7)	-0.0025 (6)	-0.0012 (5)	-0.0059 (6)
O10	0.0196 (6)	0.0444 (8)	0.0267 (7)	0.0003 (6)	0.0049 (5)	-0.0018 (6)
N1	0.0244 (8)	0.0211 (7)	0.0228 (7)	0.0049 (6)	-0.0007 (6)	-0.0037 (6)
C1	0.0235 (9)	0.0219 (9)	0.0192 (8)	-0.0019 (7)	-0.0013 (7)	-0.0019 (7)
C2	0.0254 (9)	0.0281 (9)	0.0221 (9)	0.0027 (8)	-0.0041 (7)	0.0021 (8)
C3	0.0208 (9)	0.0307 (10)	0.0248 (9)	0.0026 (8)	-0.0024 (7)	-0.0013 (8)
C4	0.0200 (8)	0.0257 (9)	0.0222 (9)	0.0028 (7)	-0.0009 (7)	-0.0005 (8)
C5	0.0194 (8)	0.0232 (9)	0.0213 (8)	0.0017 (7)	-0.0001 (7)	-0.0026 (7)
C6	0.0200 (8)	0.0254 (9)	0.0212 (8)	0.0023 (7)	0.0014 (7)	0.0015 (7)
C7	0.0229 (9)	0.0215 (8)	0.0181 (8)	0.0025 (7)	0.0005 (7)	-0.0007 (7)
C8	0.0229 (9)	0.0224 (9)	0.0165 (8)	0.0018 (7)	-0.0002 (7)	0.0013 (7)

C9	0.0183 (8)	0.0231 (9)	0.0216 (8)	0.0018 (7)	-0.0012 (7)	-0.0037 (7)
C10	0.0217 (9)	0.0257 (9)	0.0176 (8)	0.0014 (7)	-0.0006 (7)	-0.0024 (7)
C11	0.0191 (8)	0.0218 (9)	0.0183 (8)	0.0015 (7)	0.0008 (6)	-0.0014 (7)
C12	0.0236 (9)	0.0337 (10)	0.0200 (9)	0.0020 (8)	0.0027 (7)	0.0001 (8)
C13	0.0201 (9)	0.0297 (9)	0.0217 (8)	0.0019 (8)	0.0042 (7)	-0.0035 (8)
C14	0.0200 (8)	0.0291 (9)	0.0201 (8)	0.0033 (7)	-0.0013 (7)	-0.0048 (8)
C15	0.0229 (9)	0.0231 (9)	0.0213 (8)	0.0026 (7)	0.0001 (7)	-0.0035 (7)
C16	0.0222 (9)	0.0261 (9)	0.0238 (9)	0.0014 (7)	0.0000 (7)	0.0000 (8)
C17	0.0207 (9)	0.0224 (9)	0.0195 (8)	0.0014 (7)	-0.0003 (7)	-0.0008 (7)
C18	0.0196 (9)	0.0321 (10)	0.0286 (10)	0.0033 (8)	0.0010 (7)	0.0005 (8)
C19	0.0225 (9)	0.0285 (10)	0.0254 (9)	0.0068 (7)	0.0019 (7)	-0.0025 (8)
C20	0.0350 (11)	0.0281 (10)	0.0288 (10)	0.0074 (9)	-0.0028 (8)	-0.0078 (8)
C21	0.0326 (10)	0.0352 (11)	0.0248 (10)	-0.0043 (9)	0.0039 (8)	0.0032 (8)
C22	0.0319 (11)	0.0380 (11)	0.0365 (11)	-0.0081 (9)	0.0043 (9)	0.0028 (9)
C24	0.0231 (9)	0.0355 (11)	0.0214 (9)	0.0013 (8)	-0.0002 (7)	0.0009 (8)
C25	0.0496 (13)	0.0383 (12)	0.0275 (11)	0.0059 (10)	0.0004 (10)	0.0052 (9)
C26	0.0293 (11)	0.0447 (13)	0.0417 (12)	-0.0089 (10)	-0.0035 (9)	-0.0124 (10)
C27	0.0208 (9)	0.0228 (9)	0.0330 (10)	0.0038 (8)	0.0018 (8)	-0.0047 (8)
C28	0.0206 (9)	0.0280 (10)	0.0275 (9)	0.0045 (7)	0.0021 (7)	-0.0023 (8)
C29	0.0308 (10)	0.0298 (10)	0.0269 (10)	0.0006 (9)	0.0001 (8)	-0.0024 (8)
C30	0.0366 (12)	0.0436 (12)	0.0307 (11)	0.0028 (10)	-0.0063 (9)	-0.0100 (10)
C31	0.0372 (12)	0.0546 (14)	0.0232 (10)	0.0161 (11)	-0.0019 (9)	-0.0016 (10)
C32	0.0402 (13)	0.0408 (13)	0.0436 (13)	0.0111 (11)	0.0004 (10)	0.0114 (11)
C33	0.0302 (11)	0.0290 (10)	0.0467 (13)	0.0015 (9)	-0.0034 (9)	0.0036 (9)

Geometric parameters (\AA , $^{\circ}$)

O1—C22	1.412 (2)	C11—C17	1.531 (2)
O1—C18	1.427 (2)	C12—C13	1.527 (3)
O2—C23	1.326 (9)	C12—H12A	0.9900
O2—C6	1.423 (2)	C12—H12B	0.9900
O2—C23'	1.453 (4)	C13—C14	1.515 (3)
O3—C21	1.416 (2)	C13—C16	1.546 (3)
O3—C1	1.436 (2)	C14—H14	1.0000
O4—C24	1.349 (2)	C15—C16	1.547 (2)
O4—C8	1.491 (2)	C15—H15	1.0000
O5—C24	1.210 (2)	C16—H16	1.0000
O6—C27	1.205 (2)	C17—H17	1.0000
O7—C27	1.344 (2)	C18—H18A	0.9900
O7—C14	1.435 (2)	C18—H18B	0.9900
O8—C15	1.423 (2)	C19—H19A	0.9900
O8—H8	0.8400	C19—H19B	0.9900
O9—C26	1.421 (2)	C20—H20A	0.9800
O9—C16	1.430 (2)	C20—H20B	0.9800
O10—C13	1.424 (2)	C20—H20C	0.9800
O10—H10O	0.8400	C21—H21A	0.9800
N1—C20	1.458 (2)	C21—H21B	0.9800
N1—C17	1.463 (2)	C21—H21C	0.9800

N1—C19	1.476 (2)	C22—H22A	0.9800
C1—C2	1.522 (2)	C22—H22B	0.9800
C1—C11	1.553 (2)	C22—H22C	0.9800
C1—H1	1.0000	C23—H23A	0.9800
C2—C3	1.512 (3)	C23—H23B	0.9800
C2—H2A	0.9900	C23—H23C	0.9800
C2—H2B	0.9900	C23'—H23D	0.9800
C3—C4	1.535 (2)	C23'—H23E	0.9800
C3—H3A	0.9900	C23'—H23F	0.9800
C3—H3B	0.9900	C24—C25	1.496 (3)
C4—C18	1.532 (3)	C25—H25A	0.9800
C4—C19	1.542 (2)	C25—H25B	0.9800
C4—C5	1.551 (2)	C25—H25C	0.9800
C5—C6	1.569 (2)	C26—H26A	0.9800
C5—C11	1.571 (2)	C26—H26B	0.9800
C5—H5	1.0000	C26—H26C	0.9800
C6—C7	1.552 (2)	C27—C28	1.489 (3)
C6—H6	1.0000	C28—C33	1.382 (3)
C7—C8	1.535 (2)	C28—C29	1.396 (3)
C7—C17	1.557 (2)	C29—C30	1.387 (3)
C7—H7	1.0000	C29—H29	0.9500
C8—C9	1.543 (2)	C30—C31	1.386 (3)
C8—C15	1.560 (2)	C30—H30	0.9500
C9—C14	1.519 (2)	C31—C32	1.376 (3)
C9—C10	1.561 (2)	C31—H31	0.9500
C9—H9	1.0000	C32—C33	1.390 (3)
C10—C12	1.561 (3)	C32—H32	0.9500
C10—C11	1.563 (2)	C33—H33	0.9500
C10—H10	1.0000		
C22—O1—C18	112.81 (15)	C13—C14—H14	110.4
C23—O2—C6	122.1 (5)	C9—C14—H14	110.4
C23—O2—C23'	22.6 (6)	O8—C15—C16	107.08 (14)
C6—O2—C23'	110.7 (2)	O8—C15—C8	112.77 (14)
C21—O3—C1	113.49 (14)	C16—C15—C8	117.95 (14)
C24—O4—C8	120.76 (14)	O8—C15—H15	106.1
C27—O7—C14	118.66 (15)	C16—C15—H15	106.1
C15—O8—H8	109.5	C8—C15—H15	106.1
C26—O9—C16	115.13 (15)	O9—C16—C13	106.42 (14)
C13—O10—H10O	109.5	O9—C16—C15	109.77 (15)
C20—N1—C17	112.88 (14)	C13—C16—C15	114.84 (14)
C20—N1—C19	110.50 (15)	O9—C16—H16	108.5
C17—N1—C19	116.81 (13)	C13—C16—H16	108.5
O3—C1—C2	108.10 (14)	C15—C16—H16	108.5
O3—C1—C11	109.14 (13)	N1—C17—C11	109.39 (14)
C2—C1—C11	116.76 (15)	N1—C17—C7	115.83 (14)
O3—C1—H1	107.5	C11—C17—C7	100.41 (13)
C2—C1—H1	107.5	N1—C17—H17	110.3

C11—C1—H1	107.5	C11—C17—H17	110.3
C3—C2—C1	111.37 (15)	C7—C17—H17	110.3
C3—C2—H2A	109.4	O1—C18—C4	108.36 (15)
C1—C2—H2A	109.4	O1—C18—H18A	110.0
C3—C2—H2B	109.4	C4—C18—H18A	110.0
C1—C2—H2B	109.4	O1—C18—H18B	110.0
H2A—C2—H2B	108.0	C4—C18—H18B	110.0
C2—C3—C4	112.77 (15)	H18A—C18—H18B	108.4
C2—C3—H3A	109.0	N1—C19—C4	113.38 (14)
C4—C3—H3A	109.0	N1—C19—H19A	108.9
C2—C3—H3B	109.0	C4—C19—H19A	108.9
C4—C3—H3B	109.0	N1—C19—H19B	108.9
H3A—C3—H3B	107.8	C4—C19—H19B	108.9
C18—C4—C3	106.26 (14)	H19A—C19—H19B	107.7
C18—C4—C19	109.61 (15)	N1—C20—H20A	109.5
C3—C4—C19	111.77 (15)	N1—C20—H20B	109.5
C18—C4—C5	112.08 (14)	H20A—C20—H20B	109.5
C3—C4—C5	108.89 (14)	N1—C20—H20C	109.5
C19—C4—C5	108.27 (14)	H20A—C20—H20C	109.5
C4—C5—C6	112.45 (14)	H20B—C20—H20C	109.5
C4—C5—C11	109.01 (14)	O3—C21—H21A	109.5
C6—C5—C11	102.57 (13)	O3—C21—H21B	109.5
C4—C5—H5	110.8	H21A—C21—H21B	109.5
C6—C5—H5	110.8	O3—C21—H21C	109.5
C11—C5—H5	110.8	H21A—C21—H21C	109.5
O2—C6—C7	109.96 (14)	H21B—C21—H21C	109.5
O2—C6—C5	117.11 (14)	O1—C22—H22A	109.5
C7—C6—C5	104.86 (14)	O1—C22—H22B	109.5
O2—C6—H6	108.2	H22A—C22—H22B	109.5
C7—C6—H6	108.2	O1—C22—H22C	109.5
C5—C6—H6	108.2	H22A—C22—H22C	109.5
C8—C7—C6	107.64 (14)	H22B—C22—H22C	109.5
C8—C7—C17	112.00 (14)	O2—C23—H23A	109.5
C6—C7—C17	104.17 (14)	O2—C23—H23B	109.5
C8—C7—H7	110.9	O2—C23—H23C	109.5
C6—C7—H7	110.9	O2—C23'—H23D	109.5
C17—C7—H7	110.9	O2—C23'—H23E	109.5
O4—C8—C7	108.02 (13)	H23D—C23'—H23E	109.5
O4—C8—C9	101.52 (13)	O2—C23'—H23F	109.5
C7—C8—C9	108.18 (14)	H23D—C23'—H23F	109.5
O4—C8—C15	107.34 (13)	H23E—C23'—H23F	109.5
C7—C8—C15	117.05 (14)	O5—C24—O4	124.69 (18)
C9—C8—C15	113.46 (14)	O5—C24—C25	124.88 (18)
C14—C9—C8	112.43 (14)	O4—C24—C25	110.43 (17)
C14—C9—C10	101.71 (14)	C24—C25—H25A	109.5
C8—C9—C10	111.67 (14)	C24—C25—H25B	109.5
C14—C9—H9	110.3	H25A—C25—H25B	109.5
C8—C9—H9	110.3	C24—C25—H25C	109.5

C10—C9—H9	110.3	H25A—C25—H25C	109.5
C9—C10—C12	102.90 (14)	H25B—C25—H25C	109.5
C9—C10—C11	116.81 (14)	O9—C26—H26A	109.5
C12—C10—C11	115.92 (14)	O9—C26—H26B	109.5
C9—C10—H10	106.8	H26A—C26—H26B	109.5
C12—C10—H10	106.8	O9—C26—H26C	109.5
C11—C10—H10	106.8	H26A—C26—H26C	109.5
C17—C11—C1	115.88 (14)	H26B—C26—H26C	109.5
C17—C11—C10	109.17 (14)	O6—C27—O7	124.10 (18)
C1—C11—C10	107.62 (14)	O6—C27—C28	125.78 (18)
C17—C11—C5	98.85 (13)	O7—C27—C28	110.12 (15)
C1—C11—C5	113.26 (14)	C33—C28—C29	119.70 (18)
C10—C11—C5	111.93 (14)	C33—C28—C27	119.17 (18)
C13—C12—C10	106.80 (15)	C29—C28—C27	121.11 (17)
C13—C12—H12A	110.4	C30—C29—C28	119.68 (19)
C10—C12—H12A	110.4	C30—C29—H29	120.2
C13—C12—H12B	110.4	C28—C29—H29	120.2
C10—C12—H12B	110.4	C31—C30—C29	120.2 (2)
H12A—C12—H12B	108.6	C31—C30—H30	119.9
O10—C13—C14	112.75 (15)	C29—C30—H30	119.9
O10—C13—C12	110.67 (15)	C32—C31—C30	120.1 (2)
C14—C13—C12	102.56 (15)	C32—C31—H31	120.0
O10—C13—C16	110.00 (15)	C30—C31—H31	120.0
C14—C13—C16	110.15 (15)	C31—C32—C33	120.0 (2)
C12—C13—C16	110.52 (15)	C31—C32—H32	120.0
O7—C14—C13	108.62 (15)	C33—C32—H32	120.0
O7—C14—C9	114.88 (15)	C28—C33—C32	120.3 (2)
C13—C14—C9	101.87 (14)	C28—C33—H33	119.9
O7—C14—H14	110.4	C32—C33—H33	119.9
C21—O3—C1—C2	80.91 (18)	C27—O7—C14—C9	-71.7 (2)
C21—O3—C1—C11	-151.14 (15)	O10—C13—C14—O7	-74.30 (18)
O3—C1—C2—C3	165.95 (14)	C12—C13—C14—O7	166.65 (14)
C11—C1—C2—C3	42.5 (2)	C16—C13—C14—O7	48.99 (18)
C1—C2—C3—C4	-53.6 (2)	O10—C13—C14—C9	164.07 (14)
C2—C3—C4—C18	-175.02 (15)	C12—C13—C14—C9	45.02 (16)
C2—C3—C4—C19	-55.48 (19)	C16—C13—C14—C9	-72.64 (17)
C2—C3—C4—C5	64.08 (19)	C8—C9—C14—O7	-46.2 (2)
C18—C4—C5—C6	69.60 (19)	C10—C9—C14—O7	-165.74 (14)
C3—C4—C5—C6	-173.13 (15)	C8—C9—C14—C13	71.04 (17)
C19—C4—C5—C6	-51.42 (18)	C10—C9—C14—C13	-48.54 (16)
C18—C4—C5—C11	-177.36 (14)	O4—C8—C15—O8	105.06 (16)
C3—C4—C5—C11	-60.09 (18)	C7—C8—C15—O8	-16.5 (2)
C19—C4—C5—C11	61.63 (18)	C9—C8—C15—O8	-143.62 (15)
C23—O2—C6—C7	117.1 (8)	O4—C8—C15—C16	-129.25 (15)
C23'—O2—C6—C7	139.0 (2)	C7—C8—C15—C16	109.20 (17)
C23—O2—C6—C5	-123.4 (8)	C9—C8—C15—C16	-17.9 (2)
C23'—O2—C6—C5	-101.5 (3)	C26—O9—C16—C13	-166.15 (16)

C4—C5—C6—O2	−26.0 (2)	C26—O9—C16—C15	69.0 (2)
C11—C5—C6—O2	−142.99 (15)	O10—C13—C16—O9	33.85 (19)
C4—C5—C6—C7	96.14 (16)	C14—C13—C16—O9	−91.03 (17)
C11—C5—C6—C7	−20.81 (16)	C12—C13—C16—O9	156.36 (15)
O2—C6—C7—C8	−125.94 (15)	O10—C13—C16—C15	155.52 (15)
C5—C6—C7—C8	107.33 (15)	C14—C13—C16—C15	30.6 (2)
O2—C6—C7—C17	115.01 (15)	C12—C13—C16—C15	−81.97 (19)
C5—C6—C7—C17	−11.72 (17)	O8—C15—C16—O9	−96.10 (17)
C24—O4—C8—C7	69.82 (19)	C8—C15—C16—O9	135.47 (16)
C24—O4—C8—C9	−176.53 (15)	O8—C15—C16—C13	144.07 (15)
C24—O4—C8—C15	−57.24 (19)	C8—C15—C16—C13	15.6 (2)
C6—C7—C8—O4	61.11 (17)	C20—N1—C17—C11	172.24 (15)
C17—C7—C8—O4	175.03 (13)	C19—N1—C17—C11	−58.04 (19)
C6—C7—C8—C9	−48.02 (17)	C20—N1—C17—C7	−75.23 (19)
C17—C7—C8—C9	65.90 (18)	C19—N1—C17—C7	54.5 (2)
C6—C7—C8—C15	−177.69 (14)	C1—C11—C17—N1	−52.12 (19)
C17—C7—C8—C15	−63.77 (19)	C10—C11—C17—N1	−173.77 (14)
O4—C8—C9—C14	88.71 (16)	C5—C11—C17—N1	69.21 (15)
C7—C8—C9—C14	−157.77 (15)	C1—C11—C17—C7	−174.41 (14)
C15—C8—C9—C14	−26.1 (2)	C10—C11—C17—C7	63.93 (16)
O4—C8—C9—C10	−157.70 (14)	C5—C11—C17—C7	−53.09 (15)
C7—C8—C9—C10	−44.17 (18)	C8—C7—C17—N1	167.06 (14)
C15—C8—C9—C10	87.46 (18)	C6—C7—C17—N1	−76.90 (17)
C14—C9—C10—C12	32.56 (16)	C8—C7—C17—C11	−75.30 (16)
C8—C9—C10—C12	−87.55 (16)	C6—C7—C17—C11	40.75 (16)
C14—C9—C10—C11	160.74 (15)	C22—O1—C18—C4	−178.75 (16)
C8—C9—C10—C11	40.6 (2)	C3—C4—C18—O1	−69.66 (18)
O3—C1—C11—C17	−51.58 (19)	C19—C4—C18—O1	169.40 (14)
C2—C1—C11—C17	71.3 (2)	C5—C4—C18—O1	49.16 (19)
O3—C1—C11—C10	70.91 (17)	C20—N1—C19—C4	173.11 (15)
C2—C1—C11—C10	−166.17 (15)	C17—N1—C19—C4	42.3 (2)
O3—C1—C11—C5	−164.83 (14)	C18—C4—C19—N1	−165.02 (15)
C2—C1—C11—C5	−41.9 (2)	C3—C4—C19—N1	77.44 (18)
C9—C10—C11—C17	−52.69 (19)	C5—C4—C19—N1	−42.49 (19)
C12—C10—C11—C17	68.88 (19)	C8—O4—C24—O5	1.2 (3)
C9—C10—C11—C1	−179.23 (14)	C8—O4—C24—C25	−179.41 (16)
C12—C10—C11—C1	−57.65 (19)	C14—O7—C27—O6	−5.0 (3)
C9—C10—C11—C5	55.70 (19)	C14—O7—C27—C28	175.49 (14)
C12—C10—C11—C5	177.28 (14)	O6—C27—C28—C33	−2.5 (3)
C4—C5—C11—C17	−73.55 (16)	O7—C27—C28—C33	177.03 (18)
C6—C5—C11—C17	45.83 (15)	O6—C27—C28—C29	179.06 (19)
C4—C5—C11—C1	49.66 (18)	O7—C27—C28—C29	−1.4 (2)
C6—C5—C11—C1	169.05 (14)	C33—C28—C29—C30	0.7 (3)
C4—C5—C11—C10	171.55 (13)	C27—C28—C29—C30	179.11 (18)
C6—C5—C11—C10	−69.06 (16)	C28—C29—C30—C31	0.0 (3)
C9—C10—C12—C13	−5.33 (18)	C29—C30—C31—C32	−0.6 (3)
C11—C10—C12—C13	−134.06 (15)	C30—C31—C32—C33	0.6 (3)
C10—C12—C13—O10	−144.52 (15)	C29—C28—C33—C32	−0.7 (3)

C10—C12—C13—C14	−24.02 (18)	C27—C28—C33—C32	−179.21 (19)
C10—C12—C13—C16	93.37 (17)	C31—C32—C33—C28	0.1 (3)
C27—O7—C14—C13	175.00 (15)		

Hydrogen-bond geometry (Å, °)

D—H···A	D—H	H···A	D···A	D—H···A
O8—H8···O5	0.84	2.11	2.7887 (19)	137
O10—H10O···O9	0.84	2.05	2.5620 (19)	118