

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

4,4'-Bis(2,2-diphenylvinyl)-1,1'-biphenyl

Hong-Ni Liu,^{a*} Gao Zhang,^a Lan Hu,^a Peng-Fei Su^a and Yun-Feng Li^b^aXi'an Modern Chemistry Research Institute, Xi'an 710065, People's Republic of China, and ^bXi'an Caijing Opto-Electrical Science & Technology Co. Ltd, Xi'an 710065, People's Republic of China

Correspondence e-mail: winny_521@163.com


Received 6 December 2010; accepted 16 December 2010

Key indicators: single-crystal X-ray study; $T = 296$ K; mean $\sigma(\text{C}-\text{C}) = 0.002$ Å; R factor = 0.043; wR factor = 0.110; data-to-parameter ratio = 13.9.

The title molecule, $\text{C}_{40}\text{H}_{30}$, lies on an inversion center. The two unique phenyl rings form dihedral angles of 51.98 (8) and 67.58 (8)° with the essentially planar biphenyl unit [maximum deviation = 0.0360 (14) Å].

Related literature

For applications of the title compound, see: Park *et al.* (2005); Kim *et al.* (2009). For the preparation of the title compound, see: Zheng *et al.* (2004).



Experimental

Crystal data

$\text{C}_{40}\text{H}_{30}$
 $M_r = 510.7$
 Monoclinic, $P2_1/c$
 $a = 9.277$ (2) Å
 $b = 14.625$ (3) Å
 $c = 10.460$ (2) Å
 $\beta = 92.669$ (4)°

$V = 1417.6$ (5) Å³
 $Z = 2$
 Mo $K\alpha$ radiation
 $\mu = 0.07$ mm⁻¹
 $T = 296$ K
 $0.39 \times 0.25 \times 0.18$ mm

Data collection

Bruker SMART CCD
 diffractometer
 6984 measured reflections

2508 independent reflections
 1479 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.030$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.043$
 $wR(F^2) = 0.110$
 $S = 0.94$
 2508 reflections

181 parameters
 H-atom parameters constrained
 $\Delta\rho_{\text{max}} = 0.12$ e Å⁻³
 $\Delta\rho_{\text{min}} = -0.18$ e Å⁻³

Data collection: *SMART* (Bruker, 1997); cell refinement: *SAINTE* (Bruker, 1997); data reduction: *SAINTE*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXTL*.

The authors are grateful for financial support from the Xi'an Modern Chemistry Institute (grant No. jcky28).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: LH5185).

References

- Bruker (1997). *SMART* and *SAINTE*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Kim, Y.-H., Seo, J. H., Hyung, G. W., Lee, S. Y., Ryu, D. H., Chae, S. J., Shin, S. S., Kim, Y. K. & Kim, W. Y. (2009). *Mol. Cryst. Liq. Cryst.* **510**, 282–292.
- Park, J. S., Lee, J. W., Kim, Y. M., Bae, S. J., Jang, J., Kim, J. K. & Ju, B. K. (2005). *J. Electrochem. Soc.* **152**, H196–H199.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Zheng, X.-Y., Zhu, W.-Q., Wu, Y.-Z., Ding, B.-D., Jiang, X.-Y., Zhang, Z.-L., Sun, R.-G. & Xu, S.-H. (2004). *Guangxue Xuebao*, **24**, 70–74.

supporting information

Acta Cryst. (2011). E67, o220 [https://doi.org/10.1107/S1600536810052840]

4,4'-Bis(2,2-diphenylvinyl)-1,1'-biphenyl

Hong-Ni Liu, Gao Zhang, Lan Hu, Peng-Fei Su and Yun-Feng Li

S1. Comment

Distyrylarylene (DSA) derivatives have been widely investigated because of their high thermal stability and good film forming ability. The title compound has been used to fabricate white organic light-emitting diodes (WOLEDs) (Kim *et al.*, 2009; Park *et al.*, 2005). The synthesis and luminescent properties of DPVBi have already been described (Zheng, *et al.* 2004). The molecular structure of the title compound is shown in Fig. 1. The molecule lies on an inversion center. The two unique phenyl rings form dihedral angles of 51.98 (8) [for C9-C14] and 67.58 (8)° [for C15-C20] with the essentially planar biphenyl unit [maximum deviation = 0.0360 (14) Å]

S2. Experimental

The synthesis of the crude product was carried out according to reported methods (Zheng, *et al.* 2004). Suitable crystals were obtained by evaporation of a tetrahydrofuran/methanol (1:9, *v/v*) solution of the title compound at room temperature. Spectroscopic analysis: IR (KBr, cm^{-1}): 3020, 1597, 1494, 1441, 762, 697, 815; ^1H NMR (CDCl_3 , δ , p.p.m.): 7.3 (s, 20H), 6.9–7.2 (m, 10H).

S3. Refinement

All H atoms were positioned geometrically and refined as riding [$\text{C}-\text{H} = 0.93 \text{ \AA}$; $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$].




Figure 1

The molecular structure of the title compound, with atom labels and 30% probability displacement ellipsoids for non-H atoms (symmetry code (A): 1-x, 2-y, -z).

4,4'-Bis(2,2-diphenylvinyl)-1,1'-biphenyl

Crystal data

C₄₀H₃₀ $M_r = 510.7$ Monoclinic, $P2_1/c$

Hall symbol: -P 2ybc

 $a = 9.277 (2) \text{ \AA}$ $b = 14.625 (3) \text{ \AA}$ $c = 10.460 (2) \text{ \AA}$ $\beta = 92.669 (4)^\circ$ $V = 1417.6 (5) \text{ \AA}^3$ $Z = 2$ $F(000) = 540$ $D_x = 1.196 \text{ Mg m}^{-3}$

Melting point: 477 K

Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$

Cell parameters from 1536 reflections

 $\theta = 2.4\text{--}25.1^\circ$ $\mu = 0.07 \text{ mm}^{-1}$ $T = 296 \text{ K}$

Block, yellow

 $0.39 \times 0.25 \times 0.18 \text{ mm}$

Data collection

Bruker SMART CCD

diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

 φ and ω scans

6984 measured reflections

2508 independent reflections

1479 reflections with $I > 2\sigma(I)$ $R_{\text{int}} = 0.030$ $\theta_{\text{max}} = 25.1^\circ$, $\theta_{\text{min}} = 2.4^\circ$ $h = -11 \rightarrow 10$ $k = -17 \rightarrow 17$ $l = -12 \rightarrow 10$

Refinement

Refinement on F^2

Least-squares matrix: full

 $R[F^2 > 2\sigma(F^2)] = 0.043$ $wR(F^2) = 0.110$ $S = 0.94$

2508 reflections

181 parameters

0 restraints

Primary atom site location: structure-invariant

direct methods

Secondary atom site location: difference Fourier map

Hydrogen site location: inferred from neighbouring sites

H-atom parameters constrained

 $w = 1/[\sigma^2(F_o^2) + (0.0637P)^2]$ where $P = (F_o^2 + 2F_c^2)/3$ $(\Delta/\sigma)_{\text{max}} < 0.001$ $\Delta\rho_{\text{max}} = 0.12 \text{ e \AA}^{-3}$ $\Delta\rho_{\text{min}} = -0.18 \text{ e \AA}^{-3}$

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
C1	0.69791 (18)	0.84611 (10)	0.10768 (16)	0.0652 (5)
H1	0.6951	0.7855	0.1343	0.078*
C2	0.57204 (17)	0.88788 (10)	0.06689 (14)	0.0625 (4)
H2	0.4864	0.8549	0.0677	0.075*
C3	0.56784 (15)	0.97810 (9)	0.02422 (13)	0.0488 (4)

C4	0.69840 (17)	1.02440 (10)	0.03150 (16)	0.0633 (5)
H4	0.7009	1.0854	0.0066	0.076*
C5	0.82414 (17)	0.98268 (10)	0.07443 (16)	0.0642 (5)
H5	0.9088	1.0168	0.0795	0.077*
C6	0.82915 (16)	0.89105 (10)	0.11058 (13)	0.0539 (4)
C7	0.96931 (16)	0.85159 (11)	0.15032 (14)	0.0609 (4)
H7	1.0411	0.8943	0.1703	0.073*
C8	1.01194 (17)	0.76349 (10)	0.16283 (14)	0.0570 (4)
C9	1.16235 (17)	0.74195 (11)	0.20673 (15)	0.0599 (4)
C10	1.2386 (2)	0.79640 (12)	0.29442 (18)	0.0746 (5)
H10	1.1933	0.8464	0.3300	0.090*
C11	1.3807 (2)	0.77781 (13)	0.33001 (19)	0.0849 (6)
H11	1.4301	0.8155	0.3887	0.102*
C12	1.4498 (2)	0.70404 (14)	0.27931 (19)	0.0835 (6)
H12	1.5463	0.6923	0.3014	0.100*
C13	1.3742 (2)	0.64829 (16)	0.19597 (19)	0.0928 (6)
H13	1.4194	0.5974	0.1625	0.111*
C14	1.2324 (2)	0.66610 (13)	0.16054 (17)	0.0809 (5)
H14	1.1828	0.6265	0.1046	0.097*
C15	0.91607 (18)	0.68499 (10)	0.12923 (15)	0.0588 (4)
C16	0.86251 (18)	0.62995 (10)	0.22408 (15)	0.0630 (4)
H16	0.8899	0.6411	0.3093	0.076*
C17	0.7692 (2)	0.55891 (11)	0.19388 (18)	0.0730 (5)
H17	0.7328	0.5235	0.2588	0.088*
C18	0.7301 (2)	0.54030 (12)	0.0686 (2)	0.0828 (6)
H18	0.6666	0.4927	0.0485	0.099*
C19	0.7846 (2)	0.59197 (14)	-0.02639 (18)	0.0935 (6)
H19	0.7599	0.5786	-0.1115	0.112*
C20	0.8763 (2)	0.66401 (12)	0.00322 (17)	0.0815 (6)
H20	0.9120	0.6991	-0.0624	0.098*

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
C1	0.0611 (11)	0.0537 (9)	0.0803 (12)	0.0013 (9)	-0.0031 (9)	0.0190 (8)
C2	0.0585 (11)	0.0566 (10)	0.0719 (11)	-0.0035 (8)	-0.0022 (8)	0.0120 (8)
C3	0.0532 (9)	0.0464 (8)	0.0472 (8)	0.0022 (7)	0.0066 (7)	-0.0038 (6)
C4	0.0540 (11)	0.0446 (8)	0.0918 (12)	0.0042 (8)	0.0095 (9)	0.0033 (8)
C5	0.0487 (10)	0.0507 (9)	0.0937 (12)	0.0002 (8)	0.0088 (9)	-0.0001 (8)
C6	0.0510 (10)	0.0550 (9)	0.0558 (9)	0.0048 (8)	0.0044 (7)	0.0019 (7)
C7	0.0555 (11)	0.0601 (10)	0.0673 (10)	0.0027 (8)	0.0046 (8)	0.0031 (8)
C8	0.0604 (10)	0.0573 (10)	0.0536 (10)	0.0061 (8)	0.0068 (7)	0.0043 (7)
C9	0.0627 (11)	0.0613 (10)	0.0560 (9)	0.0105 (8)	0.0052 (8)	0.0096 (8)
C10	0.0694 (13)	0.0656 (11)	0.0882 (13)	0.0097 (9)	-0.0017 (10)	0.0013 (9)
C11	0.0693 (13)	0.0806 (13)	0.1033 (15)	0.0018 (11)	-0.0101 (11)	0.0094 (11)
C12	0.0641 (12)	0.1014 (15)	0.0855 (15)	0.0166 (12)	0.0084 (11)	0.0284 (12)
C13	0.0890 (16)	0.1085 (16)	0.0810 (14)	0.0430 (13)	0.0047 (12)	0.0004 (12)
C14	0.0833 (14)	0.0875 (13)	0.0713 (12)	0.0301 (11)	-0.0033 (10)	-0.0057 (10)

C15	0.0696 (11)	0.0540 (9)	0.0531 (10)	0.0130 (8)	0.0038 (8)	0.0019 (7)
C16	0.0745 (11)	0.0573 (9)	0.0572 (10)	0.0107 (9)	0.0035 (8)	0.0040 (8)
C17	0.0866 (13)	0.0547 (10)	0.0784 (13)	0.0044 (9)	0.0127 (10)	0.0072 (9)
C18	0.0938 (15)	0.0632 (11)	0.0905 (15)	-0.0015 (10)	-0.0057 (12)	-0.0074 (11)
C19	0.1305 (18)	0.0808 (13)	0.0676 (12)	-0.0064 (13)	-0.0119 (12)	-0.0094 (11)
C20	0.1173 (17)	0.0712 (12)	0.0558 (11)	-0.0056 (11)	0.0041 (10)	0.0024 (9)

Geometric parameters (Å, °)

C1—C2	1.368 (2)	C10—H10	0.9300
C1—C6	1.383 (2)	C11—C12	1.374 (2)
C1—H1	0.9300	C11—H11	0.9300
C2—C3	1.3929 (19)	C12—C13	1.363 (3)
C2—H2	0.9300	C12—H12	0.9300
C3—C4	1.387 (2)	C13—C14	1.375 (3)
C3—C3 ⁱ	1.481 (3)	C13—H13	0.9300
C4—C5	1.373 (2)	C14—H14	0.9300
C4—H4	0.9300	C15—C20	1.386 (2)
C5—C6	1.393 (2)	C15—C16	1.388 (2)
C5—H5	0.9300	C16—C17	1.379 (2)
C6—C7	1.465 (2)	C16—H16	0.9300
C7—C8	1.352 (2)	C17—C18	1.371 (2)
C7—H7	0.9300	C17—H17	0.9300
C8—C9	1.482 (2)	C18—C19	1.364 (3)
C8—C15	1.484 (2)	C18—H18	0.9300
C9—C10	1.384 (2)	C19—C20	1.380 (3)
C9—C14	1.384 (2)	C19—H19	0.9300
C10—C11	1.380 (3)	C20—H20	0.9300
C2—C1—C6	122.16 (14)	C12—C11—C10	120.49 (19)
C2—C1—H1	118.9	C12—C11—H11	119.8
C6—C1—H1	118.9	C10—C11—H11	119.8
C1—C2—C3	122.25 (15)	C13—C12—C11	118.78 (18)
C1—C2—H2	118.9	C13—C12—H12	120.6
C3—C2—H2	118.9	C11—C12—H12	120.6
C4—C3—C2	115.70 (14)	C12—C13—C14	121.05 (19)
C4—C3—C3 ⁱ	122.27 (16)	C12—C13—H13	119.5
C2—C3—C3 ⁱ	122.02 (17)	C14—C13—H13	119.5
C5—C4—C3	121.84 (14)	C13—C14—C9	121.11 (19)
C5—C4—H4	119.1	C13—C14—H14	119.4
C3—C4—H4	119.1	C9—C14—H14	119.4
C4—C5—C6	122.23 (15)	C20—C15—C16	117.58 (16)
C4—C5—H5	118.9	C20—C15—C8	121.76 (14)
C6—C5—H5	118.9	C16—C15—C8	120.66 (14)
C1—C6—C5	115.68 (14)	C17—C16—C15	120.99 (16)
C1—C6—C7	126.01 (14)	C17—C16—H16	119.5
C5—C6—C7	118.30 (14)	C15—C16—H16	119.5
C8—C7—C6	130.88 (15)	C18—C17—C16	120.27 (16)

C8—C7—H7	114.6	C18—C17—H17	119.9
C6—C7—H7	114.6	C16—C17—H17	119.9
C7—C8—C9	119.95 (15)	C19—C18—C17	119.70 (18)
C7—C8—C15	123.00 (14)	C19—C18—H18	120.1
C9—C8—C15	117.00 (13)	C17—C18—H18	120.1
C10—C9—C14	117.29 (16)	C18—C19—C20	120.32 (18)
C10—C9—C8	121.86 (14)	C18—C19—H19	119.8
C14—C9—C8	120.85 (16)	C20—C19—H19	119.8
C11—C10—C9	121.19 (17)	C19—C20—C15	121.09 (17)
C11—C10—H10	119.4	C19—C20—H20	119.5
C9—C10—H10	119.4	C15—C20—H20	119.5
C6—C1—C2—C3	0.7 (2)	C8—C9—C10—C11	-177.03 (15)
C1—C2—C3—C4	-3.0 (2)	C9—C10—C11—C12	-0.4 (3)
C1—C2—C3—C3 ⁱ	177.73 (16)	C10—C11—C12—C13	-1.7 (3)
C2—C3—C4—C5	1.9 (2)	C11—C12—C13—C14	1.4 (3)
C3 ⁱ —C3—C4—C5	-178.81 (15)	C12—C13—C14—C9	1.0 (3)
C3—C4—C5—C6	1.4 (2)	C10—C9—C14—C13	-3.0 (3)
C2—C1—C6—C5	2.6 (2)	C8—C9—C14—C13	176.71 (15)
C2—C1—C6—C7	-178.80 (14)	C7—C8—C15—C20	71.1 (2)
C4—C5—C6—C1	-3.7 (2)	C9—C8—C15—C20	-106.38 (18)
C4—C5—C6—C7	177.62 (14)	C7—C8—C15—C16	-108.71 (17)
C1—C6—C7—C8	17.8 (2)	C9—C8—C15—C16	73.86 (18)
C5—C6—C7—C8	-163.63 (15)	C20—C15—C16—C17	-2.1 (2)
C6—C7—C8—C9	-179.39 (14)	C8—C15—C16—C17	177.65 (14)
C6—C7—C8—C15	3.3 (2)	C15—C16—C17—C18	1.3 (2)
C7—C8—C9—C10	34.1 (2)	C16—C17—C18—C19	0.5 (3)
C15—C8—C9—C10	-148.38 (15)	C17—C18—C19—C20	-1.5 (3)
C7—C8—C9—C14	-145.60 (15)	C18—C19—C20—C15	0.6 (3)
C15—C8—C9—C14	31.9 (2)	C16—C15—C20—C19	1.2 (3)
C14—C9—C10—C11	2.7 (2)	C8—C15—C20—C19	-178.61 (16)

Symmetry code: (i) $-x+1, -y+2, -z$.