

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

1,4-Bis(1*H*-benzimidazol-1-yl)but-2-ene

 Gui-Ying Dong,^{a*} Tong-Fei Liu,^a Cui-Huan Jiao,^a
 Xiao-Chen Deng^b and Xiao-Ge Shi^b
^aCollege of Chemical Engineering, Hebei United University, Tangshan 063009, People's Republic of China, and ^bQian'an College, Hebei United University, Tangshan 063009, People's Republic of China
 Correspondence e-mail: tsdgying@126.com


Received 6 June 2011; accepted 20 June 2011

 Key indicators: single-crystal X-ray study; $T = 295$ K; mean $\sigma(\text{C}-\text{C}) = 0.004$ Å; R factor = 0.052; wR factor = 0.133; data-to-parameter ratio = 14.7.

In the pseudo-centrosymmetric molecule of the title compound, $\text{C}_{18}\text{H}_{16}\text{N}_4$, two benzimidazole fragments form the dihedral angles of 83.49 (7) and 79.37 (7)°, with the mean plane of the linking butene chain. No classical intermolecular interactions are observed. The porous crystal packing exhibits voids of 85 Å³.

Related literature

For applications of benzimidazole derivatives, see: Tidwell *et al.* (1993); Santra & Dogra (1999). For related structures, see: Su *et al.* (2003); Chen *et al.* (2007); Liu *et al.* (2011).



Experimental

Crystal data

 $\text{C}_{18}\text{H}_{16}\text{N}_4$
 $M_r = 288.35$

 Monoclinic, $P2_1/c$
 $a = 12.564$ (3) Å
 $b = 9.140$ (2) Å
 $c = 18.131$ (3) Å
 $\beta = 127.281$ (12)°
 $V = 1656.7$ (6) Å³
 $Z = 4$
 Mo $K\alpha$ radiation
 $\mu = 0.07$ mm⁻¹
 $T = 295$ K
 $0.20 \times 0.18 \times 0.17$ mm

Data collection

 Bruker SMART CCD area-detector diffractometer
 Absorption correction: multi-scan (*SADABS*; Sheldrick, 1996)
 $T_{\min} = 0.956$, $T_{\max} = 0.996$

 12226 measured reflections
 2925 independent reflections
 1639 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.056$

Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.052$
 $wR(F^2) = 0.133$
 $S = 1.01$
 2925 reflections

 199 parameters
 H-atom parameters constrained
 $\Delta\rho_{\text{max}} = 0.19$ e Å⁻³
 $\Delta\rho_{\text{min}} = -0.14$ e Å⁻³

Data collection: *SMART* (Bruker, 1998); cell refinement: *S SAINT* (Bruker, 1998); data reduction: *S SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXTL* and *PLATON* (Spek, 2009).

The authors thank Hebei United University for support of this work.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: CV5116).

References

- Bruker (1998). *SMART* and *S SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Chen, C.-L., Zhang, J.-Y. & Su, C.-Y. (2007). *Eur. J. Inorg. Chem.* pp. 2997–3010.
- Liu, T.-F., Wu, W.-F., Wan, C.-Q., He, C.-H., Jiao, C.-H. & Cui, G.-H. (2011). *J. Coord. Chem.* **64**, 975–986.
- Santra, S. & Dogra, S. K. (1999). *J. Mol. Struct.* **476**, 223–233.
- Sheldrick, G. M. (1996). *SADABS*. University of Göttingen, Germany.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Spek, A. L. (2009). *Acta Cryst.* **D65**, 148–155.
- Su, C.-Y., Cai, Y.-P., Chen, C.-L., Smith, M. D., Kaim, W. & zur Loye, H.-C. (2003). *J. Am. Chem. Soc.* **125**, 8595–8613.
- Tidwell, R. R., Jones, S. K., Naiman, N. A., Berger, L. C., Brake, W. B., Dykstra, C. C. & Hall, J. E. (1993). *Antimicrob. Agents Chemother.* **37**, 1713–1716.

supporting information

Acta Cryst. (2011). E67, o1797 [doi:10.1107/S1600536811024251]

1,4-Bis(1*H*-benzimidazol-1-yl)but-2-ene

Gui-Ying Dong, Tong-Fei Liu, Cui-Huan Jiao, Xiao-Chen Deng and Xiao-Ge Shi

S1. Comment

Bis-benzimidazole compounds have been widely used due to their anti-viral activities (Tidwell *et al.*, 1993), photochemical and photophysical properties (Santra & Dogra, 1999). They have found applications in supramolecular coordination chemistry to generate various coordination architectures (Su *et al.*, 2003; Chen *et al.*, 2007; Liu *et al.*, 2011). Herewith we report the crystal structure of the title bis-benzimidazole compound (I).

In (I) (Fig. 1), the molecule adopts a *trans* conformation. Two benzimidazole fragments form the dihedral angles of 83.49 (7) and 79.37 (7)°, respectively, with the mean plane of linking them butene chain. The C11—C10—C9—C8 torsion angle is 176.5 (3)°. The average bond distances and angles for the benzimidazole ring are in agreement with those in related benzimidazole compounds (Chen *et al.*, 2007; Liu *et al.*, 2011). In the absence of classical intermolecular interactions, the porous crystal packing exhibits voids of 85 Å³.

S2. Experimental

The title compound was prepared according to the literature (Liu *et al.*, 2011). Single crystals were grown from an ethanol solution over a period of several days at room temperature.

S3. Refinement

H atoms were placed in calculated positions (C—H 0.93–0.97 Å), and refined with a riding model, with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$. The program Squeeze in *PLATON* (Spek, 2009) was applied to remove regions of diffuse electron density that could not be satisfactorily modeled.




Figure 1

The molecular structure of (I), showing displacement ellipsoids at the 30% probability level.

1,4-Bis(1*H*-benzimidazol-1-yl)but-2-ene*Crystal data*C₁₈H₁₆N₄ $M_r = 288.35$ Monoclinic, $P2_1/c$

Hall symbol: -P 2ybc

 $a = 12.564 (3) \text{ \AA}$ $b = 9.140 (2) \text{ \AA}$ $c = 18.131 (3) \text{ \AA}$ $\beta = 127.281 (12)^\circ$ $V = 1656.7 (6) \text{ \AA}^3$ $Z = 4$ $F(000) = 608$ $D_x = 1.156 \text{ Mg m}^{-3}$ Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$

Cell parameters from 4528 reflections

 $\theta = 3.5\text{--}20.3^\circ$ $\mu = 0.07 \text{ mm}^{-1}$ $T = 295 \text{ K}$

Block, colourless

 $0.20 \times 0.18 \times 0.17 \text{ mm}$ *Data collection*Bruker SMART CCD area-detector
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

 φ and ω scansAbsorption correction: multi-scan
(*SADABS*; Sheldrick, 1996) $T_{\min} = 0.956$, $T_{\max} = 0.996$

12226 measured reflections

2925 independent reflections

1639 reflections with $I > 2\sigma(I)$ $R_{\text{int}} = 0.056$ $\theta_{\max} = 25.0^\circ$, $\theta_{\min} = 2.0^\circ$ $h = -14 \rightarrow 14$ $k = -10 \rightarrow 10$ $l = -21 \rightarrow 21$ *Refinement*Refinement on F^2

Least-squares matrix: full

 $R[F^2 > 2\sigma(F^2)] = 0.052$ $wR(F^2) = 0.133$ $S = 1.01$

2925 reflections

199 parameters

0 restraints

Primary atom site location: structure-invariant
direct methodsSecondary atom site location: difference Fourier
mapHydrogen site location: inferred from
neighbouring sites

H-atom parameters constrained

 $w = 1/[\sigma^2(F_o^2) + (0.0545P)^2]$ where $P = (F_o^2 + 2F_c^2)/3$ $(\Delta/\sigma)_{\max} < 0.001$ $\Delta\rho_{\max} = 0.19 \text{ e \AA}^{-3}$ $\Delta\rho_{\min} = -0.14 \text{ e \AA}^{-3}$ *Special details*

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
N1	0.93808 (17)	-0.12271 (19)	0.16716 (12)	0.0514 (5)

N2	1.0262 (2)	-0.1093 (2)	0.31752 (13)	0.0646 (6)
N3	0.55655 (17)	0.1198 (2)	-0.20779 (12)	0.0533 (5)
N4	0.4402 (2)	0.1102 (2)	-0.36219 (14)	0.0724 (6)
C1	1.0390 (2)	-0.0742 (2)	0.25325 (18)	0.0632 (7)
H1	1.1111	-0.0206	0.2655	0.076*
C2	0.9075 (2)	-0.1874 (2)	0.27030 (15)	0.0528 (6)
C3	0.8415 (3)	-0.2500 (3)	0.30264 (17)	0.0650 (7)
H3	0.8766	-0.2436	0.3648	0.078*
C4	0.7230 (3)	-0.3217 (3)	0.2396 (2)	0.0710 (7)
H4	0.6771	-0.3641	0.2595	0.085*
C5	0.6706 (2)	-0.3319 (3)	0.14720 (18)	0.0662 (7)
H5	0.5907	-0.3822	0.1068	0.079*
C6	0.7322 (2)	-0.2708 (2)	0.11317 (16)	0.0567 (6)
H6	0.6962	-0.2778	0.0509	0.068*
C7	0.8516 (2)	-0.1974 (2)	0.17686 (14)	0.0474 (6)
C8	0.9207 (2)	-0.0957 (2)	0.08116 (15)	0.0592 (6)
H8A	0.8973	-0.1865	0.0469	0.071*
H8B	1.0043	-0.0612	0.0955	0.071*
C9	0.8136 (2)	0.0152 (3)	0.02248 (17)	0.0590 (6)
H9	0.8277	0.1096	0.0460	0.071*
C10	0.7016 (2)	-0.0108 (2)	-0.05950 (17)	0.0600 (6)
H10	0.6902	-0.1037	-0.0843	0.072*
C11	0.5908 (2)	0.0964 (3)	-0.11649 (16)	0.0678 (7)
H11B	0.5122	0.0616	-0.1235	0.081*
H11A	0.6166	0.1892	-0.0839	0.081*
C12	0.4456 (2)	0.0739 (3)	-0.2902 (2)	0.0684 (7)
H12	0.3783	0.0207	-0.2953	0.082*
C13	0.5584 (2)	0.1877 (2)	-0.32404 (15)	0.0548 (6)
C14	0.6068 (3)	0.2551 (3)	-0.36690 (17)	0.0738 (8)
H14	0.5599	0.2508	-0.4308	0.089*
C15	0.7263 (3)	0.3282 (3)	-0.3115 (2)	0.0797 (8)
H15	0.7597	0.3761	-0.3388	0.096*
C16	0.7985 (2)	0.3327 (3)	-0.2160 (2)	0.0699 (7)
H16	0.8794	0.3827	-0.1807	0.084*
C17	0.7535 (2)	0.2653 (2)	-0.17234 (16)	0.0545 (6)
H17	0.8021	0.2673	-0.1082	0.065*
C18	0.6318 (2)	0.1941 (2)	-0.22858 (14)	0.0443 (5)

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
N1	0.0494 (11)	0.0484 (11)	0.0549 (12)	-0.0002 (9)	0.0308 (11)	0.0018 (9)
N2	0.0630 (13)	0.0578 (13)	0.0591 (13)	-0.0018 (11)	0.0297 (11)	-0.0044 (10)
N3	0.0467 (11)	0.0536 (12)	0.0573 (12)	0.0023 (10)	0.0303 (10)	0.0052 (10)
N4	0.0592 (14)	0.0724 (15)	0.0568 (13)	-0.0074 (12)	0.0201 (11)	-0.0030 (11)
C1	0.0531 (15)	0.0533 (16)	0.0684 (18)	-0.0049 (12)	0.0291 (15)	-0.0048 (13)
C2	0.0570 (15)	0.0439 (13)	0.0556 (15)	0.0049 (12)	0.0331 (13)	-0.0007 (11)
C3	0.084 (2)	0.0591 (16)	0.0631 (16)	0.0103 (14)	0.0507 (16)	0.0061 (12)

C4	0.0794 (19)	0.0583 (17)	0.094 (2)	0.0030 (15)	0.0625 (18)	0.0055 (15)
C5	0.0515 (15)	0.0570 (16)	0.084 (2)	-0.0026 (13)	0.0376 (15)	0.0007 (13)
C6	0.0537 (15)	0.0529 (15)	0.0532 (14)	0.0025 (12)	0.0269 (13)	0.0030 (11)
C7	0.0455 (13)	0.0417 (13)	0.0488 (14)	0.0046 (11)	0.0253 (12)	0.0022 (10)
C8	0.0641 (15)	0.0595 (15)	0.0607 (15)	0.0039 (13)	0.0413 (13)	0.0064 (12)
C9	0.0732 (16)	0.0531 (15)	0.0619 (16)	0.0067 (13)	0.0468 (15)	0.0067 (12)
C10	0.0753 (17)	0.0540 (15)	0.0641 (16)	0.0089 (14)	0.0492 (15)	0.0122 (12)
C11	0.0686 (17)	0.0706 (17)	0.0766 (18)	0.0148 (14)	0.0504 (15)	0.0169 (13)
C12	0.0478 (15)	0.0543 (16)	0.082 (2)	-0.0080 (12)	0.0285 (16)	0.0017 (14)
C13	0.0522 (15)	0.0512 (14)	0.0527 (14)	0.0033 (12)	0.0274 (13)	-0.0001 (11)
C14	0.083 (2)	0.082 (2)	0.0539 (16)	0.0163 (16)	0.0402 (16)	0.0155 (14)
C15	0.080 (2)	0.079 (2)	0.105 (2)	0.0119 (17)	0.0691 (19)	0.0235 (17)
C16	0.0555 (15)	0.0593 (17)	0.092 (2)	-0.0005 (13)	0.0430 (16)	0.0075 (14)
C17	0.0485 (14)	0.0457 (14)	0.0588 (15)	0.0036 (11)	0.0271 (13)	0.0026 (11)
C18	0.0420 (13)	0.0384 (12)	0.0490 (14)	0.0039 (11)	0.0258 (11)	0.0027 (10)

Geometric parameters (Å, °)

N1—C1	1.358 (3)	C8—C9	1.495 (3)
N1—C7	1.382 (2)	C8—H8A	0.9700
N1—C8	1.458 (2)	C8—H8B	0.9700
N2—C1	1.309 (3)	C9—C10	1.308 (3)
N2—C2	1.387 (3)	C9—H9	0.9300
N3—C12	1.352 (3)	C10—C11	1.491 (3)
N3—C18	1.389 (2)	C10—H10	0.9300
N3—C11	1.452 (3)	C11—H11B	0.9700
N4—C12	1.308 (3)	C11—H11A	0.9700
N4—C13	1.393 (3)	C12—H12	0.9300
C1—H1	0.9300	C13—C18	1.384 (3)
C2—C7	1.389 (3)	C13—C14	1.387 (3)
C2—C3	1.395 (3)	C14—C15	1.372 (3)
C3—C4	1.375 (3)	C14—H14	0.9300
C3—H3	0.9300	C15—C16	1.387 (3)
C4—C5	1.383 (3)	C15—H15	0.9300
C4—H4	0.9300	C16—C17	1.365 (3)
C5—C6	1.368 (3)	C16—H16	0.9300
C5—H5	0.9300	C17—C18	1.383 (3)
C6—C7	1.391 (3)	C17—H17	0.9300
C6—H6	0.9300		
C1—N1—C7	105.92 (18)	H8A—C8—H8B	108.0
C1—N1—C8	127.2 (2)	C10—C9—C8	124.8 (2)
C7—N1—C8	126.83 (18)	C10—C9—H9	117.6
C1—N2—C2	104.1 (2)	C8—C9—H9	117.6
C12—N3—C18	105.52 (19)	C9—C10—C11	125.3 (2)
C12—N3—C11	127.5 (2)	C9—C10—H10	117.3
C18—N3—C11	126.95 (19)	C11—C10—H10	117.3
C12—N4—C13	103.8 (2)	N3—C11—C10	113.18 (19)

N2—C1—N1	114.2 (2)	N3—C11—H11B	108.9
N2—C1—H1	122.9	C10—C11—H11B	108.9
N1—C1—H1	122.9	N3—C11—H11A	108.9
N2—C2—C7	110.3 (2)	C10—C11—H11A	108.9
N2—C2—C3	130.0 (2)	H11B—C11—H11A	107.8
C7—C2—C3	119.7 (2)	N4—C12—N3	114.8 (2)
C4—C3—C2	117.8 (2)	N4—C12—H12	122.6
C4—C3—H3	121.1	N3—C12—H12	122.6
C2—C3—H3	121.1	C18—C13—C14	119.7 (2)
C3—C4—C5	121.3 (2)	C18—C13—N4	110.2 (2)
C3—C4—H4	119.3	C14—C13—N4	130.1 (2)
C5—C4—H4	119.3	C15—C14—C13	117.6 (2)
C6—C5—C4	122.3 (2)	C15—C14—H14	121.2
C6—C5—H5	118.8	C13—C14—H14	121.2
C4—C5—H5	118.8	C14—C15—C16	121.7 (2)
C5—C6—C7	116.3 (2)	C14—C15—H15	119.1
C5—C6—H6	121.9	C16—C15—H15	119.1
C7—C6—H6	121.9	C17—C16—C15	121.6 (2)
N1—C7—C2	105.48 (19)	C17—C16—H16	119.2
N1—C7—C6	131.9 (2)	C15—C16—H16	119.2
C2—C7—C6	122.6 (2)	C16—C17—C18	116.5 (2)
N1—C8—C9	111.31 (18)	C16—C17—H17	121.8
N1—C8—H8A	109.4	C18—C17—H17	121.8
C9—C8—H8A	109.4	C17—C18—C13	122.9 (2)
N1—C8—H8B	109.4	C17—C18—N3	131.3 (2)
C9—C8—H8B	109.4	C13—C18—N3	105.72 (19)
C2—N2—C1—N1	0.1 (3)	C12—N3—C11—C10	108.2 (3)
C7—N1—C1—N2	-0.3 (2)	C18—N3—C11—C10	-71.6 (3)
C8—N1—C1—N2	176.94 (19)	C9—C10—C11—N3	123.4 (2)
C1—N2—C2—C7	0.2 (2)	C13—N4—C12—N3	-0.2 (3)
C1—N2—C2—C3	-178.6 (2)	C18—N3—C12—N4	-0.1 (3)
N2—C2—C3—C4	179.6 (2)	C11—N3—C12—N4	-179.9 (2)
C7—C2—C3—C4	0.8 (3)	C12—N4—C13—C18	0.4 (2)
C2—C3—C4—C5	0.2 (3)	C12—N4—C13—C14	-178.9 (2)
C3—C4—C5—C6	-0.7 (4)	C18—C13—C14—C15	-1.1 (3)
C4—C5—C6—C7	0.2 (3)	N4—C13—C14—C15	178.1 (2)
C1—N1—C7—C2	0.4 (2)	C13—C14—C15—C16	1.4 (4)
C8—N1—C7—C2	-176.86 (18)	C14—C15—C16—C17	-0.5 (4)
C1—N1—C7—C6	-179.6 (2)	C15—C16—C17—C18	-0.7 (3)
C8—N1—C7—C6	3.1 (3)	C16—C17—C18—C13	1.0 (3)
N2—C2—C7—N1	-0.4 (2)	C16—C17—C18—N3	-177.8 (2)
C3—C2—C7—N1	178.58 (19)	C14—C13—C18—C17	-0.1 (3)
N2—C2—C7—C6	179.66 (19)	N4—C13—C18—C17	-179.48 (19)
C3—C2—C7—C6	-1.3 (3)	C14—C13—C18—N3	178.9 (2)
C5—C6—C7—N1	-179.1 (2)	N4—C13—C18—N3	-0.4 (2)
C5—C6—C7—C2	0.8 (3)	C12—N3—C18—C17	179.2 (2)
C1—N1—C8—C9	-104.7 (2)	C11—N3—C18—C17	-0.9 (3)

supporting information

C7—N1—C8—C9	72.0 (3)	C12—N3—C18—C13	0.3 (2)
N1—C8—C9—C10	-116.2 (2)	C11—N3—C18—C13	-179.85 (19)
C8—C9—C10—C11	176.37 (19)		
