

(Altomare *et al.*, 1993); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3* (Farrugia, 1997) and *Mercury* (Macrae *et al.*, 2006); software used to prepare material for publication: *SHELXL97*.

The authors are thankful to Rev. Fr B. Jeyaraj, SJ, Principal, Loyola College, for providing the necessary facilities and the head, SAIF, IIT Madras, Chennai, India, for recording the ^1H NMR spectra and for the X-ray data collection

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: JH2292).

References

- Altomare, A., Cascarano, G., Giacovazzo, C. & Guagliardi, A. (1993). *J. Appl. Cryst.* **26**, 343–350.
- Bline, R. & Hadzi, D. (1958). *J. Chem. Soc.* **36**, 45.
- Brown, K. L. (2005). *Chem. Rev.* **105**, 2075–2149.
- Bruker (2008). *APEX2*, *SAINT-Plus* (including *XPREP*) and *SADABS*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Dayalan, A. & Vijayaraghavan, V. R. (2001). *Indian J. Chem. Sect. A*, **40**, 959–964.
- Dolphin, D. (1982). Editor. *B₁₂*, Vols. 1 and 2. New York: Wiley.
- Dutta, G., Kumar, K. & Gupta, B. D. (2009). *Organometallics*, **28**, 3485–3491.
- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- Flack, H. D. (1983). *Acta Cryst.* **A39**, 876–881.
- Gupta, B. D., Vijaikanth, V. & Singh, V. (2004). *Organometallics*, **23**, 2069–2079.
- Kavitha, T., Revathi, C., Hemalatha, M., Dayalan, A. & Ponnuswamy, M. N. (2008). *Acta Cryst.* **E64**, o114.
- Macrae, C. F., Edgington, P. R., McCabe, P., Pidcock, E., Shields, G. P., Taylor, R., Towler, M. & van de Streek, J. (2006). *J. Appl. Cryst.* **39**, 453–457.
- Ramesh, P., SubbiahPandi, A., Jothi, P., Revathi, C. & Dayalan, A. (2008). *Acta Cryst.* **E64**, m300–m301.
- Randaccio, L., Bresciani-Pahor, N., Zangrando, E. & Marzilli, L. G. (1989). *Chem. Soc. Rev.* **18**, 225–250.
- Reemers, S. & Englert, U. (2002). *Inorg. Chem. Commun.* **5**, 829–831.
- Revathi, C., Dayalan, A. & SethuSankar, K. (2009). *Acta Cryst.* **E65**, m795–m796.
- Schrauzer, G. N. & Windgassen, R. J. (1966). *Chem. Ber.* **99**, 602–610.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Silverstein, R. M. & Bassler, G. C. (1984). *Spectrometric Identification of Organic Compounds*, 2nd ed., pp. 458–465. New York: John Wiley and Sons.
- Toscano, P. J., Swider, S., Marzilli, L. G., Phor, N. B. & Randaccio, L. (1983). *Inorg. Chem.* **22**, 3416–3421.

supporting information

Acta Cryst. (2011). E67, m851–m852 [doi:10.1107/S1600536811020162]

Chloridobis(dimethylglyoximato- κ^2N,N')(4-methylpyridine- κN)cobalt(III) hemihydrate

Madhavan Amutha Selvi, Kannan Arun Kumar and Arunachalam Dayalan

S1. Comment

Cobaloximes have been used extensively as structural and functional mimics for vitamin-B₁₂ (Brown, 2005 and Randaccio *et al.*, 1989). Their chemical properties have been widely studied (Schrauzer *et al.*, 1966). The two aspects of cobaloxime chemistry are their (a) inertness with respect to ligand exchange making them to serve as ideal system for studies relating to electron transfer reactions and (b) crystal parameters. The distance between glyoximato oxygen atoms in these complexes amount to 2.4–2.6 Å, a distance range of considerable interest for strong intra molecular hydrogen bonding (Reemers *et al.*, 2002). Compared to cobalamins, cobaloximes have shorter Co—N axial bond distance. It is known that coenzymes are related to number of 1,2-intra molecular rearrangement reactions (Dolphin *et al.*, 1982). Most of the recent studies on cobaloximes have been focused on their structure–property relationships (Gupta *et al.*, 2004 and Dutta *et al.*, 2009).

In this title complex, the coordination about the Co^{III} ion is slightly distorted octahedral (Revathi *et al.*, 2009 and Kavitha *et al.*, 2008) with the 4-methylpyridine and chloride ligands occupying the axial positions and the two dimethylglyoximato ligands occupying the equatorial sites. The bite angles N1—Co—N2 and N3—Co—N4 of the ligand are 81.45 (8)^o and 81.17 (8)^o, respectively. The coordinated chloride and the pyridine ring nitrogen are collinear with cobalt(III) forming an axial bond angle [N5—Co—Cl] = 178.89 (5)^o and are perpendicular to the equatorial plane. The two glyoximate moieties are linked together by strong inter molecular hydrogen bonding.

S2. Experimental

The complex was prepared by the literature method (Schrauzer *et al.*, 1966) using H[Co(dmgh)₂Cl₂] as the starting material (Ramesh *et al.*, 2008). The dichloro cobaloxime was mixed with 4-methylpyridine in 1:1 molar ratio in about 60 ml of ethanol and allowed to stir for 3 hrs. The resulting brown coloured complex was filtered, washed with absolute ethanol followed by ether and dried over vacuum desiccator. Crystals of the complex were grown in ethanol by slow evaporation method. The complex was characterized by UV, IR and ¹H NMR spectra. A moderately intense band around 250 nm may be ascribed to π - π^* transition of the dmgh⁻ group. A shoulder around 330 nm may be due to the ligand to metal charge transfer transition, LMCT (Dayalan *et al.*, 2001). The C=N stretching vibration of the oxime in its complex was observed at 1580 cm⁻¹ and the intra molecular hydrogen bonded –OH around 3450 cm⁻¹. A moderate peak at 1094 cm⁻¹ may be assigned to the C=N—O stretching of the oxime. The peak at 513 cm⁻¹ could be attributed to cobalt(III)-nitrogen stretching (Bline *et al.*, 1958). The ¹H NMR spectrum of the complex in DMSO-d₆ shows a sharp intense singlet at 2.4 p.p.m. corresponding to methyl protons of the dimethylglyoximate. A singlet at 3.2 p.p.m. may be due to methyl protons of axial 4-methylpyridine ligand. The oxime –OH proton resonates at 8.28 p.p.m.. The two doublets at 8.07 and 7.4 p.p.m. correspond to pyridine ring protons at 2 & 6 and 3 & 5 positions, respectively of 4-methylpyridine at the axial position of the complex (Silverstein *et al.*, 1984).

S3. Refinement

All the hydrogen atoms were identified from the difference electron density peak and fixed accordingly. The H atom bound to methyl C atoms were constrained to riding atoms with $d(\text{C}-\text{H}) = 0.96\text{\AA}$ and $U_{\text{iso}}(\text{H}) = 1.5U_{\text{equ}}(\text{C})$, and the hydrogen atoms bound to aromatic carbon were constrained to riding atoms with $d(\text{C}-\text{H}) = 0.93\text{\AA}$ and $U_{\text{iso}}(\text{H}) = 1.2U_{\text{equ}}(\text{C})$. The position of the hydrogen atom bound to the hydroxyl group was identified from the difference in the electron density map and restrained to a distance of $d(\text{O}2-\text{H}2) = 0.90(1)\text{\AA}$. The lattice solvent water O5 is left as anisotropically refined without the hydrogen being fixed but the water hydrogen is included in the chemical formula.





Figure 1

The ORTEP representation of the complex drawn at 30% probability level with the atom labelling scheme.

**Figure 2**

Packing of complex in the unit cell.

Chloridobis(dimethylglyoximato- κ^2N,N')(4-methylpyridine- κN)cobalt(III) hemihydrate

Crystal data

$[\text{Co}(\text{C}_4\text{H}_7\text{N}_2\text{O}_2)_2\text{Cl}(\text{C}_6\text{H}_7\text{N})] \cdot 0.5\text{H}_2\text{O}$

$M_r = 425.74$

Orthorhombic, $P2_12_12_1$

$a = 8.330 (5) \text{ \AA}$

$b = 14.365 (5) \text{ \AA}$

$c = 15.634 (5) \text{ \AA}$

$V = 1870.8 (14) \text{ \AA}^3$

$Z = 4$

$F(000) = 880$

$D_x = 1.512 \text{ Mg m}^{-3}$

Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$

Cell parameters from 5528 reflections

$\theta = 2.6\text{--}28.2^\circ$

$\mu = 1.09 \text{ mm}^{-1}$

$T = 293 \text{ K}$

Block, brown

$0.25 \times 0.20 \times 0.20 \text{ mm}$

Data collection

Bruker SMART APEXII CCD
diffractometer
Radiation source: fine-focus sealed tube
Graphite monochromator
 ω and φ scans
Absorption correction: multi-scan
(SADABS; Bruker 2008)
 $T_{\min} = 0.772$, $T_{\max} = 0.811$

10519 measured reflections
4642 independent reflections
4143 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.028$
 $\theta_{\max} = 28.4^\circ$, $\theta_{\min} = 1.9^\circ$
 $h = -10 \rightarrow 10$
 $k = -19 \rightarrow 18$
 $l = -20 \rightarrow 20$

Refinement

Refinement on F^2
Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.029$
 $wR(F^2) = 0.077$
 $S = 1.02$
4642 reflections
248 parameters
2 restraints
Primary atom site location: structure-invariant
direct methods
Secondary atom site location: difference Fourier
map

Hydrogen site location: inferred from
neighbouring sites
H atoms treated by a mixture of independent
and constrained refinement
 $w = 1/[\sigma^2(F_o^2) + (0.0405P)^2]$
where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} = 0.001$
 $\Delta\rho_{\max} = 0.40 \text{ e } \text{\AA}^{-3}$
 $\Delta\rho_{\min} = -0.38 \text{ e } \text{\AA}^{-3}$
Absolute structure: Flack (1983), **1983 Friedel
pairs**
Absolute structure parameter: 0.014 (13)

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$	Occ. (<1)
C1	0.7398 (3)	0.39874 (18)	0.25266 (16)	0.0398 (5)	
C2	0.7058 (3)	0.49050 (18)	0.28872 (15)	0.0408 (6)	
C3	0.8891 (3)	0.3435 (2)	0.2701 (2)	0.0643 (9)	
H3A	0.8637	0.2783	0.2702	0.097*	
H3B	0.9319	0.3608	0.3249	0.097*	
H3C	0.9672	0.3560	0.2265	0.097*	
C4	0.8147 (4)	0.5421 (3)	0.3478 (2)	0.0741 (10)	
H4A	0.7709	0.6026	0.3591	0.111*	
H4B	0.9185	0.5485	0.3218	0.111*	
H4C	0.8248	0.5083	0.4005	0.111*	
C5	0.1881 (3)	0.40417 (17)	0.08949 (15)	0.0406 (6)	
C6	0.1538 (3)	0.49521 (17)	0.12558 (16)	0.0392 (5)	
C7	0.0753 (4)	0.3542 (3)	0.0314 (2)	0.0759 (10)	
H7A	0.0627	0.3891	-0.0206	0.114*	
H7B	-0.0270	0.3477	0.0589	0.114*	

H7C	0.1177	0.2937	0.0183	0.114*	
C8	0.0047 (3)	0.5485 (3)	0.1072 (2)	0.0644 (9)	
H8A	0.0054	0.6055	0.1393	0.097*	
H8B	-0.0870	0.5121	0.1232	0.097*	
H8C	-0.0004	0.5625	0.0472	0.097*	
C9	0.2872 (3)	0.43850 (15)	0.35158 (13)	0.0331 (4)	
H9	0.2853	0.5030	0.3467	0.040*	
C10	0.2280 (3)	0.39842 (16)	0.42473 (15)	0.0387 (5)	
H10	0.1854	0.4358	0.4677	0.046*	
C11	0.2313 (3)	0.30297 (17)	0.43490 (15)	0.0376 (5)	
C12	0.2910 (3)	0.25176 (16)	0.36721 (16)	0.0376 (5)	
H12	0.2935	0.1871	0.3707	0.045*	
C13	0.3464 (3)	0.29497 (15)	0.29503 (15)	0.0351 (5)	
H13	0.3846	0.2588	0.2501	0.042*	
C14	0.1738 (4)	0.2569 (2)	0.51559 (18)	0.0596 (8)	
H14A	0.0587	0.2530	0.5148	0.089*	
H14B	0.2075	0.2928	0.5641	0.089*	
H14C	0.2184	0.1954	0.5193	0.089*	
N1	0.6300 (2)	0.36941 (12)	0.20091 (12)	0.0341 (4)	
N2	0.5693 (3)	0.52355 (12)	0.26275 (11)	0.0349 (4)	
N3	0.3268 (3)	0.37229 (13)	0.11255 (12)	0.0346 (4)	
N4	0.2679 (2)	0.52672 (12)	0.17406 (12)	0.0334 (4)	
N5	0.3474 (2)	0.38848 (11)	0.28726 (11)	0.0269 (4)	
O1	0.6426 (2)	0.28837 (12)	0.15990 (12)	0.0484 (4)	
O2	0.5187 (3)	0.60675 (11)	0.28888 (12)	0.0476 (5)	
O3	0.3788 (3)	0.29032 (14)	0.08378 (12)	0.0524 (5)	
O4	0.2592 (2)	0.61073 (11)	0.21081 (12)	0.0483 (5)	
Cl1	0.56856 (8)	0.51419 (4)	0.07531 (4)	0.04044 (14)	
Co1	0.44843 (3)	0.447668 (17)	0.188051 (17)	0.02570 (8)	
O5	0.8676 (9)	0.1476 (5)	0.1002 (5)	0.117 (2)	0.50
H3	0.4797 (19)	0.288 (2)	0.104 (2)	0.066 (11)*	
H2	0.426 (3)	0.621 (3)	0.261 (2)	0.087 (13)*	

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
C1	0.0293 (12)	0.0521 (14)	0.0381 (12)	-0.0008 (10)	-0.0037 (10)	0.0140 (11)
C2	0.0345 (12)	0.0535 (14)	0.0345 (12)	-0.0124 (11)	-0.0104 (10)	0.0099 (10)
C3	0.0362 (14)	0.080 (2)	0.076 (2)	0.0095 (14)	-0.0095 (14)	0.0267 (18)
C4	0.069 (2)	0.090 (2)	0.0638 (19)	-0.023 (2)	-0.0352 (17)	0.0010 (18)
C5	0.0370 (13)	0.0506 (13)	0.0341 (12)	-0.0111 (11)	-0.0101 (10)	0.0045 (10)
C6	0.0277 (12)	0.0510 (13)	0.0388 (12)	0.0003 (11)	-0.0027 (10)	0.0144 (10)
C7	0.071 (2)	0.089 (2)	0.068 (2)	-0.024 (2)	-0.0365 (18)	-0.0029 (18)
C8	0.0343 (14)	0.087 (2)	0.0724 (19)	0.0160 (14)	-0.0032 (13)	0.0242 (18)
C9	0.0363 (11)	0.0300 (10)	0.0331 (10)	-0.0003 (9)	0.0018 (9)	-0.0065 (9)
C10	0.0412 (13)	0.0441 (12)	0.0309 (10)	-0.0013 (10)	0.0052 (11)	-0.0101 (10)
C11	0.0328 (12)	0.0482 (13)	0.0317 (11)	-0.0059 (10)	-0.0030 (10)	0.0040 (10)
C12	0.0405 (13)	0.0306 (10)	0.0415 (12)	0.0002 (10)	0.0020 (11)	0.0042 (9)

C13	0.0402 (12)	0.0278 (9)	0.0372 (12)	0.0029 (9)	0.0023 (10)	-0.0032 (8)
C14	0.067 (2)	0.0712 (18)	0.0405 (16)	-0.0139 (16)	0.0089 (15)	0.0088 (14)
N1	0.0303 (9)	0.0373 (9)	0.0348 (10)	0.0051 (7)	0.0020 (8)	0.0029 (8)
N2	0.0413 (11)	0.0320 (8)	0.0312 (9)	-0.0089 (9)	-0.0018 (9)	-0.0001 (7)
N3	0.0401 (12)	0.0355 (9)	0.0283 (9)	-0.0036 (8)	-0.0025 (8)	-0.0054 (7)
N4	0.0344 (10)	0.0315 (8)	0.0343 (10)	0.0049 (7)	0.0001 (8)	0.0037 (7)
N5	0.0273 (9)	0.0251 (7)	0.0282 (8)	0.0018 (7)	-0.0005 (7)	-0.0013 (6)
O1	0.0480 (10)	0.0418 (8)	0.0553 (11)	0.0150 (8)	0.0079 (9)	-0.0052 (8)
O2	0.0639 (13)	0.0307 (7)	0.0482 (10)	-0.0095 (8)	-0.0048 (9)	-0.0084 (7)
O3	0.0678 (13)	0.0433 (9)	0.0463 (11)	0.0021 (9)	-0.0060 (10)	-0.0203 (8)
O4	0.0586 (12)	0.0314 (8)	0.0549 (11)	0.0134 (8)	0.0025 (9)	-0.0017 (8)
Cl1	0.0367 (3)	0.0529 (3)	0.0317 (2)	-0.0044 (3)	-0.0007 (3)	0.0089 (2)
Co1	0.02577 (13)	0.02728 (12)	0.02404 (12)	0.00065 (11)	-0.00294 (11)	-0.00153 (10)
O5	0.119 (5)	0.121 (4)	0.111 (5)	0.036 (5)	0.008 (4)	0.015 (4)

Geometric parameters (Å, °)

C1—N1	1.292 (3)	C9—H9	0.9300
C1—C2	1.461 (4)	C10—C11	1.381 (3)
C1—C3	1.500 (3)	C10—H10	0.9300
C2—N2	1.297 (3)	C11—C12	1.382 (3)
C2—C4	1.491 (4)	C11—C14	1.503 (3)
C3—H3A	0.9600	C12—C13	1.368 (3)
C3—H3B	0.9600	C12—H12	0.9300
C3—H3C	0.9600	C13—N5	1.349 (3)
C4—H4A	0.9600	C13—H13	0.9300
C4—H4B	0.9600	C14—H14A	0.9600
C4—H4C	0.9600	C14—H14B	0.9600
C5—N3	1.294 (3)	C14—H14C	0.9600
C5—C6	1.453 (4)	N1—O1	1.333 (3)
C5—C7	1.491 (4)	N1—Co1	1.8951 (19)
C6—N4	1.297 (3)	N2—O2	1.332 (3)
C6—C8	1.487 (4)	N2—Co1	1.8885 (19)
C7—H7A	0.9600	N3—O3	1.333 (3)
C7—H7B	0.9600	N3—Co1	1.8953 (19)
C7—H7C	0.9600	N4—O4	1.339 (2)
C8—H8A	0.9600	N4—Co1	1.897 (2)
C8—H8B	0.9600	N5—Co1	1.9589 (18)
C8—H8C	0.9600	O2—H2	0.907 (10)
C9—N5	1.334 (3)	O3—H3	0.900 (10)
C9—C10	1.372 (3)	Cl1—Co1	2.2408 (8)
O1...O5	2.911 (8)	O5...O3 ⁱ	3.013 (7)
N1—C1—C2	113.5 (2)	C13—C12—C11	120.8 (2)
N1—C1—C3	121.9 (3)	C13—C12—H12	119.6
C2—C1—C3	124.6 (2)	C11—C12—H12	119.6
N2—C2—C1	112.3 (2)	N5—C13—C12	121.9 (2)

N2—C2—C4	123.0 (3)	N5—C13—H13	119.1
C1—C2—C4	124.7 (3)	C12—C13—H13	119.1
C1—C3—H3A	109.5	C11—C14—H14A	109.5
C1—C3—H3B	109.5	C11—C14—H14B	109.5
H3A—C3—H3B	109.5	H14A—C14—H14B	109.5
C1—C3—H3C	109.5	C11—C14—H14C	109.5
H3A—C3—H3C	109.5	H14A—C14—H14C	109.5
H3B—C3—H3C	109.5	H14B—C14—H14C	109.5
C2—C4—H4A	109.5	C1—N1—O1	122.0 (2)
C2—C4—H4B	109.5	C1—N1—Co1	115.98 (16)
H4A—C4—H4B	109.5	O1—N1—Co1	122.00 (15)
C2—C4—H4C	109.5	C2—N2—O2	120.7 (2)
H4A—C4—H4C	109.5	C2—N2—Co1	116.73 (17)
H4B—C4—H4C	109.5	O2—N2—Co1	122.61 (17)
N3—C5—C6	112.7 (2)	C5—N3—O3	120.6 (2)
N3—C5—C7	124.2 (3)	C5—N3—Co1	116.65 (17)
C6—C5—C7	123.1 (3)	O3—N3—Co1	122.76 (18)
N4—C6—C5	113.4 (2)	C6—N4—O4	121.7 (2)
N4—C6—C8	123.0 (3)	C6—N4—Co1	116.06 (16)
C5—C6—C8	123.6 (2)	O4—N4—Co1	122.21 (15)
C5—C7—H7A	109.5	C9—N5—C13	117.81 (19)
C5—C7—H7B	109.5	C9—N5—Co1	121.65 (14)
H7A—C7—H7B	109.5	C13—N5—Co1	120.40 (15)
C5—C7—H7C	109.5	N2—O2—H2	109 (2)
H7A—C7—H7C	109.5	N3—O3—H3	103 (2)
H7B—C7—H7C	109.5	N2—Co1—N1	81.44 (9)
C6—C8—H8A	109.5	N2—Co1—N3	179.57 (9)
C6—C8—H8B	109.5	N1—Co1—N3	98.84 (9)
H8A—C8—H8B	109.5	N2—Co1—N4	98.54 (9)
C6—C8—H8C	109.5	N1—Co1—N4	179.31 (9)
H8A—C8—H8C	109.5	N3—Co1—N4	81.17 (9)
H8B—C8—H8C	109.5	N2—Co1—N5	89.43 (8)
N5—C9—C10	122.5 (2)	N1—Co1—N5	90.09 (8)
N5—C9—H9	118.7	N3—Co1—N5	90.89 (8)
C10—C9—H9	118.7	N4—Co1—N5	90.60 (8)
C9—C10—C11	120.4 (2)	N2—Co1—Cl1	90.12 (6)
C9—C10—H10	119.8	N1—Co1—Cl1	88.85 (7)
C11—C10—H10	119.8	N3—Co1—Cl1	89.57 (7)
C10—C11—C12	116.6 (2)	N4—Co1—Cl1	90.46 (6)
C10—C11—C14	121.9 (2)	N5—Co1—Cl1	178.90 (6)
C12—C11—C14	121.5 (2)		
N1—C1—C2—N2	1.4 (3)	C2—N2—Co1—Cl1	-90.64 (17)
C3—C1—C2—N2	179.3 (2)	O2—N2—Co1—Cl1	89.93 (16)
N1—C1—C2—C4	-177.8 (3)	C1—N1—Co1—N2	2.65 (17)
C3—C1—C2—C4	0.1 (4)	O1—N1—Co1—N2	-178.23 (18)
N3—C5—C6—N4	-0.3 (3)	C1—N1—Co1—N3	-177.67 (17)
C7—C5—C6—N4	-179.6 (2)	O1—N1—Co1—N3	1.44 (18)

N3—C5—C6—C8	178.2 (2)	C1—N1—Co1—N4	91 (8)
C7—C5—C6—C8	-1.1 (4)	O1—N1—Co1—N4	-89 (8)
N5—C9—C10—C11	1.1 (4)	C1—N1—Co1—N5	-86.76 (17)
C9—C10—C11—C12	-2.2 (4)	O1—N1—Co1—N5	92.35 (17)
C9—C10—C11—C14	177.4 (2)	C1—N1—Co1—Cl1	92.94 (17)
C10—C11—C12—C13	1.3 (4)	O1—N1—Co1—Cl1	-87.94 (17)
C14—C11—C12—C13	-178.4 (2)	C5—N3—Co1—N2	-50 (13)
C11—C12—C13—N5	0.9 (4)	O3—N3—Co1—N2	130 (13)
C2—C1—N1—O1	177.96 (19)	C5—N3—Co1—N1	179.18 (17)
C3—C1—N1—O1	0.0 (3)	O3—N3—Co1—N1	-0.80 (19)
C2—C1—N1—Co1	-2.9 (3)	C5—N3—Co1—N4	-1.52 (17)
C3—C1—N1—Co1	179.11 (19)	O3—N3—Co1—N4	178.50 (19)
C1—C2—N2—O2	-179.79 (19)	C5—N3—Co1—N5	88.95 (18)
C4—C2—N2—O2	-0.5 (4)	O3—N3—Co1—N5	-91.03 (18)
C1—C2—N2—Co1	0.8 (3)	C5—N3—Co1—Cl1	-92.05 (17)
C4—C2—N2—Co1	-180.0 (2)	O3—N3—Co1—Cl1	87.97 (18)
C6—C5—N3—O3	-178.62 (19)	C6—N4—Co1—N2	-178.99 (16)
C7—C5—N3—O3	0.7 (4)	O4—N4—Co1—N2	2.02 (18)
C6—C5—N3—Co1	1.4 (3)	C6—N4—Co1—N1	92 (8)
C7—C5—N3—Co1	-179.3 (2)	O4—N4—Co1—N1	-87 (8)
C5—C6—N4—O4	178.05 (19)	C6—N4—Co1—N3	1.33 (16)
C8—C6—N4—O4	-0.4 (3)	O4—N4—Co1—N3	-177.66 (18)
C5—C6—N4—Co1	-0.9 (3)	C6—N4—Co1—N5	-89.47 (17)
C8—C6—N4—Co1	-179.41 (19)	O4—N4—Co1—N5	91.53 (17)
C10—C9—N5—C13	1.1 (3)	C6—N4—Co1—Cl1	90.82 (16)
C10—C9—N5—Co1	-174.48 (18)	O4—N4—Co1—Cl1	-88.17 (16)
C12—C13—N5—C9	-2.1 (4)	C9—N5—Co1—N2	47.81 (18)
C12—C13—N5—Co1	173.54 (18)	C13—N5—Co1—N2	-127.67 (19)
C2—N2—Co1—N1	-1.82 (17)	C9—N5—Co1—N1	129.25 (18)
O2—N2—Co1—N1	178.75 (18)	C13—N5—Co1—N1	-46.23 (18)
C2—N2—Co1—N3	-133 (13)	C9—N5—Co1—N3	-131.90 (18)
O2—N2—Co1—N3	47 (13)	C13—N5—Co1—N3	52.61 (18)
C2—N2—Co1—N4	178.87 (17)	C9—N5—Co1—N4	-50.73 (18)
O2—N2—Co1—N4	-0.56 (18)	C13—N5—Co1—N4	133.79 (18)
C2—N2—Co1—N5	88.36 (17)	C9—N5—Co1—Cl1	114 (3)
O2—N2—Co1—N5	-91.07 (17)	C13—N5—Co1—Cl1	-62 (3)

Symmetry code: (i) $x+1/2, -y+1/2, -z$.

Hydrogen-bond geometry ($\text{\AA}, ^\circ$)

<i>D</i> —H \cdots <i>A</i>	<i>D</i> —H	H \cdots <i>A</i>	<i>D</i> \cdots <i>A</i>	<i>D</i> —H \cdots <i>A</i>
O3—H3 \cdots O1	0.90 (1)	1.61 (1)	2.499 (3)	168 (3)
O2—H2 \cdots O4	0.91 (1)	1.60 (2)	2.483 (3)	162 (4)