

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

(1*S*,8*R*,15*S*,19*R*)-17-Benzyl-17-azapentacyclo[6.6.5.0^{2,7}.0^{9,14}.0^{15,19}]nonadeca-2(7),3,5,9(14),10,12-hexaene chloroform monosolvate

 Ielyzaveta Bratko,^a Sonia Ladeira,^b Nathalie Saffon,^b Emmanuelle Teuma^a and Montserrat Gómez^{a*}
^aLaboratoire Hétérochimie Fondamentale et Appliquée, UMR CNRS 5069, Université Paul Sabatier, 118 route de Narbonne, 31062 Toulouse Cedex 9, France, and

^bUniversité de Toulouse, UPS, Institut de Chimie de Toulouse FR2599, 118 route de Narbonne, 31062 Toulouse Cedex 9, France

Correspondence e-mail: gomez@chimie.ups-tlse.fr


Received 26 July 2012; accepted 3 September 2012

 Key indicators: single-crystal X-ray study; $T = 193$ K; mean $\sigma(\text{C}-\text{C}) = 0.002$ Å; R factor = 0.042; wR factor = 0.119; data-to-parameter ratio = 24.6.

In the title compound, $\text{C}_{25}\text{H}_{23}\text{N}\cdot\text{CHCl}_3$, the dihydroanthracene unit is bent with a dihedral angle between the benzene rings of 57.82 (8)°. The N atom of the pyrrolidine heterocycle, which has an envelope conformation with the N atom as the flap, exhibits a pronounced pyramidalization [$\Sigma(\text{C}-\text{N}-\text{C}) = 328.07^\circ$], indicating an accentuated N-donor character. In the crystal, this behaviour is evident by the $\text{C}-\text{H}\cdots\text{N}$ hydrogen bond involving a solvent molecule and the N atom. The absolute configuration at the C-atom fused positions of the pyrrolidine group were crystallographically confirmed to be *S* and *R*.

Related literature

For catalytic applications of 9,10-dihydroanthracene-succinimides and their related pyrrolidine derivatives, see: Sasaoka *et al.* (2006); Sanhes *et al.* (2009, 2010). For the synthesis of these ligands, see: Sanhes *et al.* (2008). For a description of the Cambridge Structural Database, see: Allen (2002).



Experimental

Crystal data

 $\text{C}_{25}\text{H}_{23}\text{N}\cdot\text{CHCl}_3$
 $M_r = 456.81$
 Monoclinic, $P2_1$
 $a = 8.6455$ (2) Å
 $b = 10.7338$ (3) Å
 $c = 12.3310$ (3) Å
 $\beta = 99.055$ (1)°

 $V = 1130.04$ (5) Å³
 $Z = 2$
 Mo $K\alpha$ radiation
 $\mu = 0.42$ mm⁻¹
 $T = 193$ K
 $0.80 \times 0.70 \times 0.40$ mm

Data collection

 Bruker SMART APEXII diffractometer
 Absorption correction: multi-scan (SADABS; Bruker, 2006)
 $T_{\min} = 0.730$, $T_{\max} = 0.850$

 19688 measured reflections
 6678 independent reflections
 6147 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.021$

Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.042$
 $wR(F^2) = 0.119$
 $S = 1.04$
 6678 reflections
 271 parameters
 1 restraint

 H-atom parameters constrained
 $\Delta\rho_{\text{max}} = 0.59$ e Å⁻³
 $\Delta\rho_{\text{min}} = -0.54$ e Å⁻³
 Absolute structure: Flack (1983), 3057 Friedel pairs
 Flack parameter: -0.01 (5)

Table 1

Hydrogen-bond geometry (Å, °).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
$\text{C}26-\text{H}26\cdots\text{N}1$	1.00	2.36	3.320 (2)	161

Data collection: *APEX2* (Bruker, 2006); cell refinement: *APEX2* and *SAINT* (Bruker, 2006); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3 for Windows* (Farrugia, 1997); software used to prepare material for publication: *SHELXTL* (Sheldrick, 2008) and *pubCIF* (Westrip, 2010).

This work was financially supported by the Centre National de la Recherche Scientifique (CNRS) and by Université Paul Sabatier. IB is grateful to the Ministère de l'Enseignement Supérieur et de la Recherche for a PhD grant.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: SU2490).

References

- Allen, F. H. (2002). *Acta Cryst.* **B58**, 380–388.
 Bruker (2006). *APEX2*, *SAINT* and *SADABS*. Bruker AXS Inc., Madison, Wisconsin, USA.
 Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
 Flack, H. D. (1983). *Acta Cryst.* **A39**, 876–881.
 Sanhes, D., Favier, I., Saffon, N., Teuma, E. & Gómez, M. (2008). *Tetrahedron Lett.* **49**, 6720–6723.
 Sanhes, D., Gual, A., Castellón, S., Claver, C., Gómez, M. & Teuma, E. (2009). *Tetrahedron Asymmetry*, **20**, 1009–1014.
 Sanhes, D., Raluy, E., Retory, S., Saffon, N., Teuma, E. & Gómez, M. (2010). *Dalton Trans.* **39**, 9719–9726.
 Sasaoka, A., Uddin, Md. I., Shimomoto, A., Ichikawa, Y., Shiro, M. & Kotsuki, H. (2006). *Tetrahedron Asymmetry*, **17**, 2963–2969.
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
 Westrip, S. P. (2010). *J. Appl. Cryst.* **43**, 920–925.

supporting information

Acta Cryst. (2012). E68, o2881 [https://doi.org/10.1107/S1600536812037749]

**(1*S*,8*R*,15*S*,19*R*)-17-Benzyl-17-azapentacyclo-
[6.6.5.0^{2,7}.0^{9,14}.0^{15,19}]nonadeca-2(7),3,5,9(14),10,12-hexaene chloroform
monosolvate**

Ielyzaveta Bratko, Sonia Ladeira, Nathalie Saffon, Emmanuelle Teuma and Montserrat Gómez

S1. Comment

9,10-Dihydroanthracene-succinimides are target molecules for pharmaceutical and medical uses (Sanhes *et al.*, 2008), and their related pyrrolidines have also found applications as organocatalysts (Sasaoka *et al.*, 2006; Sanhes *et al.*, 2009; 2010). The synthesis of these compounds is mainly based on thermal-promoted Diels-Alder cycloadditions (for the succinimide derivatives), followed by chemical reduction to give the corresponding heterocyclic amines [Sanhes *et al.*, 2008]. From a structural point of view, a large number of 9,10-dihydroanthracene-succinimides have been analyzed by X-ray single-crystal diffraction. A search of the Cambridge Structural Database gave 67 hits (CSD, version 5.33, update No. 4, August 2012; Allen, 2002), however, no crystallographic data is available for the corresponding non-substituted pyrrolidine ligand. Herein, we report on the synthesis and crystal structure of the title compound.

The molecular structure of the title compound is shown in Fig. 1. The 9,10-dihydroanthracenyl is bent with a dihedral angle between the benzene rings of 57.82 (8)°. The pyrrolidine heterocycle has an envelope conformation with atom N1 as the flap. It is displaced from the mean plane of the four C-atoms, C15—C18 [maximum deviation = 0.0025 (15) Å] by 0.6313 (14) Å. This mean plane forms a dihedral angle of 50.78 (10)° with the C20—C25 benzyl ring. In contrast to analogous dicarboximide compounds, a pronounced pyramidalization of the atom N1 is observed with Σ C—N1—C = 328.07°, which signifies an accentuated N-donor character.

In the crystal, this N-donor behaviour is evident by the C—H...N intermolecular hydrogen bond involving a chloroform solvate molecule (Table 1 and Fig. 2).

The absolute configuration of atoms C15 and C16 was crystallographically confirmed to be *S* and *R*, respectively (Fig. 1).

S2. Experimental

The title compound was prepared by the reduction of the corresponding 9,10-dihydroanthracene-succinimide following the reported procedure (Sanhes *et al.*, 2008). To a solution of the succinimide (920 mg, 2.52 mmol) in 50 ml of THF at 273 K, LiAlH₄ (1.43 g, 37.7 mmol) was added in small portions and the mixture was then refluxed for 72 h. The reaction mixture was cooled to 273 K, then diethylether (30 ml) and an aqueous saturated solution of Na₂SO₄ were sequentially added. The precipitate that formed was filtered off and the filtrate washed three times with water. The combined organic layers were dried over anhydrous Na₂SO₄, filtered and the solvent evaporated under vacuum. Crystals of the title compound were obtained by slow evaporation of a solution in CHCl₃. The title compound was characterized by high-resolution mass spectrometry (CI, dichloromethane): calc. mass 338.19; found: 338.19 (for C₂₅H₂₃N). Further spectroscopic data for the title compound is available in the archived CIF.

S3. Refinement

All the H atoms were included in calculated positions and treated as riding atoms: C—H = 0.95 Å (aromatic), 0.99 Å (methylene) and 1.00 Å (methine,) with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$.




Figure 1

The molecular structure of the title compound with the atom numbering. The displacement ellipsoids are drawn at the 50% probability level. The solvent molecule has been omitted for clarity.




Figure 2

A view along the *b* axis of the crystal packing of the title compound, showing the C—H...N hydrogen bond (dashed line) involving the solvent molecule. H atoms not involved in hydrogen bonding have been omitted for clarity.

(I)

Crystal data

$C_{25}H_{23}N \cdot CHCl_3$
 $M_r = 456.81$
 Monoclinic, $P2_1$
 Hall symbol: P 2yb
 $a = 8.6455 (2) \text{ \AA}$
 $b = 10.7338 (3) \text{ \AA}$
 $c = 12.3310 (3) \text{ \AA}$
 $\beta = 99.055 (1)^\circ$
 $V = 1130.04 (5) \text{ \AA}^3$
 $Z = 2$

$F(000) = 476$
 $D_x = 1.343 \text{ Mg m}^{-3}$
 Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$
 Cell parameters from 9897 reflections
 $\theta = 2.4\text{--}34.7^\circ$
 $\mu = 0.42 \text{ mm}^{-1}$
 $T = 193 \text{ K}$
 Block, colourless
 $0.80 \times 0.70 \times 0.40 \text{ mm}$

Data collection

Bruker SMART APEXII
 diffractometer
 Radiation source: fine-focus sealed tube
 Graphite monochromator
 phi and ω scans
 Absorption correction: multi-scan
 (SADABS; Bruker, 2006)
 $T_{\min} = 0.730$, $T_{\max} = 0.850$

19688 measured reflections
 6678 independent reflections
 6147 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.021$
 $\theta_{\max} = 30.5^\circ$, $\theta_{\min} = 2.4^\circ$
 $h = -12 \rightarrow 12$
 $k = -15 \rightarrow 15$
 $l = -17 \rightarrow 17$

*Refinement*Refinement on F^2

Least-squares matrix: full

 $R[F^2 > 2\sigma(F^2)] = 0.042$ $wR(F^2) = 0.119$ $S = 1.04$

6678 reflections

271 parameters

1 restraint

Primary atom site location: structure-invariant
direct methodsSecondary atom site location: difference Fourier
mapHydrogen site location: inferred from
neighbouring sites

H-atom parameters constrained

 $w = 1/[\sigma^2(F_o^2) + (0.0672P)^2 + 0.2655P]$ where $P = (F_o^2 + 2F_c^2)/3$ $(\Delta/\sigma)_{\max} = 0.001$ $\Delta\rho_{\max} = 0.59 \text{ e } \text{\AA}^{-3}$ $\Delta\rho_{\min} = -0.54 \text{ e } \text{\AA}^{-3}$ Absolute structure: Flack (1983), 3057 Friedel
pairsAbsolute structure parameter: -0.01 (5)*Special details*

Experimental. Spectroscopic data for the title compound: ^1H NMR (300 MHz in CDCl_3): 7.31 – 7.34 (m, 7H, Harom), 7.24 – 7.27 (m, 2H, Harom), 7.14 – 7.19 (m, 4H, Harom), 4.20 (s, 2H, H9,10), 3.31 (s, 2H, H19), 2.87 (m, 2H, H17 or H18), 2.78 (m, 2H, H15,16), 1.90 (m, 2H, H17 or H18) ^{13}C NMR (75 MHz in CDCl_3): 143.9, 141.8 (C11,12,13,14), 128.8, 128.1, 125.8, 125.7, 125.6, 123.6 (CH arom), 60.0 (C19), 57.0 (C17,18), 47.3 (C9,10), 44.3 (C15,16).

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
N1	0.39289 (16)	0.52587 (12)	0.43293 (11)	0.0266 (2)
C1	0.1444 (2)	0.50798 (18)	-0.04276 (14)	0.0345 (3)
H1	0.1492	0.5921	-0.0659	0.041*
C2	0.0421 (2)	0.4244 (2)	-0.10382 (15)	0.0429 (4)
H2	-0.0227	0.4516	-0.1689	0.051*
C3	0.0345 (2)	0.3016 (2)	-0.06997 (17)	0.0435 (4)
H3	-0.0364	0.2456	-0.1117	0.052*
C4	0.1298 (2)	0.25967 (18)	0.02461 (15)	0.0352 (3)
H4	0.1250	0.1754	0.0473	0.042*
C5	0.6395 (2)	0.28010 (16)	0.18645 (14)	0.0326 (3)
H5	0.6355	0.1963	0.2107	0.039*
C6	0.7800 (2)	0.33116 (18)	0.16495 (15)	0.0376 (4)
H6	0.8722	0.2816	0.1747	0.045*
C7	0.7867 (2)	0.45386 (19)	0.12935 (15)	0.0365 (4)
H7	0.8829	0.4871	0.1143	0.044*
C8	0.65237 (19)	0.52818 (16)	0.11575 (13)	0.0309 (3)
H8	0.6569	0.6122	0.0922	0.037*
C9	0.35679 (17)	0.54536 (13)	0.12701 (12)	0.0255 (3)
H9	0.3634	0.6325	0.0995	0.031*
C10	0.34340 (18)	0.31443 (14)	0.19041 (13)	0.0265 (3)
H10	0.3398	0.2246	0.2114	0.032*
C11	0.23268 (18)	0.34320 (14)	0.08567 (13)	0.0280 (3)
C12	0.50511 (18)	0.35394 (14)	0.17174 (12)	0.0260 (3)
C13	0.51215 (17)	0.47792 (14)	0.13708 (12)	0.0253 (3)
C14	0.23907 (18)	0.46747 (14)	0.05191 (12)	0.0268 (3)
C15	0.30194 (18)	0.54093 (13)	0.24191 (12)	0.0250 (3)
H15	0.1958	0.5797	0.2359	0.030*

C16	0.29201 (17)	0.40197 (13)	0.27884 (12)	0.0253 (3)
H16	0.1816	0.3822	0.2875	0.030*
C17	0.39598 (19)	0.39743 (14)	0.39155 (13)	0.0285 (3)
H17A	0.3534	0.3384	0.4410	0.034*
H17B	0.5041	0.3720	0.3846	0.034*
C18	0.4115 (2)	0.60275 (14)	0.33636 (12)	0.0293 (3)
H18A	0.5213	0.6014	0.3226	0.035*
H18B	0.3801	0.6901	0.3467	0.035*
C19	0.5165 (2)	0.55150 (17)	0.52496 (13)	0.0337 (3)
H19A	0.5195	0.6423	0.5391	0.040*
H19B	0.6182	0.5276	0.5038	0.040*
C20	0.49863 (19)	0.48467 (14)	0.63052 (12)	0.0272 (3)
C21	0.3573 (2)	0.43277 (17)	0.64887 (14)	0.0325 (3)
H21	0.2688	0.4345	0.5925	0.039*
C22	0.3457 (2)	0.37825 (18)	0.75005 (16)	0.0387 (4)
H22	0.2495	0.3418	0.7616	0.046*
C23	0.4726 (3)	0.37670 (18)	0.83363 (14)	0.0390 (4)
H23	0.4630	0.3412	0.9028	0.047*
C24	0.6135 (2)	0.42704 (18)	0.81587 (14)	0.0385 (4)
H24	0.7013	0.4259	0.8729	0.046*
C25	0.6271 (2)	0.47953 (16)	0.71431 (14)	0.0325 (3)
H25	0.7250	0.5122	0.7021	0.039*
C26	0.0596 (2)	0.65871 (19)	0.47279 (19)	0.0438 (4)
H26	0.1596	0.6107	0.4782	0.053*
Cl1	-0.07721 (8)	0.59279 (8)	0.36846 (6)	0.06723 (19)
Cl2	0.09629 (12)	0.81306 (8)	0.44019 (12)	0.1005 (3)
Cl3	-0.00976 (9)	0.64798 (9)	0.59955 (6)	0.0731 (2)

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
N1	0.0317 (6)	0.0213 (5)	0.0280 (6)	-0.0020 (4)	0.0080 (5)	0.0010 (4)
C1	0.0287 (7)	0.0446 (9)	0.0315 (7)	0.0070 (6)	0.0083 (6)	0.0030 (6)
C2	0.0287 (8)	0.0663 (13)	0.0335 (8)	0.0056 (8)	0.0043 (6)	-0.0026 (8)
C3	0.0276 (8)	0.0604 (12)	0.0430 (9)	-0.0087 (8)	0.0075 (7)	-0.0170 (9)
C4	0.0303 (7)	0.0368 (8)	0.0410 (8)	-0.0070 (6)	0.0141 (6)	-0.0106 (7)
C5	0.0333 (8)	0.0304 (7)	0.0349 (8)	0.0073 (6)	0.0079 (6)	-0.0003 (6)
C6	0.0291 (7)	0.0446 (10)	0.0398 (8)	0.0083 (7)	0.0077 (6)	-0.0056 (7)
C7	0.0257 (7)	0.0491 (10)	0.0363 (8)	-0.0037 (7)	0.0101 (6)	-0.0060 (7)
C8	0.0308 (7)	0.0327 (7)	0.0310 (7)	-0.0064 (6)	0.0108 (6)	-0.0013 (6)
C9	0.0279 (6)	0.0207 (6)	0.0290 (6)	-0.0007 (5)	0.0079 (5)	0.0030 (5)
C10	0.0295 (7)	0.0187 (5)	0.0331 (7)	-0.0007 (5)	0.0103 (5)	-0.0002 (5)
C11	0.0252 (6)	0.0293 (7)	0.0312 (7)	-0.0017 (5)	0.0096 (5)	-0.0039 (5)
C12	0.0279 (6)	0.0237 (6)	0.0276 (6)	0.0000 (5)	0.0083 (5)	-0.0017 (5)
C13	0.0251 (6)	0.0253 (6)	0.0262 (6)	-0.0002 (5)	0.0066 (5)	0.0003 (5)
C14	0.0246 (6)	0.0277 (6)	0.0297 (7)	0.0023 (5)	0.0088 (5)	-0.0001 (5)
C15	0.0291 (6)	0.0192 (5)	0.0280 (6)	0.0014 (5)	0.0091 (5)	0.0030 (5)
C16	0.0282 (6)	0.0202 (6)	0.0292 (6)	-0.0012 (5)	0.0096 (5)	0.0020 (5)

C17	0.0352 (7)	0.0224 (6)	0.0295 (7)	0.0027 (5)	0.0095 (6)	0.0034 (5)
C18	0.0388 (8)	0.0210 (6)	0.0292 (6)	-0.0031 (6)	0.0095 (6)	0.0013 (5)
C19	0.0354 (8)	0.0343 (8)	0.0316 (7)	-0.0085 (6)	0.0057 (6)	0.0019 (6)
C20	0.0295 (7)	0.0255 (6)	0.0271 (6)	0.0002 (5)	0.0063 (5)	-0.0032 (5)
C21	0.0289 (7)	0.0366 (8)	0.0330 (7)	0.0001 (6)	0.0084 (6)	0.0002 (6)
C22	0.0403 (9)	0.0402 (9)	0.0401 (9)	-0.0023 (7)	0.0201 (7)	-0.0001 (7)
C23	0.0529 (10)	0.0375 (9)	0.0296 (8)	0.0037 (7)	0.0155 (7)	-0.0003 (6)
C24	0.0427 (9)	0.0405 (9)	0.0310 (8)	0.0037 (7)	0.0014 (7)	-0.0054 (7)
C25	0.0309 (7)	0.0332 (7)	0.0332 (7)	-0.0026 (6)	0.0043 (6)	-0.0054 (6)
C26	0.0380 (9)	0.0372 (9)	0.0568 (11)	0.0008 (7)	0.0096 (8)	-0.0027 (8)
C11	0.0523 (3)	0.0910 (5)	0.0566 (3)	-0.0100 (3)	0.0033 (2)	-0.0085 (3)
C12	0.0901 (6)	0.0433 (3)	0.1741 (10)	-0.0087 (4)	0.0397 (6)	0.0149 (5)
C13	0.0745 (4)	0.0909 (5)	0.0582 (3)	-0.0120 (4)	0.0239 (3)	-0.0231 (3)

Geometric parameters (Å, °)

N1—C19	1.457 (2)	C11—C14	1.401 (2)
N1—C17	1.4718 (19)	C12—C13	1.402 (2)
N1—C18	1.4782 (19)	C15—C18	1.532 (2)
C1—C14	1.386 (2)	C15—C16	1.5659 (19)
C1—C2	1.395 (3)	C15—H15	1.0000
C1—H1	0.9500	C16—C17	1.533 (2)
C2—C3	1.386 (3)	C16—H16	1.0000
C2—H2	0.9500	C17—H17A	0.9900
C3—C4	1.393 (3)	C17—H17B	0.9900
C3—H3	0.9500	C18—H18A	0.9900
C4—C11	1.397 (2)	C18—H18B	0.9900
C4—H4	0.9500	C19—C20	1.515 (2)
C5—C12	1.394 (2)	C19—H19A	0.9900
C5—C6	1.396 (3)	C19—H19B	0.9900
C5—H5	0.9500	C20—C21	1.393 (2)
C6—C7	1.392 (3)	C20—C25	1.394 (2)
C6—H6	0.9500	C21—C22	1.396 (2)
C7—C8	1.397 (3)	C21—H21	0.9500
C7—H7	0.9500	C22—C23	1.382 (3)
C8—C13	1.389 (2)	C22—H22	0.9500
C8—H8	0.9500	C23—C24	1.382 (3)
C9—C13	1.514 (2)	C23—H23	0.9500
C9—C14	1.515 (2)	C24—C25	1.395 (3)
C9—C15	1.564 (2)	C24—H24	0.9500
C9—H9	1.0000	C25—H25	0.9500
C10—C12	1.513 (2)	C26—C12	1.746 (2)
C10—C11	1.513 (2)	C26—C11	1.754 (2)
C10—C16	1.556 (2)	C26—C13	1.764 (2)
C10—H10	1.0000	C26—H26	1.0000
C19—N1—C17	113.31 (13)	C9—C15—C16	109.31 (11)
C19—N1—C18	111.26 (12)	C18—C15—H15	109.0

C17—N1—C18	103.50 (11)	C9—C15—H15	109.0
C14—C1—C2	119.54 (18)	C16—C15—H15	109.0
C14—C1—H1	120.2	C17—C16—C10	115.14 (12)
C2—C1—H1	120.2	C17—C16—C15	104.06 (12)
C3—C2—C1	120.33 (17)	C10—C16—C15	109.67 (11)
C3—C2—H2	119.8	C17—C16—H16	109.3
C1—C2—H2	119.8	C10—C16—H16	109.3
C2—C3—C4	120.64 (17)	C15—C16—H16	109.3
C2—C3—H3	119.7	N1—C17—C16	104.15 (12)
C4—C3—H3	119.7	N1—C17—H17A	110.9
C3—C4—C11	119.10 (18)	C16—C17—H17A	110.9
C3—C4—H4	120.4	N1—C17—H17B	110.9
C11—C4—H4	120.4	C16—C17—H17B	110.9
C12—C5—C6	118.98 (15)	H17A—C17—H17B	108.9
C12—C5—H5	120.5	N1—C18—C15	103.77 (12)
C6—C5—H5	120.5	N1—C18—H18A	111.0
C7—C6—C5	120.79 (16)	C15—C18—H18A	111.0
C7—C6—H6	119.6	N1—C18—H18B	111.0
C5—C6—H6	119.6	C15—C18—H18B	111.0
C6—C7—C8	120.20 (16)	H18A—C18—H18B	109.0
C6—C7—H7	119.9	N1—C19—C20	114.73 (13)
C8—C7—H7	119.9	N1—C19—H19A	108.6
C13—C8—C7	119.28 (16)	C20—C19—H19A	108.6
C13—C8—H8	120.4	N1—C19—H19B	108.6
C7—C8—H8	120.4	C20—C19—H19B	108.6
C13—C9—C14	106.76 (12)	H19A—C19—H19B	107.6
C13—C9—C15	107.63 (12)	C21—C20—C25	118.72 (15)
C14—C9—C15	105.46 (12)	C21—C20—C19	122.63 (14)
C13—C9—H9	112.2	C25—C20—C19	118.59 (14)
C14—C9—H9	112.2	C20—C21—C22	120.06 (16)
C15—C9—H9	112.2	C20—C21—H21	120.0
C12—C10—C11	106.76 (12)	C22—C21—H21	120.0
C12—C10—C16	108.06 (12)	C23—C22—C21	120.75 (17)
C11—C10—C16	105.24 (12)	C23—C22—H22	119.6
C12—C10—H10	112.1	C21—C22—H22	119.6
C11—C10—H10	112.1	C24—C23—C22	119.57 (16)
C16—C10—H10	112.1	C24—C23—H23	120.2
C4—C11—C14	120.17 (15)	C22—C23—H23	120.2
C4—C11—C10	126.34 (15)	C23—C24—C25	120.07 (16)
C14—C11—C10	113.49 (13)	C23—C24—H24	120.0
C5—C12—C13	120.26 (14)	C25—C24—H24	120.0
C5—C12—C10	126.29 (14)	C20—C25—C24	120.78 (16)
C13—C12—C10	113.45 (13)	C20—C25—H25	119.6
C8—C13—C12	120.49 (14)	C24—C25—H25	119.6
C8—C13—C9	126.03 (14)	C12—C26—C11	109.88 (13)
C12—C13—C9	113.48 (13)	C12—C26—C13	111.44 (12)
C1—C14—C11	120.22 (15)	C11—C26—C13	109.86 (12)
C1—C14—C9	126.33 (15)	C12—C26—H26	108.5

C11—C14—C9	113.45 (13)	C11—C26—H26	108.5
C18—C15—C9	115.86 (12)	C13—C26—H26	108.5
C18—C15—C16	104.31 (12)		

Hydrogen-bond geometry (Å, °)

<i>D—H...A</i>	<i>D—H</i>	<i>H...A</i>	<i>D...A</i>	<i>D—H...A</i>
C26—H26...N1	1.00	2.36	3.320 (2)	161
