

Acta Crystallographica Section E

## Structure Reports

Online

ISSN 1600-5368

## 5-Chloro-2,7-dimethyl-3-(3-methylphenylsulfonyl)-1-benzofuran

Hong Dae Choi,<sup>a</sup> Pil Ja Seo<sup>a</sup> and Uk Lee<sup>b\*</sup><sup>a</sup>Department of Chemistry, Donggeui University, San 24 Kaya-dong, Busanjin-gu, Busan 614-714, Republic of Korea, and <sup>b</sup>Department of Chemistry, Pukyong National University, 599-1 Daeyeon 3-dong, Nam-gu, Busan 608-737, Republic of Korea

Correspondence e-mail: uklee@pknu.ac.kr


Received 1 April 2014; accepted 9 April 2014

Key indicators: single-crystal X-ray study;  $T = 173$  K; mean  $\sigma(\text{C}-\text{C}) = 0.002$  Å;  $R$  factor = 0.035;  $wR$  factor = 0.097; data-to-parameter ratio = 18.7.

In the title compound,  $\text{C}_{17}\text{H}_{15}\text{ClO}_3\text{S}$ , the dihedral angle between the mean planes of the benzofuran and 3-methylphenyl rings is  $76.99(4)^\circ$ . In the crystal, molecules are linked by  $\text{C}-\text{H}\cdots\text{O}$  hydrogen bonds into chains along the  $b$ -axis direction. These chains are linked by  $\pi-\pi$  interactions between the benzene and furan rings of neighbouring molecules [centroid-centroid distance =  $3.976(2)$  Å].

## Related literature

For background information and the crystal structures of related compounds, see: Choi *et al.* (2011, 2013). For the pharmacological activity of benzofuran compounds, see: Aslam *et al.* (2006); Galal *et al.* (2009); Khan *et al.* (2005).



## Experimental

## Crystal data

 $\text{C}_{17}\text{H}_{15}\text{ClO}_3\text{S}$  $M_r = 334.80$ 

Monoclinic,  $P2_1/c$   
 $a = 8.8707(2)$  Å  
 $b = 6.5281(2)$  Å  
 $c = 26.3574(6)$  Å  
 $\beta = 96.998(1)^\circ$   
 $V = 1514.96(7)$  Å<sup>3</sup>

$Z = 4$   
 Mo  $K\alpha$  radiation  
 $\mu = 0.40$  mm<sup>-1</sup>  
 $T = 173$  K  
 $0.39 \times 0.37 \times 0.18$  mm

## Data collection

Bruker SMART APEXII CCD diffractometer  
 Absorption correction: multi-scan (SADABS; Bruker, 2009)  
 $T_{\min} = 0.379$ ,  $T_{\max} = 0.746$

25926 measured reflections  
 3785 independent reflections  
 3252 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.033$

## Refinement

$R[F^2 > 2\sigma(F^2)] = 0.035$   
 $wR(F^2) = 0.097$   
 $S = 1.04$   
 3785 reflections

202 parameters  
 H-atom parameters constrained  
 $\Delta\rho_{\text{max}} = 0.32$  e Å<sup>-3</sup>  
 $\Delta\rho_{\text{min}} = -0.36$  e Å<sup>-3</sup>

Table 1

Hydrogen-bond geometry (Å, °).

$\text{Cg1}$  and  $\text{Cg2}$  are the centroids of the  $\text{C2}-\text{C7}$  benzene ring and the  $\text{C1}/\text{C2}/\text{C7}/\text{O1}/\text{C8}$  furan ring, respectively.

| $D-\text{H}\cdots A$                         | $D-\text{H}$ | $\text{H}\cdots A$ | $D\cdots A$ | $D-\text{H}\cdots A$ |
|--|--------------|--------------------|-------------|----------------------|
| $\text{C10}-\text{H10C}\cdots\text{O2}^i$    | 0.98         | 2.49               | 3.297(2)    | 139                  |
| $\text{C17}-\text{H17A}\cdots\text{O3}^{ii}$ | 0.98         | 2.41               | 3.369(2)    | 165                  |

Symmetry codes: (i)  $x, y + 1, z$ ; (ii)  $x + 1, y, z$ .

Data collection: APEX2 (Bruker, 2009); cell refinement: SAINT (Bruker, 2009); data reduction: SAINT; program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: ORTEP-3 for Windows (Farrugia, 2012) and DIAMOND (Brandenburg, 1998); software used to prepare material for publication: SHELXL97.

Supporting information for this paper is available from the IUCr electronic archives (Reference: IM2452).

## References

- Aslam, S. N., Stevenson, P. C., Phythian, S. J., Veitch, N. C. & Hall, D. R. (2006). *Tetrahedron*, **62**, 4214-4226.  
 Brandenburg, K. (1998). DIAMOND. Crystal Impact GbR, Bonn, Germany.  
 Bruker (2009). APEX2, SADABS and SAINT. Bruker AXS Inc., Madison, Wisconsin, USA.  
 Choi, H. D., Seo, P. J. & Lee, U. (2011). *Acta Cryst.* **E67**, o2385.  
 Choi, H. D., Seo, P. J. & Lee, U. (2013). *Acta Cryst.* **E69**, o745.  
 Farrugia, L. J. (2012). *J. Appl. Cryst.* **45**, 849-854.  
 Galal, S. A., Abd El-All, A. S., Abdallah, M. M. & El-Diwani, H. I. (2009). *Bioorg. Med. Chem. Lett.* **19**, 2420-2428.  
 Khan, M. W., Alam, M. J., Rashid, M. A. & Chowdhury, R. (2005). *Bioorg. Med. Chem.* **13**, 4796-4805.  
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112-122.

## supporting information

*Acta Cryst.* (2014). E70, o568 [doi:10.1107/S1600536814007892]

## 5-Chloro-2,7-dimethyl-3-(3-methylphenylsulfonyl)-1-benzofuran

Hong Dae Choi, Pil Ja Seo and Uk Lee

### S1. Comment

Many compounds involving a benzofuran moiety have attracted much attention due to their valuable pharmacological activities such as antifungal (Aslam *et al.*, 2006), antitumor and antiviral (Galal *et al.*, 2009) and antimicrobial (Khan *et al.*, 2005) properties.

As a part of our ongoing study of 5-chloro-2,7-dimethyl-1-benzofuran derivatives containing cyclohexylsulfinyl (Choi *et al.*, 2011) and 4-bromophenylsulfinyl (Choi *et al.*, 2013) substituents in the 3-position, we report here on the crystal structure of the title compound.


In the title molecule (Fig. 1), the benzofuran ring system is essentially planar, with a mean deviation of 0.007 (1) Å from the least-squares plane defined by the nine constituent atoms. The 3-methylphenyl ring also is essentially planar, with a mean deviation of 0.004 (1) Å from the least-squares plane defined by the six constituent atoms. The dihedral angle formed by the benzofuran ring system and the 3-methylphenyl ring is 76.99 (4)°. In the crystal structure (Fig. 2), molecules are linked by C—H···O hydrogen bonds (Table 1) into chains along the *b*-axis direction. These chains are further connected by  $\pi\cdots\pi$  interactions between the benzene and furan rings of neighbouring molecules, with a Cg1···Cg2<sup>iii</sup> distance of 3.976 (2) Å and an interplanar distance of 3.470 (2) Å resulting in a slippage of 1.941 (2) Å (Cg1 and Cg2 are the centroids of the C2–C7 benzene ring and the C1/C2/C7/O1/C8 furan ring, respectively).

### S2. Experimental

3-Chloroperoxybenzoic acid (77%, 448 mg, 2.0 mmol) was added in small portions to a stirred solution of 5-chloro-2,7-dimethyl-3-(3-methylphenylsulfonyl)-1-benzofuran (272 mg, 0.9 mmol) in dichloromethane (40 mL) at 273 K. After being stirred at room temperature for 8h, the mixture was washed with saturated sodium bicarbonate solution and the organic layer was separated, dried over magnesium sulfate, filtered and concentrated at reduced pressure. The residue was purified by column chromatography (benzene) to afford the title compound as a colorless solid [yield 71%, m.p. 426–427 K;  $R_f$  = 0.52 (benzene)]. Single crystals suitable for X-ray diffraction were prepared by slow evaporation of a solution of the title compound in ethyl acetate at room temperature.


### S3. Refinement

All H atoms were positioned geometrically and refined using a riding model, with C—H = 0.95 Å for aryl and 0.98 Å for methyl H atoms, respectively.  $U_{\text{iso}}$  (H) = 1.2 $U_{\text{eq}}$  (C) for aryl and 1.5 $U_{\text{eq}}$  (C) for methyl H atoms. The positions of methyl hydrogens were optimized using the SHELXL-97's command AFIX 137 (Sheldrick, 2008).



**Figure 1**

The molecular structure of the title compound with the atom numbering scheme. Displacement ellipsoids are drawn at the 50% probability level. Hydrogen atoms are presented as small spheres of arbitrary radius.

**Figure 2**

A view of the C—H...O and  $\pi\cdots\pi$  interactions (dotted lines) in the crystal structure of the title compound. H atoms non-participating in hydrogen-bonding were omitted for clarity. [Symmetry codes: (i)  $x, y + 1, z$ ; (ii)  $x + 1, y, z$ ; (iii)  $-x, -y + 1, -z + 1$ ; (iv)  $x, y - 1, z$ ; (v)  $x - 1, y, z$ .]

### 5-Chloro-2,7-dimethyl-3-(3-methylphenylsulfonyl)-1-benzofuran

#### Crystal data

$C_{17}H_{15}ClO_3S$

$M_r = 334.80$

Monoclinic,  $P2_1/c$

Hall symbol:  $-P 2_1/c$

$a = 8.8707$  (2) Å

$b = 6.5281$  (2) Å

$c = 26.3574$  (6) Å

$\beta = 96.998$  (1)°

$V = 1514.96$  (7) Å<sup>3</sup>

$Z = 4$

$F(000) = 696$

$D_x = 1.468$  Mg m<sup>-3</sup>

Melting point = 427–426 K

Mo  $K\alpha$  radiation,  $\lambda = 0.71073$  Å

Cell parameters from 9774 reflections

$\theta = 2.3$ – $28.2$ °

$\mu = 0.40$  mm<sup>-1</sup>

$T = 173$  K

Block, colourless

$0.39 \times 0.37 \times 0.18$  mm

#### Data collection

Bruker SMART APEXII CCD  
diffractometer

Radiation source: rotating anode

Graphite multilayer monochromator

Detector resolution: 10.0 pixels mm<sup>-1</sup>

$\varphi$  and  $\omega$  scans

Absorption correction: multi-scan

(*SADABS*; Bruker, 2009)

$T_{\min} = 0.379$ ,  $T_{\max} = 0.746$

25926 measured reflections

3785 independent reflections

3252 reflections with  $I > 2\sigma(I)$

$R_{\text{int}} = 0.033$

$\theta_{\max} = 28.4$ °,  $\theta_{\min} = 1.6$ °

$h = -11 \rightarrow 11$

$k = -8 \rightarrow 8$

$l = -35 \rightarrow 35$

*Refinement*Refinement on  $F^2$ 

Least-squares matrix: full

 $R[F^2 > 2\sigma(F^2)] = 0.035$  $wR(F^2) = 0.097$  $S = 1.04$ 

3785 reflections

202 parameters

0 restraints

Primary atom site location: structure-invariant  
direct methodsSecondary atom site location: difference Fourier  
map

Hydrogen site location: difference Fourier map

H-atom parameters constrained

 $w = 1/[\sigma^2(F_o^2) + (0.0493P)^2 + 0.5625P]$ where  $P = (F_o^2 + 2F_c^2)/3$  $(\Delta/\sigma)_{\max} = 0.001$  $\Delta\rho_{\max} = 0.32 \text{ e } \text{Å}^{-3}$  $\Delta\rho_{\min} = -0.36 \text{ e } \text{Å}^{-3}$ *Special details*

**Geometry.** All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted R-factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional R-factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > 2\sigma(F^2)$  is used only for calculating R-factors(gt) etc. and is not relevant to the choice of reflections for refinement. R-factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and R-factors based on ALL data will be even larger.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{Å}^2$ )*

|      | <i>x</i>     | <i>y</i>     | <i>z</i>      | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|------|--------------|--------------|---------------|----------------------------------|
| Cl1  | 0.46121 (5)  | 0.19905 (8)  | 0.429671 (15) | 0.04483 (13)                     |
| S1   | 0.26452 (4)  | 0.26977 (6)  | 0.640843 (13) | 0.02803 (11)                     |
| O1   | 0.10204 (12) | 0.71057 (17) | 0.54903 (4)   | 0.0332 (2)                       |
| O2   | 0.28126 (13) | 0.07207 (17) | 0.61832 (4)   | 0.0362 (3)                       |
| O3   | 0.16362 (12) | 0.29082 (19) | 0.67929 (4)   | 0.0375 (3)                       |
| C1   | 0.20875 (16) | 0.4421 (2)   | 0.59217 (5)   | 0.0287 (3)                       |
| C2   | 0.25155 (16) | 0.4327 (2)   | 0.54104 (5)   | 0.0293 (3)                       |
| C3   | 0.33886 (17) | 0.3021 (3)   | 0.51474 (5)   | 0.0319 (3)                       |
| H3   | 0.3865       | 0.1836       | 0.5303        | 0.038*                           |
| C4   | 0.35222 (18) | 0.3548 (3)   | 0.46470 (6)   | 0.0341 (3)                       |
| C5   | 0.28443 (18) | 0.5286 (3)   | 0.44089 (6)   | 0.0372 (4)                       |
| H5   | 0.2989       | 0.5579       | 0.4065        | 0.045*                           |
| C6   | 0.19629 (18) | 0.6592 (3)   | 0.46656 (6)   | 0.0349 (4)                       |
| C7   | 0.18327 (17) | 0.6027 (3)   | 0.51659 (5)   | 0.0312 (3)                       |
| C8   | 0.11908 (17) | 0.6100 (2)   | 0.59483 (5)   | 0.0309 (3)                       |
| C9   | 0.1233 (2)   | 0.8500 (3)   | 0.44321 (7)   | 0.0446 (4)                       |
| H9A  | 0.0190       | 0.8598       | 0.4516        | 0.067*                           |
| H9B  | 0.1221       | 0.8448       | 0.4060        | 0.067*                           |
| H9C  | 0.1813       | 0.9700       | 0.4567        | 0.067*                           |
| C10  | 0.0382 (2)   | 0.7033 (3)   | 0.63504 (6)   | 0.0372 (4)                       |
| H10A | 0.0465       | 0.6131       | 0.6650        | 0.056*                           |
| H10B | -0.0691      | 0.7220       | 0.6219        | 0.056*                           |
| H10C | 0.0837       | 0.8365       | 0.6448        | 0.056*                           |
| C11  | 0.44638 (16) | 0.3512 (2)   | 0.66842 (5)   | 0.0278 (3)                       |
| C12  | 0.56259 (17) | 0.2089 (3)   | 0.67374 (5)   | 0.0311 (3)                       |

|      |              |            |             |            |
|------|--------------|------------|-------------|------------|
| H12  | 0.5468       | 0.0759     | 0.6595      | 0.037*     |
| C13  | 0.70350 (17) | 0.2617 (3) | 0.70020 (6) | 0.0367 (4) |
| C14  | 0.72140 (19) | 0.4592 (3) | 0.71960 (6) | 0.0439 (4) |
| H14  | 0.8165       | 0.4980     | 0.7376      | 0.053*     |
| C15  | 0.6050 (2)   | 0.6008 (3) | 0.71351 (6) | 0.0429 (4) |
| H15  | 0.6211       | 0.7349     | 0.7271      | 0.052*     |
| C16  | 0.46468 (19) | 0.5483 (3) | 0.68772 (6) | 0.0351 (3) |
| H16  | 0.3837       | 0.6443     | 0.6834      | 0.042*     |
| C17  | 0.82931 (19) | 0.1065 (4) | 0.70778 (7) | 0.0511 (5) |
| H17A | 0.9268       | 0.1745     | 0.7057      | 0.077*     |
| H17B | 0.8128       | 0.0013     | 0.6812      | 0.077*     |
| H17C | 0.8304       | 0.0424     | 0.7415      | 0.077*     |

*Atomic displacement parameters (Å<sup>2</sup>)*

|     | $U^{11}$     | $U^{22}$    | $U^{33}$     | $U^{12}$      | $U^{13}$     | $U^{23}$      |
|-----|--------------|-------------|--------------|---------------|--------------|---------------|
| C11 | 0.0518 (3)   | 0.0524 (3)  | 0.0326 (2)   | −0.0124 (2)   | 0.01411 (17) | −0.00595 (18) |
| S1  | 0.02839 (18) | 0.0322 (2)  | 0.02295 (17) | −0.00829 (14) | 0.00096 (13) | 0.00455 (13)  |
| O1  | 0.0371 (6)   | 0.0327 (6)  | 0.0284 (5)   | −0.0061 (5)   | −0.0012 (4)  | 0.0043 (4)    |
| O2  | 0.0403 (6)   | 0.0312 (6)  | 0.0350 (6)   | −0.0092 (5)   | −0.0041 (4)  | 0.0018 (5)    |
| O3  | 0.0322 (5)   | 0.0509 (7)  | 0.0306 (5)   | −0.0060 (5)   | 0.0078 (4)   | 0.0114 (5)    |
| C1  | 0.0315 (7)   | 0.0314 (8)  | 0.0224 (6)   | −0.0078 (6)   | 0.0004 (5)   | 0.0034 (6)    |
| C2  | 0.0317 (7)   | 0.0327 (8)  | 0.0224 (6)   | −0.0120 (6)   | −0.0007 (5)  | 0.0025 (6)    |
| C3  | 0.0352 (7)   | 0.0346 (8)  | 0.0255 (7)   | −0.0095 (6)   | 0.0010 (6)   | 0.0012 (6)    |
| C4  | 0.0354 (8)   | 0.0416 (9)  | 0.0252 (7)   | −0.0142 (7)   | 0.0035 (6)   | −0.0027 (6)   |
| C5  | 0.0414 (8)   | 0.0472 (10) | 0.0220 (7)   | −0.0186 (7)   | −0.0006 (6)  | 0.0044 (6)    |
| C6  | 0.0381 (8)   | 0.0377 (9)  | 0.0266 (7)   | −0.0159 (7)   | −0.0054 (6)  | 0.0065 (6)    |
| C7  | 0.0327 (7)   | 0.0339 (8)  | 0.0256 (7)   | −0.0106 (6)   | −0.0022 (5)  | 0.0011 (6)    |
| C8  | 0.0327 (7)   | 0.0331 (8)  | 0.0257 (7)   | −0.0099 (6)   | −0.0008 (5)  | 0.0034 (6)    |
| C9  | 0.0520 (10)  | 0.0433 (10) | 0.0357 (8)   | −0.0131 (8)   | −0.0065 (7)  | 0.0141 (8)    |
| C10 | 0.0398 (8)   | 0.0368 (9)  | 0.0351 (8)   | −0.0045 (7)   | 0.0045 (6)   | 0.0006 (7)    |
| C11 | 0.0291 (7)   | 0.0374 (8)  | 0.0171 (6)   | −0.0102 (6)   | 0.0031 (5)   | 0.0007 (6)    |
| C12 | 0.0312 (7)   | 0.0407 (9)  | 0.0218 (6)   | −0.0072 (6)   | 0.0057 (5)   | 0.0023 (6)    |
| C13 | 0.0288 (7)   | 0.0585 (11) | 0.0236 (7)   | −0.0089 (7)   | 0.0058 (5)   | 0.0071 (7)    |
| C14 | 0.0363 (8)   | 0.0699 (13) | 0.0248 (7)   | −0.0221 (9)   | 0.0005 (6)   | −0.0006 (8)   |
| C15 | 0.0510 (10)  | 0.0486 (10) | 0.0291 (8)   | −0.0212 (9)   | 0.0045 (7)   | −0.0085 (7)   |
| C16 | 0.0407 (8)   | 0.0394 (9)  | 0.0257 (7)   | −0.0081 (7)   | 0.0063 (6)   | −0.0026 (6)   |
| C17 | 0.0306 (8)   | 0.0782 (14) | 0.0450 (10)  | −0.0011 (9)   | 0.0062 (7)   | 0.0143 (10)   |

*Geometric parameters (Å, °)*

|        |             |          |           |
|--------|-------------|----------|-----------|
| C11—C4 | 1.7432 (17) | C9—H9B   | 0.9800    |
| S1—O2  | 1.4358 (12) | C9—H9C   | 0.9800    |
| S1—O3  | 1.4381 (11) | C10—H10A | 0.9800    |
| S1—C1  | 1.7323 (15) | C10—H10B | 0.9800    |
| S1—C11 | 1.7684 (14) | C10—H10C | 0.9800    |
| O1—C8  | 1.3663 (17) | C11—C12  | 1.382 (2) |
| O1—C7  | 1.3770 (19) | C11—C16  | 1.386 (2) |

|            |             |               |             |
|------------|-------------|---------------|-------------|
| C1—C8      | 1.361 (2)   | C12—C13       | 1.398 (2)   |
| C1—C2      | 1.4453 (19) | C12—H12       | 0.9500      |
| C2—C7      | 1.385 (2)   | C13—C14       | 1.389 (3)   |
| C2—C3      | 1.393 (2)   | C13—C17       | 1.503 (3)   |
| C3—C4      | 1.382 (2)   | C14—C15       | 1.380 (3)   |
| C3—H3      | 0.9500      | C14—H14       | 0.9500      |
| C4—C5      | 1.396 (2)   | C15—C16       | 1.386 (2)   |
| C5—C6      | 1.387 (3)   | C15—H15       | 0.9500      |
| C5—H5      | 0.9500      | C16—H16       | 0.9500      |
| C6—C7      | 1.387 (2)   | C17—H17A      | 0.9800      |
| C6—C9      | 1.501 (2)   | C17—H17B      | 0.9800      |
| C8—C10     | 1.481 (2)   | C17—H17C      | 0.9800      |
| C9—H9A     | 0.9800      |               |             |
| O2—S1—O3   | 118.80 (7)  | C6—C9—H9C     | 109.5       |
| O2—S1—C1   | 108.19 (7)  | H9A—C9—H9C    | 109.5       |
| O3—S1—C1   | 108.28 (7)  | H9B—C9—H9C    | 109.5       |
| O2—S1—C11  | 107.75 (7)  | C8—C10—H10A   | 109.5       |
| O3—S1—C11  | 107.25 (7)  | C8—C10—H10B   | 109.5       |
| C1—S1—C11  | 105.85 (7)  | H10A—C10—H10B | 109.5       |
| C8—O1—C7   | 107.04 (12) | C8—C10—H10C   | 109.5       |
| C8—C1—C2   | 107.67 (13) | H10A—C10—H10C | 109.5       |
| C8—C1—S1   | 126.92 (11) | H10B—C10—H10C | 109.5       |
| C2—C1—S1   | 125.41 (12) | C12—C11—C16   | 122.28 (14) |
| C7—C2—C3   | 119.83 (13) | C12—C11—S1    | 118.15 (12) |
| C7—C2—C1   | 104.51 (14) | C16—C11—S1    | 119.34 (12) |
| C3—C2—C1   | 135.67 (14) | C11—C12—C13   | 119.72 (16) |
| C4—C3—C2   | 116.10 (15) | C11—C12—H12   | 120.1       |
| C4—C3—H3   | 122.0       | C13—C12—H12   | 120.1       |
| C2—C3—H3   | 122.0       | C14—C13—C12   | 117.86 (16) |
| C3—C4—C5   | 123.30 (16) | C14—C13—C17   | 121.82 (16) |
| C3—C4—C11  | 118.52 (14) | C12—C13—C17   | 120.31 (17) |
| C5—C4—C11  | 118.18 (11) | C15—C14—C13   | 121.88 (15) |
| C6—C5—C4   | 121.16 (14) | C15—C14—H14   | 119.1       |
| C6—C5—H5   | 119.4       | C13—C14—H14   | 119.1       |
| C4—C5—H5   | 119.4       | C14—C15—C16   | 120.38 (17) |
| C5—C6—C7   | 114.67 (15) | C14—C15—H15   | 119.8       |
| C5—C6—C9   | 123.41 (14) | C16—C15—H15   | 119.8       |
| C7—C6—C9   | 121.90 (16) | C11—C16—C15   | 117.87 (17) |
| O1—C7—C2   | 110.66 (12) | C11—C16—H16   | 121.1       |
| O1—C7—C6   | 124.40 (15) | C15—C16—H16   | 121.1       |
| C2—C7—C6   | 124.94 (16) | C13—C17—H17A  | 109.5       |
| C1—C8—O1   | 110.12 (13) | C13—C17—H17B  | 109.5       |
| C1—C8—C10  | 134.83 (14) | H17A—C17—H17B | 109.5       |
| O1—C8—C10  | 115.05 (14) | C13—C17—H17C  | 109.5       |
| C6—C9—H9A  | 109.5       | H17A—C17—H17C | 109.5       |
| C6—C9—H9B  | 109.5       | H17B—C17—H17C | 109.5       |
| H9A—C9—H9B | 109.5       |               |             |

|              |              |                 |              |
|--------------|--------------|-----------------|--------------|
| O2—S1—C1—C8  | 148.58 (13)  | C9—C6—C7—O1     | 1.2 (2)      |
| O3—S1—C1—C8  | 18.60 (15)   | C5—C6—C7—C2     | 0.7 (2)      |
| C11—S1—C1—C8 | -96.14 (14)  | C9—C6—C7—C2     | -177.79 (15) |
| O2—S1—C1—C2  | -32.04 (14)  | C2—C1—C8—O1     | -0.48 (16)   |
| O3—S1—C1—C2  | -162.03 (12) | S1—C1—C8—O1     | 178.99 (11)  |
| C11—S1—C1—C2 | 83.23 (14)   | C2—C1—C8—C10    | 179.12 (16)  |
| C8—C1—C2—C7  | 0.71 (16)    | S1—C1—C8—C10    | -1.4 (3)     |
| S1—C1—C2—C7  | -178.77 (11) | C7—O1—C8—C1     | 0.05 (16)    |
| C8—C1—C2—C3  | -179.82 (16) | C7—O1—C8—C10    | -179.64 (13) |
| S1—C1—C2—C3  | 0.7 (3)      | O2—S1—C11—C12   | -12.65 (13)  |
| C7—C2—C3—C4  | 0.6 (2)      | O3—S1—C11—C12   | 116.33 (12)  |
| C1—C2—C3—C4  | -178.85 (15) | C1—S1—C11—C12   | -128.22 (12) |
| C2—C3—C4—C5  | 0.4 (2)      | O2—S1—C11—C16   | 172.73 (11)  |
| C2—C3—C4—C11 | 179.49 (11)  | O3—S1—C11—C16   | -58.29 (13)  |
| C3—C4—C5—C6  | -0.9 (2)     | C1—S1—C11—C16   | 57.16 (13)   |
| C11—C4—C5—C6 | -179.97 (12) | C16—C11—C12—C13 | 1.2 (2)      |
| C4—C5—C6—C7  | 0.3 (2)      | S1—C11—C12—C13  | -173.25 (11) |
| C4—C5—C6—C9  | 178.77 (15)  | C11—C12—C13—C14 | -1.0 (2)     |
| C8—O1—C7—C2  | 0.43 (16)    | C11—C12—C13—C17 | 177.98 (14)  |
| C8—O1—C7—C6  | -178.69 (14) | C12—C13—C14—C15 | 0.3 (2)      |
| C3—C2—C7—O1  | 179.73 (13)  | C17—C13—C14—C15 | -178.72 (15) |
| C1—C2—C7—O1  | -0.69 (16)   | C13—C14—C15—C16 | 0.4 (2)      |
| C3—C2—C7—C6  | -1.2 (2)     | C12—C11—C16—C15 | -0.6 (2)     |
| C1—C2—C7—C6  | 178.42 (14)  | S1—C11—C16—C15  | 173.82 (11)  |
| C5—C6—C7—O1  | 179.67 (13)  | C14—C15—C16—C11 | -0.2 (2)     |

*Hydrogen-bond geometry* ( $\text{\AA}$ ,  $^\circ$ )

Cg1 and Cg2 are the centroids of the C2—C7 benzene ring and the C1/C2/C7/O1/C8 furan ring, respectively.

| <i>D</i> —H $\cdots$ <i>A</i>      | <i>D</i> —H | H $\cdots$ <i>A</i> | <i>D</i> $\cdots$ <i>A</i> | <i>D</i> —H $\cdots$ <i>A</i> |
|------------------------------------|-------------|---------------------|----------------------------|-------------------------------|
| C10—H10C $\cdots$ O2 <sup>i</sup>  | 0.98        | 2.49                | 3.297 (2)                  | 139                           |
| C17—H17A $\cdots$ O3 <sup>ii</sup> | 0.98        | 2.41                | 3.369 (2)                  | 165                           |

Symmetry codes: (i)  $x, y+1, z$ ; (ii)  $x+1, y, z$ .