

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

1-[Bicyclo[4.2.0]octa-1(6),2,4-trien-3-yl]-3-[bicyclo[4.2.0]octa-1(6),2,4-trien-3-ylmethyl]imidazolium hexafluorophosphate

Fang-Hua Zhu,^a Jun-Xiao Yang,^b Zhi-Hua Mao^c and Ru-Gang Xie^{a*}

^aCollege of Chemistry, Sichuan University, Chengdu 610064, People's Republic of China, ^bSchool of Materials Science and Engineering, Southwest University of Science and Technology, Mianyang 621010, People's Republic of China, and ^cAnalytical and Testing Center, Sichuan University, Chengdu 610064, People's Republic of China

Correspondence e-mail: orgxie@scu.edu.cn


Received 29 November 2007; accepted 15 December 2007

Key indicators: single-crystal X-ray study; $T = 296$ K; mean $\sigma(\text{C}-\text{C}) = 0.006$ Å; disorder in solvent or counterion; R factor = 0.075; wR factor = 0.223; data-to-parameter ratio = 11.8.

In the title compound, $\text{C}_{20}\text{H}_{19}\text{N}_2^+\cdot\text{PF}_6^-$, the two benzocyclobutene units are essentially planar and they form dihedral angles of 38.0 (2) and 72.7 (2)°, with the central imidazolium ring. In the crystal structure, weak $\text{C}-\text{H}\cdots\pi$ and $\pi-\pi$ stacking interactions [centroid-centroid distance = 3.742 (2) Å] contribute to the stability of the crystal structure. The PF_6^- ion is disordered over two positions with site occupancies of 0.869 (9) and 0.131 (9).

Related literature

For related literature, see: Farona (1996); Kirchhoff & Bruza (1993); Michellys *et al.* (2001); Nemeto & Fukumoto (1998); Zhang *et al.* (2006).



Experimental

Crystal data

$\text{C}_{20}\text{H}_{19}\text{N}_2^+\cdot\text{F}_6\text{P}^-$
 $M_r = 432.34$
 Triclinic, $P\bar{1}$

$a = 9.311$ (3) Å
 $b = 10.138$ (3) Å
 $c = 10.562$ (3) Å

$\alpha = 86.82$ (2)°
 $\beta = 86.44$ (2)°
 $\gamma = 73.61$ (2)°
 $V = 953.9$ (5) Å³
 $Z = 2$

Mo $K\alpha$ radiation
 $\mu = 0.21$ mm⁻¹
 $T = 296$ (2) K
 $0.28 \times 0.25 \times 0.18$ mm

Data collection

Enraf-Nonius CAD-4 diffractometer
 Absorption correction: none
 3558 measured reflections
 3522 independent reflections

2238 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.006$
 3 standard reflections every 300 reflections
 intensity decay: 4.6%

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.075$
 $wR(F^2) = 0.223$
 $S = 1.15$
 3522 reflections
 299 parameters

81 restraints
 H-atom parameters constrained
 $\Delta\rho_{\text{max}} = 0.64$ e Å⁻³
 $\Delta\rho_{\text{min}} = -0.41$ e Å⁻³

Table 1

Hydrogen-bond geometry (Å, °).

Cg1 is the centroid of the C3–C8 ring.

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
$\text{C2}-\text{H2B}\cdots\text{Cg1}^i$	0.97	3.00	3.813 (5)	143

Symmetry code: (i) $-x + 1, -y - 1, -z + 1$.

Data collection: *DIFRAC* (Gabe & White, 1993); cell refinement: *DIFRAC*; data reduction: *NRCVAX* (Gabe *et al.*, 1989); program(s) used to solve structure: *SHELXS97* (Sheldrick, 1997); program(s) used to refine structure: *SHELXL97* (Sheldrick, 1997); molecular graphics: *ORTEPIII* (Burnett & Johnson, 1996); software used to prepare material for publication: *SHELXL97* and *PLATON* (Spek, 2003).

The authors are grateful to the National Natural Science Foundation of China (grant No. 20574046) for financial support.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: CI2536).

References

- Burnett, M. N. & Johnson, C. K. (1996). *ORTEPIII*. Report ORNL-6895. Oak Ridge National Laboratory, Tennessee, USA.
- Farona, M. F. (1996). *Prog. Polym. Sci.* **21**, 505–555.
- Gabe, E. J., Le Page, Y., Charland, J.-P., Lee, F. L. & White, P. S. (1989). *J. Appl. Cryst.* **22**, 384–387.
- Gabe, E. J. & White, P. S. (1993). *DIFRAC*. American Crystallographic Association, Pittsburgh Meeting. Abstract PA104.
- Kirchhoff, R. A. & Bruza, K. J. (1993). *Prog. Polym. Sci.* **18**, 85–185.
- Michellys, P., Maurin, P., Toupet, L., Pellissier, H. & Santelli, M. (2001). *J. Org. Chem.* **66**, 115–122.
- Nemeto, H. & Fukumoto, K. (1998). *Tetrahedron*, **54**, 5425–5464.
- Sheldrick, G. M. (1997). *SHELXS97* and *SHELXL97*. University of Göttingen, Germany.
- Spek, A. L. (2003). *J. Appl. Cryst.* **36**, 7–13.
- Zhang, Y., Gao, J., Shen, X. & Huang, F. (2006). *J. Appl. Polym. Sci.* **99**, 1705–1719.

supporting information

Acta Cryst. (2008). E64, o434 [doi:10.1107/S1600536807067086]

1-[Bicyclo[4.2.0]octa-1(6),2,4-trien-3-yl]-3-[bicyclo[4.2.0]octa-1(6),2,4-trien-3-ylmethyl]imidazolium hexafluorophosphate

Fang-Hua Zhu, Jun-Xiao Yang, Zhi-Hua Mao and Ru-Gang Xie

S1. Comment

Benzocyclobutenes (BCBs) are important building blocks for new polymers and advanced materials (Nemeto & Fukumoto, 1998; Michellys *et al.*, 2001). Most of the reported benzocyclobutene monomers in the literature are bis-BCB-functionalized compounds owing to their highly crosslinked structure and their excellent properties such as the insolubility, low solvent pickup and good thermal stability (Farona, 1996; Zhang *et al.*, 2006; Kirchhoff & Bruza, 1993). We report here the crystal structure of the title compound, a novel bisbenzocyclobutene-terminated imidazolium which was obtained by an anion metathesis between 1-(4-benzocyclobutenyl)-3-(4-benzocyclobutenylmethyl) imidazolium chloride and hexafluorophosphate ammonium.

The two benzocyclobutene units are essentially planar. The plane of the C1—C8 and C13—C20 benzocyclobutene units form dihedral angles of 38.0 (2) and 72.7 (2)°, respectively, with the central imidazolium ring.

A combination of intermolecular π - π and C—H $\cdots\pi$ interactions provide packing forces in the crystal structure of the title compound. A π - π interaction between C13—C15/C18—C20 benzene ring and its symmetry-related counterpart at (-x, 1 - y, -z), with their centroids separated by 3.742 (2) Å, plays an important part in the connection of two adjacent molecules. In addition, a weak C—H $\cdots\pi$ interaction between C2—H2B group and C3—C8 benzene ring at (1 - x, -1 - y, 1 - z) contributes to the crystal packing (Table 1).

S2. Experimental

4-(*N*-imidazolyl)benzocyclobutene (5 mmol, 850 mg) and 4-cholomethylbenzocyclobutene (5 mmol, 760 mg) were placed in a two-necked round-bottomed flask under a nitrogen atmosphere, and the mixture was heated at 353 K for 3 h. After the reaction was completed, the resulting 1-(4-benzocyclobutenyl)-3-(4-benzocyclobutenylmethyl)imidazolium chloride, [BBMI][Cl⁻], was obtained in 85% yield (1.381 g). [BBMI][Cl⁻] was dissolved in deionized water, and NH₄PF₆ was added to replace Cl⁻ ions by PF₆⁻ ions, to obtain the title compound as a white solid (yield 1.331 g). Colourless crystals of the title compound were obtained by recrystallization of the solid from acetone and ethanol (1:1 v/v). ¹H NMR (400 MHz, CDCl₃): δ 8.84 (s, 1H), 7.41 (t, 1H), 7.31 (m, 2H), 7.27 (2 d, 1H), 7.22 (d, 1H), 7.18 (d, J = 8.0 Hz, 1H), 7.15 (s, 1H), 7.09 (d, J = 7.6 Hz, 1H), 5.37 (s, 2H), 3.21 (s, 4H), 3.17 (s, 4H); ¹³C NMR (100 MHz, CDCl₃): δ 148.58, 148.04, 7.65, 147.21, 133.71, 133.42, 130.78, 128.20, 124.45, 123.53, 122.77, 121.88, 121.46, 117.09, 54.52, 29.47, 29.32 p.p.m.

S3. Refinement

H atoms were positioned geometrically and refined in the riding model approximation with C—H = 0.93 or 0.97 Å and $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$. Four F atoms of the PF₆⁻ ion are disordered over two positions (F3,F4,F5,F6/F3A,F4A,F5A,F6A) with refined occupancies of 0.869 (9) and 0.131 (9). The disordered F atoms were restrained to be coplanar, with the F \cdots F distances restrained to be equal. The displacement parameters of disordered F atoms were restrained to be approximately

isotropic.




Figure 1

The molecular structure of the title compound, showing 30% probability displacement ellipsoids and the atomic numbering.

1-[Bicyclo[4.2.0]octa-1(6),2,4-trien-3-yl]-3-[bicyclo[4.2.0]octa-1(6),2,4-trien-3-ylmethyl]imidazolium hexafluorophosphate

Crystal data

$C_{20}H_{19}N_2^+ \cdot F_6P^-$

$M_r = 432.34$

Triclinic, $P\bar{1}$

Hall symbol: -P 1

$a = 9.311(3) \text{ \AA}$

$b = 10.138(3) \text{ \AA}$

$c = 10.562(3) \text{ \AA}$

$\alpha = 86.82(2)^\circ$

$\beta = 86.44(2)^\circ$

$\gamma = 73.61(2)^\circ$

$V = 953.9(5) \text{ \AA}^3$

$Z = 2$

$F(000) = 444$

$D_x = 1.505 \text{ Mg m}^{-3}$

Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$

Cell parameters from 20 reflections

$\theta = 4.9\text{--}9.1^\circ$

$\mu = 0.21 \text{ mm}^{-1}$

$T = 296 \text{ K}$

Block, colourless

$0.28 \times 0.25 \times 0.18 \text{ mm}$

Data collection

Enraf-Nonius CAD-4

diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

$\omega/2\theta$ scans

3558 measured reflections

3522 independent reflections

2238 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.006$

$\theta_{\text{max}} = 25.5^\circ$, $\theta_{\text{min}} = 1.9^\circ$

$h = -10 \rightarrow 11$

$k = -2 \rightarrow 12$

$l = -12 \rightarrow 12$

3 standard reflections every 300 reflections

intensity decay: 4.6%

Refinement

Refinement on F^2
 Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.075$
 $wR(F^2) = 0.223$
 $S = 1.15$
 3522 reflections
 299 parameters
 81 restraints
 Primary atom site location: structure-invariant
 direct methods

Secondary atom site location: difference Fourier
 map
 Hydrogen site location: inferred from
 neighbouring sites
 H-atom parameters constrained
 $w = 1/[\sigma^2(F_o^2) + (0.1349P)^2]$
 where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} = 0.001$
 $\Delta\rho_{\max} = 0.64 \text{ e } \text{\AA}^{-3}$
 $\Delta\rho_{\min} = -0.41 \text{ e } \text{\AA}^{-3}$

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$	Occ. (<1)
N1	0.3258 (3)	-0.0608 (3)	0.3056 (3)	0.0388 (7)	
N2	0.1779 (3)	0.1062 (3)	0.1997 (3)	0.0412 (7)	
C1	0.7078 (6)	-0.4108 (5)	0.5742 (4)	0.0654 (13)	
H1A	0.6556	-0.4310	0.6520	0.078*	
H1B	0.7911	-0.3758	0.5917	0.078*	
C2	0.7481 (5)	-0.5286 (5)	0.4784 (4)	0.0658 (13)	
H2A	0.8522	-0.5547	0.4476	0.079*	
H2B	0.7152	-0.6086	0.5066	0.079*	
C3	0.6426 (4)	-0.4283 (4)	0.3899 (4)	0.0486 (10)	
C4	0.5802 (5)	-0.4138 (4)	0.2742 (4)	0.0534 (11)	
H4	0.6062	-0.4838	0.2166	0.064*	
C5	0.4756 (4)	-0.2881 (4)	0.2472 (3)	0.0477 (10)	
H5	0.4297	-0.2731	0.1700	0.057*	
C6	0.4397 (4)	-0.1854 (4)	0.3348 (3)	0.0385 (8)	
C7	0.5044 (4)	-0.2001 (4)	0.4520 (3)	0.0452 (9)	
H7	0.4809	-0.1304	0.5099	0.054*	
C8	0.6057 (5)	-0.3256 (4)	0.4753 (3)	0.0474 (9)	
C9	0.2990 (4)	0.0017 (3)	0.1915 (3)	0.0381 (8)	
H9	0.3572	-0.0247	0.1175	0.046*	
C10	0.1233 (5)	0.1122 (4)	0.3233 (4)	0.0583 (12)	
H10	0.0378	0.1759	0.3552	0.070*	
C11	0.2151 (5)	0.0095 (4)	0.3902 (4)	0.0525 (10)	
H11	0.2059	-0.0104	0.4768	0.063*	
C12	0.1133 (4)	0.2028 (4)	0.0937 (3)	0.0457 (9)	
H12A	0.0101	0.2026	0.0854	0.055*	

H12B	0.1688	0.1715	0.0150	0.055*	
C13	0.1181 (4)	0.3462 (4)	0.1145 (3)	0.0394 (8)	
C14	-0.0027 (4)	0.4358 (4)	0.1797 (3)	0.0414 (9)	
H14	-0.0882	0.4103	0.2072	0.050*	
C15	0.0126 (4)	0.5639 (4)	0.2006 (3)	0.0446 (9)	
C16	-0.0632 (5)	0.7005 (4)	0.2603 (5)	0.0611 (12)	
H16A	-0.0769	0.6945	0.3520	0.073*	
H16B	-0.1550	0.7522	0.2215	0.073*	
C17	0.0771 (5)	0.7460 (4)	0.2122 (4)	0.0613 (12)	
H17A	0.0569	0.8218	0.1496	0.074*	
H17B	0.1360	0.7622	0.2793	0.074*	
C18	0.1361 (4)	0.6058 (4)	0.1564 (3)	0.0448 (9)	
C19	0.2544 (4)	0.5185 (4)	0.0891 (4)	0.0494 (10)	
H19	0.3375	0.5464	0.0583	0.059*	
C20	0.2429 (4)	0.3886 (4)	0.0702 (3)	0.0465 (10)	
H20	0.3209	0.3271	0.0264	0.056*	
P1	0.67915 (11)	0.11989 (10)	0.17994 (9)	0.0466 (4)	
F1	0.5204 (3)	0.1791 (4)	0.2485 (3)	0.0890 (10)	
F2	0.8367 (3)	0.0567 (3)	0.1101 (3)	0.0964 (11)	
F3	0.6267 (4)	0.0006 (4)	0.1205 (3)	0.0908 (17)	0.869 (9)
F4	0.7321 (5)	0.0220 (4)	0.2990 (3)	0.109 (2)	0.869 (9)
F5	0.7340 (4)	0.2334 (4)	0.2388 (5)	0.112 (2)	0.869 (9)
F6	0.6275 (5)	0.2124 (5)	0.0586 (4)	0.120 (2)	0.869 (9)
F3A	0.6793 (7)	-0.018 (2)	0.2185 (12)	0.127 (14)	0.131 (9)
F4A	0.7527 (10)	0.1314 (12)	0.3022 (15)	0.090 (10)	0.131 (9)
F5A	0.6805 (7)	0.260 (2)	0.1369 (12)	0.103 (11)	0.131 (9)
F6A	0.6104 (10)	0.1040 (12)	0.0613 (16)	0.093 (10)	0.131 (9)

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
N1	0.0443 (17)	0.0364 (15)	0.0320 (15)	-0.0048 (13)	-0.0036 (12)	-0.0025 (12)
N2	0.0480 (18)	0.0395 (16)	0.0332 (15)	-0.0068 (14)	-0.0038 (13)	-0.0028 (12)
C1	0.075 (3)	0.066 (3)	0.047 (2)	-0.005 (2)	-0.023 (2)	0.011 (2)
C2	0.064 (3)	0.065 (3)	0.056 (3)	0.002 (2)	-0.013 (2)	0.012 (2)
C3	0.046 (2)	0.051 (2)	0.042 (2)	-0.0017 (18)	-0.0069 (16)	0.0010 (17)
C4	0.050 (2)	0.055 (2)	0.046 (2)	0.0046 (18)	-0.0117 (17)	-0.0145 (18)
C5	0.049 (2)	0.055 (2)	0.0348 (19)	-0.0043 (18)	-0.0110 (16)	-0.0087 (17)
C6	0.0361 (18)	0.0414 (19)	0.0340 (17)	-0.0041 (15)	-0.0050 (14)	0.0004 (14)
C7	0.057 (2)	0.048 (2)	0.0287 (17)	-0.0099 (18)	-0.0066 (16)	-0.0024 (15)
C8	0.055 (2)	0.050 (2)	0.0331 (18)	-0.0094 (18)	-0.0107 (16)	0.0070 (16)
C9	0.044 (2)	0.0407 (19)	0.0286 (16)	-0.0088 (16)	-0.0053 (14)	-0.0017 (14)
C10	0.068 (3)	0.049 (2)	0.042 (2)	0.008 (2)	0.0080 (19)	-0.0024 (18)
C11	0.061 (3)	0.050 (2)	0.0356 (19)	0.0015 (19)	0.0081 (18)	-0.0034 (16)
C12	0.052 (2)	0.046 (2)	0.0351 (18)	-0.0040 (17)	-0.0135 (16)	-0.0021 (16)
C13	0.0406 (19)	0.0434 (19)	0.0305 (17)	-0.0041 (15)	-0.0117 (14)	0.0019 (14)
C14	0.0363 (19)	0.043 (2)	0.0417 (19)	-0.0050 (15)	-0.0094 (15)	0.0040 (15)
C15	0.041 (2)	0.043 (2)	0.044 (2)	-0.0004 (16)	-0.0123 (16)	0.0019 (16)

C16	0.058 (3)	0.043 (2)	0.075 (3)	-0.0011 (19)	-0.008 (2)	-0.008 (2)
C17	0.063 (3)	0.050 (2)	0.071 (3)	-0.015 (2)	-0.014 (2)	-0.002 (2)
C18	0.045 (2)	0.047 (2)	0.0414 (19)	-0.0100 (17)	-0.0131 (16)	0.0077 (16)
C19	0.042 (2)	0.064 (3)	0.044 (2)	-0.0179 (19)	-0.0051 (17)	0.0037 (18)
C20	0.040 (2)	0.056 (2)	0.0373 (19)	-0.0024 (17)	-0.0069 (16)	-0.0042 (17)
P1	0.0469 (6)	0.0481 (6)	0.0409 (6)	-0.0061 (5)	-0.0024 (4)	-0.0045 (4)
F1	0.0595 (17)	0.125 (2)	0.0650 (17)	0.0038 (16)	0.0102 (13)	-0.0246 (17)
F2	0.0592 (18)	0.098 (2)	0.127 (3)	-0.0126 (16)	0.0273 (18)	-0.042 (2)
F3	0.093 (3)	0.122 (4)	0.078 (3)	-0.060 (3)	0.027 (2)	-0.048 (3)
F4	0.165 (4)	0.074 (3)	0.054 (2)	0.023 (3)	-0.021 (2)	0.0058 (18)
F5	0.105 (3)	0.082 (3)	0.158 (5)	-0.031 (2)	0.003 (3)	-0.061 (3)
F6	0.151 (4)	0.106 (4)	0.060 (2)	0.024 (3)	0.002 (2)	0.034 (2)
F3A	0.122 (19)	0.094 (16)	0.18 (2)	-0.059 (14)	-0.017 (16)	0.033 (16)
F4A	0.077 (13)	0.105 (19)	0.079 (13)	-0.006 (12)	-0.049 (11)	0.013 (12)
F5A	0.140 (19)	0.086 (15)	0.091 (17)	-0.050 (13)	0.001 (14)	0.004 (13)
F6A	0.145 (18)	0.095 (17)	0.052 (12)	-0.048 (14)	-0.024 (11)	-0.012 (12)

Geometric parameters (Å, °)

N1—C9	1.334 (4)	C12—H12B	0.97
N1—C11	1.382 (4)	C13—C20	1.395 (5)
N1—C6	1.435 (4)	C13—C14	1.400 (5)
N2—C9	1.313 (4)	C14—C15	1.378 (5)
N2—C10	1.370 (5)	C14—H14	0.93
N2—C12	1.484 (4)	C15—C18	1.381 (6)
C1—C8	1.517 (5)	C15—C16	1.518 (5)
C1—C2	1.558 (6)	C16—C17	1.552 (7)
C1—H1A	0.97	C16—H16A	0.97
C1—H1B	0.97	C16—H16B	0.97
C2—C3	1.522 (5)	C17—C18	1.510 (5)
C2—H2A	0.97	C17—H17A	0.97
C2—H2B	0.97	C17—H17B	0.97
C3—C4	1.368 (5)	C18—C19	1.387 (5)
C3—C8	1.371 (5)	C19—C20	1.378 (5)
C4—C5	1.395 (5)	C19—H19	0.93
C4—H4	0.93	C20—H20	0.93
C5—C6	1.386 (5)	P1—F3A	1.43 (3)
C5—H5	0.93	P1—F5A	1.47 (2)
C6—C7	1.393 (5)	P1—F6A	1.48 (2)
C7—C8	1.373 (5)	P1—F4A	1.524 (18)
C7—H7	0.93	P1—F5	1.556 (4)
C9—H9	0.93	P1—F6	1.563 (4)
C10—C11	1.343 (5)	P1—F4	1.572 (4)
C10—H10	0.93	P1—F1	1.576 (3)
C11—H11	0.93	P1—F2	1.579 (3)
C12—C13	1.497 (5)	P1—F3	1.597 (4)
C12—H12A	0.97		

C9—N1—C11	107.5 (3)	C15—C14—H14	122.0
C9—N1—C6	126.8 (3)	C13—C14—H14	122.0
C11—N1—C6	125.4 (3)	C14—C15—C18	123.0 (3)
C9—N2—C10	108.2 (3)	C14—C15—C16	144.1 (4)
C9—N2—C12	125.8 (3)	C18—C15—C16	93.0 (3)
C10—N2—C12	125.9 (3)	C15—C16—C17	86.7 (3)
C8—C1—C2	86.7 (3)	C15—C16—H16A	114.2
C8—C1—H1A	114.2	C17—C16—H16A	114.2
C2—C1—H1A	114.2	C15—C16—H16B	114.2
C8—C1—H1B	114.2	C17—C16—H16B	114.2
C2—C1—H1B	114.2	H16A—C16—H16B	111.4
H1A—C1—H1B	111.4	C18—C17—C16	86.8 (3)
C3—C2—C1	86.3 (3)	C18—C17—H17A	114.2
C3—C2—H2A	114.3	C16—C17—H17A	114.2
C1—C2—H2A	114.3	C18—C17—H17B	114.2
C3—C2—H2B	114.3	C16—C17—H17B	114.2
C1—C2—H2B	114.3	H17A—C17—H17B	111.3
H2A—C2—H2B	111.4	C15—C18—C19	121.1 (4)
C4—C3—C8	122.4 (3)	C15—C18—C17	93.5 (3)
C4—C3—C2	144.0 (4)	C19—C18—C17	145.3 (4)
C8—C3—C2	93.5 (3)	C20—C19—C18	116.7 (4)
C3—C4—C5	116.3 (3)	C20—C19—H19	121.6
C3—C4—H4	121.8	C18—C19—H19	121.6
C5—C4—H4	121.8	C19—C20—C13	122.2 (3)
C6—C5—C4	120.5 (3)	C19—C20—H20	118.9
C6—C5—H5	119.8	C13—C20—H20	118.9
C4—C5—H5	119.8	F3A—P1—F5A	178.4 (5)
C5—C6—C7	123.0 (3)	F3A—P1—F6A	88.8 (6)
C5—C6—N1	118.5 (3)	F5A—P1—F6A	90.0 (6)
C7—C6—N1	118.5 (3)	F3A—P1—F4A	89.6 (6)
C8—C7—C6	114.7 (3)	F5A—P1—F4A	91.5 (6)
C8—C7—H7	122.7	F6A—P1—F4A	178.2 (6)
C6—C7—H7	122.7	F5—P1—F6	92.2 (3)
C3—C8—C7	123.1 (3)	F5—P1—F4	89.7 (3)
C3—C8—C1	93.5 (3)	F6—P1—F4	177.9 (2)
C7—C8—C1	143.4 (3)	F3A—P1—F1	91.1 (2)
N2—C9—N1	109.6 (3)	F5A—P1—F1	90.1 (2)
N2—C9—H9	125.2	F6A—P1—F1	91.5 (2)
N1—C9—H9	125.2	F4A—P1—F1	89.5 (2)
C11—C10—N2	107.8 (3)	F5—P1—F1	89.43 (19)
C11—C10—H10	126.1	F6—P1—F1	90.82 (19)
N2—C10—H10	126.1	F4—P1—F1	90.17 (19)
C10—C11—N1	106.8 (3)	F3A—P1—F2	87.5 (2)
C10—C11—H11	126.6	F5A—P1—F2	91.3 (2)
N1—C11—H11	126.6	F6A—P1—F2	87.4 (2)
N2—C12—C13	111.8 (3)	F4A—P1—F2	91.5 (2)
N2—C12—H12A	109.3	F5—P1—F2	92.30 (19)
C13—C12—H12A	109.3	F6—P1—F2	89.4 (2)

N2—C12—H12B	109.3	F4—P1—F2	89.5 (2)
C13—C12—H12B	109.3	F1—P1—F2	178.25 (18)
H12A—C12—H12B	107.9	F5—P1—F3	178.5 (2)
C20—C13—C14	120.9 (3)	F6—P1—F3	88.8 (3)
C20—C13—C12	119.8 (3)	F4—P1—F3	89.3 (2)
C14—C13—C12	119.3 (3)	F1—P1—F3	91.61 (18)
C15—C14—C13	116.0 (4)	F2—P1—F3	86.66 (17)
C8—C1—C2—C3	0.8 (3)	C12—N2—C10—C11	-178.3 (4)
C1—C2—C3—C4	-177.7 (7)	N2—C10—C11—N1	-0.8 (5)
C1—C2—C3—C8	-0.9 (4)	C9—N1—C11—C10	0.7 (5)
C8—C3—C4—C5	-0.3 (7)	C6—N1—C11—C10	-174.1 (4)
C2—C3—C4—C5	176.0 (6)	C9—N2—C12—C13	-115.5 (4)
C3—C4—C5—C6	0.3 (7)	C10—N2—C12—C13	63.2 (5)
C4—C5—C6—C7	0.4 (7)	N2—C12—C13—C20	89.8 (4)
C4—C5—C6—N1	-176.8 (4)	N2—C12—C13—C14	-89.5 (4)
C9—N1—C6—C5	-35.6 (6)	C20—C13—C14—C15	-2.4 (5)
C11—N1—C6—C5	138.2 (4)	C12—C13—C14—C15	177.0 (3)
C9—N1—C6—C7	147.2 (4)	C13—C14—C15—C18	2.5 (5)
C11—N1—C6—C7	-39.0 (5)	C13—C14—C15—C16	-178.8 (5)
C5—C6—C7—C8	-0.9 (6)	C14—C15—C16—C17	-179.7 (5)
N1—C6—C7—C8	176.2 (3)	C18—C15—C16—C17	-0.8 (3)
C4—C3—C8—C7	-0.3 (7)	C15—C16—C17—C18	0.8 (3)
C2—C3—C8—C7	-178.1 (4)	C14—C15—C18—C19	-1.0 (6)
C4—C3—C8—C1	178.7 (4)	C16—C15—C18—C19	179.7 (3)
C2—C3—C8—C1	0.9 (4)	C14—C15—C18—C17	-179.9 (3)
C6—C7—C8—C3	0.9 (6)	C16—C15—C18—C17	0.9 (3)
C6—C7—C8—C1	-177.5 (6)	C16—C17—C18—C15	-0.9 (3)
C2—C1—C8—C3	-0.9 (4)	C16—C17—C18—C19	-179.2 (6)
C2—C1—C8—C7	177.7 (6)	C15—C18—C19—C20	-0.7 (5)
C10—N2—C9—N1	-0.2 (4)	C17—C18—C19—C20	177.3 (5)
C12—N2—C9—N1	178.7 (3)	C18—C19—C20—C13	0.8 (5)
C11—N1—C9—N2	-0.3 (4)	C14—C13—C20—C19	0.8 (5)
C6—N1—C9—N2	174.4 (3)	C12—C13—C20—C19	-178.6 (3)
C9—N2—C10—C11	0.6 (5)		

Hydrogen-bond geometry (Å, °)

<i>D</i> —H... <i>A</i>	<i>D</i> —H	H... <i>A</i>	<i>D</i> ... <i>A</i>	<i>D</i> —H... <i>A</i>
C2—H2B...Cg1 ⁱ	0.97	3.00	3.813 (5)	143

Symmetry code: (i) $-x+1, -y-1, -z+1$.