

## 2-Methyl-1,2-benzisothiazol-3(2H)-one 1,1-dioxide

Waseeq Ahmad Siddiqui,<sup>a</sup> Saeed Ahmad,<sup>b</sup> Hamid Latif Siddiqui<sup>c</sup> and Masood Parvez<sup>d\*</sup>

<sup>a</sup>Department of Chemistry, University of Sargodha, Sargodha, Pakistan, <sup>b</sup>Department of Chemistry, University of Science and Technology, Bannu, Pakistan, <sup>c</sup>Institute of Chemistry, University of the Punjab, Lahore, Pakistan, and <sup>d</sup>Department of Chemistry, The University of Calgary, 2500 University Drive NW, Calgary, Alberta, Canada T2N 1N4  
Correspondence e-mail: parvez@ucalgary.ca


Received 12 February 2008; accepted 16 February 2008

Key indicators: single-crystal X-ray study;  $T = 173\text{ K}$ ; mean  $\sigma(\text{C}-\text{C}) = 0.004\text{ \AA}$ ;  $R$  factor = 0.041;  $wR$  factor = 0.107; data-to-parameter ratio = 13.8.

All atoms of the title molecule,  $\text{C}_8\text{H}_7\text{NO}_3\text{S}$ , except the two oxide O atoms and two H atoms of the methyl group, lie on a crystallographic mirror plane. The crystal structure is stabilized by weak inter- and intramolecular C—H···O hydrogen bonds.

### Related literature

For related literature, see: Hu *et al.* (2004); Kap-Sun & Nicholas (1998); Liang *et al.* (2006); Masashi *et al.* (1999); Nagasawa *et al.* (1995); Siddiqui *et al.* (2006, 2007a,b,c); Siddiqui, Ahmad, Khan & Siddiqui (2007); Siddiqui, Ahmad, Khan, Siddiqui & Ahmad (2007); Siddiqui, Ahmad, Khan, Siddiqui & Parvez (2007).



### Experimental

#### Crystal data

$\text{C}_8\text{H}_7\text{NO}_3\text{S}$   
 $M_r = 197.21$   
Monoclinic,  $P2_1/m$   
 $a = 7.463 (7)\text{ \AA}$   
 $b = 6.761 (6)\text{ \AA}$   
 $c = 8.748 (8)\text{ \AA}$   
 $\beta = 103.78 (3)^\circ$

$V = 428.7 (7)\text{ \AA}^3$   
 $Z = 2$   
Mo  $K\alpha$  radiation  
 $\mu = 0.35\text{ mm}^{-1}$   
 $T = 173 (2)\text{ K}$   
 $0.12 \times 0.08 \times 0.07\text{ mm}$

#### Data collection

Nonius KappaCCD diffractometer  
Absorption correction: multi-scan (*SORTAV*; Blessing, 1997)  
 $T_{\min} = 0.960$ ,  $T_{\max} = 0.976$   
1724 measured reflections  
1045 independent reflections  
889 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.023$

#### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.041$   
 $wR(F^2) = 0.106$   
 $S = 1.03$   
1045 reflections  
76 parameters  
H-atom parameters constrained  
 $\Delta\rho_{\max} = 0.41\text{ e \AA}^{-3}$   
 $\Delta\rho_{\min} = -0.42\text{ e \AA}^{-3}$

**Table 1**

Hydrogen-bond geometry ( $\text{\AA}$ ,  $^\circ$ ).

| $D-\text{H}\cdots A$      | $D-\text{H}$ | $\text{H}\cdots A$ | $D\cdots A$ | $D-\text{H}\cdots A$ |
|---------------------------|--------------|--------------------|-------------|----------------------|
| C8—H8A···O1               | 0.96         | 2.49               | 2.869 (4)   | 104                  |
| C2—H2···O1 <sup>i</sup>   | 0.95         | 2.29               | 3.227 (4)   | 169                  |
| C8—H8B···O2 <sup>ii</sup> | 0.96         | 2.49               | 3.358 (3)   | 151                  |

Symmetry codes: (i)  $x + 1, y, z$ ; (ii)  $-x + 1, -y, -z$ .

Data collection: *COLLECT* (Hooft, 1998); cell refinement: *DENZO* (Otwinowski & Minor, 1997); data reduction: *SCALEPACK* (Otwinowski & Minor, 1997); program(s) used to solve structure: *SAPI9I* (Fan, 1991); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEPII* (Johnson, 1976); software used to prepare material for publication: *SHELXL97*.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: LH2597).

### References

- Blessing, R. H. (1997). *J. Appl. Cryst.* **30**, 421–426.
- Fan, H.-F. (1991). *SAPI9I*. Rigaku Corporation, Tokyo, Japan.
- Hooft, R. (1998). *COLLECT*. Nonius BV, Delft, The Netherlands.
- Hu, Y., Chen, Z. C., Le, Z. G. & Zheng, Q. G. (2004). *J. Chem. Res.* **4**, 276–278.
- Johnson, C. K. (1976). *ORTEPII*. Report ORNL-5138. Oak Ridge National Laboratory, Tennessee, USA.
- Kap-Sun, Y. & Nicholas, A. M. (1998). *Tetrahedron Lett.* **39**, 5309–5312.
- Liang, X., Hong, S., Ying, L., Suhong, Z. & Mark, L. T. (2006). *Tetrahedron*, **62**, 7902–7910.
- Masashi, K., Hideo, T., Kentaro, Y. & Masataka, Y. (1999). *Tetrahedron*, **55**, 14885–14900.
- Nagasawa, H. T., Kawle, S. P., Elberling, J. A., DeMaster, E. G. & Fukuto, J. M. (1995). *J. Med. Chem.* **38**, 1865–1871.
- Otwinowski, Z. & Minor, W. (1997). *Methods in Enzymology*, Vol. 276, *Macromolecular Crystallography*, Part A, edited by C. W. Carter Jr and R. M. Sweet, pp. 307–326. New York: Academic Press.
- Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
- Siddiqui, W. A., Ahmad, S., Khan, I. U. & Siddiqui, H. L. (2007). *Synth. Commun.* **37**, 767–773.
- Siddiqui, W. A., Ahmad, S., Khan, I. U., Siddiqui, H. L. & Ahmad, V. U. (2007). *J. Chem. Soc. Pak.* **29**, 44–47.
- Siddiqui, W. A., Ahmad, S., Khan, I. U., Siddiqui, H. L. & Parvez, M. (2007). *Acta Cryst. E* **63**, o4116.
- Siddiqui, W. A., Ahmad, S., Siddiqui, H. L., Tariq, M. I. & Parvez, M. (2007a). *Acta Cryst. E* **63**, o4001.
- Siddiqui, W. A., Ahmad, S., Siddiqui, H. L., Tariq, M. I. & Parvez, M. (2007b). *Acta Cryst. E* **63**, o4117.
- Siddiqui, W. A., Ahmad, S., Siddiqui, H. L., Tariq, M. I. & Parvez, M. (2007c). *Acta Cryst. E* **63**, o4585.
- Siddiqui, W. A., Ahmad, S., Ullah, I. & Malik, A. (2006). *J. Chem. Soc. Pak.* **28**, 583–589.

# supporting information

*Acta Cryst.* (2008). E64, o724 [doi:10.1107/S1600536808004637]

## 2-Methyl-1,2-benzisothiazol-3(2H)-one 1,1-dioxide

**Waseeq Ahmad Siddiqui, Saeed Ahmad, Hamid Latif Siddiqui and Masood Parvez**

### S1. Comment

Benzisothiazolone-1,1-dioxide is part of a class of heterocycles which has been investigated in pharmaceutical research (Kap-Sun & Nicholas, 1998). 1,2-benzisothiazole-3-one 1,1-dioxide (saccharin) has been widely incorporated into a variety of biologically active compounds. It has been identified as an important molecular component in various classes of 5-HT<sub>1A</sub> antagonists, analgesics and human mast cell tryptase inhibitors (Liang *et al.*, 2006). In particular, N-substituted derivatives, e.g. with *N*-hydroxy and *N*-alkyl substituents, have shown important biological activities (Nagasawa *et al.*, 1995). Among *N*-alkyl derivatives, various synthetic routes have been reported for the synthesis of the title compound involving ionic liquids and free radical mechanisms (Hu *et al.*, 2004; Masashi *et al.*, 1999). In continuation of our research on the synthesis of 1,2-benzothiazine 1,1-dioxide derivatives, we have in addition, embarked on the synthesis of benzisothiazole derivatives (Siddiqui *et al.*, 2006; Siddiqui *et al.*, 2007a,b,c; Siddiqui, Ahmad, Khan & Siddiqui, 2007; Siddiqui, Ahmad, Khan, Siddiqui & Ahmad, 2007; Siddiqui, Ahmad, Khan, Siddiqui & Parvez, 2007). Herein, we report the synthesis and crystal structure of the title compound, (I).


With the exception atoms O2 and H8B, all atoms of the molecule of (I) (Fig. 1) lie on a crystallographic mirror plane. The benzisothiazole moiety is exactly planar. The molecular dimensions are in accord with the corresponding dimensions reported in similar structures (Siddiqui *et al.*, 2007a-c; Siddiqui, Ahmad, Khan, Siddiqui & Parvez, 2007). The structure is stabilized by one intramolecular and two intermolecular interactions of the type C—H···O (details are in Table).

### S2. Experimental

Saccharin (2.0 g, 11.0 mmol.) was added to a solution of sodium hydroxide (0.875 g, 22.0 mmol.) in distilled water (25 ml) under constant stirring to give a transparent solution. A solution of dimethylsulfate (2.08 ml, 22.0 mmol.) in methanol (10.0 ml) was then added dropwise over 2 minutes. Precipitates started appearing within 5 minutes and stirring was continued for 20 min. at room temperature. The precipitates were filtered, washed with cold water and dried (343 K) to get 1.75 g of (I) (8.9 mmol. 81%). Recrystallization Solvent: CHCl<sub>3</sub>. The solution was subjected to slow evaporation at 313 K to obtain colourless crystals.

### S3. Refinement

H-atoms bonded were included in the refinements at geometrically idealized positions with aromatic and methyl C—H distances 0.95 and 0.96 Å, respectively, and  $U_{\text{iso}} = 1.2$  times  $U_{\text{eq}}$  of the atoms to which they were bonded. The final difference map was free of any chemically significant features.

**Figure 1**

ORTEPII (Johnson, 1976) drawing of (I) with displacement ellipsoids plotted at 50% probability level. Symmetry code:  
(iii)  $x, -y + 1/2, z$ .

### 2-Methyl-1,2-benzisothiazol-3(2H)-one 1,1-dioxide

#### Crystal data

$C_8H_7NO_3S$   
 $M_r = 197.21$   
Monoclinic,  $P2_1/m$   
Hall symbol: -P 2yb  
 $a = 7.463$  (7) Å  
 $b = 6.761$  (6) Å  
 $c = 8.748$  (8) Å  
 $\beta = 103.78$  (3)°  
 $V = 428.7$  (7) Å<sup>3</sup>  
 $Z = 2$

$F(000) = 204$   
 $D_x = 1.528 \text{ Mg m}^{-3}$   
Mo  $K\alpha$  radiation,  $\lambda = 0.71073$  Å  
Cell parameters from 1724 reflections  
 $\theta = 3.2\text{--}27.4^\circ$   
 $\mu = 0.35 \text{ mm}^{-1}$   
 $T = 173$  K  
Prism, colorless  
 $0.12 \times 0.08 \times 0.07$  mm

#### Data collection

Nonius KappaCCD  
diffractometer  
Radiation source: fine-focus sealed tube  
Graphite monochromator  
 $\omega$  and  $\phi$  scans  
Absorption correction: multi-scan  
(SORTAV; Blessing, 1997)  
 $T_{\min} = 0.960$ ,  $T_{\max} = 0.976$

1724 measured reflections  
1045 independent reflections  
889 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.023$   
 $\theta_{\max} = 27.4^\circ$ ,  $\theta_{\min} = 3.2^\circ$   
 $h = -9 \rightarrow 9$   
 $k = -8 \rightarrow 8$   
 $l = -11 \rightarrow 11$

*Refinement*Refinement on  $F^2$ 

Least-squares matrix: full

$$R[F^2 > 2\sigma(F^2)] = 0.041$$

$$wR(F^2) = 0.106$$

$$S = 1.03$$

1045 reflections

76 parameters

0 restraints

Primary atom site location: structure-invariant direct methods

Secondary atom site location: difference Fourier map

Hydrogen site location: inferred from neighbouring sites

H-atom parameters constrained

$$w = 1/[\sigma^2(F_o^2) + (0.0455P)^2 + 0.2966P]$$
$$\text{where } P = (F_o^2 + 2F_c^2)/3$$

$$(\Delta/\sigma)_{\max} < 0.001$$

$$\Delta\rho_{\max} = 0.41 \text{ e \AA}^{-3}$$

$$\Delta\rho_{\min} = -0.42 \text{ e \AA}^{-3}$$

*Special details*

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

|     | <i>x</i>     | <i>y</i>   | <i>z</i>     | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|-----|--------------|------------|--------------|----------------------------------|
| S1  | 0.68037 (10) | 0.2500     | 0.26611 (7)  | 0.0314 (2)                       |
| O1  | 0.2425 (3)   | 0.2500     | 0.4038 (3)   | 0.0416 (5)                       |
| O2  | 0.7324 (2)   | 0.0698 (2) | 0.20266 (16) | 0.0445 (4)                       |
| N1  | 0.4534 (3)   | 0.2500     | 0.2520 (3)   | 0.0314 (5)                       |
| C1  | 0.7314 (4)   | 0.2500     | 0.4722 (3)   | 0.0254 (5)                       |
| C2  | 0.9043 (4)   | 0.2500     | 0.5750 (3)   | 0.0337 (6)                       |
| H2  | 1.0141       | 0.2500     | 0.5381       | 0.040*                           |
| C3  | 0.9090 (4)   | 0.2500     | 0.7337 (3)   | 0.0403 (7)                       |
| H3  | 1.0249       | 0.2500     | 0.8079       | 0.048*                           |
| C4  | 0.7486 (4)   | 0.2500     | 0.7873 (3)   | 0.0379 (7)                       |
| H4  | 0.7566       | 0.2500     | 0.8974       | 0.045*                           |
| C5  | 0.5767 (4)   | 0.2500     | 0.6832 (3)   | 0.0308 (6)                       |
| H5  | 0.4670       | 0.2500     | 0.7203       | 0.037*                           |
| C6  | 0.5690 (3)   | 0.2500     | 0.5235 (3)   | 0.0251 (5)                       |
| C7  | 0.4012 (4)   | 0.2500     | 0.3931 (3)   | 0.0289 (6)                       |
| C8  | 0.3218 (5)   | 0.2500     | 0.0986 (3)   | 0.0455 (8)                       |
| H8A | 0.1982       | 0.2500     | 0.1130       | 0.055*                           |
| H8B | 0.3405       | 0.1341     | 0.0410       | 0.055*                           |

*Atomic displacement parameters ( $\text{\AA}^2$ )*

|    | $U^{11}$    | $U^{22}$    | $U^{33}$    | $U^{12}$   | $U^{13}$     | $U^{23}$    |
|----|-------------|-------------|-------------|------------|--------------|-------------|
| S1 | 0.0415 (4)  | 0.0319 (4)  | 0.0237 (3)  | 0.000      | 0.0133 (3)   | 0.000       |
| O1 | 0.0284 (10) | 0.0449 (13) | 0.0521 (13) | 0.000      | 0.0107 (9)   | 0.000       |
| O2 | 0.0587 (10) | 0.0435 (9)  | 0.0369 (8)  | 0.0058 (7) | 0.0223 (7)   | -0.0101 (7) |
| N1 | 0.0355 (12) | 0.0301 (12) | 0.0266 (11) | 0.000      | 0.0031 (9)   | 0.000       |
| C1 | 0.0319 (13) | 0.0222 (12) | 0.0237 (12) | 0.000      | 0.0099 (10)  | 0.000       |
| C2 | 0.0276 (13) | 0.0367 (16) | 0.0371 (14) | 0.000      | 0.0085 (11)  | 0.000       |
| C3 | 0.0402 (16) | 0.0417 (17) | 0.0340 (15) | 0.000      | -0.0010 (12) | 0.000       |

|    |             |             |             |       |              |       |
|----|-------------|-------------|-------------|-------|--------------|-------|
| C4 | 0.0553 (18) | 0.0343 (16) | 0.0238 (13) | 0.000 | 0.0087 (12)  | 0.000 |
| C5 | 0.0392 (15) | 0.0257 (13) | 0.0324 (14) | 0.000 | 0.0181 (12)  | 0.000 |
| C6 | 0.0280 (12) | 0.0189 (12) | 0.0297 (13) | 0.000 | 0.0093 (10)  | 0.000 |
| C7 | 0.0330 (14) | 0.0221 (13) | 0.0320 (13) | 0.000 | 0.0086 (11)  | 0.000 |
| C8 | 0.0551 (19) | 0.0452 (19) | 0.0284 (15) | 0.000 | -0.0053 (13) | 0.000 |

*Geometric parameters ( $\text{\AA}$ ,  $^{\circ}$ )*

|                           |             |             |           |
|---------------------------|-------------|-------------|-----------|
| S1—O2 <sup>i</sup>        | 1.430 (2)   | C2—H2       | 0.9500    |
| S1—O2                     | 1.430 (2)   | C3—C4       | 1.386 (4) |
| S1—N1                     | 1.668 (3)   | C3—H3       | 0.9500    |
| S1—C1                     | 1.752 (3)   | C4—C5       | 1.385 (4) |
| O1—C7                     | 1.211 (3)   | C4—H4       | 0.9500    |
| N1—C7                     | 1.380 (4)   | C5—C6       | 1.384 (4) |
| N1—C8                     | 1.462 (4)   | C5—H5       | 0.9500    |
| C1—C2                     | 1.386 (4)   | C6—C7       | 1.479 (4) |
| C1—C6                     | 1.389 (4)   | C8—H8A      | 0.9600    |
| C2—C3                     | 1.380 (4)   | C8—H8B      | 0.9600    |
| <br>                      |             |             |           |
| O2 <sup>i</sup> —S1—O2    | 116.79 (14) | C4—C3—H3    | 119.2     |
| O2 <sup>i</sup> —S1—N1    | 109.63 (8)  | C5—C4—C3    | 121.1 (3) |
| O2—S1—N1                  | 109.63 (8)  | C5—C4—H4    | 119.5     |
| O2 <sup>i</sup> —S1—C1    | 112.76 (8)  | C3—C4—H4    | 119.5     |
| O2—S1—C1                  | 112.76 (8)  | C6—C5—C4    | 118.2 (2) |
| N1—S1—C1                  | 92.54 (12)  | C6—C5—H5    | 120.9     |
| C7—N1—C8                  | 123.3 (2)   | C4—C5—H5    | 120.9     |
| C7—N1—S1                  | 115.6 (2)   | C5—C6—C1    | 119.7 (2) |
| C8—N1—S1                  | 121.1 (2)   | C5—C6—C7    | 127.0 (2) |
| C2—C1—C6                  | 122.7 (2)   | C1—C6—C7    | 113.2 (2) |
| C2—C1—S1                  | 127.5 (2)   | O1—C7—N1    | 124.0 (3) |
| C6—C1—S1                  | 109.9 (2)   | O1—C7—C6    | 127.2 (3) |
| C3—C2—C1                  | 116.7 (3)   | N1—C7—C6    | 108.8 (2) |
| C3—C2—H2                  | 121.6       | N1—C8—H8A   | 109.6     |
| C1—C2—H2                  | 121.6       | N1—C8—H8B   | 109.4     |
| C2—C3—C4                  | 121.6 (3)   | H8A—C8—H8B  | 109.5     |
| C2—C3—H3                  | 119.2       | <br>        |           |
| <br>                      |             |             |           |
| O2 <sup>i</sup> —S1—N1—C7 | -115.28 (8) | C3—C4—C5—C6 | 0.000 (1) |
| O2—S1—N1—C7               | 115.28 (8)  | C4—C5—C6—C1 | 0.0       |
| C1—S1—N1—C7               | 0.0         | C4—C5—C6—C7 | 180.0     |
| O2 <sup>i</sup> —S1—N1—C8 | 64.72 (8)   | C2—C1—C6—C5 | 0.0       |
| O2—S1—N1—C8               | -64.72 (8)  | S1—C1—C6—C5 | 180.0     |
| C1—S1—N1—C8               | 180.0       | C2—C1—C6—C7 | 180.0     |
| O2 <sup>i</sup> —S1—C1—C2 | -67.46 (9)  | S1—C1—C6—C7 | 0.0       |
| O2—S1—C1—C2               | 67.46 (9)   | C8—N1—C7—O1 | 0.0       |
| N1—S1—C1—C2               | 180.0       | S1—N1—C7—O1 | 180.0     |
| O2 <sup>i</sup> —S1—C1—C6 | 112.54 (9)  | C8—N1—C7—C6 | 180.0     |
| O2—S1—C1—C6               | -112.54 (9) | S1—N1—C7—C6 | 0.0       |

|             |           |             |       |
|-------------|-----------|-------------|-------|
| N1—S1—C1—C6 | 0.0       | C5—C6—C7—O1 | 0.0   |
| C6—C1—C2—C3 | 0.0       | C1—C6—C7—O1 | 180.0 |
| S1—C1—C2—C3 | 180.0     | C5—C6—C7—N1 | 180.0 |
| C1—C2—C3—C4 | 0.000 (1) | C1—C6—C7—N1 | 0.0   |
| C2—C3—C4—C5 | 0.000 (1) |             |       |

Symmetry code: (i)  $x, -y+1/2, z$ .

*Hydrogen-bond geometry ( $\text{\AA}$ ,  $^\circ$ )*

| $D\cdots H$                       | $D—H$ | $H\cdots A$ | $D\cdots A$ | $D—H\cdots A$ |
|-----------------------------------|-------|-------------|-------------|---------------|
| C8—H8A $\cdots$ O1                | 0.96  | 2.49        | 2.869 (4)   | 104           |
| C2—H2 $\cdots$ O1 <sup>ii</sup>   | 0.95  | 2.29        | 3.227 (4)   | 169           |
| C8—H8B $\cdots$ O2 <sup>iii</sup> | 0.96  | 2.49        | 3.358 (3)   | 151           |

Symmetry codes: (ii)  $x+1, y, z$ ; (iii)  $-x+1, -y, -z$ .