

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

Hexa- μ_2 -acetato- $\kappa^{12}O:O'$ - μ_3 -oxido-tris-[aqua chromium(III)] nitrate acetic acid solvateMohd Jamil Maah,^{a*} Che Ibrahim Abdullah,^a Seng Neon Gan,^a Aishah Mohd Jelani^b and Seik Weng Ng^a^aDepartment of Chemistry, University of Malaya, 50603 Kuala Lumpur, Malaysia, and ^bCentre for Foundation Studies in Science, University of Malaya, 50603 Kuala Lumpur, Malaysia

Correspondence e-mail: mjamil@um.edu.my


Received 15 September 2008; accepted 16 September 2008

Key indicators: single-crystal X-ray study; $T = 100$ K; mean $\sigma(C-C) = 0.008$ Å; R factor = 0.068; wR factor = 0.225; data-to-parameter ratio = 16.3.

In the crystal structure of the title salt, $[Cr_3(C_2H_3O_2)_6O(H_2O)_3]NO_3 \cdot CH_3CO_2H$, the trinuclear $[Cr_3(CH_3CO_2)_6O(H_2O)_3]$ cluster cation has an oxide O atom that is connected to three water-coordinated Cr^{III} atoms, the three metal atoms forming the points of an equilateral triangle. Each of the six acetate carboxylate groups bridges a Cr–O–Cr fragment. The cluster cation interacts with the nitrate counter-ion and solvent molecules through O–H...O hydrogen bonds, forming a three-dimensional hydrogen-bonded network.

Related literature

For crystal structure reports of $[Cr_3(C_2H_3O_2)_6O(H_2O)_3]^+$ salts, see: Anson *et al.* (1997); Fujihara *et al.* (1998); Glowiak *et al.* (1996); Karu *et al.* (1993); Winpenny *et al.* (2005).



Experimental

Crystal data

 $[Cr_3(C_2H_3O_2)_6O(H_2O)_3]NO_3 \cdot$
 $C_2H_4O_2$
 $M_r = 702.37$

 Monoclinic, $P2_1/c$
 $a = 11.7034$ (1) Å
 $b = 14.5102$ (2) Å

 $c = 15.0427$ (2) Å
 $\beta = 91.532$ (1)°
 $V = 2553.62$ (5) Å³
 $Z = 4$

 Mo $K\alpha$ radiation
 $\mu = 1.35$ mm⁻¹
 $T = 100$ (2) K
 $0.20 \times 0.10 \times 0.05$ mm

Data collection

 Bruker SMART APEX
 diffractometer
 Absorption correction: multi-scan
 (SADABS; Sheldrick, 1996)
 $T_{min} = 0.774$, $T_{max} = 0.936$

 22819 measured reflections
 5836 independent reflections
 5092 reflections with $I > 2\sigma(I)$
 $R_{int} = 0.046$

Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.067$
 $wR(F^2) = 0.224$
 $S = 1.38$
 5836 reflections

 359 parameters
 H-atom parameters constrained
 $\Delta\rho_{max} = 1.77$ e Å⁻³
 $\Delta\rho_{min} = -1.33$ e Å⁻³

Table 1

Hydrogen-bond geometry (Å, °).

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
O1w–H11...O16	0.84	1.96	2.769 (6)	162
O1w–H12...O12 ⁱ	0.84	2.06	2.873 (5)	162
O2w–H21...O14	0.84	1.92	2.668 (6)	147
O2w–H22...O18 ⁱⁱ	0.84	1.93	2.725 (6)	157
O3w–H31...O14 ⁱⁱⁱ	0.84	2.28	2.781 (5)	118
O3w–H32...O5 ⁱⁱⁱ	0.84	2.42	3.244 (6)	165
O15–H15...O18 ^{iv}	0.84	1.81	2.624 (6)	163

 Symmetry codes: (i) $-x + 1, -y + 1, -z + 1$; (ii) $-x + 1, y - \frac{1}{2}, -z + \frac{3}{2}$; (iii) $x, -y + \frac{3}{2}, z - \frac{1}{2}$; (iv) $x - 1, -y + \frac{3}{2}, z + \frac{1}{2}$.

Data collection: APEX2 (Bruker, 2007); cell refinement: SAINT (Bruker, 2007); data reduction: SAINT; program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: X-SEED (Barbour, 2001); software used to prepare material for publication: publCIF (Westrip, 2008).

We thank the University of Malaya (JPJ Vote) for supporting this study.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: TK2306).

References

- Anson, C. E., Bourke, J. P., Cannon, R. D., Jayasooriya, U. A., Molinier, M. & Powell, A. K. (1997). *Inorg. Chem.* **36**, 1265–1267.
 Barbour, L. J. (2001). *J. Supramol. Chem.* **1**, 189–191.
 Bruker (2007). APEX2 and SAINT. Bruker AXS Inc., Madison, Wisconsin, USA.
 Fujihara, T., Aonahata, J., Kumakura, S., Nagasawa, A., Murakami, K. & Ito, T. (1998). *Inorg. Chem.* **37**, 3779–3784.
 Glowiak, T., Kozłowski, H., Erre, L. S. & Micera, G. (1996). *Inorg. Chim. Acta*, **248**, 99–102.
 Karu, E., Anson, C. E., Cannon, R. D., Jayasooriya, U. A. & Powell, A. K. (1993). *Acta Cryst.* **C49**, 1929–1932.
 Sheldrick, G. M. (1996). SADABS. University of Göttingen, Germany.
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
 Westrip, S. P. (2008). publCIF. In preparation.
 Winpenny, R., Smith, A., Parkin, A., Parsons, S. & Messenger, D. (2005). Private communication (deposition No. 278285). CCDC, Cambridge, England.

supporting information

Acta Cryst. (2008). E64, m1310 [doi:10.1107/S1600536808029681]

Hexa- μ_2 -acetato- $\kappa^{12}O:O'$ - μ_3 -oxido-tris[aquachromium(III)] nitrate acetic acid solvate

Mohd Jamil Maah, Che Ibrahim Abdullah, Seng Neon Gan, Aishah Mohd Jelan and Seik Weng Ng

S1. Experimental

Chromium(III) nitrate nonahydrate (10.06 g, 0.025 mol) was heated in acetic acid (24 ml, 0.42 mol) for 10 h. The solution was filtered and the acetic acid allowed to evaporate slowly. The dark-green crystals that separated were washed with chloroform and then dried at 433 K for 24 h. Yield: 70%.

S2. Refinement

The O- and C-bound H-atoms were placed in calculated positions with O—H = 0.84 Å and C—H 0.98 Å, and were included in the refinement in the riding model approximation, with $U(H)$ set to 1.5 $U(O, C)$. The final difference Fourier map had a large peak/deep hole at about 1 Å from the Cr3 atom.




Figure 1

Thermal ellipsoid (Barbour, 2001) plot of $[Cr_3(C_2H_3O_2)_6O(H_2O)_3][NO_3] \cdot CH_3CO_2H$ at the 70% probability level. Hydrogen atoms are drawn as spheres of arbitrary radius.

Hexa- μ_2 -acetato- κ^{12} O': O' - μ_3 -oxido-tris[aquachromium(III)] nitrate acetic acid solvate

Crystal data

[Cr₃(C₂H₃O₂)₆O(H₂O)₃]NO₃·C₂H₄O₂ $M_r = 702.37$ Monoclinic, $P2_1/c$

Hall symbol: -P 2ybc

 $a = 11.7034$ (1) Å $b = 14.5102$ (2) Å $c = 15.0427$ (2) Å $\beta = 91.532$ (1)° $V = 2553.62$ (5) Å³ $Z = 4$ $F(000) = 1436$ $D_x = 1.827$ Mg m⁻³Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å

Cell parameters from 9927 reflections

 $\theta = 2.2$ – 28.2 ° $\mu = 1.35$ mm⁻¹ $T = 100$ K

Chip, green

 $0.20 \times 0.10 \times 0.05$ mm

Data collection

Bruker SMART APEX

diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

 ω scans

Absorption correction: multi-scan

(SADABS; Sheldrick, 1996)

 $T_{\min} = 0.774$, $T_{\max} = 0.936$

22819 measured reflections

5836 independent reflections

5092 reflections with $I > 2\sigma(I)$ $R_{\text{int}} = 0.046$ $\theta_{\max} = 27.5$ °, $\theta_{\min} = 2.0$ ° $h = -15$ → 15 $k = -18$ → 18 $l = -19$ → 19

Refinement

Refinement on F^2

Least-squares matrix: full

 $R[F^2 > 2\sigma(F^2)] = 0.067$ $wR(F^2) = 0.224$ $S = 1.38$

5836 reflections

359 parameters

0 restraints

Primary atom site location: structure-invariant

direct methods

Secondary atom site location: difference Fourier map

Hydrogen site location: inferred from neighbouring sites

H-atom parameters constrained

 $w = 1/[\sigma^2(F_o^2) + (0.1P)^2 + 1P]$ where $P = (F_o^2 + 2F_c^2)/3$ $(\Delta/\sigma)_{\max} = 0.001$ $\Delta\rho_{\max} = 1.77$ e Å⁻³ $\Delta\rho_{\min} = -1.33$ e Å⁻³

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (Å²)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
Cr1	0.40542 (6)	0.60336 (5)	0.62841 (5)	0.0131 (2)
Cr2	0.17034 (6)	0.56625 (5)	0.73703 (5)	0.0135 (2)
Cr3	0.18005 (6)	0.73269 (6)	0.58877 (5)	0.0140 (2)
O1	0.4536 (3)	0.6151 (3)	0.7549 (2)	0.0198 (8)
O2	0.2966 (3)	0.5724 (3)	0.8261 (3)	0.0205 (8)
O3	0.3914 (3)	0.4689 (3)	0.6374 (3)	0.0184 (7)
O4	0.2208 (3)	0.4442 (3)	0.6949 (3)	0.0198 (8)
O5	0.1056 (3)	0.6751 (3)	0.7966 (3)	0.0195 (7)

O6	0.0969 (3)	0.7819 (3)	0.6894 (3)	0.0195 (8)
O7	0.0316 (3)	0.5543 (3)	0.6608 (3)	0.0189 (7)
O8	0.0452 (3)	0.6588 (3)	0.5512 (3)	0.0192 (7)
O9	0.3030 (3)	0.8221 (3)	0.6195 (2)	0.0174 (7)
O10	0.4560 (3)	0.7309 (3)	0.6132 (3)	0.0193 (8)
O11	0.2517 (3)	0.7039 (3)	0.4743 (2)	0.0176 (7)
O12	0.3748 (3)	0.5871 (3)	0.4972 (2)	0.0172 (7)
O13	0.2517 (3)	0.6341 (2)	0.6511 (2)	0.0147 (7)
O14	-0.0709 (3)	0.5678 (3)	0.9306 (3)	0.0256 (9)
O15	-0.2549 (4)	0.5997 (3)	0.9442 (3)	0.0299 (10)
H15	-0.2433	0.6221	0.9951	0.045*
O16	0.7058 (3)	0.7280 (3)	0.5673 (3)	0.0267 (9)
O17	0.8176 (4)	0.7184 (3)	0.6842 (3)	0.0290 (9)
O18	0.8263 (4)	0.8364 (3)	0.5964 (3)	0.0358 (11)
O1W	0.5731 (3)	0.5752 (3)	0.6032 (2)	0.0172 (7)
H11	0.6042	0.6224	0.5825	0.026*
H12	0.5765	0.5321	0.5662	0.026*
O2W	0.0843 (3)	0.4914 (3)	0.8268 (3)	0.0200 (8)
H21	0.0592	0.5266	0.8661	0.030*
H22	0.1285	0.4524	0.8505	0.030*
O3W	0.1111 (3)	0.8387 (3)	0.5119 (3)	0.0222 (8)
H31	0.0424	0.8465	0.5247	0.033*
H32	0.1152	0.8250	0.4578	0.033*
N1	0.7827 (4)	0.7597 (3)	0.6176 (3)	0.0214 (9)
C1	0.3976 (4)	0.6011 (3)	0.8241 (3)	0.0161 (9)
C2	0.4557 (5)	0.6207 (4)	0.9128 (4)	0.0213 (10)
H2A	0.4404	0.6845	0.9302	0.032*
H2B	0.5383	0.6116	0.9081	0.032*
H2C	0.4260	0.5787	0.9577	0.032*
C3	0.3122 (4)	0.4166 (4)	0.6615 (3)	0.0163 (9)
C4	0.3268 (5)	0.3144 (4)	0.6485 (4)	0.0233 (11)
H4A	0.3005	0.2816	0.7011	0.035*
H4B	0.4077	0.3005	0.6398	0.035*
H4C	0.2818	0.2946	0.5961	0.035*
C5	0.0764 (4)	0.7537 (4)	0.7646 (4)	0.0175 (10)
C6	0.0117 (5)	0.8165 (4)	0.8254 (4)	0.0213 (11)
H6A	-0.0703	0.8035	0.8194	0.032*
H6B	0.0259	0.8809	0.8092	0.032*
H6C	0.0375	0.8060	0.8871	0.032*
C7	-0.0024 (4)	0.5925 (4)	0.5887 (3)	0.0173 (10)
C8	-0.1111 (4)	0.5551 (4)	0.5464 (4)	0.0217 (11)
H8A	-0.1116	0.5672	0.4823	0.033*
H8B	-0.1771	0.5854	0.5727	0.033*
H8C	-0.1154	0.4886	0.5567	0.033*
C9	0.4087 (4)	0.8085 (4)	0.6238 (3)	0.0163 (9)
C10	0.4856 (5)	0.8895 (4)	0.6411 (4)	0.0214 (11)
H10A	0.4417	0.9466	0.6336	0.032*
H10B	0.5480	0.8887	0.5991	0.032*

H10C	0.5172	0.8862	0.7020	0.032*
C11	0.3182 (4)	0.6420 (3)	0.4472 (3)	0.0154 (9)
C12	0.3291 (5)	0.6330 (4)	0.3480 (3)	0.0213 (10)
H12A	0.2693	0.5918	0.3244	0.032*
H12B	0.4044	0.6076	0.3349	0.032*
H12C	0.3208	0.6939	0.3203	0.032*
C13	-0.1699 (4)	0.5671 (4)	0.9000 (4)	0.0196 (10)
C14	-0.2012 (5)	0.5280 (4)	0.8109 (4)	0.0220 (11)
H14A	-0.1439	0.5463	0.7679	0.033*
H14B	-0.2763	0.5515	0.7914	0.033*
H14C	-0.2040	0.4606	0.8148	0.033*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
Cr1	0.0129 (4)	0.0149 (4)	0.0115 (4)	0.0003 (3)	0.0011 (3)	0.0001 (3)
Cr2	0.0135 (4)	0.0149 (4)	0.0123 (4)	0.0005 (3)	0.0018 (3)	-0.0001 (3)
Cr3	0.0134 (4)	0.0149 (4)	0.0136 (4)	0.0010 (3)	0.0001 (3)	-0.0013 (3)
O1	0.0163 (16)	0.029 (2)	0.0142 (17)	-0.0013 (14)	0.0007 (13)	0.0001 (15)
O2	0.0194 (18)	0.027 (2)	0.0154 (17)	-0.0023 (15)	0.0007 (14)	0.0032 (15)
O3	0.0155 (16)	0.0158 (17)	0.0241 (19)	0.0014 (13)	0.0044 (14)	0.0029 (14)
O4	0.0209 (18)	0.0149 (17)	0.0239 (19)	-0.0013 (14)	0.0088 (15)	-0.0018 (14)
O5	0.0207 (17)	0.0184 (18)	0.0194 (18)	0.0023 (14)	0.0033 (14)	-0.0001 (15)
O6	0.0187 (17)	0.0204 (18)	0.0196 (19)	0.0021 (14)	0.0020 (14)	-0.0027 (15)
O7	0.0152 (16)	0.0233 (19)	0.0182 (18)	-0.0021 (14)	0.0017 (13)	0.0031 (15)
O8	0.0177 (17)	0.0194 (18)	0.0205 (18)	0.0000 (14)	-0.0014 (14)	-0.0024 (15)
O9	0.0172 (17)	0.0167 (17)	0.0182 (17)	-0.0009 (13)	-0.0010 (13)	0.0004 (14)
O10	0.0164 (17)	0.0166 (17)	0.025 (2)	0.0004 (13)	0.0038 (14)	0.0010 (15)
O11	0.0204 (17)	0.0190 (18)	0.0136 (17)	0.0005 (14)	0.0010 (13)	0.0003 (14)
O12	0.0171 (17)	0.0208 (18)	0.0136 (16)	0.0012 (14)	0.0011 (13)	-0.0022 (14)
O13	0.0131 (15)	0.0175 (17)	0.0135 (16)	0.0007 (13)	0.0020 (12)	-0.0006 (13)
O14	0.0195 (18)	0.029 (2)	0.029 (2)	-0.0017 (16)	0.0010 (16)	-0.0053 (17)
O15	0.022 (2)	0.042 (3)	0.025 (2)	0.0091 (18)	-0.0012 (16)	-0.0096 (19)
O16	0.0219 (19)	0.026 (2)	0.032 (2)	-0.0049 (16)	-0.0010 (17)	0.0024 (18)
O17	0.043 (2)	0.028 (2)	0.0164 (19)	0.0016 (18)	0.0006 (17)	0.0017 (16)
O18	0.051 (3)	0.026 (2)	0.030 (2)	-0.017 (2)	-0.010 (2)	0.0036 (19)
O1W	0.0153 (16)	0.0180 (17)	0.0184 (18)	-0.0002 (13)	0.0038 (13)	-0.0010 (14)
O2W	0.0204 (17)	0.0196 (18)	0.0205 (18)	0.0039 (14)	0.0079 (14)	0.0009 (15)
O3W	0.0213 (18)	0.0214 (19)	0.024 (2)	0.0047 (15)	-0.0029 (15)	-0.0008 (16)
N1	0.028 (2)	0.021 (2)	0.016 (2)	-0.0016 (18)	0.0057 (18)	-0.0024 (18)
C1	0.018 (2)	0.017 (2)	0.013 (2)	0.0040 (18)	-0.0013 (18)	-0.0018 (18)
C2	0.020 (2)	0.025 (3)	0.018 (3)	0.001 (2)	-0.0008 (19)	-0.005 (2)
C3	0.017 (2)	0.018 (2)	0.013 (2)	0.0020 (18)	-0.0011 (18)	-0.0007 (18)
C4	0.023 (3)	0.016 (2)	0.032 (3)	-0.001 (2)	0.008 (2)	-0.004 (2)
C5	0.013 (2)	0.019 (2)	0.020 (2)	-0.0014 (18)	-0.0020 (18)	-0.005 (2)
C6	0.025 (3)	0.023 (3)	0.016 (2)	0.007 (2)	0.002 (2)	-0.006 (2)
C7	0.013 (2)	0.022 (2)	0.017 (2)	0.0019 (18)	0.0024 (18)	-0.0037 (19)
C8	0.018 (2)	0.023 (3)	0.024 (3)	0.0000 (19)	-0.001 (2)	-0.003 (2)

C9	0.018 (2)	0.021 (2)	0.010 (2)	-0.0031 (18)	0.0006 (17)	0.0007 (18)
C10	0.020 (2)	0.021 (3)	0.023 (3)	-0.004 (2)	0.001 (2)	-0.002 (2)
C11	0.014 (2)	0.016 (2)	0.016 (2)	-0.0016 (17)	0.0007 (17)	-0.0026 (18)
C12	0.026 (3)	0.027 (3)	0.011 (2)	0.004 (2)	0.0006 (19)	-0.001 (2)
C13	0.019 (2)	0.018 (2)	0.022 (3)	-0.0010 (18)	-0.002 (2)	0.001 (2)
C14	0.024 (3)	0.027 (3)	0.015 (2)	-0.002 (2)	-0.001 (2)	-0.002 (2)

Geometric parameters (Å, °)

Cr1—O13	1.893 (3)	O18—N1	1.268 (7)
Cr1—O10	1.959 (4)	O1W—H11	0.8400
Cr1—O3	1.962 (4)	O1W—H12	0.8400
Cr1—O1	1.978 (4)	O2W—H21	0.8400
Cr1—O12	2.010 (4)	O2W—H22	0.8400
Cr1—O1W	2.049 (4)	O3W—H31	0.8400
Cr2—O13	1.901 (4)	O3W—H32	0.8400
Cr2—O2	1.969 (4)	C1—C2	1.509 (7)
Cr2—O7	1.970 (4)	C2—H2A	0.9800
Cr2—O5	1.976 (4)	C2—H2B	0.9800
Cr2—O4	1.977 (4)	C2—H2C	0.9800
Cr2—O2W	2.022 (4)	C3—C4	1.506 (7)
Cr3—O13	1.894 (4)	C4—H4A	0.9800
Cr3—O6	1.956 (4)	C4—H4B	0.9800
Cr3—O8	1.978 (4)	C4—H4C	0.9800
Cr3—O11	1.980 (4)	C5—C6	1.511 (7)
Cr3—O9	1.982 (4)	C6—H6A	0.9800
Cr3—O3W	2.075 (4)	C6—H6B	0.9800
O1—C1	1.260 (6)	C6—H6C	0.9800
O2—C1	1.255 (7)	C7—C8	1.508 (7)
O3—C3	1.259 (6)	C8—H8A	0.9800
O4—C3	1.259 (6)	C8—H8B	0.9800
O5—C5	1.281 (7)	C8—H8C	0.9800
O6—C5	1.233 (7)	C9—C10	1.498 (7)
O7—C7	1.272 (6)	C10—H10A	0.9800
O8—C7	1.254 (7)	C10—H10B	0.9800
O9—C9	1.254 (6)	C10—H10C	0.9800
O10—C9	1.267 (7)	C11—C12	1.507 (7)
O11—C11	1.263 (6)	C12—H12A	0.9800
O12—C11	1.269 (6)	C12—H12B	0.9800
O14—C13	1.236 (7)	C12—H12C	0.9800
O15—C13	1.300 (7)	C13—C14	1.492 (7)
O15—H15	0.8400	C14—H14A	0.9800
O16—N1	1.247 (6)	C14—H14B	0.9800
O17—N1	1.228 (6)	C14—H14C	0.9800
O13—Cr1—O10	95.17 (16)	Cr3—O3W—H32	109.5
O13—Cr1—O3	98.06 (15)	H31—O3W—H32	109.5
O10—Cr1—O3	166.77 (16)	O17—N1—O16	122.2 (5)

O13—Cr1—O1	93.10 (15)	O17—N1—O18	120.4 (5)
O10—Cr1—O1	87.24 (17)	O16—N1—O18	117.4 (5)
O3—Cr1—O1	92.37 (17)	O2—C1—O1	125.7 (5)
O13—Cr1—O12	93.38 (15)	O2—C1—C2	116.4 (5)
O10—Cr1—O12	92.45 (16)	O1—C1—C2	117.9 (5)
O3—Cr1—O12	86.44 (16)	C1—C2—H2A	109.5
O1—Cr1—O12	173.51 (15)	C1—C2—H2B	109.5
O13—Cr1—O1W	177.86 (16)	H2A—C2—H2B	109.5
O10—Cr1—O1W	82.69 (15)	C1—C2—H2C	109.5
O3—Cr1—O1W	84.09 (15)	H2A—C2—H2C	109.5
O1—Cr1—O1W	86.87 (15)	H2B—C2—H2C	109.5
O12—Cr1—O1W	86.66 (15)	O4—C3—O3	124.2 (5)
O13—Cr2—O2	93.38 (15)	O4—C3—C4	117.7 (5)
O13—Cr2—O7	93.98 (15)	O3—C3—C4	118.0 (5)
O2—Cr2—O7	172.47 (16)	C3—C4—H4A	109.5
O13—Cr2—O5	95.72 (16)	C3—C4—H4B	109.5
O2—Cr2—O5	86.87 (17)	H4A—C4—H4B	109.5
O7—Cr2—O5	90.83 (16)	C3—C4—H4C	109.5
O13—Cr2—O4	94.97 (16)	H4A—C4—H4C	109.5
O2—Cr2—O4	91.88 (17)	H4B—C4—H4C	109.5
O7—Cr2—O4	89.05 (17)	O6—C5—O5	125.8 (5)
O5—Cr2—O4	169.29 (17)	O6—C5—C6	117.9 (5)
O13—Cr2—O2W	178.67 (16)	O5—C5—C6	116.3 (5)
O2—Cr2—O2W	87.02 (16)	C5—C6—H6A	109.5
O7—Cr2—O2W	85.66 (16)	C5—C6—H6B	109.5
O5—Cr2—O2W	85.56 (16)	H6A—C6—H6B	109.5
O4—Cr2—O2W	83.75 (16)	C5—C6—H6C	109.5
O13—Cr3—O6	96.66 (16)	H6A—C6—H6C	109.5
O13—Cr3—O8	94.10 (15)	H6B—C6—H6C	109.5
O6—Cr3—O8	90.55 (16)	O8—C7—O7	125.8 (5)
O13—Cr3—O11	94.52 (15)	O8—C7—C8	117.8 (5)
O6—Cr3—O11	168.79 (16)	O7—C7—C8	116.4 (5)
O8—Cr3—O11	89.43 (16)	C7—C8—H8A	109.5
O13—Cr3—O9	94.02 (15)	C7—C8—H8B	109.5
O6—Cr3—O9	87.33 (16)	H8A—C8—H8B	109.5
O8—Cr3—O9	171.80 (16)	C7—C8—H8C	109.5
O11—Cr3—O9	91.12 (16)	H8A—C8—H8C	109.5
O13—Cr3—O3W	175.13 (16)	H8B—C8—H8C	109.5
O6—Cr3—O3W	88.07 (16)	O9—C9—O10	124.6 (5)
O8—Cr3—O3W	86.97 (16)	O9—C9—C10	118.2 (5)
O11—Cr3—O3W	80.73 (16)	O10—C9—C10	117.2 (4)
O9—Cr3—O3W	85.05 (16)	C9—C10—H10A	109.5
C1—O1—Cr1	129.8 (3)	C9—C10—H10B	109.5
C1—O2—Cr2	133.6 (3)	H10A—C10—H10B	109.5
C3—O3—Cr1	133.1 (3)	C9—C10—H10C	109.5
C3—O4—Cr2	132.6 (3)	H10A—C10—H10C	109.5
C5—O5—Cr2	130.0 (4)	H10B—C10—H10C	109.5
C5—O6—Cr3	134.5 (4)	O11—C11—O12	124.9 (5)

C7—O7—Cr2	133.8 (3)	O11—C11—C12	116.7 (5)
C7—O8—Cr3	130.4 (3)	O12—C11—C12	118.4 (4)
C9—O9—Cr3	128.2 (3)	C11—C12—H12A	109.5
C9—O10—Cr1	133.7 (3)	C11—C12—H12B	109.5
C11—O11—Cr3	135.2 (3)	H12A—C12—H12B	109.5
C11—O12—Cr1	125.8 (3)	C11—C12—H12C	109.5
Cr1—O13—Cr3	119.96 (19)	H12A—C12—H12C	109.5
Cr1—O13—Cr2	119.74 (18)	H12B—C12—H12C	109.5
Cr3—O13—Cr2	120.30 (18)	O14—C13—O15	121.9 (5)
C13—O15—H15	120.0	O14—C13—C14	122.9 (5)
Cr1—O1W—H11	109.5	O15—C13—C14	115.2 (5)
Cr1—O1W—H12	109.5	C13—C14—H14A	109.5
H11—O1W—H12	109.5	C13—C14—H14B	109.5
Cr2—O2W—H21	109.5	H14A—C14—H14B	109.5
Cr2—O2W—H22	109.5	C13—C14—H14C	109.5
H21—O2W—H22	109.5	H14A—C14—H14C	109.5
Cr3—O3W—H31	109.5	H14B—C14—H14C	109.5
O13—Cr1—O1—C1	30.3 (5)	O10—Cr1—O12—C11	-49.0 (4)
O10—Cr1—O1—C1	125.3 (5)	O3—Cr1—O12—C11	144.2 (4)
O3—Cr1—O1—C1	-67.9 (5)	O1W—Cr1—O12—C11	-131.5 (4)
O1W—Cr1—O1—C1	-151.8 (5)	O10—Cr1—O13—Cr3	37.4 (2)
O13—Cr2—O2—C1	-6.8 (5)	O3—Cr1—O13—Cr3	-142.2 (2)
O5—Cr2—O2—C1	-102.4 (5)	O1—Cr1—O13—Cr3	124.9 (2)
O4—Cr2—O2—C1	88.3 (5)	O12—Cr1—O13—Cr3	-55.4 (2)
O2W—Cr2—O2—C1	171.9 (5)	O10—Cr1—O13—Cr2	-142.1 (2)
O13—Cr1—O3—C3	-8.3 (5)	O3—Cr1—O13—Cr2	38.2 (2)
O10—Cr1—O3—C3	173.3 (6)	O1—Cr1—O13—Cr2	-54.6 (2)
O1—Cr1—O3—C3	85.2 (5)	O12—Cr1—O13—Cr2	125.1 (2)
O12—Cr1—O3—C3	-101.2 (5)	O6—Cr3—O13—Cr1	-140.3 (2)
O1W—Cr1—O3—C3	171.8 (5)	O8—Cr3—O13—Cr1	128.7 (2)
O13—Cr2—O4—C3	33.4 (5)	O11—Cr3—O13—Cr1	38.9 (2)
O2—Cr2—O4—C3	-60.2 (5)	O9—Cr3—O13—Cr1	-52.5 (2)
O7—Cr2—O4—C3	127.3 (5)	O6—Cr3—O13—Cr2	39.2 (2)
O5—Cr2—O4—C3	-143.3 (8)	O8—Cr3—O13—Cr2	-51.8 (2)
O2W—Cr2—O4—C3	-146.9 (5)	O11—Cr3—O13—Cr2	-141.5 (2)
O13—Cr2—O5—C5	31.9 (4)	O9—Cr3—O13—Cr2	127.0 (2)
O2—Cr2—O5—C5	125.0 (4)	O2—Cr2—O13—Cr1	46.6 (2)
O7—Cr2—O5—C5	-62.2 (4)	O7—Cr2—O13—Cr1	-135.0 (2)
O4—Cr2—O5—C5	-151.5 (8)	O5—Cr2—O13—Cr1	133.8 (2)
O2W—Cr2—O5—C5	-147.8 (4)	O4—Cr2—O13—Cr1	-45.6 (2)
O13—Cr3—O6—C5	-12.1 (5)	O2—Cr2—O13—Cr3	-132.9 (2)
O8—Cr3—O6—C5	82.1 (5)	O7—Cr2—O13—Cr3	45.5 (2)
O11—Cr3—O6—C5	171.9 (7)	O5—Cr2—O13—Cr3	-45.7 (2)
O9—Cr3—O6—C5	-105.9 (5)	O4—Cr2—O13—Cr3	134.9 (2)
O3W—Cr3—O6—C5	169.0 (5)	Cr2—O2—C1—O1	-18.2 (8)
O13—Cr2—O7—C7	-12.7 (5)	Cr2—O2—C1—C2	161.6 (4)
O5—Cr2—O7—C7	83.1 (5)	Cr1—O1—C1—O2	3.0 (8)

O4—Cr2—O7—C7	-107.6 (5)	Cr1—O1—C1—C2	-176.8 (4)
O2W—Cr2—O7—C7	168.6 (5)	Cr2—O4—C3—O3	-9.0 (8)
O13—Cr3—O8—C7	30.7 (5)	Cr2—O4—C3—C4	171.8 (4)
O6—Cr3—O8—C7	-66.0 (5)	Cr1—O3—C3—O4	-6.9 (8)
O11—Cr3—O8—C7	125.2 (5)	Cr1—O3—C3—C4	172.3 (4)
O3W—Cr3—O8—C7	-154.0 (5)	Cr3—O6—C5—O5	-2.5 (8)
O13—Cr3—O9—C9	38.7 (4)	Cr3—O6—C5—C6	177.2 (4)
O6—Cr3—O9—C9	135.2 (4)	Cr2—O5—C5—O6	-10.0 (8)
O11—Cr3—O9—C9	-55.9 (4)	Cr2—O5—C5—C6	170.3 (3)
O3W—Cr3—O9—C9	-136.5 (4)	Cr3—O8—C7—O7	-3.7 (8)
O13—Cr1—O10—C9	6.9 (5)	Cr3—O8—C7—C8	174.9 (3)
O3—Cr1—O10—C9	-174.6 (6)	Cr2—O7—C7—O8	-7.8 (8)
O1—Cr1—O10—C9	-86.0 (5)	Cr2—O7—C7—C8	173.6 (4)
O12—Cr1—O10—C9	100.5 (5)	Cr3—O9—C9—O10	-3.9 (7)
O1W—Cr1—O10—C9	-173.2 (5)	Cr3—O9—C9—C10	174.9 (3)
O13—Cr3—O11—C11	2.2 (5)	Cr1—O10—C9—O9	-25.2 (8)
O6—Cr3—O11—C11	178.1 (7)	Cr1—O10—C9—C10	155.9 (4)
O8—Cr3—O11—C11	-91.9 (5)	Cr3—O11—C11—O12	-13.8 (8)
O9—Cr3—O11—C11	96.3 (5)	Cr3—O11—C11—C12	165.6 (4)
O3W—Cr3—O11—C11	-178.9 (5)	Cr1—O12—C11—O11	-16.4 (7)
O13—Cr1—O12—C11	46.3 (4)	Cr1—O12—C11—C12	164.2 (4)

Hydrogen-bond geometry (Å, °)

<i>D</i> —H... <i>A</i>	<i>D</i> —H	H... <i>A</i>	<i>D</i> ... <i>A</i>	<i>D</i> —H... <i>A</i>
O1w—H11...O16	0.84	1.96	2.769 (6)	162
O1w—H12...O12 ⁱ	0.84	2.06	2.873 (5)	162
O2w—H21...O14	0.84	1.92	2.668 (6)	147
O2w—H22...O18 ⁱⁱ	0.84	1.93	2.725 (6)	157
O3w—H31...O14 ⁱⁱⁱ	0.84	2.28	2.781 (5)	118
O3w—H32...O5 ⁱⁱⁱ	0.84	2.42	3.244 (6)	165
O15—H15...O18 ^{iv}	0.84	1.81	2.624 (6)	163

Symmetry codes: (i) $-x+1, -y+1, -z+1$; (ii) $-x+1, y-1/2, -z+3/2$; (iii) $x, -y+3/2, z-1/2$; (iv) $x-1, -y+3/2, z+1/2$.