

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

Tetrachlorido(1,10-phenanthroline- κ^2N,N')platinum(IV) acetonitrile hemisolvate

Nam-Ho Kim,^a In-Chul Hwang^b and Kwang Ha^{a*}

^aSchool of Applied Chemical Engineering, Research Institute of Catalysis, Chonnam National University, Gwangju 500-757, Republic of Korea, and ^bDepartment of Chemistry, Pohang University of Science and Technology, Pohang 790-784, Republic of Korea

Correspondence e-mail: hakwang@chonnam.ac.kr


Received 7 January 2009; accepted 19 January 2009

Key indicators: single-crystal X-ray study; $T = 293$ K; mean $\sigma(\text{C}-\text{C}) = 0.012$ Å; R factor = 0.035; wR factor = 0.104; data-to-parameter ratio = 15.7.

The asymmetric unit of the title compound, $[\text{PtCl}_4(\text{C}_{12}\text{H}_8\text{N}_2)] \cdot 0.5\text{CH}_3\text{CN}$, contains two crystallographically independent Pt^{IV} complexes with very similar geometry and one solvent molecule. In the complexes, each Pt^{IV} ion is six-coordinated in a distorted octahedral environment by two N atoms of the 1,10-phenanthroline ligand and four Cl atoms. Because of the different *trans* effects of the N and Cl atoms, the Pt—Cl bonds *trans* to the N atom are slightly shorter than those *trans* to the Cl atom. The compound displays numerous intermolecular π - π interactions between six-membered rings, with a shortest centroid-to-centroid distance of 3.654 Å. There are also weak intra- and intermolecular C—H...Cl hydrogen bonds.

Related literature

For details of some other Pt-phenanthroline complexes, see: Buse *et al.* (1977); Fanizzi *et al.* (1996). For related Pt-bipyridine complexes, see: Hambley (1986); Hojjat Kashani *et al.* (2008).



Experimental

Crystal data

$[\text{PtCl}_4(\text{C}_{12}\text{H}_8\text{N}_2)] \cdot 0.5\text{C}_2\text{H}_3\text{N}$
 $M_r = 1075.24$
 Triclinic, $P\bar{1}$

$a = 7.671$ (5) Å
 $b = 12.619$ (8) Å
 $c = 16.63$ (1) Å

$\alpha = 89.70$ (1)°
 $\beta = 87.46$ (1)°
 $\gamma = 78.797$ (7)°
 $V = 1577$ (2) Å³
 $Z = 2$

Mo $K\alpha$ radiation
 $\mu = 9.56$ mm⁻¹
 $T = 293$ (2) K
 $0.55 \times 0.30 \times 0.30$ mm

Data collection

Bruker SMART 1000 CCD diffractometer
 Absorption correction: multi-scan (SADABS; Bruker, 2000)
 $T_{\min} = 0.035$, $T_{\max} = 0.057$

8700 measured reflections
 5856 independent reflections
 5250 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.027$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.035$
 $wR(F^2) = 0.104$
 $S = 1.09$
 5856 reflections

372 parameters
 H-atom parameters constrained
 $\Delta\rho_{\max} = 1.97$ e Å⁻³
 $\Delta\rho_{\min} = -2.05$ e Å⁻³

Table 1

Hydrogen-bond geometry (Å, °).

$D-H \cdots A$	$D-H$	$H \cdots A$	$D \cdots A$	$D-H \cdots A$
C1—H1...Cl2	0.93	2.68	3.243 (7)	120
C1—H1...Cl6	0.93	2.75	3.632 (7)	158
C6—H6...Cl8 ⁱ	0.93	2.74	3.637 (8)	163
C10—H10...Cl1	0.93	2.72	3.275 (9)	120
C13—H13...Cl6	0.93	2.68	3.248 (9)	120
C15—H15...Cl1 ⁱⁱ	0.93	2.79	3.669 (9)	159
C21—H21...Cl2 ⁱⁱⁱ	0.93	2.72	3.451 (9)	136
C22—H22...Cl5	0.93	2.74	3.297 (9)	120

Symmetry codes: (i) $-x, -y + 1, -z + 1$; (ii) $-x + 1, -y + 1, -z$; (iii) $x, y - 1, z$.

Data collection: SMART (Bruker, 2000); cell refinement: SAINT (Bruker, 2000); data reduction: SAINT; program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: ORTEP-3 (Farrugia, 1997) and PLATON (Spek, 2003); software used to prepare material for publication: SHELXL97.

This work was supported by the Korea Research Foundation Grant funded by the Korean Government (MOEHRD) (grant No. KRF-2007-412-J02001).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: IM2096).

References

- Bruker (2000). SADABS, SMART and SAINT. Bruker AXS Inc., Madison, Wisconsin, USA.
- Buse, K. D., Keller, H. J. & Pritzkow, H. (1977). *Inorg. Chem.* **16**, 1072–1076.
- Fanizzi, F. P., Natile, G., Lanfranchi, M., Tiripicchio, A., Laschi, F. & Zanella, P. (1996). *Inorg. Chem.* **35**, 3173–3182.
- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- Hambley, T. W. (1986). *Acta Cryst.* **C42**, 49–51.
- Hojjat Kashani, L., Amani, V., Yousefi, M. & Khavasi, H. R. (2008). *Acta Cryst.* **E64**, m905–m906.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Spek, A. L. (2003). *J. Appl. Cryst.* **36**, 7–13.

supporting information

Acta Cryst. (2009). E65, m224 [doi:10.1107/S1600536809002359]

Tetrachlorido(1,10-phenanthroline- κ^2N,N')platinum(IV) acetonitrile hemisolvate

Nam-Ho Kim, In-Chul Hwang and Kwang Ha

S1. Comment


The asymmetric unit of the title compound, $[\text{PtCl}_4(\text{C}_{12}\text{H}_8\text{N}_2)] \cdot 0.5\text{CH}_3\text{CN}$, contains two crystallographically independent Pt^{IV} complexes with identical geometry and a CH_3CN solvent molecule (Fig. 1 and 2). In the complexes, each Pt^{4+} ion is six-coordinated in a distorted octahedral environment by two N atoms of the 1,10-phenanthroline ligand and four Cl atoms. The main contributions to the distortion are the tight N—Pt—N chelate angles ($82.0(2)^\circ$ and $80.9(2)^\circ$), which result in non-linear *trans* axes (Cl—Pt—N = $174.7(2)$ – $175.7(2)^\circ$, Cl—Pt—Cl = $177.57(8)^\circ$ and $175.68(7)^\circ$). Because of the different *trans* effects of the N and Cl atoms, the Pt—Cl bonds *trans* to the N atom (lengths: 2.294(2), 2.297(2), 2.301(2) and 2.298(2) Å; mean length: 2.298(2) Å) are slightly shorter than bond lengths to mutually *trans* Cl atoms (lengths: 2.322(2), 2.312(2), 2.302(2) and 2.309(2) Å; mean length: 2.311(2) Å). The compound displays numerous intermolecular π – π interactions between six-membered rings, with a shortest centroid–centroid distance of 3.654 Å. There are also weak intra- and intermolecular C—H \cdots Cl hydrogen bonds (Table 1).

S2. Experimental


To a solution of K_2PtCl_6 (0.2026 g, 0.417 mmol) in H_2O (10 ml) was added 1,10-phenanthroline (0.2162 g, 1.200 mmol) in MeOH (10 ml), and stirred for 5 h at room temperature. The formed precipitate was separated by filtration and washed with water and MeOH and dried under vacuum, to give a yellow powder (0.1710 g). Crystals suitable for X-ray analysis were obtained by slow evaporation from a CH_3CN solution.

S3. Refinement

H atoms were positioned geometrically and allowed to ride on their respective parent atoms [C—H = 0.93 (aromatic) or 0.96 Å (CH_3) and $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$ or $1.5U_{\text{eq}}(\text{methyl C})$].


Figure 1

The structure of the title compound, with displacement ellipsoids drawn at the 30% probability level for non-H atoms.


Figure 2

View of the unit-cell contents of the title compound. Hydrogen-bond interactions are drawn with dashed lines.

Tetrachlorido(1,10-phenanthroline- κ^2N,N')platinum(IV) acetonitrile hemisolvate

Crystal data

[PtCl₄(C₁₂H₈N₂)]·0.5C₂H₃N

$M_r = 1075.24$

Triclinic, $P\bar{1}$

Hall symbol: -P 1

$a = 7.671$ (5) Å

$b = 12.619$ (8) Å

$c = 16.63$ (1) Å

$\alpha = 89.70$ (1)°

$\beta = 87.46$ (1)°

$\gamma = 78.797$ (7)°

$V = 1577$ (2) Å³

$Z = 2$

$F(000) = 1004$

$D_x = 2.264$ Mg m⁻³

Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å

Cell parameters from 907 reflections

$\theta = 3.0$ – 26.4 °

$\mu = 9.56$ mm⁻¹

$T = 293$ K

Rod, yellow

$0.55 \times 0.30 \times 0.30$ mm

Data collection

Bruker SMART 1000 CCD diffractometer	8700 measured reflections
Radiation source: fine-focus sealed tube	5856 independent reflections
Graphite monochromator	5250 reflections with $I > 2\sigma(I)$
φ and ω scans	$R_{\text{int}} = 0.027$
Absorption correction: multi-scan (SADABS; Bruker, 2000)	$\theta_{\text{max}} = 25.7^\circ$, $\theta_{\text{min}} = 1.2^\circ$
$T_{\text{min}} = 0.035$, $T_{\text{max}} = 0.057$	$h = -9 \rightarrow 9$
	$k = -15 \rightarrow 14$
	$l = -9 \rightarrow 20$

Refinement

Refinement on F^2	Hydrogen site location: inferred from neighbouring sites
Least-squares matrix: full	H-atom parameters constrained
$R[F^2 > 2\sigma(F^2)] = 0.035$	$w = 1/[\sigma^2(F_o^2) + (0.0696P)^2 + 1.1983P]$
$wR(F^2) = 0.104$	where $P = (F_o^2 + 2F_c^2)/3$
$S = 1.09$	$(\Delta/\sigma)_{\text{max}} = 0.001$
5856 reflections	$\Delta\rho_{\text{max}} = 1.97 \text{ e } \text{\AA}^{-3}$
372 parameters	$\Delta\rho_{\text{min}} = -2.05 \text{ e } \text{\AA}^{-3}$
0 restraints	Extinction correction: SHELXL97 (Sheldrick, 2008), $F_c^* = kFc[1 + 0.001x Fc^2 \lambda^3 / \sin(2\theta)]^{-1/4}$
Primary atom site location: structure-invariant direct methods	Extinction coefficient: 0.0069 (3)
Secondary atom site location: difference Fourier map	

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
Pt1	0.22405 (3)	0.743662 (18)	0.348926 (14)	0.03174 (12)
Cl1	0.1723 (3)	0.90349 (15)	0.27957 (12)	0.0592 (6)
Cl2	0.4276 (3)	0.66204 (15)	0.25175 (12)	0.0586 (6)
Cl3	0.4436 (2)	0.80367 (14)	0.41769 (12)	0.0440 (4)
Cl4	-0.0011 (3)	0.68354 (17)	0.28563 (13)	0.0604 (6)
N1	0.2550 (6)	0.6080 (4)	0.4184 (3)	0.0259 (10)
N2	0.0449 (7)	0.8027 (4)	0.4402 (3)	0.0329 (12)
C1	0.3525 (9)	0.5108 (5)	0.4027 (4)	0.0336 (14)
H1	0.4154	0.4982	0.3534	0.040*
C2	0.3624 (9)	0.4275 (5)	0.4583 (4)	0.0379 (15)
H2	0.4316	0.3602	0.4456	0.046*
C3	0.2724 (9)	0.4430 (6)	0.5313 (5)	0.0406 (17)
H3	0.2806	0.3871	0.5685	0.049*
C4	0.1658 (9)	0.5460 (5)	0.5493 (4)	0.0336 (14)
C5	0.0584 (10)	0.5727 (7)	0.6212 (4)	0.0442 (18)

H5	0.0636	0.5217	0.6621	0.053*
C6	-0.0497 (10)	0.6690 (7)	0.6318 (4)	0.0466 (18)
H6	-0.1184	0.6834	0.6794	0.056*
C7	-0.0609 (9)	0.7500 (6)	0.5710 (4)	0.0408 (16)
C8	-0.1779 (10)	0.8520 (7)	0.5756 (6)	0.053 (2)
H8	-0.2517	0.8709	0.6213	0.064*
C9	-0.1814 (10)	0.9223 (7)	0.5128 (6)	0.056 (2)
H9	-0.2594	0.9887	0.5151	0.067*
C10	-0.0692 (10)	0.8948 (6)	0.4460 (5)	0.0457 (18)
H10	-0.0745	0.9432	0.4034	0.055*
C11	0.0471 (8)	0.7290 (5)	0.5010 (4)	0.0321 (14)
C12	0.1595 (8)	0.6274 (5)	0.4905 (4)	0.0272 (12)
Pt2	0.66093 (3)	0.20111 (2)	0.213982 (14)	0.03046 (12)
C15	0.6389 (3)	0.17427 (19)	0.35077 (11)	0.0554 (5)
C16	0.6342 (3)	0.38351 (16)	0.23497 (13)	0.0553 (5)
C17	0.9662 (2)	0.17316 (15)	0.21686 (12)	0.0454 (4)
C18	0.3574 (2)	0.21957 (18)	0.20343 (12)	0.0523 (5)
N3	0.6888 (7)	0.2128 (4)	0.0925 (3)	0.0320 (12)
N4	0.6814 (7)	0.0429 (4)	0.1845 (3)	0.0317 (12)
C13	0.6842 (12)	0.3021 (7)	0.0489 (5)	0.052 (2)
H13	0.6623	0.3694	0.0740	0.063*
C14	0.7131 (14)	0.2939 (9)	-0.0360 (5)	0.068 (3)
H14	0.7111	0.3558	-0.0668	0.081*
C15	0.7435 (13)	0.1957 (8)	-0.0718 (5)	0.061 (2)
H15	0.7643	0.1910	-0.1273	0.073*
C16	0.7445 (10)	0.1033 (6)	-0.0286 (4)	0.0454 (17)
C17	0.7660 (13)	-0.0050 (8)	-0.0609 (5)	0.065 (3)
H17	0.7849	-0.0152	-0.1162	0.078*
C18	0.7596 (13)	-0.0894 (8)	-0.0150 (6)	0.070 (3)
H18	0.7768	-0.1575	-0.0386	0.084*
C19	0.7265 (10)	-0.0793 (6)	0.0715 (5)	0.0491 (19)
C20	0.7087 (12)	-0.1636 (7)	0.1247 (7)	0.060 (2)
H20	0.7216	-0.2339	0.1054	0.073*
C21	0.6734 (12)	-0.1430 (7)	0.2032 (7)	0.064 (3)
H21	0.6576	-0.1989	0.2377	0.077*
C22	0.6599 (10)	-0.0387 (6)	0.2342 (5)	0.0478 (19)
H22	0.6362	-0.0258	0.2890	0.057*
C23	0.7100 (8)	0.0249 (5)	0.1044 (4)	0.0338 (14)
C24	0.7161 (8)	0.1149 (5)	0.0555 (4)	0.0340 (14)
N5	0.225 (2)	0.4009 (12)	0.0069 (10)	0.153 (6)
C25	0.0741 (19)	0.4592 (9)	0.1403 (7)	0.094 (4)
H26A	0.1404	0.5048	0.1669	0.140*
H26B	0.0692	0.3965	0.1726	0.140*
H26C	-0.0445	0.4984	0.1328	0.140*
C26	0.159 (2)	0.4266 (10)	0.0640 (8)	0.098 (4)

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
Pt1	0.04667 (19)	0.02322 (16)	0.02332 (16)	-0.00292 (11)	0.00364 (11)	-0.00038 (10)
Cl1	0.1033 (17)	0.0321 (9)	0.0373 (10)	-0.0022 (9)	0.0031 (11)	0.0082 (8)
Cl2	0.0919 (15)	0.0362 (9)	0.0423 (11)	-0.0070 (9)	0.0334 (11)	-0.0047 (8)
Cl3	0.0463 (9)	0.0337 (8)	0.0532 (11)	-0.0113 (7)	-0.0004 (8)	-0.0019 (8)
Cl4	0.0792 (14)	0.0493 (11)	0.0543 (12)	-0.0101 (10)	-0.0322 (11)	-0.0024 (9)
N1	0.030 (3)	0.028 (3)	0.021 (2)	-0.008 (2)	-0.002 (2)	-0.001 (2)
N2	0.036 (3)	0.030 (3)	0.030 (3)	-0.001 (2)	0.000 (2)	-0.004 (2)
C1	0.036 (3)	0.030 (3)	0.035 (4)	-0.007 (3)	0.001 (3)	-0.005 (3)
C2	0.039 (4)	0.031 (3)	0.045 (4)	-0.010 (3)	-0.009 (3)	0.001 (3)
C3	0.040 (4)	0.039 (4)	0.048 (4)	-0.017 (3)	-0.017 (3)	0.014 (3)
C4	0.036 (3)	0.044 (4)	0.027 (3)	-0.020 (3)	-0.005 (3)	0.000 (3)
C5	0.055 (4)	0.062 (5)	0.024 (3)	-0.034 (4)	-0.004 (3)	0.001 (3)
C6	0.051 (4)	0.063 (5)	0.032 (4)	-0.029 (4)	0.009 (3)	-0.010 (3)
C7	0.034 (3)	0.058 (4)	0.035 (4)	-0.019 (3)	0.005 (3)	-0.015 (3)
C8	0.038 (4)	0.060 (5)	0.060 (5)	-0.010 (3)	0.013 (4)	-0.033 (4)
C9	0.042 (4)	0.039 (4)	0.085 (7)	-0.005 (3)	0.011 (4)	-0.026 (4)
C10	0.046 (4)	0.036 (4)	0.053 (5)	-0.001 (3)	-0.003 (4)	-0.014 (3)
C11	0.026 (3)	0.040 (3)	0.031 (3)	-0.008 (3)	0.001 (3)	-0.011 (3)
C12	0.029 (3)	0.031 (3)	0.024 (3)	-0.010 (2)	-0.005 (2)	0.004 (2)
Pt2	0.02315 (16)	0.04333 (18)	0.02481 (16)	-0.00705 (10)	0.00409 (10)	-0.01164 (11)
Cl5	0.0534 (11)	0.0889 (15)	0.0243 (8)	-0.0158 (10)	0.0042 (8)	-0.0096 (9)
Cl6	0.0596 (12)	0.0453 (10)	0.0580 (12)	-0.0041 (8)	0.0057 (10)	-0.0247 (9)
Cl7	0.0250 (8)	0.0594 (11)	0.0528 (11)	-0.0107 (7)	0.0002 (7)	-0.0201 (9)
Cl8	0.0228 (8)	0.0838 (14)	0.0487 (11)	-0.0072 (8)	0.0031 (7)	-0.0119 (10)
N3	0.031 (3)	0.039 (3)	0.028 (3)	-0.011 (2)	0.005 (2)	-0.006 (2)
N4	0.027 (3)	0.038 (3)	0.033 (3)	-0.013 (2)	0.001 (2)	-0.007 (2)
C13	0.068 (5)	0.044 (4)	0.046 (5)	-0.014 (4)	0.003 (4)	0.001 (4)
C14	0.089 (7)	0.075 (6)	0.042 (5)	-0.024 (5)	0.004 (5)	0.018 (5)
C15	0.080 (6)	0.075 (6)	0.025 (4)	-0.010 (5)	0.002 (4)	-0.002 (4)
C16	0.048 (4)	0.053 (4)	0.033 (4)	-0.004 (3)	0.002 (3)	-0.013 (3)
C17	0.073 (6)	0.076 (6)	0.036 (4)	0.007 (5)	-0.002 (4)	-0.024 (4)
C18	0.078 (6)	0.061 (6)	0.064 (6)	0.008 (5)	-0.016 (5)	-0.038 (5)
C19	0.046 (4)	0.042 (4)	0.059 (5)	-0.005 (3)	-0.008 (4)	-0.016 (4)
C20	0.059 (5)	0.038 (4)	0.084 (7)	-0.006 (4)	-0.018 (5)	-0.012 (4)
C21	0.063 (6)	0.047 (5)	0.086 (7)	-0.016 (4)	-0.024 (5)	0.015 (5)
C22	0.040 (4)	0.056 (5)	0.052 (5)	-0.018 (3)	-0.007 (4)	0.015 (4)
C23	0.027 (3)	0.039 (4)	0.035 (4)	-0.005 (3)	0.000 (3)	-0.013 (3)
C24	0.029 (3)	0.043 (4)	0.029 (3)	-0.004 (3)	0.002 (3)	-0.012 (3)
N5	0.179 (15)	0.133 (12)	0.121 (12)	0.031 (10)	0.022 (11)	-0.030 (10)
C25	0.127 (10)	0.069 (7)	0.081 (8)	-0.015 (7)	0.027 (8)	-0.008 (6)
C26	0.131 (12)	0.073 (8)	0.075 (8)	0.017 (7)	-0.010 (8)	-0.020 (7)

Geometric parameters (Å, °)

Pt1—N1	2.041 (5)	Pt2—C15	2.301 (2)
Pt1—N2	2.044 (5)	Pt2—C17	2.302 (2)
Pt1—C11	2.294 (2)	Pt2—C18	2.309 (2)
Pt1—C12	2.297 (2)	N3—C13	1.332 (10)
Pt1—C14	2.312 (2)	N3—C24	1.358 (8)
Pt1—C13	2.322 (2)	N4—C22	1.348 (9)
N1—C1	1.327 (8)	N4—C23	1.353 (8)
N1—C12	1.374 (8)	C13—C14	1.421 (12)
N2—C10	1.313 (9)	C13—H13	0.9300
N2—C11	1.369 (9)	C14—C15	1.351 (14)
C1—C2	1.390 (10)	C14—H14	0.9300
C1—H1	0.9300	C15—C16	1.365 (12)
C2—C3	1.365 (11)	C15—H15	0.9300
C2—H2	0.9300	C16—C24	1.410 (10)
C3—C4	1.420 (10)	C16—C17	1.448 (12)
C3—H3	0.9300	C17—C18	1.315 (14)
C4—C12	1.411 (9)	C17—H17	0.9300
C4—C5	1.425 (10)	C18—C19	1.451 (13)
C5—C6	1.339 (11)	C18—H18	0.9300
C5—H5	0.9300	C19—C20	1.404 (13)
C6—C7	1.427 (11)	C19—C23	1.408 (10)
C6—H6	0.9300	C20—C21	1.336 (14)
C7—C11	1.393 (9)	C20—H20	0.9300
C7—C8	1.420 (11)	C21—C22	1.400 (12)
C8—C9	1.364 (13)	C21—H21	0.9300
C8—H8	0.9300	C22—H22	0.9300
C9—C10	1.378 (12)	C23—C24	1.400 (10)
C9—H9	0.9300	N5—C26	1.077 (17)
C10—H10	0.9300	C25—C26	1.425 (18)
C11—C12	1.407 (9)	C25—H26A	0.9600
Pt2—N3	2.030 (5)	C25—H26B	0.9600
Pt2—N4	2.032 (5)	C25—H26C	0.9600
Pt2—C16	2.298 (2)		
N1—Pt1—N2	82.0 (2)	N4—Pt2—C15	95.07 (17)
N1—Pt1—C11	174.98 (15)	C16—Pt2—C15	90.10 (8)
N2—Pt1—C11	92.96 (16)	N3—Pt2—C17	87.56 (15)
N1—Pt1—C12	92.78 (15)	N4—Pt2—C17	89.02 (15)
N2—Pt1—C12	174.77 (15)	C16—Pt2—C17	91.93 (7)
C11—Pt1—C12	92.23 (8)	C15—Pt2—C17	90.84 (7)
N1—Pt1—C14	88.58 (15)	N3—Pt2—C18	89.53 (15)
N2—Pt1—C14	88.78 (17)	N4—Pt2—C18	87.37 (15)
C11—Pt1—C14	91.60 (9)	C16—Pt2—C18	91.46 (8)
C12—Pt1—C14	90.38 (10)	C15—Pt2—C18	91.84 (7)
N1—Pt1—C13	90.10 (15)	C17—Pt2—C18	175.68 (7)
N2—Pt1—C13	89.02 (17)	C13—N3—C24	120.0 (6)

C11—Pt1—C13	89.54 (8)	C13—N3—Pt2	127.6 (5)
C12—Pt1—C13	91.72 (9)	C24—N3—Pt2	112.3 (4)
C14—Pt1—C13	177.57 (8)	C22—N4—C23	120.1 (6)
C1—N1—C12	120.0 (5)	C22—N4—Pt2	127.4 (5)
C1—N1—Pt1	128.9 (4)	C23—N4—Pt2	112.4 (4)
C12—N1—Pt1	111.2 (4)	N3—C13—C14	119.6 (8)
C10—N2—C11	118.9 (6)	N3—C13—H13	120.2
C10—N2—Pt1	129.9 (5)	C14—C13—H13	120.2
C11—N2—Pt1	111.1 (4)	C15—C14—C13	119.7 (9)
N1—C1—C2	121.3 (6)	C15—C14—H14	120.2
N1—C1—H1	119.4	C13—C14—H14	120.2
C2—C1—H1	119.4	C14—C15—C16	121.8 (8)
C3—C2—C1	121.1 (7)	C14—C15—H15	119.1
C3—C2—H2	119.5	C16—C15—H15	119.1
C1—C2—H2	119.5	C15—C16—C24	116.8 (7)
C2—C3—C4	118.7 (6)	C15—C16—C17	126.4 (8)
C2—C3—H3	120.6	C24—C16—C17	116.8 (7)
C4—C3—H3	120.6	C18—C17—C16	122.4 (8)
C12—C4—C3	117.9 (6)	C18—C17—H17	118.8
C12—C4—C5	117.0 (6)	C16—C17—H17	118.8
C3—C4—C5	125.1 (7)	C17—C18—C19	121.8 (8)
C6—C5—C4	122.1 (7)	C17—C18—H18	119.1
C6—C5—H5	119.0	C19—C18—H18	119.1
C4—C5—H5	119.0	C20—C19—C23	117.4 (8)
C5—C6—C7	120.8 (7)	C20—C19—C18	125.9 (8)
C5—C6—H6	119.6	C23—C19—C18	116.7 (8)
C7—C6—H6	119.6	C21—C20—C19	120.1 (8)
C11—C7—C8	116.4 (7)	C21—C20—H20	120.0
C11—C7—C6	119.1 (7)	C19—C20—H20	120.0
C8—C7—C6	124.5 (7)	C20—C21—C22	121.1 (8)
C9—C8—C7	119.7 (7)	C20—C21—H21	119.5
C9—C8—H8	120.2	C22—C21—H21	119.5
C7—C8—H8	120.2	N4—C22—C21	119.9 (8)
C8—C9—C10	119.9 (7)	N4—C22—H22	120.1
C8—C9—H9	120.0	C21—C22—H22	120.1
C10—C9—H9	120.0	N4—C23—C24	117.1 (6)
N2—C10—C9	122.4 (8)	N4—C23—C19	121.4 (7)
N2—C10—H10	118.8	C24—C23—C19	121.4 (7)
C9—C10—H10	118.8	N3—C24—C23	117.1 (6)
N2—C11—C7	122.6 (6)	N3—C24—C16	122.1 (7)
N2—C11—C12	117.9 (6)	C23—C24—C16	120.8 (6)
C7—C11—C12	119.5 (6)	C26—C25—H26A	109.5
N1—C12—C11	117.4 (5)	C26—C25—H26B	109.5
N1—C12—C4	121.1 (6)	H26A—C25—H26B	109.5
C11—C12—C4	121.4 (6)	C26—C25—H26C	109.5
N3—Pt2—N4	80.9 (2)	H26A—C25—H26C	109.5
N3—Pt2—C16	93.96 (16)	H26B—C25—H26C	109.5
N4—Pt2—C16	174.73 (16)	N5—C26—C25	178.9 (18)

N3—Pt2—C15	175.68 (16)		
N2—Pt1—N1—C1	175.1 (6)	N4—Pt2—N3—C13	177.0 (6)
C12—Pt1—N1—C1	-4.2 (5)	C16—Pt2—N3—C13	-1.8 (6)
C14—Pt1—N1—C1	86.1 (5)	C17—Pt2—N3—C13	-93.6 (6)
C13—Pt1—N1—C1	-95.9 (5)	C18—Pt2—N3—C13	89.6 (6)
N2—Pt1—N1—C12	-5.8 (4)	N4—Pt2—N3—C24	-3.5 (4)
C12—Pt1—N1—C12	174.9 (4)	C16—Pt2—N3—C24	177.7 (4)
C14—Pt1—N1—C12	-94.8 (4)	C17—Pt2—N3—C24	85.9 (4)
C13—Pt1—N1—C12	83.1 (4)	C18—Pt2—N3—C24	-90.9 (4)
N1—Pt1—N2—C10	-172.5 (6)	N3—Pt2—N4—C22	-173.2 (6)
C11—Pt1—N2—C10	7.8 (6)	C15—Pt2—N4—C22	8.3 (5)
C14—Pt1—N2—C10	-83.8 (6)	C17—Pt2—N4—C22	99.1 (5)
C13—Pt1—N2—C10	97.3 (6)	C18—Pt2—N4—C22	-83.3 (5)
N1—Pt1—N2—C11	4.8 (4)	N3—Pt2—N4—C23	2.8 (4)
C11—Pt1—N2—C11	-174.9 (4)	C15—Pt2—N4—C23	-175.7 (4)
C14—Pt1—N2—C11	93.5 (4)	C17—Pt2—N4—C23	-84.9 (4)
C13—Pt1—N2—C11	-85.5 (4)	C18—Pt2—N4—C23	92.7 (4)
C12—N1—C1—C2	-0.8 (9)	C24—N3—C13—C14	-1.8 (12)
Pt1—N1—C1—C2	178.1 (5)	Pt2—N3—C13—C14	177.7 (6)
N1—C1—C2—C3	-0.2 (10)	N3—C13—C14—C15	0.5 (15)
C1—C2—C3—C4	0.7 (10)	C13—C14—C15—C16	1.1 (16)
C2—C3—C4—C12	-0.3 (9)	C14—C15—C16—C24	-1.3 (14)
C2—C3—C4—C5	177.1 (6)	C14—C15—C16—C17	176.5 (10)
C12—C4—C5—C6	2.7 (10)	C15—C16—C17—C18	-177.8 (10)
C3—C4—C5—C6	-174.7 (7)	C24—C16—C17—C18	0.0 (13)
C4—C5—C6—C7	-0.5 (11)	C16—C17—C18—C19	1.4 (15)
C5—C6—C7—C11	-2.2 (10)	C17—C18—C19—C20	176.7 (9)
C5—C6—C7—C8	176.9 (7)	C17—C18—C19—C23	-3.0 (13)
C11—C7—C8—C9	1.0 (11)	C23—C19—C20—C21	1.5 (12)
C6—C7—C8—C9	-178.1 (7)	C18—C19—C20—C21	-178.2 (9)
C7—C8—C9—C10	-1.2 (12)	C19—C20—C21—C22	-2.4 (14)
C11—N2—C10—C9	3.1 (11)	C23—N4—C22—C21	2.3 (10)
Pt1—N2—C10—C9	-179.8 (6)	Pt2—N4—C22—C21	178.0 (5)
C8—C9—C10—N2	-0.9 (12)	C20—C21—C22—N4	0.5 (12)
C10—N2—C11—C7	-3.3 (10)	C22—N4—C23—C24	174.7 (6)
Pt1—N2—C11—C7	179.1 (5)	Pt2—N4—C23—C24	-1.6 (7)
C10—N2—C11—C12	174.6 (6)	C22—N4—C23—C19	-3.1 (9)
Pt1—N2—C11—C12	-3.0 (7)	Pt2—N4—C23—C19	-179.4 (5)
C8—C7—C11—N2	1.2 (10)	C20—C19—C23—N4	1.2 (10)
C6—C7—C11—N2	-179.6 (6)	C18—C19—C23—N4	-179.1 (7)
C8—C7—C11—C12	-176.7 (6)	C20—C19—C23—C24	-176.5 (7)
C6—C7—C11—C12	2.5 (9)	C18—C19—C23—C24	3.2 (11)
C1—N1—C12—C11	-174.8 (6)	C13—N3—C24—C23	-176.7 (6)
Pt1—N1—C12—C11	6.1 (7)	Pt2—N3—C24—C23	3.8 (7)
C1—N1—C12—C4	1.3 (9)	C13—N3—C24—C16	1.5 (10)
Pt1—N1—C12—C4	-177.9 (4)	Pt2—N3—C24—C16	-178.0 (5)
N2—C11—C12—N1	-2.1 (8)	N4—C23—C24—N3	-1.5 (9)

C7—C11—C12—N1	175.9 (6)	C19—C23—C24—N3	176.3 (6)
N2—C11—C12—C4	-178.2 (6)	N4—C23—C24—C16	-179.7 (6)
C7—C11—C12—C4	-0.2 (9)	C19—C23—C24—C16	-1.9 (10)
C3—C4—C12—N1	-0.7 (9)	C15—C16—C24—N3	0.0 (11)
C5—C4—C12—N1	-178.3 (5)	C17—C16—C24—N3	-178.0 (7)
C3—C4—C12—C11	175.2 (6)	C15—C16—C24—C23	178.2 (7)
C5—C4—C12—C11	-2.4 (9)	C17—C16—C24—C23	0.2 (10)

Hydrogen-bond geometry (Å, °)

<i>D—H...A</i>	<i>D—H</i>	<i>H...A</i>	<i>D...A</i>	<i>D—H...A</i>
C1—H1...C12	0.93	2.68	3.243 (7)	120
C1—H1...C16	0.93	2.75	3.632 (7)	158
C6—H6...C18 ⁱ	0.93	2.74	3.637 (8)	163
C10—H10...C11	0.93	2.72	3.275 (9)	120
C13—H13...C16	0.93	2.68	3.248 (9)	120
C15—H15...C11 ⁱⁱ	0.93	2.79	3.669 (9)	159
C21—H21...C12 ⁱⁱⁱ	0.93	2.72	3.451 (9)	136
C22—H22...C15	0.93	2.74	3.297 (9)	120

Symmetry codes: (i) $-x, -y+1, -z+1$; (ii) $-x+1, -y+1, -z$; (iii) $x, y-1, z$.