

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

2,4,4-Tris(benzylsulfanyl)-1,1-dichloro-3-nitrobuta-1,3-diene

Goksin Aydinli,* Cigdem Sayil and Cemil Ibis

Istanbul University, Faculty of Engineering, Department of Chemistry, 34320 Avcilar-Istanbul, Turkey

Correspondence e-mail: goksaid@istanbul.edu.tr


Received 25 November 2008; accepted 19 December 2008

Key indicators: single-crystal X-ray study; $T = 293$ K; mean $\sigma(\text{C}-\text{C}) = 0.002$ Å; R factor = 0.066; wR factor = 0.045; data-to-parameter ratio = 23.5.

In the title compound, $\text{C}_{25}\text{H}_{21}\text{Cl}_2\text{NO}_2\text{S}_3$, the three phenyl rings are inclined to each other at dihedral angles of 68.4 (1), 79.5 (1) and 37.0 (1)°.

Related literature

The C—C bond lengths of the butadiene chain agree well with corresponding distances in a similar compound (Surange *et al.*, 1997). For the biological activity of halogenobutadienes containing chlorine, see: Kalatskaya & Malama (1986). For the structures of nitrobutadienes, see: Ibis *et al.* (2006a,b). For the synthesis, see: Ibis & Aydinli (1999). For weighting schemes, see: Carruthers & Watkin (1979).



Experimental

Crystal data

 $\text{C}_{25}\text{H}_{21}\text{Cl}_2\text{NO}_2\text{S}_3$
 $M_r = 534.53$

 Triclinic, $P\bar{1}$
 $a = 10.1595$ (10) Å

 $b = 11.5706$ (10) Å
 $c = 12.5451$ (2)
 $\alpha = 74.887$ (6)°
 $\beta = 69.259$ (5)°
 $\gamma = 69.344$ (5)°
 $V = 1274.83$ (2) Å³
 $Z = 2$
 Mo $K\alpha$ radiation
 $\mu = 0.52$ mm⁻¹
 $T = 293$ K
 $0.60 \times 0.60 \times 0.10$ mm

Data collection

 Rigaku R-Axis diffractometer
 Absorption correction: multi-scan
 (ABSCOR; Higashi, 1995)
 $T_{\min} = 0.731$, $T_{\max} = 0.949$

 101262 measured reflections
 7512 independent reflections
 7264 reflections with $F^2 > 2.0\sigma(F^2)$
 $R_{\text{int}} = 0.024$

Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.066$
 $wR(F^2) = 0.045$
 $S = 1.20$
 6957 reflections
 319 parameters

 H atoms treated by a mixture of independent and constrained refinement
 $\Delta\rho_{\text{max}} = 0.31$ e Å⁻³
 $\Delta\rho_{\text{min}} = -0.34$ e Å⁻³

Data collection: *PROCESS* (Rigaku, 1996); cell refinement: *PROCESS*; data reduction: *CrystalStructure* (Rigaku/MS, 2003); program(s) used to solve structure: *SIR92* (Altomare *et al.*, 1994); program(s) used to refine structure: *CRYSTALS* (Betteridge *et al.*, 2003); molecular graphics: *ORTEP-3* (Farrugia, 1997); software used to prepare material for publication: *CrystalStructure* (Rigaku/MS, 2003).

This work was supported by the Research Fund of the University of Istanbul.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: XU2466).

References

- Altomare, A., Cascarano, G., Giacovazzo, C., Guagliardi, A., Burla, M. C., Polidori, G. & Camalli, M. (1994). *J. Appl. Cryst.* **27**, 435–436.
 Betteridge, P. W., Carruthers, J. R., Cooper, R. I., Prout, K. & Watkin, D. J. (2003). *J. Appl. Cryst.* **36**, 1487.
 Carruthers, J. R. & Watkin, D. J. (1979). *Acta Cryst.* **A35**, 698–699.
 Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
 Higashi, T. (1995). *ABSCOR*. Rigaku Corporation, Tokyo, Japan.
 Ibis, C. & Aydinli, G. (1999). *Sulfur Lett.* **23**, 67–77.
 Ibis, C., Sayil, M. C. & Deniz, N. G. (2006a). *Acta Cryst.* **E62**, o800–o801.
 Ibis, C., Sayil, M. C. & Ozkok, F. (2006b). *Acta Cryst.* **E62**, o1147–o1148.
 Kalatskaya, L. M. & Malama, A. A. (1986). *Mikrobiologiya*, **55**, 618–621.
 Rigaku (1996). *PROCESS*. Rigaku Corporation, Tokyo, Japan.
 Rigaku/MS (2003). *CrystalStructure*. Rigaku/MS, The Woodlands, Texas, USA.
 Surange, S. S., Kumaran, G., Rajappa, S., Rajalakshmi, K. & Pattabhi, V. (1997). *Tetrahedron*, **53**, 8531–8540.

supplementary materials

Acta Cryst. (2009). E65, o272 [doi:10.1107/S1600536808043419]

2,4,4-Tris(benzylsulfanyl)-1,1-dichloro-3-nitrobuta-1,3-diene

G. Aydinli, C. Sayil and C. Ibis

Comment

There are numerous publications devoted to the synthesis of halogenobutadienes containing atom of chlorine. They possess a broad spectrum of useful properties: they are employed as monomers for the preparation of valuable polymers and copolymers resistant to heat, light, chemical corrosion and so on. And they show algicidal, bactericidal fungicidal activities (Kalatskaya & Malama, 1986). A number of halogenobutadienes manifest high antitumour activity. However, there are a few reports on the crystal structures of nitrobutadiene compounds (Ibis *et al.*, 2006a,b). It is the first publication about single-crystal structure of 1,1,3-tris(arylthio)nitrobutadiene derivative. The title compound was synthesized from 2-nitropentachlorobutadiene and benzyl mercaptan (Ibis & Aydinli, 1999). It is note that, our spectroscopic data are in accordance with reported by this article but apparently, title compound is not a 1,1,4-substituted, but a 1,1,3-substituted regioisomer instead. This indication was proven by X-ray analysis newly. Crystallographic analysis was carried out and the results are presented in this paper.

The molecular structure of the title compound is shown in Fig. 1. The three phenyl rings are inclined with the butadiene group at angles of 85.9 (1), 61.9 (1), 81.4 (1)°, respectively. The butadiene unit has assumed a configuration close to *cisoid*, but is not completely planar; torsion angle of C4—C3—C2—C1 is 75.3 (2)°.

Experimental

2-Nitropentachlorobutadiene (2.0 g, 7.37 mmol) and benzyl mercaptan (2.74 g, 22.11 mmol) were mixed in ethanol(30 ml), 2 g of NaOH (in 10 ml of water) was added at room temperature. The mixture was stirred for 2–3 h. Chloroform was added to the reaction mixture. The organic layer was separated and washed with water (4 x 30 ml) and dried with Na₂SO₄. After the solvent had evaporated, the residue was purified by column chromatography on silica gel. Yellow crystals of (I) suitable for X-ray diffraction analysis were obtained by slow evaporation of an ethanol at room temperature (yield: 0.76 g, 20%; m.p. 357–358 K).

Refinement

H atoms were treated as riding, with C—H = 0.95 (6)Å and $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$. Refinement used 6597 reflections with $F^2 > 3.0\sigma(F^2)$.

Figures




Fig. 1. The molecular structure of the title compound. Displacement ellipsoids are drawn at the 30% probability level.

supplementary materials

(I)

Crystal data

$C_{25}H_{21}Cl_2NO_2S_3$

$M_r = 534.53$

Triclinic, $P\bar{1}$

Hall symbol: -P 1

$a = 10.1595$ (10) Å

$b = 11.5706$ (10) Å

$c = 12.5451$ Å

$\alpha = 74.887$ (6)°

$\beta = 69.259$ (5)°

$\gamma = 69.344$ (5)°

$V = 1274.83$ (2) Å³

$Z = 2$

$F_{000} = 552.00$

$D_x = 1.392$ Mg m⁻³

Mo $K\alpha$ radiation

$\lambda = 0.7107$ Å

Cell parameters from 10024 reflections

$\theta = 2.2$ – 30.5 °

$\mu = 0.52$ mm⁻¹

$T = 293.1$ K

Prism, yellow

$0.60 \times 0.60 \times 0.10$ mm

Data collection

Rigaku R-Axis
diffractometer

Detector resolution: 10.00 pixels mm⁻¹

ω scans

Absorption correction: multi-scan
(ABSCOR; Higashi, 1995)

$T_{\min} = 0.731$, $T_{\max} = 0.949$

101262 measured reflections

7512 independent reflections

7264 reflections with $F^2 > 2.0\sigma(F^2)$

$R_{\text{int}} = 0.024$

$\theta_{\text{max}} = 30.3$ °

$h = -14$ → 14

$k = -16$ → 16

$l = -17$ → 17

Refinement

Refinement on F

$R[F^2 > 2\sigma(F^2)] = 0.066$

$wR(F^2) = 0.045$

$S = 1.20$

6957 reflections

319 parameters

All H-atom parameters refined

Chebyshev polynomial with 3 parameters (Carruthers & Watkin, 1979) 1.8080 -4.9818 -0.4430

$(\Delta/\sigma)_{\text{max}} < 0.001$

$\Delta\rho_{\text{max}} = 0.31$ e Å⁻³

$\Delta\rho_{\text{min}} = -0.34$ e Å⁻³

Extinction correction: none

Special details

Geometry. ENTER SPECIAL DETAILS OF THE MOLECULAR GEOMETRY

Refinement. Refinement using all reflections. The weighted R-factor (wR), goodness of fit (S) and R-factor (gt) are based on F , with F set to zero for negative F . The threshold expression of $F^2 > 2.0 \sigma(F^2)$ is used only for calculating R-factor (gt).

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
S(1)	0.26233 (3)	-0.27301 (2)	0.14860 (2)	0.06102 (8)
S(2)	0.51264 (3)	-0.16364 (2)	-0.00818 (2)	0.05869 (7)
S(3)	0.32274 (3)	-0.18195 (2)	0.43976 (2)	0.05472 (7)
Cl(2)	0.46317 (4)	-0.52367 (3)	0.29977 (3)	0.08279 (10)
Cl(1)	0.29918 (3)	-0.45732 (3)	0.52456 (2)	0.07867 (9)
O(2)	0.69150 (9)	-0.31748 (10)	0.25152 (9)	0.1049 (3)
C(3)	0.46483 (10)	-0.24924 (8)	0.22255 (7)	0.0452 (2)
N(1)	0.60515 (10)	-0.23115 (9)	0.21164 (7)	0.0599 (3)
C(6)	0.06852 (11)	-0.03451 (9)	0.12175 (8)	0.0554 (3)
C(2)	0.38853 (10)	-0.29043 (8)	0.34376 (8)	0.0472 (2)
C(12)	0.53745 (12)	-0.27616 (9)	-0.09776 (8)	0.0656 (3)
C(4)	0.41789 (10)	-0.22722 (8)	0.12919 (8)	0.0467 (2)
O(1)	0.62431 (12)	-0.12993 (9)	0.16884 (9)	0.1054 (4)
C(5)	0.15905 (13)	-0.14498 (10)	0.06169 (9)	0.0679 (3)
C(19)	0.2622 (1)	-0.03352 (10)	0.35006 (10)	0.0723 (3)
C(25)	0.09262 (11)	0.13681 (10)	0.46338 (9)	0.0611 (3)
C(1)	0.38339 (11)	-0.40762 (9)	0.38298 (8)	0.0545 (3)
C(24)	0.0636 (1)	0.22953 (11)	0.52495 (11)	0.0740 (4)
C(7)	0.11962 (13)	0.06683 (10)	0.10021 (10)	0.0685 (4)
C(13)	0.68084 (11)	-0.37659 (8)	-0.10637 (8)	0.0571 (3)
C(11)	-0.0680 (1)	-0.03113 (11)	0.19867 (10)	0.0769 (4)
C(22)	0.3176 (2)	0.18959 (12)	0.49366 (13)	0.0873 (5)
C(20)	0.23412 (11)	0.06770 (9)	0.41576 (8)	0.0562 (3)
C(21)	0.34768 (12)	0.09577 (10)	0.43161 (11)	0.0728 (4)
C(23)	0.1763 (2)	0.25476 (11)	0.54108 (12)	0.0851 (5)
C(18)	0.7057 (2)	-0.45940 (10)	-0.00968 (10)	0.0802 (4)
C(8)	0.0382 (2)	0.16857 (11)	0.1559 (1)	0.0899 (5)
C(14)	0.7909 (2)	-0.38460 (12)	-0.21024 (13)	0.0853 (4)
C(10)	-0.1501 (2)	0.0705 (2)	0.25525 (12)	0.1016 (5)
C(9)	-0.0961 (2)	0.1699 (1)	0.23337 (13)	0.1019 (6)
C(15)	0.9252 (2)	-0.4770 (2)	-0.2127 (2)	0.1179 (7)
C(16)	0.9462 (2)	-0.5565 (2)	-0.1155 (2)	0.1120 (7)
C(17)	0.8397 (2)	-0.54888 (13)	-0.0147 (2)	0.1095 (6)
H(1)	0.22499 (13)	-0.12013 (10)	-0.00917 (9)	0.0843 (11)*
H(2)	0.09310 (13)	-0.17564 (10)	0.04664 (9)	0.0847 (10)*
H(3)	0.21293 (13)	0.06651 (10)	0.04609 (10)	0.0850 (11)*
H(4)	0.0744 (2)	0.23844 (11)	0.1398 (1)	0.1130 (11)*
H(5)	-0.1524 (2)	0.2386 (1)	0.27395 (13)	0.1181 (11)*
H(6)	-0.2439 (2)	0.0719 (2)	0.30899 (12)	0.1091 (11)*
H(7)	-0.1066 (1)	-0.09929 (11)	0.21298 (10)	0.0912 (10)*
H(8)	0.46109 (12)	-0.31533 (9)	-0.06329 (8)	0.0781 (10)*
H(9)	0.53273 (12)	-0.23380 (9)	-0.17275 (8)	0.0787 (10)*
H(10)	0.7753 (2)	-0.32952 (12)	-0.27839 (13)	0.0981 (11)*
H(11)	1.0029 (2)	-0.4859 (2)	-0.2826 (2)	0.1339 (12)*
H(12)	1.0384 (2)	-0.6175 (2)	-0.1177 (2)	0.1381 (13)*

supplementary materials

H(13)	0.8561 (2)	-0.60471 (13)	0.0529 (2)	0.1335 (12)*
H(14)	0.6289 (2)	-0.45517 (10)	0.06095 (10)	0.0920 (11)*
H(15)	0.3368 (1)	-0.02515 (10)	0.27928 (10)	0.0850 (11)*
H(16)	0.1750 (1)	-0.02808 (10)	0.33470 (10)	0.0850 (10)*
H(17)	0.44699 (12)	0.05170 (10)	0.39823 (11)	0.0860 (10)*
H(18)	0.3949 (2)	0.20947 (12)	0.50400 (13)	0.1159 (11)*
H(19)	0.1562 (2)	0.31794 (11)	0.58487 (12)	0.1074 (11)*
H(20)	-0.0344 (1)	0.27810 (11)	0.55578 (11)	0.0867 (10)*
H(21)	0.01245 (11)	0.12000 (10)	0.45437 (9)	0.0742 (10)*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
S(1)	0.0677 (2)	0.0591 (1)	0.0658 (2)	-0.02160 (13)	-0.03755 (13)	0.00494 (12)
S(2)	0.0776 (2)	0.04780 (13)	0.04488 (13)	-0.01718 (12)	-0.01546 (12)	-0.00220 (10)
S(3)	0.0585 (2)	0.0586 (1)	0.04394 (12)	-0.01226 (12)	-0.01779 (11)	-0.00514 (10)
Cl(2)	0.1318 (3)	0.0530 (2)	0.0759 (2)	-0.0324 (2)	-0.0456 (2)	-0.00051 (13)
Cl(1)	0.0866 (2)	0.0846 (2)	0.0624 (2)	-0.0428 (2)	-0.0246 (2)	0.0219 (1)
O(2)	0.0538 (5)	0.1180 (7)	0.1299 (8)	-0.0190 (5)	-0.0382 (5)	0.0103 (6)
C(3)	0.0499 (5)	0.0443 (5)	0.0433 (5)	-0.0151 (4)	-0.0167 (4)	-0.0032 (4)
N(1)	0.0611 (6)	0.0762 (6)	0.0486 (5)	-0.0301 (5)	-0.0156 (4)	-0.0060 (4)
C(6)	0.0617 (6)	0.0606 (6)	0.0490 (5)	-0.0159 (5)	-0.0324 (5)	0.0034 (4)
C(2)	0.0495 (5)	0.0522 (5)	0.0437 (5)	-0.0175 (4)	-0.0209 (4)	0.0006 (4)
C(12)	0.0761 (7)	0.0714 (7)	0.0485 (5)	-0.0072 (6)	-0.0254 (5)	-0.0173 (5)
C(4)	0.0551 (5)	0.0391 (4)	0.0458 (5)	-0.0092 (4)	-0.0202 (4)	-0.0046 (4)
O(1)	0.1254 (8)	0.1100 (7)	0.1164 (8)	-0.0819 (7)	-0.0554 (6)	0.0196 (6)
C(5)	0.0762 (7)	0.0702 (7)	0.0646 (6)	-0.0093 (6)	-0.0437 (6)	-0.0063 (5)
C(19)	0.0924 (8)	0.0576 (6)	0.0612 (6)	-0.0034 (6)	-0.0362 (6)	-0.0061 (5)
C(25)	0.0547 (6)	0.0614 (6)	0.0680 (7)	-0.0163 (5)	-0.0222 (5)	-0.0060 (5)
C(1)	0.0628 (6)	0.0574 (5)	0.0510 (5)	-0.0262 (5)	-0.0259 (5)	0.0047 (4)
C(24)	0.0758 (8)	0.0658 (7)	0.0726 (7)	-0.0105 (6)	-0.0203 (6)	-0.0137 (6)
C(7)	0.0747 (7)	0.0637 (7)	0.0750 (7)	-0.0182 (6)	-0.0414 (6)	0.0018 (6)
C(13)	0.0680 (6)	0.0514 (5)	0.0573 (6)	-0.0148 (5)	-0.0236 (5)	-0.0131 (5)
C(11)	0.0743 (8)	0.0828 (9)	0.0686 (7)	-0.0280 (7)	-0.0222 (7)	0.0061 (7)
C(22)	0.0925 (10)	0.0800 (8)	0.1155 (11)	-0.0402 (8)	-0.0592 (9)	0.0043 (8)
C(20)	0.0606 (6)	0.0549 (5)	0.0545 (6)	-0.0151 (5)	-0.0243 (5)	-0.0022 (5)
C(21)	0.0542 (7)	0.0724 (7)	0.0888 (8)	-0.0151 (5)	-0.0306 (6)	0.0018 (6)
C(23)	0.1182 (12)	0.0600 (7)	0.0887 (9)	-0.0220 (8)	-0.0474 (9)	-0.0114 (6)
C(18)	0.1006 (10)	0.0645 (7)	0.0645 (7)	-0.0003 (7)	-0.0297 (7)	-0.0169 (6)
C(8)	0.1181 (12)	0.0659 (8)	0.0985 (10)	-0.0148 (8)	-0.0651 (10)	-0.0030 (7)
C(14)	0.0885 (9)	0.0708 (8)	0.0861 (9)	-0.0348 (7)	0.0043 (7)	-0.0205 (7)
C(10)	0.0850 (10)	0.1219 (13)	0.0632 (8)	-0.0115 (9)	-0.0092 (7)	-0.0005 (9)
C(9)	0.137 (2)	0.0843 (10)	0.0741 (9)	0.0060 (10)	-0.0504 (10)	-0.0200 (8)
C(15)	0.0842 (11)	0.0939 (11)	0.155 (2)	-0.0424 (10)	0.0290 (11)	-0.0525 (12)
C(16)	0.0712 (10)	0.0860 (11)	0.189 (2)	-0.0078 (8)	-0.0403 (12)	-0.0548 (13)
C(17)	0.1273 (13)	0.0714 (9)	0.135 (2)	0.0171 (9)	-0.0780 (13)	-0.0317 (9)

Geometric parameters (Å, °)

S(1)—C(4)	1.757 (1)	C(24)—C(23)	1.367 (3)
S(1)—C(5)	1.832 (1)	C(24)—H(20)	0.950 (2)
S(2)—C(12)	1.831 (1)	C(7)—C(8)	1.375 (2)
S(2)—C(4)	1.7610 (9)	C(7)—H(3)	0.950 (2)
S(3)—C(2)	1.760 (1)	C(13)—C(18)	1.376 (1)
S(3)—C(19)	1.825 (1)	C(13)—C(14)	1.384 (2)
Cl(2)—C(1)	1.707 (1)	C(11)—C(10)	1.381 (2)
Cl(1)—C(1)	1.7192 (9)	C(11)—H(7)	0.950 (2)
O(2)—N(1)	1.204 (1)	C(22)—C(21)	1.384 (2)
C(3)—N(1)	1.467 (2)	C(22)—C(23)	1.359 (2)
C(3)—C(2)	1.479 (1)	C(22)—H(18)	0.950 (3)
C(3)—C(4)	1.348 (2)	C(20)—C(21)	1.392 (2)
N(1)—O(1)	1.207 (1)	C(21)—H(17)	0.950 (1)
C(6)—C(5)	1.493 (1)	C(23)—H(19)	0.950 (2)
C(6)—C(7)	1.372 (2)	C(18)—C(17)	1.381 (2)
C(6)—C(11)	1.375 (1)	C(18)—H(14)	0.950 (2)
C(2)—C(1)	1.329 (1)	C(8)—C(9)	1.364 (2)
C(12)—C(13)	1.498 (1)	C(8)—H(4)	0.950 (2)
C(12)—H(8)	0.950 (2)	C(14)—C(15)	1.401 (2)
C(12)—H(9)	0.950 (1)	C(14)—H(10)	0.950 (2)
C(5)—H(1)	0.950 (1)	C(10)—C(9)	1.368 (3)
C(5)—H(2)	0.950 (2)	C(10)—H(6)	0.950 (2)
C(19)—C(20)	1.494 (2)	C(9)—H(5)	0.950 (2)
C(19)—H(15)	0.950 (2)	C(15)—C(16)	1.355 (3)
C(19)—H(16)	0.950 (2)	C(15)—H(11)	0.950 (3)
C(25)—C(24)	1.372 (2)	C(16)—C(17)	1.341 (3)
C(25)—C(20)	1.376 (1)	C(16)—H(12)	0.950 (2)
C(25)—H(21)	0.950 (2)	C(17)—H(13)	0.950 (3)
S(1)···S(2)	3.0605 (4)	C(21)···H(10) ⁱⁱ	3.029 (2)
S(1)···Cl(2)	3.4452 (4)	C(21)···H(15)	2.697 (2)
S(1)···C(3)	2.656 (1)	C(21)···H(16)	3.287 (2)
S(1)···C(6)	2.7852 (9)	C(21)···H(18)	2.040 (2)
S(1)···C(2)	3.076 (1)	C(21)···H(19)	3.239 (2)
S(1)···C(12)	3.3517 (9)	C(21)···H(21)	3.231 (2)
S(1)···C(5)	1.832 (1)	C(23)···C(25)	2.374 (2)
S(1)···C(1)	3.377 (1)	C(23)···C(20)	2.779 (2)
S(1)···C(11)	3.505 (1)	C(23)···C(21)	2.380 (2)
S(1)···C(16) ⁱ	3.542 (2)	C(23)···H(10) ⁱⁱ	3.085 (2)
S(1)···C(17) ⁱ	3.562 (3)	C(23)···H(17)	3.231 (2)
S(1)···H(1)	2.329 (1)	C(23)···H(18)	1.999 (2)
S(1)···H(2)	2.302 (1)	C(23)···H(20)	2.007 (2)
S(1)···H(7)	3.483 (1)	C(23)···H(21)	3.223 (2)
S(1)···H(8)	2.7500 (9)	C(18)···S(2)	3.291 (1)
S(1)···H(14)	3.506 (1)	C(18)···C(12)	2.490 (2)
S(2)···S(1)	3.0605 (4)	C(18)···C(4)	3.477 (1)

supplementary materials

S(2)···C(3)	2.7284 (8)	C(18)···C(14)	2.383 (2)
S(2)···N(1)	3.048 (1)	C(18)···C(15)	2.725 (2)
S(2)···C(12)	1.831 (1)	C(18)···C(16)	2.353 (2)
S(2)···O(1)	2.987 (1)	C(18)···H(8)	2.662 (2)
S(2)···O(1) ⁱⁱ	3.5522 (9)	C(18)···H(8) ⁱ	3.358 (2)
S(2)···C(5)	3.323 (1)	C(18)···H(9)	3.258 (2)
S(2)···C(13)	2.7622 (9)	C(18)···H(10)	3.247 (2)
S(2)···C(18)	3.291 (1)	C(18)···H(12)	3.208 (2)
S(2)···H(1)	2.789 (1)	C(18)···H(13)	2.031 (2)
S(2)···H(3)	3.253 (1)	C(8)···C(6)	2.392 (2)
S(2)···H(3) ⁱⁱ	3.202 (2)	C(8)···C(11)	2.737 (2)
S(2)···H(8)	2.317 (1)	C(8)···C(10)	2.368 (2)
S(2)···H(9)	2.328 (1)	C(8)···H(2) ^{iv}	3.233 (3)
S(2)···H(14)	3.149 (1)	C(8)···H(3)	2.020 (2)
S(3)···Cl(1)	3.1514 (4)	C(8)···H(5)	2.021 (2)
S(3)···C(3)	2.7645 (9)	C(8)···H(6)	3.224 (2)
S(3)···N(1)	3.2600 (8)	C(8)···H(16)	3.075 (2)
S(3)···C(19)	1.825 (1)	C(8)···H(21)	3.566 (2)
S(3)···C(1)	2.689 (1)	C(14)···C(12)	2.503 (2)
S(3)···C(20)	2.674 (1)	C(14)···C(18)	2.383 (2)
S(3)···C(21)	3.284 (1)	C(14)···C(16)	2.395 (2)
S(3)···H(15)	2.332 (1)	C(14)···C(17)	2.764 (2)
S(3)···H(16)	2.335 (1)	C(14)···H(4) ⁱⁱ	2.963 (3)
S(3)···H(17)	3.222 (1)	C(14)···H(8)	3.125 (2)
Cl(2)···S(1)	3.4452 (4)	C(14)···H(9)	2.544 (2)
Cl(2)···Cl(1)	2.8664 (4)	C(14)···H(11)	2.056 (2)
Cl(2)···C(3)	3.073 (1)	C(14)···H(12)	3.254 (2)
Cl(2)···C(2)	2.683 (1)	C(14)···H(14)	3.238 (2)
Cl(2)···C(4)	3.5090 (9)	C(10)···C(6)	2.395 (2)
Cl(2)···H(9) ⁱ	3.552 (1)	C(10)···C(7)	2.735 (2)
Cl(2)···H(10) ⁱ	3.526 (2)	C(10)···C(8)	2.368 (2)
Cl(2)···H(14)	2.927 (1)	C(10)···H(1) ^{iv}	3.297 (2)
Cl(2)···H(18) ⁱⁱⁱ	3.565 (1)	C(10)···H(2) ^{iv}	3.564 (2)
Cl(1)···S(3)	3.1514 (4)	C(10)···H(4)	3.225 (3)
Cl(1)···Cl(2)	2.8664 (4)	C(10)···H(5)	2.010 (3)
Cl(1)···C(2)	2.6818 (9)	C(10)···H(7)	2.025 (2)
Cl(1)···H(19) ⁱⁱⁱ	3.210 (2)	C(10)···H(16)	3.505 (2)
O(2)···C(3)	2.285 (1)	C(9)···C(6)	2.762 (2)
O(2)···C(2)	2.810 (1)	C(9)···C(7)	2.370 (2)
O(2)···C(4)	3.363 (2)	C(9)···C(11)	2.377 (2)
O(2)···O(1)	2.129 (1)	C(9)···H(2) ^{iv}	3.485 (2)
O(2)···C(1)	3.370 (1)	C(9)···H(3)	3.225 (2)
O(2)···H(14)	3.527 (2)	C(9)···H(4)	2.013 (3)
C(3)···S(1)	2.656 (1)	C(9)···H(6)	2.018 (3)
C(3)···S(2)	2.7284 (8)	C(9)···H(7)	3.232 (2)
C(3)···S(3)	2.7645 (9)	C(9)···H(16)	3.310 (2)
C(3)···Cl(2)	3.073 (1)	C(9)···H(21)	3.181 (2)

C(3)···O(2)	2.285 (1)	C(15)···C(13)	2.391 (2)
C(3)···O(1)	2.303 (2)	C(15)···C(18)	2.725 (2)
C(3)···C(19)	3.025 (1)	C(15)···C(17)	2.349 (3)
C(3)···C(1)	2.462 (1)	C(15)···H(4) ⁱⁱ	3.128 (3)
C(3)···H(14)	3.145 (1)	C(15)···H(10)	2.057 (2)
C(3)···H(15)	2.617 (1)	C(15)···H(12)	2.007 (3)
C(3)···H(16)	3.290 (1)	C(15)···H(13)	3.206 (3)
N(1)···S(2)	3.048 (1)	C(16)···S(1) ⁱ	3.542 (2)
N(1)···S(3)	3.2600 (8)	C(16)···C(13)	2.749 (2)
N(1)···C(2)	2.439 (1)	C(16)···C(18)	2.353 (2)
N(1)···C(4)	2.449 (2)	C(16)···C(14)	2.395 (2)
N(1)···C(19)	3.542 (1)	C(16)···H(2) ⁱ	3.121 (2)
N(1)···C(1)	3.375 (1)	C(16)···H(4) ⁱⁱ	3.549 (2)
N(1)···H(3) ⁱⁱ	3.541 (1)	C(16)···H(10)	3.253 (2)
N(1)···H(14)	3.484 (2)	C(16)···H(11)	1.993 (3)
N(1)···H(15)	2.943 (1)	C(16)···H(13)	1.997 (3)
C(6)···S(1)	2.7852 (9)	C(16)···H(14)	3.209 (2)
C(6)···C(6) ^{iv}	3.587 (2)	C(17)···S(1) ⁱ	3.562 (3)
C(6)···C(4)	3.482 (1)	C(17)···C(13)	2.398 (2)
C(6)···C(5) ^{iv}	3.584 (2)	C(17)···C(14)	2.764 (2)
C(6)···C(8)	2.392 (2)	C(17)···C(15)	2.349 (3)
C(6)···C(10)	2.395 (2)	C(17)···H(2) ⁱ	3.118 (2)
C(6)···C(9)	2.762 (2)	C(17)···H(4) ^{vi}	3.485 (3)
C(6)···H(1)	2.023 (1)	C(17)···H(11)	3.194 (3)
C(6)···H(1) ^{iv}	3.463 (2)	C(17)···H(12)	1.983 (2)
C(6)···H(2)	1.991 (2)	C(17)···H(14)	2.030 (2)
C(6)···H(2) ^{iv}	3.167 (1)	H(1)···S(1)	2.329 (1)
C(6)···H(3)	2.016 (2)	H(1)···S(2)	2.789 (1)
C(6)···H(4)	3.247 (2)	H(1)···C(6)	2.023 (1)
C(6)···H(6)	3.252 (2)	H(1)···C(6) ^{iv}	3.463 (2)
C(6)···H(7)	2.022 (2)	H(1)···C(12)	3.013 (1)
C(6)···H(16)	3.243 (2)	H(1)···C(4)	2.822 (2)
C(2)···S(1)	3.076 (1)	H(1)···O(1) ⁱⁱ	3.558 (2)
C(2)···Cl(2)	2.683 (1)	H(1)···C(7)	2.566 (2)
C(2)···Cl(1)	2.6818 (9)	H(1)···C(11)	3.234 (1)
C(2)···O(2)	2.810 (1)	H(1)···C(11) ^{iv}	3.131 (2)
C(2)···N(1)	2.439 (1)	H(1)···C(10) ^{iv}	3.297 (2)
C(2)···C(4)	2.535 (1)	H(2)···S(1)	2.302 (1)
C(2)···O(1)	3.360 (1)	H(2)···C(6)	1.991 (2)
C(2)···C(19)	2.802 (1)	H(2)···C(6) ^{iv}	3.167 (1)
C(2)···H(15)	2.867 (1)	H(2)···C(7)	3.169 (2)
C(2)···H(16)	3.047 (1)	H(2)···C(7) ^{iv}	3.056 (2)
C(12)···S(1)	3.3517 (9)	H(2)···C(11)	2.575 (2)
C(12)···S(2)	1.831 (1)	H(2)···C(11) ^{iv}	3.398 (2)
C(12)···C(4)	2.794 (1)	H(2)···C(8) ^{iv}	3.233 (3)

supplementary materials

C(12)···C(18)	2.490 (2)	H(2)···C(10) ^{iv}	3.564 (2)
C(12)···C(14)	2.503 (2)	H(2)···C(9) ^{iv}	3.485 (2)
C(12)···H(1)	3.013 (1)	H(2)···C(16) ⁱ	3.121 (2)
C(12)···H(10)	2.675 (2)	H(2)···C(17) ⁱ	3.118 (2)
C(12)···H(14)	2.630 (1)	H(3)···S(2)	3.253 (1)
C(4)···Cl(2)	3.5090 (9)	H(3)···S(2) ⁱⁱ	3.202 (2)
C(4)···O(2)	3.363 (2)	H(3)···N(1) ⁱⁱ	3.541 (1)
C(4)···N(1)	2.449 (2)	H(3)···C(6)	2.016 (2)
C(4)···C(6)	3.482 (1)	H(3)···C(4)	3.416 (1)
C(4)···C(2)	2.535 (1)	H(3)···O(1) ⁱⁱ	2.685 (1)
C(4)···C(12)	2.794 (1)	H(3)···C(5)	2.635 (2)
C(4)···O(1)	2.934 (2)	H(3)···C(11)	3.219 (2)
C(4)···C(5)	2.816 (2)	H(3)···C(8)	2.020 (2)
C(4)···C(19)	3.583 (2)	H(3)···C(9)	3.225 (2)
C(4)···C(1)	3.298 (1)	H(4)···C(6)	3.247 (2)
C(4)···C(13)	3.560 (1)	H(4)···C(7)	2.027 (2)
C(4)···C(18)	3.477 (1)	H(4)···C(13) ⁱⁱ	3.260 (2)
C(4)···H(1)	2.822 (2)	H(4)···C(14) ⁱⁱ	2.963 (3)
C(4)···H(3)	3.416 (1)	H(4)···C(10)	3.225 (3)
C(4)···H(8)	2.698 (2)	H(4)···C(9)	2.013 (3)
C(4)···H(9)	3.560 (1)	H(4)···C(15) ⁱⁱ	3.128 (3)
C(4)···H(14)	2.859 (1)	H(4)···C(16) ⁱⁱ	3.549 (2)
C(4)···H(15)	3.087 (2)	H(5)···C(7)	3.233 (2)
C(4)···H(16)	3.553 (1)	H(5)···C(11)	3.232 (2)
O(1)···S(2)	2.987 (1)	H(5)···C(8)	2.021 (2)
O(1)···S(2) ⁱⁱ	3.5522 (9)	H(5)···C(10)	2.010 (3)
O(1)···O(2)	2.129 (1)	H(6)···C(6)	3.252 (2)
O(1)···C(3)	2.303 (2)	H(6)···C(11)	2.033 (2)
O(1)···C(2)	3.360 (1)	H(6)···C(8)	3.224 (2)
O(1)···C(4)	2.934 (2)	H(6)···C(9)	2.018 (3)
O(1)···C(19)	3.528 (1)	H(7)···S(1)	3.483 (1)
O(1)···C(7) ⁱⁱ	3.540 (1)	H(7)···C(6)	2.022 (2)
O(1)···H(1) ⁱⁱ	3.558 (2)	H(7)···C(5)	2.656 (2)
O(1)···H(3) ⁱⁱ	2.685 (1)	H(7)···C(7)	3.221 (2)
O(1)···H(7) ^v	3.125 (2)	H(7)···C(10)	2.025 (2)
O(1)···H(15)	2.726 (1)	H(7)···C(9)	3.232 (2)
O(1)···H(17)	3.571 (2)	H(8)···S(1)	2.7500 (9)
C(5)···S(1)	1.832 (1)	H(8)···S(2)	2.317 (1)
C(5)···S(2)	3.323 (1)	H(8)···C(4)	2.698 (2)
C(5)···C(6) ^{iv}	3.584 (2)	H(8)···C(5)	3.114 (1)
C(5)···C(4)	2.816 (2)	H(8)···C(13)	2.002 (1)
C(5)···C(7)	2.488 (2)	H(8)···C(18)	2.662 (2)
C(5)···C(11)	2.498 (1)	H(8)···C(18) ⁱ	3.358 (2)
C(5)···H(3)	2.635 (2)	H(8)···C(14)	3.125 (2)
C(5)···H(7)	2.656 (2)	H(9)···S(2)	2.328 (1)

C(5)···H(8)	3.114 (1)	H(9)···Cl(2) ⁱ	3.552 (1)
C(19)···S(3)	1.825 (1)	H(9)···C(4)	3.560 (1)
C(19)···C(3)	3.025 (1)	H(9)···C(13)	2.026 (1)
C(19)···N(1)	3.542 (1)	H(9)···C(21) ⁱⁱ	3.232 (1)
C(19)···C(2)	2.802 (1)	H(9)···C(18)	3.258 (2)
C(19)···C(4)	3.583 (2)	H(9)···C(14)	2.544 (2)
C(19)···O(1)	3.528 (1)	H(10)···Cl(2) ⁱ	3.526 (2)
C(19)···C(25)	2.491 (1)	H(10)···C(12)	2.675 (2)
C(19)···C(21)	2.526 (2)	H(10)···C(25) ⁱⁱ	3.060 (2)
C(19)···H(17)	2.698 (2)	H(10)···C(24) ⁱⁱ	3.077 (2)
C(19)···H(21)	2.643 (1)	H(10)···C(13)	2.041 (2)
C(25)···C(19)	2.491 (1)	H(10)···C(22) ⁱⁱ	3.042 (2)
C(25)···C(22)	2.731 (2)	H(10)···C(20) ⁱⁱ	3.057 (2)
C(25)···C(21)	2.366 (2)	H(10)···C(21) ⁱⁱ	3.029 (2)
C(25)···C(23)	2.374 (2)	H(10)···C(23) ⁱⁱ	3.085 (2)
C(25)···H(10) ⁱⁱ	3.060 (2)	H(10)···C(18)	3.247 (2)
C(25)···H(15)	3.150 (1)	H(10)···C(15)	2.057 (2)
C(25)···H(16)	2.543 (2)	H(10)···C(16)	3.253 (2)
C(25)···H(17)	3.230 (2)	H(11)···C(13)	3.257 (2)
C(25)···H(19)	3.233 (2)	H(11)···C(14)	2.056 (2)
C(25)···H(20)	2.030 (2)	H(11)···C(16)	1.993 (3)
C(1)···S(1)	3.377 (1)	H(11)···C(17)	3.194 (3)
C(1)···S(3)	2.689 (1)	H(12)···C(18)	3.208 (2)
C(1)···O(2)	3.370 (1)	H(12)···C(14)	3.254 (2)
C(1)···C(3)	2.462 (1)	H(12)···C(15)	2.007 (3)
C(1)···N(1)	3.375 (1)	H(12)···C(17)	1.983 (2)
C(1)···C(4)	3.298 (1)	H(13)···C(13)	3.253 (2)
C(24)···C(22)	2.358 (2)	H(13)···C(18)	2.031 (2)
C(24)···C(20)	2.398 (1)	H(13)···C(8) ^{vi}	2.911 (2)
C(24)···C(21)	2.738 (1)	H(13)···C(9) ^{vi}	2.995 (2)
C(24)···H(10) ⁱⁱ	3.077 (2)	H(13)···C(15)	3.206 (3)
C(24)···H(18)	3.210 (2)	H(13)···C(16)	1.997 (3)
C(24)···H(19)	2.020 (3)	H(14)···S(1)	3.506 (1)
C(24)···H(21)	2.009 (2)	H(14)···S(2)	3.149 (1)
C(7)···O(1) ⁱⁱ	3.540 (1)	H(14)···Cl(2)	2.927 (1)
C(7)···C(5)	2.488 (2)	H(14)···O(2)	3.527 (2)
C(7)···C(11)	2.360 (2)	H(14)···C(3)	3.145 (1)
C(7)···C(10)	2.735 (2)	H(14)···N(1)	3.484 (2)
C(7)···C(9)	2.370 (2)	H(14)···C(12)	2.630 (1)
C(7)···H(1)	2.566 (2)	H(14)···C(4)	2.859 (1)
C(7)···H(2)	3.169 (2)	H(14)···C(13)	2.017 (1)
C(7)···H(2) ^{iv}	3.056 (2)	H(14)···C(14)	3.238 (2)
C(7)···H(4)	2.027 (2)	H(14)···C(16)	3.209 (2)
C(7)···H(5)	3.233 (2)	H(14)···C(17)	2.030 (2)
C(7)···H(7)	3.221 (2)	H(15)···S(3)	2.332 (1)
C(7)···H(15)	3.414 (2)	H(15)···C(3)	2.617 (1)

supplementary materials

C(7)···H(16)	3.038 (2)	H(15)···N(1)	2.943 (1)
C(13)···S(2)	2.7622 (9)	H(15)···C(2)	2.867 (1)
C(13)···C(4)	3.560 (1)	H(15)···C(4)	3.087 (2)
C(13)···C(15)	2.391 (2)	H(15)···O(1)	2.726 (1)
C(13)···C(16)	2.749 (2)	H(15)···C(25)	3.150 (1)
C(13)···C(17)	2.398 (2)	H(15)···C(7)	3.414 (2)
C(13)···H(4) ⁱⁱ	3.260 (2)	H(15)···C(20)	2.019 (2)
C(13)···H(8)	2.002 (1)	H(15)···C(21)	2.697 (2)
C(13)···H(9)	2.026 (1)	H(16)···S(3)	2.335 (1)
C(13)···H(10)	2.041 (2)	H(16)···C(3)	3.290 (1)
C(13)···H(11)	3.257 (2)	H(16)···C(6)	3.243 (2)
C(13)···H(13)	3.253 (2)	H(16)···C(2)	3.047 (1)
C(13)···H(14)	2.017 (1)	H(16)···C(4)	3.553 (1)
C(11)···S(1)	3.505 (1)	H(16)···C(25)	2.543 (2)
C(11)···C(5)	2.498 (1)	H(16)···C(7)	3.038 (2)
C(11)···C(7)	2.360 (2)	H(16)···C(11)	3.476 (2)
C(11)···C(8)	2.737 (2)	H(16)···C(20)	2.028 (2)
C(11)···C(9)	2.377 (2)	H(16)···C(21)	3.287 (2)
C(11)···H(1)	3.234 (1)	H(16)···C(8)	3.075 (2)
C(11)···H(1) ^{iv}	3.131 (2)	H(16)···C(10)	3.505 (2)
C(11)···H(2)	2.575 (2)	H(16)···C(9)	3.310 (2)
C(11)···H(2) ^{iv}	3.398 (2)	H(17)···S(3)	3.222 (1)
C(11)···H(3)	3.219 (2)	H(17)···O(1)	3.571 (2)
C(11)···H(5)	3.232 (2)	H(17)···C(19)	2.698 (2)
C(11)···H(6)	2.033 (2)	H(17)···C(25)	3.230 (2)
C(11)···H(16)	3.476 (2)	H(17)···C(22)	2.027 (2)
C(22)···C(25)	2.731 (2)	H(17)···C(20)	2.040 (2)
C(22)···C(24)	2.358 (2)	H(17)···C(23)	3.231 (2)
C(22)···C(20)	2.411 (2)	H(18)···Cl(2) ^{vii}	3.565 (1)
C(22)···H(10) ⁱⁱ	3.042 (2)	H(18)···C(24)	3.210 (2)
C(22)···H(17)	2.027 (2)	H(18)···C(20)	3.272 (2)
C(22)···H(19)	2.010 (2)	H(18)···C(21)	2.040 (2)
C(22)···H(20)	3.210 (2)	H(18)···C(23)	1.999 (2)
C(20)···S(3)	2.674 (1)	H(19)···Cl(1) ^{vii}	3.210 (2)
C(20)···C(24)	2.398 (1)	H(19)···C(25)	3.233 (2)
C(20)···C(22)	2.411 (2)	H(19)···C(24)	2.020 (3)
C(20)···C(23)	2.779 (2)	H(19)···C(22)	2.010 (2)
C(20)···H(10) ⁱⁱ	3.057 (2)	H(19)···C(21)	3.239 (2)
C(20)···H(15)	2.019 (2)	H(20)···C(25)	2.030 (2)
C(20)···H(16)	2.028 (2)	H(20)···C(22)	3.210 (2)
C(20)···H(17)	2.040 (2)	H(20)···C(20)	3.256 (1)
C(20)···H(18)	3.272 (2)	H(20)···C(23)	2.007 (2)
C(20)···H(20)	3.256 (1)	H(21)···C(19)	2.643 (1)
C(20)···H(21)	2.023 (1)	H(21)···C(24)	2.009 (2)
C(21)···S(3)	3.284 (1)	H(21)···C(20)	2.023 (1)
C(21)···C(19)	2.526 (2)	H(21)···C(21)	3.231 (2)
C(21)···C(25)	2.366 (2)	H(21)···C(23)	3.223 (2)

C(21)···C(24)	2.738 (1)	H(21)···C(8)	3.566 (2)
C(21)···C(23)	2.380 (2)	H(21)···C(9)	3.181 (2)
C(21)···H(9) ⁱⁱ	3.232 (1)		
C(4)—S(1)—C(5)	103.34 (5)	C(8)—C(7)—H(3)	119.5 (2)
C(12)—S(2)—C(4)	102.13 (5)	C(8)—C(7)—C(6)	121.1 (1)
C(2)—S(3)—C(19)	102.76 (5)	H(3)—C(7)—C(6)	119.4 (1)
N(1)—C(3)—C(2)	111.76 (9)	C(18)—C(13)—C(14)	119.4 (1)
N(1)—C(3)—C(4)	120.85 (7)	C(18)—C(13)—C(12)	119.99 (8)
C(2)—C(3)—C(4)	127.4 (1)	C(14)—C(13)—C(12)	120.55 (9)
O(1)—N(1)—O(2)	124.0 (1)	C(10)—C(11)—H(7)	119.5 (1)
O(1)—N(1)—C(3)	118.61 (9)	C(10)—C(11)—C(6)	120.8 (1)
O(2)—N(1)—C(3)	117.2 (1)	H(7)—C(11)—C(6)	119.7 (1)
C(5)—C(6)—C(7)	120.45 (9)	C(21)—C(22)—C(23)	120.4 (2)
C(5)—C(6)—C(11)	121.1 (1)	C(21)—C(22)—H(18)	120.7 (1)
C(7)—C(6)—C(11)	118.5 (1)	C(23)—C(22)—H(18)	118.9 (2)
C(1)—C(2)—S(3)	120.32 (7)	C(21)—C(20)—C(19)	122.12 (9)
C(1)—C(2)—C(3)	122.36 (9)	C(21)—C(20)—C(25)	117.5 (1)
S(3)—C(2)—C(3)	116.89 (7)	C(19)—C(20)—C(25)	120.4 (1)
C(13)—C(12)—H(8)	107.6 (1)	H(17)—C(21)—C(22)	119.4 (2)
C(13)—C(12)—H(9)	109.7 (1)	H(17)—C(21)—C(20)	120.0 (2)
C(13)—C(12)—S(2)	111.76 (9)	C(22)—C(21)—C(20)	120.6 (1)
H(8)—C(12)—H(9)	109.5 (2)	H(19)—C(23)—C(24)	120.2 (2)
H(8)—C(12)—S(2)	108.71 (9)	H(19)—C(23)—C(22)	120.0 (2)
H(9)—C(12)—S(2)	109.6 (1)	C(24)—C(23)—C(22)	119.8 (1)
S(1)—C(4)—S(2)	120.88 (7)	C(17)—C(18)—H(14)	120.0 (1)
S(1)—C(4)—C(3)	116.92 (7)	C(17)—C(18)—C(13)	120.9 (1)
S(2)—C(4)—C(3)	122.11 (8)	H(14)—C(18)—C(13)	119.2 (1)
H(1)—C(5)—H(2)	109.5 (2)	C(9)—C(8)—H(4)	119.9 (2)
H(1)—C(5)—S(1)	109.6 (1)	C(9)—C(8)—C(7)	119.9 (2)
H(1)—C(5)—C(6)	109.8 (1)	H(4)—C(8)—C(7)	120.3 (2)
H(2)—C(5)—S(1)	107.4 (1)	C(15)—C(14)—H(10)	120.9 (2)
H(2)—C(5)—C(6)	107.1 (1)	C(15)—C(14)—C(13)	118.3 (1)
S(1)—C(5)—C(6)	113.40 (8)	H(10)—C(14)—C(13)	120.8 (1)
C(20)—C(19)—H(15)	109.4 (2)	C(9)—C(10)—H(6)	119.9 (2)
C(20)—C(19)—H(16)	110.1 (1)	C(9)—C(10)—C(11)	119.7 (1)
C(20)—C(19)—S(3)	106.89 (9)	H(6)—C(10)—C(11)	120.4 (2)
H(15)—C(19)—H(16)	109.5 (2)	H(5)—C(9)—C(8)	120.7 (2)
H(15)—C(19)—S(3)	110.4 (1)	H(5)—C(9)—C(10)	119.1 (2)
H(16)—C(19)—S(3)	110.6 (1)	C(8)—C(9)—C(10)	120.1 (1)
C(24)—C(25)—C(20)	121.6 (1)	C(16)—C(15)—H(11)	118.6 (2)
C(24)—C(25)—H(21)	118.7 (1)	C(16)—C(15)—C(14)	120.7 (2)
C(20)—C(25)—H(21)	119.7 (1)	H(11)—C(15)—C(14)	120.7 (2)
Cl(2)—C(1)—Cl(1)	113.58 (6)	C(17)—C(16)—H(12)	118.8 (3)
Cl(2)—C(1)—C(2)	123.70 (7)	C(17)—C(16)—C(15)	121.2 (2)
Cl(1)—C(1)—C(2)	122.70 (8)	H(12)—C(16)—C(15)	120.0 (2)
C(23)—C(24)—H(20)	119.0 (2)	H(13)—C(17)—C(18)	120.1 (2)
C(23)—C(24)—C(25)	120.2 (1)	H(13)—C(17)—C(16)	120.3 (2)
H(20)—C(24)—C(25)	120.9 (2)	C(18)—C(17)—C(16)	119.6 (2)

supplementary materials

C(5)—S(1)—C(4)—S(2)	-43.15 (6)	C(24)—C(25)—C(20)—C(19)	179.43 (9)
C(5)—S(1)—C(4)—C(3)	140.26 (6)	C(24)—C(25)—C(20)—C(21)	-0.4 (1)
C(4)—S(1)—C(5)—C(6)	-81.53 (9)	H(21)—C(25)—C(20)—C(19)	-0.0 (2)
C(4)—S(1)—C(5)—H(1)	41.6 (1)	H(21)—C(25)—C(20)—C(21)	-179.9 (1)
C(4)—S(1)—C(5)—H(2)	160.37 (9)	C(25)—C(24)—C(23)—C(22)	1.5 (2)
C(4)—S(2)—C(12)—C(13)	-92.08 (6)	C(25)—C(24)—C(23)—H(19)	-178.9 (1)
C(4)—S(2)—C(12)—H(8)	26.5 (1)	H(20)—C(24)—C(23)—C(22)	-177.4 (1)
C(4)—S(2)—C(12)—H(9)	146.1 (1)	H(20)—C(24)—C(23)—H(19)	2.2 (2)
C(12)—S(2)—C(4)—S(1)	-49.13 (5)	C(6)—C(7)—C(8)—C(9)	-0.4 (3)
C(12)—S(2)—C(4)—C(3)	127.28 (7)	C(6)—C(7)—C(8)—H(4)	-179.5 (2)
C(19)—S(3)—C(2)—C(3)	36.39 (9)	H(3)—C(7)—C(8)—C(9)	179.8 (2)
C(19)—S(3)—C(2)—C(1)	-150.95 (9)	H(3)—C(7)—C(8)—H(4)	0.7 (3)
C(2)—S(3)—C(19)—C(20)	-168.16 (7)	C(12)—C(13)—C(18)—C(17)	-176.9 (2)
C(2)—S(3)—C(19)—H(15)	-49.3 (2)	C(12)—C(13)—C(18)—H(14)	3.9 (3)
C(2)—S(3)—C(19)—H(16)	71.9 (1)	C(14)—C(13)—C(18)—C(17)	1.1 (2)
C(2)—C(3)—N(1)—O(2)	54.1 (1)	C(14)—C(13)—C(18)—H(14)	-178.1 (2)
C(2)—C(3)—N(1)—O(1)	-122.3 (1)	C(12)—C(13)—C(14)—C(15)	177.4 (2)
C(4)—C(3)—N(1)—O(2)	-126.7 (1)	C(12)—C(13)—C(14)—H(10)	-3.4 (3)
C(4)—C(3)—N(1)—O(1)	56.8 (1)	C(18)—C(13)—C(14)—C(15)	-0.5 (2)
N(1)—C(3)—C(2)—S(3)	67.42 (9)	C(18)—C(13)—C(14)—H(10)	178.7 (2)
N(1)—C(3)—C(2)—C(1)	-105.1 (1)	C(6)—C(11)—C(10)—C(9)	1.0 (2)
C(4)—C(3)—C(2)—S(3)	-111.7 (1)	C(6)—C(11)—C(10)—H(6)	-179.3 (2)
C(4)—C(3)—C(2)—C(1)	75.8 (1)	H(7)—C(11)—C(10)—C(9)	-178.8 (2)
N(1)—C(3)—C(4)—S(1)	171.14 (6)	H(7)—C(11)—C(10)—H(6)	1.0 (3)
N(1)—C(3)—C(4)—S(2)	-5.4 (1)	C(23)—C(22)—C(21)—C(20)	0.7 (2)
C(2)—C(3)—C(4)—S(1)	-9.9 (1)	C(23)—C(22)—C(21)—H(17)	179.3 (1)
C(2)—C(3)—C(4)—S(2)	173.60 (7)	H(18)—C(22)—C(21)—C(20)	-179.4 (2)
C(7)—C(6)—C(5)—S(1)	98.1 (1)	H(18)—C(22)—C(21)—H(17)	-0.8 (2)
C(7)—C(6)—C(5)—H(1)	-24.8 (2)	C(21)—C(22)—C(23)—C(24)	-1.6 (2)
C(7)—C(6)—C(5)—H(2)	-143.6 (1)	C(21)—C(22)—C(23)—H(19)	178.8 (2)
C(11)—C(6)—C(5)—S(1)	-82.6 (1)	H(18)—C(22)—C(23)—C(24)	178.5 (2)
C(11)—C(6)—C(5)—H(1)	154.5 (2)	H(18)—C(22)—C(23)—H(19)	-1.1 (2)
C(11)—C(6)—C(5)—H(2)	35.7 (2)	C(19)—C(20)—C(21)—C(22)	-179.5 (1)
C(5)—C(6)—C(7)—C(8)	-179.2 (1)	C(19)—C(20)—C(21)—H(17)	1.9 (2)
C(5)—C(6)—C(7)—H(3)	0.6 (2)	C(25)—C(20)—C(21)—C(22)	0.3 (2)
C(11)—C(6)—C(7)—C(8)	1.4 (2)	C(25)—C(20)—C(21)—H(17)	-178.3 (1)
C(11)—C(6)—C(7)—H(3)	-178.7 (2)	C(13)—C(18)—C(17)—C(16)	-1.1 (3)
C(5)—C(6)—C(11)—C(10)	179.0 (1)	C(13)—C(18)—C(17)—H(13)	179.0 (3)
C(5)—C(6)—C(11)—H(7)	-1.2 (2)	H(14)—C(18)—C(17)—C(16)	178.1 (2)
C(7)—C(6)—C(11)—C(10)	-1.7 (2)	H(14)—C(18)—C(17)—H(13)	-1.8 (4)
C(7)—C(6)—C(11)—H(7)	178.1 (2)	C(7)—C(8)—C(9)—C(10)	-0.3 (3)
S(3)—C(2)—C(1)—Cl(2)	-172.16 (8)	C(7)—C(8)—C(9)—H(5)	178.3 (2)
S(3)—C(2)—C(1)—Cl(1)	6.0 (2)	H(4)—C(8)—C(9)—C(10)	178.8 (2)
C(3)—C(2)—C(1)—Cl(2)	0.1 (2)	H(4)—C(8)—C(9)—H(5)	-2.6 (4)
C(3)—C(2)—C(1)—Cl(1)	178.23 (9)	C(13)—C(14)—C(15)—C(16)	0.1 (3)
S(2)—C(12)—C(13)—C(18)	65.4 (1)	C(13)—C(14)—C(15)—H(11)	179.3 (3)
S(2)—C(12)—C(13)—C(14)	-112.5 (1)	H(10)—C(14)—C(15)—C(16)	-179.1 (3)
H(8)—C(12)—C(13)—C(18)	-53.9 (2)	H(10)—C(14)—C(15)—H(11)	0.1 (4)
H(8)—C(12)—C(13)—C(14)	128.2 (2)	C(11)—C(10)—C(9)—C(8)	0.1 (3)

H(9)—C(12)—C(13)—C(18)	-172.9 (2)	C(11)—C(10)—C(9)—H(5)	-178.6 (2)
H(9)—C(12)—C(13)—C(14)	9.2 (2)	H(6)—C(10)—C(9)—C(8)	-179.7 (2)
S(3)—C(19)—C(20)—C(25)	-108.2 (1)	H(6)—C(10)—C(9)—H(5)	1.6 (3)
S(3)—C(19)—C(20)—C(21)	71.6 (1)	C(14)—C(15)—C(16)—C(17)	-0.1 (4)
H(15)—C(19)—C(20)—C(25)	132.3 (1)	C(14)—C(15)—C(16)—H(12)	-178.4 (3)
H(15)—C(19)—C(20)—C(21)	-47.8 (2)	H(11)—C(15)—C(16)—C(17)	-179.4 (3)
H(16)—C(19)—C(20)—C(25)	12.0 (2)	H(11)—C(15)—C(16)—H(12)	2.3 (5)
H(16)—C(19)—C(20)—C(21)	-168.2 (1)	C(15)—C(16)—C(17)—C(18)	0.7 (4)
C(20)—C(25)—C(24)—C(23)	-0.5 (2)	C(15)—C(16)—C(17)—H(13)	-179.5 (3)
C(20)—C(25)—C(24)—H(20)	178.4 (1)	H(12)—C(16)—C(17)—C(18)	179.0 (3)
H(21)—C(25)—C(24)—C(23)	179.0 (1)	H(12)—C(16)—C(17)—H(13)	-1.2 (5)
H(21)—C(25)—C(24)—H(20)	-2.2 (2)		

Symmetry codes: (i) $-x+1, -y-1, -z$; (ii) $-x+1, -y, -z$; (iii) $x, y-1, z$; (iv) $-x, -y, -z$; (v) $x+1, y, z$; (vi) $x+1, y-1, z$; (vii) $x, y+1, z$.

Fig. 1

