

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

{ μ -6,6'-Dimethoxy-2,2'-[propane-1,3-diy]bis(nitrilomethylidyne)diphenolato}-trinitratocopper(II)lutetium(III) acetone solvate

Jing-Chun Xing,* Yong-Mei Xu, Xiao-Guang Cui and Wen-Zhi Li*

 Department of Anaesthesiology, The Second Affiliated Hospital, Harbin Medical University, Harbin 150081, People's Republic of China
 Correspondence e-mail: xjc429@yahoo.cn, wenzhili9@126.com


Received 13 February 2009; accepted 16 March 2009

 Key indicators: single-crystal X-ray study; $T = 295$ K; mean $\sigma(\text{C}-\text{C}) = 0.009$ Å; R factor = 0.056; wR factor = 0.149; data-to-parameter ratio = 16.2.

In the title complex, $[\text{CuLu}(\text{C}_{19}\text{H}_{20}\text{N}_2\text{O}_4)(\text{NO}_3)_3] \cdot \text{CH}_3\text{CO}-\text{CH}_3$, the Cu^{II} ion is four-coordinated in a square-planar geometry by two O atoms and two N atoms from the deprotonated Schiff base. The Lu^{III} ion is ten-coordinate, chelated by three nitrate groups and linked to the four O atoms of the deprotonated Schiff base. A molecule of acetone is present as a solvate.

Related literature

For copper–lanthanide complexes of the same Schiff base, see: Elmali & Elerman (2003, 2004).



Experimental

Crystal data

$[\text{CuLu}(\text{C}_{19}\text{H}_{20}\text{N}_2\text{O}_4)(\text{NO}_3)_3] \cdot \text{C}_3\text{H}_6\text{O}$	$\beta = 87.04 (3)^\circ$
$M_r = 822.99$	$\gamma = 72.32 (3)^\circ$
Triclinic, $P\bar{1}$	$V = 1404.2 (6) \text{ \AA}^3$
$a = 9.4070 (19) \text{ \AA}$	$Z = 2$
$b = 12.135 (2) \text{ \AA}$	Mo $K\alpha$ radiation
$c = 13.510 (3) \text{ \AA}$	$\mu = 4.33 \text{ mm}^{-1}$
$\alpha = 73.03 (3)^\circ$	$T = 295 \text{ K}$
	$0.34 \times 0.28 \times 0.20 \text{ mm}$

Data collection

Rigaku R-Axis RAPID diffractometer	13735 measured reflections
Absorption correction: multi-scan (ABSCOR; Higashi, 1995)	6345 independent reflections
$T_{\text{min}} = 0.220$, $T_{\text{max}} = 0.420$	5817 reflections with $I > 2\sigma(I)$
	$R_{\text{int}} = 0.063$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.056$	392 parameters
$wR(F^2) = 0.149$	H-atom parameters constrained
$S = 1.05$	$\Delta\rho_{\text{max}} = 4.51 \text{ e \AA}^{-3}$
6345 reflections	$\Delta\rho_{\text{min}} = -2.38 \text{ e \AA}^{-3}$

Data collection: *RAPID-AUTO* (Rigaku, 1998); cell refinement: *RAPID-AUTO*; data reduction: *CrystalStructure* (Rigaku/MS, 2002); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEPII* (Johnson, 1976); software used to prepare material for publication: *SHELXL97*.

The authors gratefully acknowledge financial support from the National Natural Science Foundation of China (grant Nos. 30571784 and 30872450), Heilongjiang Key Laboratory of Anaesthesia and Critical Care Research for supporting this work.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: FJ2197).

References

- Elmali, A. & Elerman, Y. (2003). *Z. Naturforsch. Teil B*, **58**, 639–643.
 Elmali, A. & Elerman, Y. (2004). *Z. Naturforsch. Teil B*, **59**, 535–540.
 Higashi, T. (1995). *ABSCOR*. Rigaku Corporation, Tokyo, Japan.
 Johnson, C. K. (1976). *ORTEPII*. Report ORNL-5138. Oak Ridge National Laboratory, Tennessee, USA.
 Rigaku (1998). *RAPID-AUTO*. Rigaku Corporation, Tokyo, Japan.
 Rigaku/MS (2002). *CrystalStructure*. Rigaku/MS Inc., The Woodlands, Texas, USA.
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.

supplementary materials

Acta Cryst. (2009). E65, m443 [doi:10.1107/S1600536809009581]

{ μ -6,6'-Dimethoxy-2,2'-[propane-1,3-diylbis(nitrilomethylidene)]diphenolato}trinitratocopper(II)lutetium(III) acetone solvate

J.-C. Xing, Y.-M. Xu, X.-G. Cui and W.-Z. Li

Comment

As shown in Fig. 1, the octodentate Schiff base ligand links Cu and Lu atoms into a dinuclear complex through two phenolate O atoms, which is similar with the bonding reported for another copper-lanthanide complex of the same ligand (Elmali & Elerman, 2003, 2004). The Lu^{III} centre in (I) is ten-coordinated by four oxygen atoms from the ligand and six oxygen atoms from three nitrate ions. The Cu^{II} center is four-coordinate by two nitrogen atoms and two oxygen atoms from the ligand. And one molecular acetone is dissociative in the complex.

Experimental

The title complex was obtained by the treatment of copper(II) acetate monohydrate(0.0499 g, 0.25 mmol) with the Schiff base(0.0855 g, 0.25 mmol) in methanol/acetone (20 ml:5 ml) at room temperature. Then the mixture was refluxed for 3 h after the addition of lutetium (III) nitrate hexahydrate (0.1172 g, 0.25 mmol). The reaction mixture was cooled and filtered; diethyl ether was allowed to diffuse slowly into the solution of the filtrate. Single crystals were obtained after several days. Analysis calculated for C₂₂H₂₆CuN₅O₁₄Lu: C, 32.08; H, 3.16; Cu, 7.72; N, 8.51; Lu, 21.26; found: C, 32.11; H, 3.10; Cu, 7.76; N, 8.48; Lu, 21.22%.

Refinement

H atoms bound to C atoms were placed in calculated positions and treated as riding on their parent atoms, with C—H = 0.93 Å (aromatic C), C—H = 0.97 Å (methylene C), C—H = 0.98 Å (methine C), and with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$ or C—H = 0.96 Å (methyl C) and with $U_{\text{iso}}(\text{H}) = 1.5U_{\text{eq}}(\text{C})$.

Figures




Fig. 1. The molecular structure of (I), showing 40% probability displacement ellipsoids. The acetone molecule of solvation has been omitted for clarity.

supplementary materials

{ μ -6,6'-Dimethoxy-2,2'-[propane-1,3- diylbis(nitrilomethylidyne)]diphenolato}trinitratocopper(II)lutetium(III) acetone solvate

Crystal data

[CuLu(C ₁₉ H ₂₀ N ₂ O ₄)(NO ₃) ₃] \cdot C ₃ H ₆ O	$Z = 2$
$M_r = 822.99$	$F_{000} = 810$
Triclinic, $P\bar{1}$	$D_x = 1.946 \text{ Mg m}^{-3}$
Hall symbol: -p 1	Mo $K\alpha$ radiation
$a = 9.4070 (19) \text{ \AA}$	$\lambda = 0.71073 \text{ \AA}$
$b = 12.135 (2) \text{ \AA}$	Cell parameters from 12159 reflections
$c = 13.510 (3) \text{ \AA}$	$\theta = 3.2\text{--}27.4^\circ$
$\alpha = 73.03 (3)^\circ$	$\mu = 4.33 \text{ mm}^{-1}$
$\beta = 87.04 (3)^\circ$	$T = 295 \text{ K}$
$\gamma = 72.32 (3)^\circ$	Prism, green
$V = 1404.2 (6) \text{ \AA}^3$	$0.34 \times 0.28 \times 0.20 \text{ mm}$

Data collection

Rigaku R-Axis RAPID diffractometer	6345 independent reflections
Radiation source: fine-focus sealed tube	5817 reflections with $I > 2\sigma(I)$
Monochromator: graphite	$R_{\text{int}} = 0.063$
Detector resolution: 10.000 pixels mm^{-1}	$\theta_{\text{max}} = 27.4^\circ$
$T = 295 \text{ K}$	$\theta_{\text{min}} = 3.2^\circ$
ω scans	$h = -11 \rightarrow 12$
Absorption correction: multi-scan (ABSCOR; Higashi, 1995)	$k = -15 \rightarrow 15$
$T_{\text{min}} = 0.220$, $T_{\text{max}} = 0.420$	$l = -17 \rightarrow 17$
13735 measured reflections	

Refinement

Refinement on F^2	Secondary atom site location: difference Fourier map
Least-squares matrix: full	Hydrogen site location: inferred from neighbouring sites
$R[F^2 > 2\sigma(F^2)] = 0.056$	H-atom parameters constrained
$wR(F^2) = 0.149$	$w = 1/[\sigma^2(F_o^2) + (0.1022P)^2]$
$S = 1.05$	where $P = (F_o^2 + 2F_c^2)/3$
6345 reflections	$(\Delta/\sigma)_{\text{max}} = 0.001$
392 parameters	$\Delta\rho_{\text{max}} = 4.51 \text{ e \AA}^{-3}$
Primary atom site location: structure-invariant direct methods	$\Delta\rho_{\text{min}} = -2.38 \text{ e \AA}^{-3}$
	Extinction correction: none

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
Lu1	0.284988 (19)	0.378525 (16)	0.234889 (13)	0.03573 (12)
Cu1	0.24429 (6)	0.25725 (5)	0.49539 (4)	0.03148 (15)
O1	0.0395 (4)	0.5365 (3)	0.1965 (3)	0.0382 (7)
O2	0.1287 (3)	0.3741 (3)	0.3751 (3)	0.0353 (7)
O3	0.4010 (4)	0.2710 (3)	0.3973 (3)	0.0403 (8)
O4	0.5591 (4)	0.3498 (3)	0.2448 (3)	0.0399 (8)
O5	0.4248 (4)	0.2376 (4)	0.1369 (3)	0.0477 (9)
O6	0.3037 (4)	0.4173 (3)	0.0479 (3)	0.0435 (8)
O7	0.4124 (6)	0.2842 (5)	-0.0318 (4)	0.0645 (12)
O8	0.0996 (4)	0.2996 (3)	0.1767 (3)	0.0481 (9)
O9	0.2459 (6)	0.1682 (4)	0.3012 (4)	0.0527 (10)
O10	0.0812 (6)	0.1186 (4)	0.2316 (5)	0.0691 (13)
O11	0.3233 (5)	0.5776 (4)	0.1485 (3)	0.0468 (9)
O12	0.3121 (5)	0.5301 (4)	0.3144 (3)	0.0473 (9)
O13	0.3323 (6)	0.7056 (4)	0.2309 (4)	0.0687 (13)
O14	0.2009 (10)	0.0886 (5)	-0.0752 (5)	0.103 (2)
N1	0.0629 (5)	0.2641 (4)	0.5757 (3)	0.0351 (8)
N2	0.3899 (5)	0.1300 (4)	0.6000 (3)	0.0434 (10)
N3	0.3804 (5)	0.3120 (4)	0.0479 (3)	0.0405 (9)
N4	0.1412 (5)	0.1922 (4)	0.2357 (4)	0.0467 (10)
N5	0.3232 (5)	0.6071 (4)	0.2308 (4)	0.0446 (10)
C1	-0.0128 (7)	0.6110 (5)	0.0917 (4)	0.0504 (14)
H1A	-0.0932	0.5887	0.0704	0.076*
H1B	0.0677	0.5989	0.0454	0.076*
H1C	-0.0472	0.6945	0.0900	0.076*
C2	-0.0664 (5)	0.5331 (4)	0.2710 (4)	0.0317 (9)
C3	-0.2132 (5)	0.6058 (4)	0.2582 (4)	0.0392 (11)
H3	-0.2483	0.6626	0.1948	0.047*
C4	-0.3080 (6)	0.5938 (5)	0.3400 (5)	0.0475 (13)
H4	-0.4068	0.6428	0.3307	0.057*
C5	-0.2588 (5)	0.5114 (5)	0.4338 (5)	0.0431 (11)
H5	-0.3230	0.5053	0.4884	0.052*
C6	-0.1076 (5)	0.4343 (4)	0.4478 (4)	0.0329 (9)

supplementary materials

C7	-0.0127 (5)	0.4448 (4)	0.3680 (4)	0.0306 (9)
C8	-0.0661 (6)	0.3413 (4)	0.5460 (4)	0.0366 (10)
H8	-0.1414	0.3370	0.5930	0.044*
C9	0.0686 (7)	0.1741 (6)	0.6806 (4)	0.0483 (13)
H9A	0.0916	0.2063	0.7335	0.058*
H9B	-0.0286	0.1618	0.6938	0.058*
C10	0.1835 (9)	0.0554 (5)	0.6873 (5)	0.0611 (18)
H10A	0.1643	-0.0060	0.7461	0.073*
H10B	0.1747	0.0327	0.6253	0.073*
C11	0.3383 (9)	0.0592 (7)	0.6987 (5)	0.074 (2)
H11A	0.4056	-0.0228	0.7192	0.089*
H11B	0.3427	0.0954	0.7532	0.089*
C12	0.5322 (6)	0.1036 (5)	0.5942 (4)	0.0448 (12)
H12	0.5884	0.0450	0.6507	0.054*
C13	0.6154 (6)	0.1550 (5)	0.5092 (4)	0.0359 (10)
C14	0.7742 (6)	0.1170 (5)	0.5217 (5)	0.0493 (14)
H14	0.8203	0.0640	0.5842	0.059*
C15	0.8573 (6)	0.1570 (5)	0.4444 (5)	0.0478 (13)
H15	0.9607	0.1315	0.4538	0.057*
C16	0.7909 (5)	0.2370 (5)	0.3490 (5)	0.0412 (11)
H16	0.8500	0.2646	0.2960	0.049*
C17	0.6381 (5)	0.2743 (4)	0.3346 (4)	0.0332 (9)
C18	0.5478 (5)	0.2331 (4)	0.4165 (4)	0.0318 (9)
C19	0.6444 (7)	0.3885 (6)	0.1579 (4)	0.0481 (13)
H19A	0.6959	0.4395	0.1727	0.072*
H19B	0.5787	0.4328	0.0980	0.072*
H19C	0.7157	0.3192	0.1447	0.072*
C20	0.3366 (11)	-0.0190 (7)	0.0837 (7)	0.080 (2)
H20A	0.4065	0.0260	0.0620	0.119*
H20B	0.3899	-0.1032	0.1118	0.119*
H20C	0.2755	0.0094	0.1357	0.119*
C21	0.2387 (9)	-0.0020 (7)	-0.0081 (6)	0.0687 (19)
C22	0.1964 (15)	-0.1131 (9)	-0.0076 (9)	0.104 (4)
H22A	0.1282	-0.1280	0.0464	0.156*
H22B	0.2846	-0.1817	0.0044	0.156*
H22C	0.1497	-0.1001	-0.0733	0.156*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
Lu1	0.03318 (16)	0.03674 (17)	0.02788 (16)	-0.00642 (11)	-0.00080 (10)	0.00064 (11)
Cu1	0.0320 (3)	0.0311 (3)	0.0231 (3)	-0.0067 (2)	-0.0002 (2)	0.0016 (2)
O1	0.0325 (16)	0.0387 (18)	0.0285 (16)	-0.0012 (14)	-0.0070 (13)	0.0040 (14)
O2	0.0273 (15)	0.0370 (17)	0.0294 (16)	-0.0032 (13)	0.0015 (12)	0.0019 (14)
O3	0.0262 (15)	0.051 (2)	0.0274 (16)	-0.0050 (14)	-0.0056 (13)	0.0061 (15)
O4	0.0310 (17)	0.046 (2)	0.0342 (18)	-0.0116 (15)	0.0022 (14)	0.0008 (16)
O5	0.047 (2)	0.047 (2)	0.041 (2)	-0.0047 (16)	-0.0034 (16)	-0.0095 (17)
O6	0.055 (2)	0.0403 (19)	0.0288 (17)	-0.0128 (16)	0.0039 (15)	-0.0030 (15)

O7	0.070 (3)	0.080 (3)	0.043 (2)	-0.017 (2)	0.007 (2)	-0.026 (2)
O8	0.0387 (19)	0.044 (2)	0.053 (2)	-0.0106 (16)	-0.0028 (17)	-0.0020 (18)
O9	0.063 (3)	0.038 (2)	0.049 (2)	-0.015 (2)	0.004 (2)	-0.0001 (19)
O10	0.067 (3)	0.060 (3)	0.096 (4)	-0.038 (2)	0.022 (3)	-0.030 (3)
O11	0.054 (2)	0.044 (2)	0.038 (2)	-0.0193 (18)	-0.0003 (17)	0.0013 (17)
O12	0.056 (2)	0.046 (2)	0.0371 (19)	-0.0160 (18)	0.0024 (17)	-0.0075 (17)
O13	0.089 (4)	0.044 (2)	0.074 (3)	-0.025 (2)	-0.012 (3)	-0.010 (2)
O14	0.153 (7)	0.058 (3)	0.064 (4)	-0.007 (4)	0.004 (4)	0.006 (3)
N1	0.038 (2)	0.040 (2)	0.0283 (19)	-0.0179 (17)	0.0022 (16)	-0.0051 (17)
N2	0.053 (3)	0.031 (2)	0.028 (2)	0.0008 (18)	0.0008 (18)	0.0038 (17)
N3	0.037 (2)	0.051 (3)	0.036 (2)	-0.0170 (19)	0.0068 (17)	-0.013 (2)
N4	0.043 (2)	0.040 (2)	0.057 (3)	-0.0144 (19)	0.015 (2)	-0.014 (2)
N5	0.043 (2)	0.040 (2)	0.048 (3)	-0.0103 (19)	-0.006 (2)	-0.008 (2)
C1	0.051 (3)	0.047 (3)	0.030 (3)	0.005 (2)	-0.013 (2)	0.005 (2)
C2	0.029 (2)	0.031 (2)	0.032 (2)	-0.0041 (17)	-0.0074 (17)	-0.0076 (19)
C3	0.031 (2)	0.036 (2)	0.045 (3)	-0.0006 (18)	-0.012 (2)	-0.011 (2)
C4	0.026 (2)	0.057 (3)	0.060 (3)	-0.002 (2)	-0.004 (2)	-0.028 (3)
C5	0.028 (2)	0.055 (3)	0.049 (3)	-0.011 (2)	0.005 (2)	-0.022 (3)
C6	0.027 (2)	0.034 (2)	0.041 (2)	-0.0099 (17)	-0.0015 (18)	-0.015 (2)
C7	0.031 (2)	0.027 (2)	0.031 (2)	-0.0072 (16)	-0.0049 (17)	-0.0050 (18)
C8	0.038 (2)	0.042 (2)	0.034 (2)	-0.019 (2)	0.0086 (19)	-0.012 (2)
C9	0.052 (3)	0.056 (3)	0.031 (3)	-0.025 (3)	0.008 (2)	0.004 (2)
C10	0.105 (6)	0.039 (3)	0.038 (3)	-0.032 (3)	0.014 (3)	-0.001 (3)
C11	0.069 (4)	0.069 (4)	0.037 (3)	0.007 (4)	0.010 (3)	0.026 (3)
C12	0.050 (3)	0.035 (2)	0.029 (2)	0.008 (2)	-0.010 (2)	0.000 (2)
C13	0.033 (2)	0.033 (2)	0.034 (2)	0.0005 (18)	-0.0136 (19)	-0.006 (2)
C14	0.040 (3)	0.045 (3)	0.056 (3)	0.003 (2)	-0.025 (3)	-0.016 (3)
C15	0.029 (2)	0.045 (3)	0.066 (4)	-0.004 (2)	-0.015 (2)	-0.017 (3)
C16	0.027 (2)	0.042 (3)	0.056 (3)	-0.0091 (19)	-0.001 (2)	-0.017 (2)
C17	0.028 (2)	0.033 (2)	0.038 (2)	-0.0078 (17)	-0.0056 (18)	-0.0078 (19)
C18	0.029 (2)	0.032 (2)	0.032 (2)	-0.0054 (17)	-0.0025 (17)	-0.0089 (18)
C19	0.043 (3)	0.063 (3)	0.040 (3)	-0.027 (3)	0.011 (2)	-0.006 (3)
C20	0.109 (7)	0.059 (4)	0.069 (5)	-0.026 (4)	0.013 (5)	-0.018 (4)
C21	0.075 (5)	0.062 (4)	0.060 (4)	-0.017 (4)	0.024 (4)	-0.013 (4)
C22	0.125 (9)	0.072 (6)	0.098 (8)	-0.023 (6)	-0.042 (7)	0.000 (5)

Geometric parameters (Å, °)

Lu1—O3	2.328 (3)	C2—C7	1.428 (6)
Lu1—O2	2.335 (3)	C3—C4	1.386 (8)
Lu1—O6	2.438 (4)	C3—H3	0.9300
Lu1—O12	2.463 (4)	C4—C5	1.365 (8)
Lu1—O1	2.476 (3)	C4—H4	0.9300
Lu1—O11	2.483 (4)	C5—C6	1.432 (7)
Lu1—O8	2.484 (4)	C5—H5	0.9300
Lu1—O5	2.486 (4)	C6—C7	1.365 (7)
Lu1—O4	2.500 (3)	C6—C8	1.449 (7)
Lu1—O9	2.579 (4)	C8—H8	0.9300
Lu1—N5	2.888 (5)	C9—C10	1.496 (9)

supplementary materials

Lu1—N3	2.890 (5)	C9—H9A	0.9700
Cu1—O2	1.933 (3)	C9—H9B	0.9700
Cu1—O3	1.943 (4)	C10—C11	1.488 (12)
Cu1—N1	1.968 (4)	C10—H10A	0.9700
Cu1—N2	1.975 (4)	C10—H10B	0.9700
O1—C2	1.380 (6)	C11—H11A	0.9700
O1—C1	1.456 (6)	C11—H11B	0.9700
O2—C7	1.337 (5)	C12—C13	1.451 (8)
O3—C18	1.330 (5)	C12—H12	0.9300
O4—C17	1.376 (6)	C13—C18	1.376 (7)
O4—C19	1.433 (6)	C13—C14	1.427 (7)
O5—N3	1.274 (6)	C14—C15	1.337 (9)
O6—N3	1.262 (6)	C14—H14	0.9300
O7—N3	1.218 (6)	C15—C16	1.406 (8)
O8—N4	1.266 (6)	C15—H15	0.9300
O9—N4	1.266 (7)	C16—C17	1.376 (6)
O10—N4	1.207 (6)	C16—H16	0.9300
O11—N5	1.263 (7)	C17—C18	1.425 (7)
O12—N5	1.262 (6)	C19—H19A	0.9600
O13—N5	1.225 (6)	C19—H19B	0.9600
O14—C21	1.172 (9)	C19—H19C	0.9600
N1—C8	1.285 (7)	C20—C21	1.510 (12)
N1—C9	1.508 (6)	C20—H20A	0.9600
N2—C12	1.283 (7)	C20—H20B	0.9600
N2—C11	1.506 (7)	C20—H20C	0.9600
C1—H1A	0.9600	C21—C22	1.516 (13)
C1—H1B	0.9600	C22—H22A	0.9600
C1—H1C	0.9600	C22—H22B	0.9600
C2—C3	1.383 (6)	C22—H22C	0.9600
O3—Lu1—O2	64.14 (12)	O7—N3—O5	122.3 (5)
O3—Lu1—O6	146.60 (13)	O6—N3—O5	115.5 (4)
O2—Lu1—O6	146.96 (12)	O7—N3—Lu1	176.3 (4)
O3—Lu1—O12	73.77 (14)	O6—N3—Lu1	56.7 (2)
O2—Lu1—O12	73.01 (13)	O5—N3—Lu1	59.0 (3)
O6—Lu1—O12	118.90 (13)	O10—N4—O9	122.3 (5)
O3—Lu1—O1	127.07 (12)	O10—N4—O8	121.8 (5)
O2—Lu1—O1	65.77 (11)	O9—N4—O8	115.9 (4)
O6—Lu1—O1	86.29 (13)	O13—N5—O12	120.6 (5)
O12—Lu1—O1	76.49 (13)	O13—N5—O11	122.6 (5)
O3—Lu1—O11	117.79 (14)	O12—N5—O11	116.8 (4)
O2—Lu1—O11	115.27 (14)	O13—N5—Lu1	176.7 (4)
O6—Lu1—O11	67.38 (14)	O12—N5—Lu1	58.0 (3)
O12—Lu1—O11	51.54 (14)	O11—N5—Lu1	58.9 (3)
O1—Lu1—O11	70.71 (13)	O1—C1—H1A	109.5
O3—Lu1—O8	116.27 (13)	O1—C1—H1B	109.5
O2—Lu1—O8	80.52 (13)	H1A—C1—H1B	109.5
O6—Lu1—O8	73.24 (14)	O1—C1—H1C	109.5
O12—Lu1—O8	143.62 (14)	H1A—C1—H1C	109.5
O1—Lu1—O8	70.02 (13)	H1B—C1—H1C	109.5

O11—Lu1—O8	125.09 (13)	O1—C2—C3	125.7 (4)
O3—Lu1—O5	98.38 (13)	O1—C2—C7	114.2 (4)
O2—Lu1—O5	137.85 (13)	C3—C2—C7	120.1 (5)
O6—Lu1—O5	51.62 (13)	C2—C3—C4	119.9 (5)
O12—Lu1—O5	141.90 (13)	C2—C3—H3	120.0
O1—Lu1—O5	130.80 (12)	C4—C3—H3	120.0
O11—Lu1—O5	106.84 (15)	C5—C4—C3	121.0 (5)
O8—Lu1—O5	73.70 (14)	C5—C4—H4	119.5
O3—Lu1—O4	65.10 (12)	C3—C4—H4	119.5
O2—Lu1—O4	125.11 (12)	C4—C5—C6	119.7 (5)
O6—Lu1—O4	87.74 (13)	C4—C5—H5	120.2
O12—Lu1—O4	74.18 (14)	C6—C5—H5	120.2
O1—Lu1—O4	142.40 (12)	C7—C6—C5	120.1 (5)
O11—Lu1—O4	72.73 (14)	C7—C6—C8	122.8 (4)
O8—Lu1—O4	142.20 (14)	C5—C6—C8	116.9 (5)
O5—Lu1—O4	68.93 (13)	O2—C7—C6	123.2 (4)
O3—Lu1—O9	68.24 (15)	O2—C7—C2	117.6 (4)
O2—Lu1—O9	70.71 (14)	C6—C7—C2	119.2 (4)
O6—Lu1—O9	105.25 (15)	N1—C8—C6	127.5 (5)
O12—Lu1—O9	135.82 (14)	N1—C8—H8	116.3
O1—Lu1—O9	109.59 (14)	C6—C8—H8	116.3
O11—Lu1—O9	172.64 (14)	C10—C9—N1	111.6 (5)
O8—Lu1—O9	50.10 (14)	C10—C9—H9A	109.3
O5—Lu1—O9	67.15 (15)	N1—C9—H9A	109.3
O4—Lu1—O9	107.80 (15)	C10—C9—H9B	109.3
O3—Lu1—N5	96.29 (14)	N1—C9—H9B	109.3
O2—Lu1—N5	93.85 (14)	H9A—C9—H9B	108.0
O6—Lu1—N5	93.20 (14)	C11—C10—C9	112.5 (6)
O12—Lu1—N5	25.74 (13)	C11—C10—H10A	109.1
O1—Lu1—N5	71.03 (13)	C9—C10—H10A	109.1
O11—Lu1—N5	25.82 (14)	C11—C10—H10B	109.1
O8—Lu1—N5	139.36 (13)	C9—C10—H10B	109.1
O5—Lu1—N5	127.25 (14)	H10A—C10—H10B	107.8
O4—Lu1—N5	72.30 (13)	C10—C11—N2	112.3 (5)
O9—Lu1—N5	161.55 (16)	C10—C11—H11A	109.1
O3—Lu1—N3	123.65 (13)	N2—C11—H11A	109.1
O2—Lu1—N3	149.96 (12)	C10—C11—H11B	109.1
O6—Lu1—N3	25.65 (12)	N2—C11—H11B	109.1
O12—Lu1—N3	136.02 (13)	H11A—C11—H11B	107.9
O1—Lu1—N3	108.20 (12)	N2—C12—C13	127.2 (4)
O11—Lu1—N3	87.73 (14)	N2—C12—H12	116.4
O8—Lu1—N3	70.14 (13)	C13—C12—H12	116.4
O5—Lu1—N3	26.05 (12)	C18—C13—C14	119.5 (5)
O4—Lu1—N3	78.60 (13)	C18—C13—C12	122.7 (4)
O9—Lu1—N3	85.21 (14)	C14—C13—C12	117.7 (5)
N5—Lu1—N3	112.46 (14)	C15—C14—C13	120.5 (5)
O2—Cu1—O3	79.40 (14)	C15—C14—H14	119.7
O2—Cu1—N1	90.93 (16)	C13—C14—H14	119.7
O3—Cu1—N1	170.32 (15)	C14—C15—C16	121.1 (5)

supplementary materials

O2—Cu1—N2	169.55 (17)	C14—C15—H15	119.5
O3—Cu1—N2	90.81 (17)	C16—C15—H15	119.5
N1—Cu1—N2	98.87 (18)	C17—C16—C15	119.6 (5)
O2—Cu1—Lu1	40.28 (10)	C17—C16—H16	120.2
O3—Cu1—Lu1	40.17 (9)	C15—C16—H16	120.2
N1—Cu1—Lu1	130.35 (12)	C16—C17—O4	125.6 (5)
N2—Cu1—Lu1	129.39 (14)	C16—C17—C18	120.0 (5)
C2—O1—C1	117.0 (4)	O4—C17—C18	114.4 (4)
C2—O1—Lu1	118.3 (2)	O3—C18—C13	123.5 (4)
C1—O1—Lu1	122.5 (3)	O3—C18—C17	117.2 (4)
C7—O2—Cu1	129.1 (3)	C13—C18—C17	119.3 (4)
C7—O2—Lu1	123.5 (3)	O4—C19—H19A	109.5
Cu1—O2—Lu1	107.35 (14)	O4—C19—H19B	109.5
C18—O3—Cu1	128.2 (3)	H19A—C19—H19B	109.5
C18—O3—Lu1	124.5 (3)	O4—C19—H19C	109.5
Cu1—O3—Lu1	107.26 (14)	H19A—C19—H19C	109.5
C17—O4—C19	116.9 (4)	H19B—C19—H19C	109.5
C17—O4—Lu1	117.9 (3)	C21—C20—H20A	109.5
C19—O4—Lu1	124.3 (3)	C21—C20—H20B	109.5
N3—O5—Lu1	95.0 (3)	H20A—C20—H20B	109.5
N3—O6—Lu1	97.6 (3)	C21—C20—H20C	109.5
N4—O8—Lu1	99.2 (3)	H20A—C20—H20C	109.5
N4—O9—Lu1	94.7 (3)	H20B—C20—H20C	109.5
N5—O11—Lu1	95.3 (3)	O14—C21—C20	123.0 (8)
N5—O12—Lu1	96.3 (3)	O14—C21—C22	122.6 (9)
C8—N1—C9	114.8 (4)	C20—C21—C22	114.4 (7)
C8—N1—Cu1	125.0 (3)	C21—C22—H22A	109.5
C9—N1—Cu1	120.1 (3)	C21—C22—H22B	109.5
C12—N2—C11	114.2 (5)	H22A—C22—H22B	109.5
C12—N2—Cu1	124.9 (4)	C21—C22—H22C	109.5
C11—N2—Cu1	120.8 (4)	H22A—C22—H22C	109.5
O7—N3—O6	122.2 (5)	H22B—C22—H22C	109.5
O3—Lu1—Cu1—O2	163.0 (2)	O3—Lu1—O8—N4	-20.1 (4)
O6—Lu1—Cu1—O2	-98.9 (4)	O2—Lu1—O8—N4	-75.0 (3)
O12—Lu1—Cu1—O2	80.80 (19)	O6—Lu1—O8—N4	125.3 (3)
O1—Lu1—Cu1—O2	6.99 (19)	O12—Lu1—O8—N4	-118.4 (3)
O11—Lu1—Cu1—O2	78.7 (2)	O1—Lu1—O8—N4	-142.5 (3)
O8—Lu1—Cu1—O2	-63.48 (19)	O11—Lu1—O8—N4	170.7 (3)
O5—Lu1—Cu1—O2	-137.7 (2)	O5—Lu1—O8—N4	71.3 (3)
O4—Lu1—Cu1—O2	152.41 (19)	O4—Lu1—O8—N4	62.4 (4)
O9—Lu1—Cu1—O2	-101.1 (2)	O9—Lu1—O8—N4	-2.3 (3)
N5—Lu1—Cu1—O2	79.12 (19)	N5—Lu1—O8—N4	-159.8 (3)
N3—Lu1—Cu1—O2	-127.1 (2)	N3—Lu1—O8—N4	98.5 (3)
O2—Lu1—Cu1—O3	-163.0 (2)	O3—Lu1—O9—N4	165.0 (4)
O6—Lu1—Cu1—O3	98.1 (4)	O2—Lu1—O9—N4	96.0 (3)
O12—Lu1—Cu1—O3	-82.2 (2)	O6—Lu1—O9—N4	-49.6 (4)
O1—Lu1—Cu1—O3	-156.0 (2)	O12—Lu1—O9—N4	132.5 (3)
O11—Lu1—Cu1—O3	-84.3 (2)	O1—Lu1—O9—N4	41.9 (4)
O8—Lu1—Cu1—O3	133.5 (2)	O8—Lu1—O9—N4	2.3 (3)

O5—Lu1—Cu1—O3	59.3 (2)	O5—Lu1—O9—N4	-85.2 (3)
O4—Lu1—Cu1—O3	-10.6 (2)	O4—Lu1—O9—N4	-142.2 (3)
O9—Lu1—Cu1—O3	95.9 (2)	N5—Lu1—O9—N4	130.5 (4)
N5—Lu1—Cu1—O3	-83.9 (2)	N3—Lu1—O9—N4	-65.8 (3)
N3—Lu1—Cu1—O3	69.9 (2)	O3—Lu1—O11—N5	-36.4 (4)
O3—Lu1—Cu1—N1	177.2 (2)	O2—Lu1—O11—N5	36.4 (3)
O2—Lu1—Cu1—N1	14.2 (2)	O6—Lu1—O11—N5	-179.8 (3)
O6—Lu1—Cu1—N1	-84.7 (4)	O12—Lu1—O11—N5	-1.7 (3)
O12—Lu1—Cu1—N1	94.99 (19)	O1—Lu1—O11—N5	86.1 (3)
O1—Lu1—Cu1—N1	21.19 (18)	O8—Lu1—O11—N5	132.6 (3)
O11—Lu1—Cu1—N1	92.9 (2)	O5—Lu1—O11—N5	-145.7 (3)
O8—Lu1—Cu1—N1	-49.28 (19)	O4—Lu1—O11—N5	-84.9 (3)
O5—Lu1—Cu1—N1	-123.50 (19)	N3—Lu1—O11—N5	-163.7 (3)
O4—Lu1—Cu1—N1	166.61 (18)	O3—Lu1—O12—N5	150.0 (3)
O9—Lu1—Cu1—N1	-86.9 (2)	O2—Lu1—O12—N5	-142.7 (3)
N5—Lu1—Cu1—N1	93.32 (19)	O6—Lu1—O12—N5	3.7 (4)
N3—Lu1—Cu1—N1	-112.9 (2)	O1—Lu1—O12—N5	-74.3 (3)
O3—Lu1—Cu1—N2	-19.2 (3)	O11—Lu1—O12—N5	1.7 (3)
O2—Lu1—Cu1—N2	177.8 (2)	O8—Lu1—O12—N5	-97.5 (4)
O6—Lu1—Cu1—N2	78.9 (4)	O5—Lu1—O12—N5	67.2 (4)
O12—Lu1—Cu1—N2	-101.4 (2)	O4—Lu1—O12—N5	82.0 (3)
O1—Lu1—Cu1—N2	-175.2 (2)	O9—Lu1—O12—N5	-178.6 (3)
O11—Lu1—Cu1—N2	-103.5 (2)	N3—Lu1—O12—N5	28.1 (4)
O8—Lu1—Cu1—N2	114.3 (2)	O2—Cu1—N1—C8	-9.7 (4)
O5—Lu1—Cu1—N2	40.1 (2)	N2—Cu1—N1—C8	174.0 (4)
O4—Lu1—Cu1—N2	-29.8 (2)	Lu1—Cu1—N1—C8	-18.8 (5)
O9—Lu1—Cu1—N2	76.7 (2)	O2—Cu1—N1—C9	170.2 (4)
N5—Lu1—Cu1—N2	-103.1 (2)	N2—Cu1—N1—C9	-6.2 (4)
N3—Lu1—Cu1—N2	50.7 (2)	Lu1—Cu1—N1—C9	161.1 (3)
O3—Lu1—O1—C2	-26.9 (4)	O2—Cu1—N2—C12	33.1 (13)
O2—Lu1—O1—C2	-6.9 (3)	O3—Cu1—N2—C12	12.8 (5)
O6—Lu1—O1—C2	155.0 (3)	N1—Cu1—N2—C12	-167.5 (5)
O12—Lu1—O1—C2	-84.1 (3)	Lu1—Cu1—N2—C12	25.1 (6)
O11—Lu1—O1—C2	-137.7 (3)	O2—Cu1—N2—C11	-150.3 (9)
O8—Lu1—O1—C2	81.5 (3)	O3—Cu1—N2—C11	-170.6 (6)
O5—Lu1—O1—C2	126.4 (3)	N1—Cu1—N2—C11	9.0 (6)
O4—Lu1—O1—C2	-123.6 (3)	Lu1—Cu1—N2—C11	-158.4 (5)
O9—Lu1—O1—C2	50.1 (3)	Lu1—O6—N3—O7	175.8 (5)
N5—Lu1—O1—C2	-110.3 (3)	Lu1—O6—N3—O5	-5.6 (4)
N3—Lu1—O1—C2	141.5 (3)	Lu1—O5—N3—O7	-175.9 (5)
O3—Lu1—O1—C1	170.5 (4)	Lu1—O5—N3—O6	5.5 (4)
O2—Lu1—O1—C1	-169.5 (4)	O3—Lu1—N3—O6	-158.5 (3)
O6—Lu1—O1—C1	-7.6 (4)	O2—Lu1—N3—O6	105.5 (3)
O12—Lu1—O1—C1	113.3 (4)	O12—Lu1—N3—O6	-56.6 (3)
O11—Lu1—O1—C1	59.7 (4)	O1—Lu1—N3—O6	32.6 (3)
O8—Lu1—O1—C1	-81.1 (4)	O11—Lu1—N3—O6	-36.2 (3)
O5—Lu1—O1—C1	-36.2 (4)	O8—Lu1—N3—O6	92.5 (3)
O4—Lu1—O1—C1	73.8 (4)	O5—Lu1—N3—O6	-174.1 (5)
O9—Lu1—O1—C1	-112.5 (4)	O4—Lu1—N3—O6	-109.1 (3)

supplementary materials

N5—Lu1—O1—C1	87.0 (4)	O9—Lu1—N3—O6	141.7 (3)
N3—Lu1—O1—C1	-21.2 (4)	N5—Lu1—N3—O6	-43.8 (3)
O3—Cu1—O2—C7	-167.2 (4)	O3—Lu1—N3—O5	15.5 (3)
N1—Cu1—O2—C7	12.5 (4)	O2—Lu1—N3—O5	-80.5 (4)
N2—Cu1—O2—C7	172.2 (9)	O6—Lu1—N3—O5	174.1 (5)
Lu1—Cu1—O2—C7	-178.2 (5)	O12—Lu1—N3—O5	117.4 (3)
O3—Cu1—O2—Lu1	11.07 (16)	O1—Lu1—N3—O5	-153.3 (3)
N1—Cu1—O2—Lu1	-169.23 (17)	O11—Lu1—N3—O5	137.8 (3)
N2—Cu1—O2—Lu1	-9.6 (11)	O8—Lu1—N3—O5	-93.4 (3)
O3—Lu1—O2—C7	168.3 (4)	O4—Lu1—N3—O5	65.0 (3)
O6—Lu1—O2—C7	-28.7 (5)	O9—Lu1—N3—O5	-44.3 (3)
O12—Lu1—O2—C7	88.5 (3)	N5—Lu1—N3—O5	130.2 (3)
O1—Lu1—O2—C7	6.0 (3)	Lu1—O9—N4—O10	178.5 (5)
O11—Lu1—O2—C7	58.2 (4)	Lu1—O9—N4—O8	-3.8 (5)
O8—Lu1—O2—C7	-66.3 (3)	Lu1—O8—N4—O10	-178.3 (5)
O5—Lu1—O2—C7	-118.8 (3)	Lu1—O8—N4—O9	3.9 (5)
O4—Lu1—O2—C7	144.2 (3)	Lu1—O12—N5—O13	176.5 (5)
O9—Lu1—O2—C7	-117.2 (4)	Lu1—O12—N5—O11	-2.9 (5)
N5—Lu1—O2—C7	73.2 (3)	Lu1—O11—N5—O13	-176.6 (5)
N3—Lu1—O2—C7	-78.6 (4)	Lu1—O11—N5—O12	2.9 (5)
O3—Lu1—O2—Cu1	-10.08 (14)	O3—Lu1—N5—O12	-28.8 (3)
O6—Lu1—O2—Cu1	152.90 (17)	O2—Lu1—N5—O12	35.5 (3)
O12—Lu1—O2—Cu1	-89.90 (17)	O6—Lu1—N5—O12	-176.8 (3)
O1—Lu1—O2—Cu1	-172.4 (2)	O1—Lu1—N5—O12	98.3 (3)
O11—Lu1—O2—Cu1	-120.20 (17)	O11—Lu1—N5—O12	-177.0 (5)
O8—Lu1—O2—Cu1	115.35 (17)	O8—Lu1—N5—O12	115.5 (3)
O5—Lu1—O2—Cu1	62.8 (2)	O5—Lu1—N5—O12	-134.4 (3)
O4—Lu1—O2—Cu1	-34.2 (2)	O4—Lu1—N5—O12	-90.2 (3)
O9—Lu1—O2—Cu1	64.44 (18)	O9—Lu1—N5—O12	3.1 (6)
N5—Lu1—O2—Cu1	-105.20 (16)	N3—Lu1—N5—O12	-159.3 (3)
N3—Lu1—O2—Cu1	103.0 (2)	O3—Lu1—N5—O11	148.1 (3)
N2—Cu1—O3—C18	-18.0 (4)	O2—Lu1—N5—O11	-147.5 (3)
Lu1—Cu1—O3—C18	176.8 (5)	O6—Lu1—N5—O11	0.2 (3)
O2—Cu1—O3—Lu1	-11.09 (16)	O12—Lu1—N5—O11	177.0 (5)
N2—Cu1—O3—Lu1	165.2 (2)	O1—Lu1—N5—O11	-84.8 (3)
O2—Lu1—O3—C18	-166.9 (4)	O8—Lu1—N5—O11	-67.6 (4)
O6—Lu1—O3—C18	29.9 (5)	O5—Lu1—N5—O11	42.6 (4)
O12—Lu1—O3—C18	-88.3 (4)	O4—Lu1—N5—O11	86.8 (3)
O1—Lu1—O3—C18	-146.6 (3)	O9—Lu1—N5—O11	-179.9 (4)
O11—Lu1—O3—C18	-60.6 (4)	N3—Lu1—N5—O11	17.7 (3)
O8—Lu1—O3—C18	129.4 (4)	C1—O1—C2—C3	-9.0 (7)
O5—Lu1—O3—C18	53.5 (4)	Lu1—O1—C2—C3	-172.6 (4)
O4—Lu1—O3—C18	-8.5 (4)	C1—O1—C2—C7	170.9 (4)
O9—Lu1—O3—C18	114.7 (4)	Lu1—O1—C2—C7	7.3 (5)
N5—Lu1—O3—C18	-75.7 (4)	O1—C2—C3—C4	-179.4 (5)
N3—Lu1—O3—C18	46.7 (4)	C7—C2—C3—C4	0.7 (7)
O2—Lu1—O3—Cu1	10.02 (14)	C2—C3—C4—C5	0.3 (8)
O6—Lu1—O3—Cu1	-153.12 (18)	C3—C4—C5—C6	-1.2 (8)
O12—Lu1—O3—Cu1	88.66 (19)	C4—C5—C6—C7	1.1 (7)

O1—Lu1—O3—Cu1	30.3 (2)	C4—C5—C6—C8	-174.4 (5)
O11—Lu1—O3—Cu1	116.33 (18)	Cu1—O2—C7—C6	-8.1 (6)
O8—Lu1—O3—Cu1	-53.7 (2)	Lu1—O2—C7—C6	173.9 (3)
O5—Lu1—O3—Cu1	-129.56 (18)	Cu1—O2—C7—C2	173.4 (3)
O4—Lu1—O3—Cu1	168.4 (2)	Lu1—O2—C7—C2	-4.6 (5)
O9—Lu1—O3—Cu1	-68.34 (19)	C5—C6—C7—O2	-178.6 (4)
N5—Lu1—O3—Cu1	101.26 (19)	C8—C6—C7—O2	-3.3 (7)
N3—Lu1—O3—Cu1	-136.39 (16)	C5—C6—C7—C2	-0.1 (7)
O3—Lu1—O4—C17	8.1 (3)	C8—C6—C7—C2	175.1 (4)
O2—Lu1—O4—C17	32.0 (4)	O1—C2—C7—O2	-2.1 (6)
O6—Lu1—O4—C17	-151.9 (3)	C3—C2—C7—O2	177.8 (4)
O12—Lu1—O4—C17	87.2 (3)	O1—C2—C7—C6	179.3 (4)
O1—Lu1—O4—C17	127.2 (3)	C3—C2—C7—C6	-0.8 (7)
O11—Lu1—O4—C17	141.1 (4)	C9—N1—C8—C6	-176.8 (5)
O8—Lu1—O4—C17	-93.3 (4)	Cu1—N1—C8—C6	3.1 (7)
O5—Lu1—O4—C17	-102.5 (4)	C7—C6—C8—N1	5.9 (8)
O9—Lu1—O4—C17	-46.6 (4)	C5—C6—C8—N1	-178.7 (5)
N5—Lu1—O4—C17	114.0 (4)	C8—N1—C9—C10	149.4 (5)
N3—Lu1—O4—C17	-127.7 (4)	Cu1—N1—C9—C10	-30.5 (7)
O3—Lu1—O4—C19	176.4 (4)	N1—C9—C10—C11	75.7 (7)
O2—Lu1—O4—C19	-159.7 (4)	C9—C10—C11—N2	-72.4 (8)
O6—Lu1—O4—C19	16.4 (4)	C12—N2—C11—C10	-158.0 (6)
O12—Lu1—O4—C19	-104.5 (4)	Cu1—N2—C11—C10	25.1 (9)
O1—Lu1—O4—C19	-64.5 (5)	C11—N2—C12—C13	179.4 (6)
O11—Lu1—O4—C19	-50.6 (4)	Cu1—N2—C12—C13	-3.8 (9)
O8—Lu1—O4—C19	74.9 (5)	N2—C12—C13—C18	-6.9 (9)
O5—Lu1—O4—C19	65.8 (4)	N2—C12—C13—C14	176.5 (6)
O9—Lu1—O4—C19	121.7 (4)	C18—C13—C14—C15	0.3 (8)
N5—Lu1—O4—C19	-77.7 (4)	C12—C13—C14—C15	177.0 (5)
N3—Lu1—O4—C19	40.6 (4)	C13—C14—C15—C16	-0.1 (9)
O3—Lu1—O5—N3	-167.0 (3)	C14—C15—C16—C17	-0.5 (8)
O2—Lu1—O5—N3	132.6 (3)	C15—C16—C17—O4	-178.4 (5)
O6—Lu1—O5—N3	-3.3 (3)	C15—C16—C17—C18	0.9 (7)
O12—Lu1—O5—N3	-92.6 (3)	C19—O4—C17—C16	2.8 (7)
O1—Lu1—O5—N3	34.3 (3)	Lu1—O4—C17—C16	171.9 (4)
O11—Lu1—O5—N3	-44.5 (3)	C19—O4—C17—C18	-176.6 (4)
O8—Lu1—O5—N3	78.0 (3)	Lu1—O4—C17—C18	-7.4 (5)
O4—Lu1—O5—N3	-107.8 (3)	Cu1—O3—C18—C13	13.5 (7)
O9—Lu1—O5—N3	131.0 (3)	Lu1—O3—C18—C13	-170.2 (4)
N5—Lu1—O5—N3	-62.4 (3)	Cu1—O3—C18—C17	-168.2 (3)
O3—Lu1—O6—N3	33.6 (4)	Lu1—O3—C18—C17	8.1 (6)
O2—Lu1—O6—N3	-117.8 (3)	C14—C13—C18—O3	178.5 (5)
O12—Lu1—O6—N3	138.5 (3)	C12—C13—C18—O3	1.9 (8)
O1—Lu1—O6—N3	-149.1 (3)	C14—C13—C18—C17	0.2 (7)
O11—Lu1—O6—N3	140.2 (3)	C12—C13—C18—C17	-176.4 (5)
O8—Lu1—O6—N3	-78.9 (3)	C16—C17—C18—O3	-179.1 (4)
O5—Lu1—O6—N3	3.3 (3)	O4—C17—C18—O3	0.2 (6)
O4—Lu1—O6—N3	68.0 (3)	C16—C17—C18—C13	-0.7 (7)
O9—Lu1—O6—N3	-39.8 (3)	O4—C17—C18—C13	178.6 (4)

Fig. 1

