

(E)-N'-(3-Fluorobenzylidene)-2-hydroxybenzohydrazide

Hua-Jie Xu, Liang-Quan Sheng, Zhao-Di Liu and Si-Chang Shao*

Department of Chemistry, Fuyang Normal College, Fuyang Anhui 236041, People's Republic of China
Correspondence e-mail: shaosic@fync.edu.cn


Received 19 February 2009; accepted 25 February 2009

Key indicators: single-crystal X-ray study; $T = 297$ K; mean $\sigma(C-C) = 0.006$ Å; disorder in main residue; R factor = 0.088; wR factor = 0.240; data-to-parameter ratio = 12.7.

The title compound, C₁₄H₁₁FN₂O₂, adopts an *E* or *trans* configuration with respect to the C=N bond. An intramolecular N—H···O hydrogen bond contributes to the relatively planarity of the molecular conformation; the two benzene rings are inclined to one another by 12.5 (2)°. In the crystal structure, intermolecular O—H···O hydrogen bonds link the molecules into chains running parallel to the *c* axis.

Related literature

For the potential pharmacological and antitumor properties of hydrazones and Schiff bases, see: Karthikeyan *et al.* (2006); Khattab (2005); Kucukguzel *et al.* (2006); Okabe *et al.* (1993).



Experimental

Crystal data

C₁₄H₁₁FN₂O₂

$M_r = 258.25$

Data collection

Bruker SMART CCD area-detector diffractometer
Absorption correction: multi-scan (*SADABS*; Sheldrick, 1996)
 $T_{\min} = 0.979$, $T_{\max} = 0.989$

8534 measured reflections
2152 independent reflections
1205 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.081$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.088$
 $wR(F^2) = 0.240$
 $S = 1.05$
2152 reflections

170 parameters
H-atom parameters constrained
 $\Delta\rho_{\max} = 0.20$ e Å⁻³
 $\Delta\rho_{\min} = -0.30$ e Å⁻³

Table 1
Hydrogen-bond geometry (Å, °).

| D—H···A | D—H | H···A | D···A | D—H···A |
|--------------------------|------|-------|-----------|---------|
| N1—H1N···O1 | 0.86 | 1.91 | 2.612 (5) | 138 |
| O1—H1O···O2 ⁱ | 0.82 | 1.86 | 2.657 (5) | 166 |

Symmetry code: (i) $x + \frac{1}{2}$, $-y + \frac{1}{2}$, $z - \frac{1}{2}$.

Data collection: *SMART* (Siemens, 1996); cell refinement: *SAINT* (Siemens, 1996); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXTL*.

This work was supported by the Key Project of Science and Technology of Anhui, P. R. China (grant No. 08010302218).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: SU2098).

References

- Karthikeyan, M. S., Prasad, D. J., Poojary, B., Bhat, K. S., Holla, B. S. & Kumari, N. S. (2006). *Bioorg. Med. Chem.* **14**, 7482–7489.
- Khattab, S. N. (2005). *Molecules*, **10**, 1218–1228.
- Kucukguzel, G., Kocatepe, A., De Clercq, E., Sahi, F. & Gulluce, M. (2006). *Eur. J. Med. Chem.* **41**, 353–359.
- Okabe, N., Nakamura, T. & Fukuda, H. (1993). *Acta Cryst. C* **49**, 1678–1680.
- Sheldrick, G. M. (1996). *SADABS*. University of Göttingen, Germany.
- Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
- Siemens (1996). *SMART* and *SAINT*. Siemens Analytical X-ray Instruments Inc., Madison, Wisconsin, USA.

supporting information

Acta Cryst. (2009). E65, o666 [doi:10.1107/S1600536809006941]

(E)-N'-(3-Fluorobenzylidene)-2-hydroxybenzohydrazide

Hua-Jie Xu, Liang-Quan Sheng, Zhao-Di Liu and Si-Chang Shao

S1. Comment

Hydrazones and Schiff bases have attracted much attention for their excellent biological properties, especially for their potential pharmacological and antitumor properties (Kucukguzel *et al.*, 2006; Khattab, 2005; Karthikeyan *et al.*, 2006; Okabe *et al.*, 1993). As part of an ongoing study of such compounds, we report here on the crystal structure of the title compound.

The molecular structure of the title compound is shown in Fig. 1. It can be seen to display a *trans* configuration about the C=N bond. There is an intramolecular N-H \cdots O hydrogen bond, involving the NH H-atom and the O-atom of the hydroxyl substituent (Table 1), and the dihedral angle between the two benzene rings is 12.5 (2) $^\circ$.


In the crystal molecules are linked by intermolecular O—H \cdots O hydrogen bonds to form chains running parallel to the c axis (Fig. 2 and Table 1).

S2. Experimental


Equimolar amounts of 2-Hydroxybenzohydrazide and 3-fluorobenzohydrazide were reacted in ethanol (10 ml) for 1 h. After allowing the resulting solution to stand in air for 10 days yellow block-shaped crystals were formed, on slow evaporation of the solvent.

S3. Refinement

Phenyl ring C9-C14 was treated as a regular hexagon, and refined as a rigid body. The F-atom was found to be disordered over two positions, F1/F1', and given occupancies of 0.5/0.5. The H-atoms at C11 and C13 were also given occupancies of 0.5/0.5. All the H-atoms were placed in calculated positions and treated as riding: O-H = 0.82 Å, N-H = 0.86 Å, C-H = 0.93 Å, with $U_{\text{iso}}(\text{H}) = 1.5U_{\text{eq}}(\text{parent O and N-atom}, \text{and} = 1.2U_{\text{eq}}(\text{parent C-atom}))$.

**Figure 1**

The molecular structure of the title compound, showing 30% probability displacement ellipsoids. H-atoms have been omitted for clarity.

**Figure 2**

Crystal packing viewed along the A axis. The intra- and intermolecular hydrogen bonds are shown as dashed lines (details are given in Table 1).

(E)-N'-(3-Fluorobenzylidene)-2-hydroxybenzohydrazide*Crystal data*

$C_{14}H_{11}FN_2O_2$
 $M_r = 258.25$
Monoclinic, $P2_1/n$
Hall symbol: -P 2yn
 $a = 4.8751 (15) \text{ \AA}$
 $b = 22.188 (7) \text{ \AA}$
 $c = 11.323 (3) \text{ \AA}$
 $\beta = 96.717 (5)^\circ$
 $V = 1216.4 (6) \text{ \AA}^3$
 $Z = 4$

$F(000) = 536$
 $D_x = 1.410 \text{ Mg m}^{-3}$
Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$
Cell parameters from 589 reflections
 $\theta = 2.3\text{--}15^\circ$
 $\mu = 0.11 \text{ mm}^{-1}$
 $T = 297 \text{ K}$
Block, yellow
 $0.20 \times 0.10 \times 0.10 \text{ mm}$

Data collection

Bruker SMART CCD area-detector
diffractometer
Radiation source: fine-focus sealed tube
Graphite monochromator
 φ and ω scans
Absorption correction: multi-scan
(SADABS; Sheldrick, 1996)
 $T_{\min} = 0.979$, $T_{\max} = 0.989$

8534 measured reflections
2152 independent reflections
1205 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.081$
 $\theta_{\max} = 25.1^\circ$, $\theta_{\min} = 1.8^\circ$
 $h = -5 \rightarrow 5$
 $k = -26 \rightarrow 26$
 $l = -13 \rightarrow 13$

Refinement

Refinement on F^2
Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.088$
 $wR(F^2) = 0.240$
 $S = 1.05$
2152 reflections
170 parameters
0 restraints
Primary atom site location: structure-invariant
direct methods

Secondary atom site location: difference Fourier
map
Hydrogen site location: inferred from
neighbouring sites
H-atom parameters constrained
 $w = 1/[\sigma^2(F_o^2) + (0.1113P)^2 + 0.2945P]$
where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} = 0.002$
 $\Delta\rho_{\max} = 0.20 \text{ e \AA}^{-3}$
 $\Delta\rho_{\min} = -0.30 \text{ e \AA}^{-3}$

Special details

Geometry. Bond distances, angles etc. have been calculated using the rounded fractional coordinates. All su's are estimated from the variances of the (full) variance-covariance matrix. The cell esds are taken into account in the estimation of distances, angles and torsion angles

Refinement. Refinement of F^2 against ALL reflections. The weighted R-factor wR and goodness of fit S are based on F^2 , conventional R-factors R are based on F, with F set to zero for negative F^2 . The threshold expression of $F^2 > 2\text{sigma}(F^2)$ is used only for calculating R-factors(gt) etc. and is not relevant to the choice of reflections for refinement. R-factors based on F^2 are statistically about twice as large as those based on F, and R-factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

| | <i>x</i> | <i>y</i> | <i>z</i> | $U_{\text{iso}}^*/U_{\text{eq}}$ | Occ. (<1) |
|-----|--------------|--------------|------------|----------------------------------|-----------|
| F1 | -0.2554 (15) | 0.0383 (3) | 0.4844 (5) | 0.103 (3) | 0.500 |
| F1' | -0.3673 (19) | 0.0122 (3) | 0.0916 (6) | 0.136 (4) | 0.500 |
| O1 | 0.8661 (7) | 0.26546 (15) | 0.1078 (3) | 0.0638 (11) | |
| O2 | 0.7116 (7) | 0.27530 (14) | 0.4613 (2) | 0.0643 (11) | |
| N1 | 0.5969 (8) | 0.23163 (16) | 0.2828 (3) | 0.0518 (12) | |

| | | | | | |
|-----|-------------|--------------|------------|-------------|-------|
| N2 | 0.4125 (7) | 0.19142 (17) | 0.3234 (3) | 0.0490 (12) | |
| C1 | 0.9330 (8) | 0.31131 (19) | 0.3001 (4) | 0.0443 (12) | |
| C2 | 1.0667 (10) | 0.3559 (2) | 0.3713 (4) | 0.0563 (16) | |
| C3 | 1.2548 (11) | 0.3939 (2) | 0.3302 (4) | 0.0658 (19) | |
| C4 | 1.3165 (10) | 0.3890 (2) | 0.2158 (4) | 0.0601 (17) | |
| C5 | 1.1869 (9) | 0.34596 (19) | 0.1418 (4) | 0.0527 (17) | |
| C6 | 0.9959 (8) | 0.30710 (19) | 0.1824 (3) | 0.0433 (14) | |
| C7 | 0.7399 (9) | 0.27175 (19) | 0.3545 (4) | 0.0465 (17) | |
| C8 | 0.2866 (9) | 0.1604 (2) | 0.2415 (4) | 0.0524 (17) | |
| C9 | 0.0844 (6) | 0.11357 (12) | 0.2623 (3) | 0.0497 (17) | |
| C10 | 0.0213 (6) | 0.09879 (13) | 0.3754 (2) | 0.0520 (16) | |
| C11 | -0.1728 (7) | 0.05426 (14) | 0.3894 (3) | 0.067 (2) | |
| C12 | -0.3037 (6) | 0.02449 (13) | 0.2905 (4) | 0.0750 (19) | |
| C13 | -0.2406 (7) | 0.03926 (15) | 0.1774 (3) | 0.083 (2) | |
| C14 | -0.0466 (7) | 0.08380 (16) | 0.1634 (2) | 0.073 (2) | |
| H1N | 0.62100 | 0.23090 | 0.20870 | 0.0620* | |
| H1O | 0.96210 | 0.25770 | 0.05500 | 0.0950* | |
| H2 | 1.02690 | 0.36010 | 0.44930 | 0.0680* | |
| H3 | 1.34130 | 0.42320 | 0.38030 | 0.0790* | |
| H4 | 1.44560 | 0.41470 | 0.18810 | 0.0720* | |
| H5 | 1.22770 | 0.34290 | 0.06380 | 0.0630* | |
| H8 | 0.32300 | 0.16740 | 0.16390 | 0.0630* | |
| H10 | 0.10890 | 0.11870 | 0.44160 | 0.0620* | |
| H11 | -0.21500 | 0.04440 | 0.46510 | 0.0800* | 0.500 |
| H12 | -0.43350 | -0.00530 | 0.29990 | 0.0900* | |
| H13 | -0.32820 | 0.01930 | 0.11120 | 0.0990* | 0.500 |
| H14 | -0.00440 | 0.09370 | 0.08770 | 0.0870* | |

Atomic displacement parameters (\AA^2)

| | U^{11} | U^{22} | U^{33} | U^{12} | U^{13} | U^{23} |
|-----|-----------|-----------|-------------|--------------|-------------|--------------|
| F1 | 0.145 (6) | 0.094 (5) | 0.080 (4) | -0.033 (5) | 0.054 (4) | 0.006 (4) |
| F1' | 0.184 (8) | 0.138 (6) | 0.075 (4) | -0.103 (6) | -0.026 (5) | -0.006 (4) |
| O1 | 0.076 (2) | 0.075 (2) | 0.0473 (19) | -0.0178 (19) | 0.0363 (16) | -0.0120 (17) |
| O2 | 0.081 (2) | 0.075 (2) | 0.0416 (18) | -0.0068 (18) | 0.0274 (17) | -0.0018 (15) |
| N1 | 0.063 (2) | 0.056 (2) | 0.041 (2) | -0.005 (2) | 0.0255 (19) | 0.0029 (18) |
| N2 | 0.051 (2) | 0.053 (2) | 0.047 (2) | 0.003 (2) | 0.0222 (18) | 0.0074 (19) |
| C1 | 0.045 (2) | 0.042 (2) | 0.048 (2) | 0.011 (2) | 0.014 (2) | 0.006 (2) |
| C2 | 0.074 (3) | 0.053 (3) | 0.044 (2) | 0.001 (3) | 0.016 (2) | -0.002 (2) |
| C3 | 0.080 (4) | 0.053 (3) | 0.064 (3) | -0.013 (3) | 0.007 (3) | 0.000 (3) |
| C4 | 0.061 (3) | 0.062 (3) | 0.059 (3) | -0.008 (3) | 0.014 (2) | 0.011 (3) |
| C5 | 0.061 (3) | 0.050 (3) | 0.051 (3) | -0.002 (2) | 0.023 (2) | 0.007 (2) |
| C6 | 0.047 (3) | 0.045 (2) | 0.040 (2) | 0.004 (2) | 0.014 (2) | -0.004 (2) |
| C7 | 0.054 (3) | 0.048 (3) | 0.041 (3) | 0.013 (2) | 0.021 (2) | 0.001 (2) |
| C8 | 0.058 (3) | 0.059 (3) | 0.042 (3) | 0.009 (3) | 0.014 (2) | 0.009 (2) |
| C9 | 0.052 (3) | 0.047 (3) | 0.052 (3) | 0.009 (2) | 0.014 (2) | 0.005 (2) |
| C10 | 0.061 (3) | 0.041 (2) | 0.057 (3) | 0.002 (2) | 0.019 (2) | 0.000 (2) |
| C11 | 0.076 (4) | 0.049 (3) | 0.080 (4) | 0.001 (3) | 0.031 (3) | 0.006 (3) |

| | | | | | | |
|-----|-----------|-----------|-----------|------------|-----------|------------|
| C12 | 0.060 (3) | 0.055 (3) | 0.111 (4) | -0.004 (3) | 0.014 (3) | 0.008 (3) |
| C13 | 0.085 (4) | 0.077 (4) | 0.085 (4) | -0.017 (3) | 0.004 (3) | 0.001 (3) |
| C14 | 0.078 (4) | 0.084 (4) | 0.055 (3) | -0.012 (3) | 0.003 (3) | -0.005 (3) |

Geometric parameters (\AA , $^{\circ}$)

| | | | |
|------------|-----------|-------------|-----------|
| F1'—C13 | 1.243 (8) | C9—C10 | 1.3908 |
| F1—C11 | 1.243 (7) | C9—C14 | 1.3896 |
| O1—C6 | 1.357 (5) | C10—C11 | 1.3899 |
| O2—C7 | 1.236 (5) | C11—C12 | 1.3894 |
| O1—H1O | 0.8200 | C12—C13 | 1.3908 |
| N1—N2 | 1.383 (5) | C13—C14 | 1.3897 |
| N1—C7 | 1.344 (6) | C2—H2 | 0.9300 |
| N2—C8 | 1.256 (6) | C3—H3 | 0.9300 |
| N1—H1N | 0.8600 | C4—H4 | 0.9300 |
| C1—C7 | 1.474 (6) | C5—H5 | 0.9300 |
| C1—C2 | 1.390 (6) | C8—H8 | 0.9300 |
| C1—C6 | 1.405 (6) | C10—H10 | 0.9300 |
| C2—C3 | 1.367 (7) | C11—H11 | 0.9300 |
| C3—C4 | 1.368 (6) | C12—H12 | 0.9300 |
| C4—C5 | 1.375 (6) | C13—H13 | 0.9300 |
| C5—C6 | 1.386 (6) | C14—H14 | 0.9300 |
| C8—C9 | 1.470 (5) | | |
| C6—O1—H1O | 109.00 | C11—C12—C13 | 120.00 |
| N2—N1—C7 | 122.6 (3) | C12—C13—C14 | 119.96 |
| N1—N2—C8 | 112.9 (3) | F1'—C13—C12 | 117.6 (5) |
| C7—N1—H1N | 119.00 | F1'—C13—C14 | 122.5 (4) |
| N2—N1—H1N | 119.00 | C9—C14—C13 | 120.06 |
| C6—C1—C7 | 125.3 (4) | C1—C2—H2 | 119.00 |
| C2—C1—C7 | 117.4 (4) | C3—C2—H2 | 119.00 |
| C2—C1—C6 | 117.3 (4) | C2—C3—H3 | 120.00 |
| C1—C2—C3 | 122.0 (4) | C4—C3—H3 | 120.00 |
| C2—C3—C4 | 120.3 (4) | C3—C4—H4 | 120.00 |
| C3—C4—C5 | 119.7 (4) | C5—C4—H4 | 120.00 |
| C4—C5—C6 | 120.6 (4) | C4—C5—H5 | 120.00 |
| C1—C6—C5 | 120.2 (4) | C6—C5—H5 | 120.00 |
| O1—C6—C1 | 119.9 (4) | N2—C8—H8 | 118.00 |
| O1—C6—C5 | 120.0 (3) | C9—C8—H8 | 118.00 |
| O2—C7—N1 | 121.6 (4) | C9—C10—H10 | 120.00 |
| O2—C7—C1 | 121.4 (4) | C11—C10—H10 | 120.00 |
| N1—C7—C1 | 117.0 (4) | C10—C11—H11 | 120.00 |
| N2—C8—C9 | 123.2 (4) | C12—C11—H11 | 120.00 |
| C10—C9—C14 | 119.98 | C11—C12—H12 | 120.00 |
| C8—C9—C14 | 117.4 (3) | C13—C12—H12 | 120.00 |
| C8—C9—C10 | 122.6 (3) | C12—C13—H13 | 120.00 |
| C9—C10—C11 | 119.97 | C14—C13—H13 | 120.00 |
| F1—C11—C10 | 126.5 (4) | C9—C14—H14 | 120.00 |

| | | | |
|-------------|------------|-----------------|------------|
| C10—C11—C12 | 120.04 | C13—C14—H14 | 120.00 |
| F1—C11—C12 | 113.4 (4) | | |
| C7—N1—N2—C8 | 175.7 (4) | C4—C5—C6—O1 | 178.9 (4) |
| N2—N1—C7—O2 | -0.8 (7) | C4—C5—C6—C1 | -0.1 (6) |
| N2—N1—C7—C1 | 179.0 (4) | N2—C8—C9—C10 | -1.7 (6) |
| N1—N2—C8—C9 | 178.6 (4) | N2—C8—C9—C14 | 178.1 (4) |
| C2—C1—C6—C5 | 0.8 (6) | C8—C9—C10—C11 | 179.7 (3) |
| C7—C1—C6—O1 | 2.7 (6) | C14—C9—C10—C11 | -0.02 |
| C7—C1—C6—C5 | -178.3 (4) | C8—C9—C14—C13 | -179.7 (3) |
| C2—C1—C7—O2 | -4.8 (6) | C10—C9—C14—C13 | -0.03 |
| C2—C1—C7—N1 | 175.4 (4) | C9—C10—C11—F1 | -177.2 (5) |
| C6—C1—C7—O2 | 174.3 (4) | C9—C10—C11—C12 | 0.03 |
| C6—C1—C7—N1 | -5.5 (6) | F1—C11—C12—C13 | 177.5 (4) |
| C2—C1—C6—O1 | -178.2 (4) | C10—C11—C12—C13 | -0.02 |
| C6—C1—C2—C3 | -0.8 (7) | C11—C12—C13—F1' | -178.6 (5) |
| C7—C1—C2—C3 | 178.3 (4) | C11—C12—C13—C14 | -0.02 |
| C1—C2—C3—C4 | 0.2 (7) | F1'—C13—C14—C9 | 178.5 (5) |
| C2—C3—C4—C5 | 0.5 (7) | C12—C13—C14—C9 | 0.03 |
| C3—C4—C5—C6 | -0.6 (7) | | |

Hydrogen-bond geometry (Å, °)

| D—H···A | D—H | H···A | D···A | D—H···A |
|--------------------------|------|-------|-----------|---------|
| N1—H1N···O1 | 0.86 | 1.91 | 2.612 (5) | 138 |
| O1—H1O···O2 ⁱ | 0.82 | 1.86 | 2.657 (5) | 166 |

Symmetry code: (i) $x+1/2, -y+1/2, z-1/2$.