

Bis[2-(aminomethyl)pyridine- $\kappa^2 N,N'$]-bis(thiocyanato- κN)copper(II)

Nirmal Kumar Karan, Kai-Ting Chan and Hon Man Lee*

National Changhua University of Education, Department of Chemistry, Changhua, Taiwan 50058

Correspondence e-mail: leehm@cc.ncue.edu.tw


Received 2 April 2009; accepted 9 April 2009

Key indicators: single-crystal X-ray study; $T = 150\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.002\text{ \AA}$; R factor = 0.023; wR factor = 0.063; data-to-parameter ratio = 19.7.

In the title complex, $[\text{Cu}(\text{NCS})_2(\text{C}_6\text{H}_8\text{N}_2)_2]$, the Cu^{II} atom, lying on an inversion center, adopts a Jahn–Teller distorted octahedral CuN_6 coordination geometry. The two bidentate 2-aminomethylpyridine ligands are coordinated in a *trans* fashion, while the two thiocyanate ligands are at the axial positions and coordinate to the Cu atom in a bent mode with a $\text{C}-\text{N}-\text{Cu}$ angle of $127.49(10)^\circ$. Intermolecular $\text{N}-\text{H}\cdots\text{N}$ and $\text{N}-\text{H}\cdots\text{S}$ hydrogen bonds link the copper complex molecules into an infinite two-dimensional network.


Related literature

For six-coordinate *trans*-dithiocyanato Cu(II) complexes similar to the title complex, see: Gary *et al.* (2004); Ferrer *et al.* (1992); Gorji *et al.* (2001); Kozlowski & Hodgson (1975); Li & Zhang (2004).



Experimental

Crystal data



$M_r = 395.99$

Monoclinic, $P2_1/c$

$a = 9.1023(4)\text{ \AA}$

$b = 9.1740(4)\text{ \AA}$

$c = 9.6895(4)\text{ \AA}$

$\beta = 91.872(3)^\circ$

$V = 808.69(6)\text{ \AA}^3$

$Z = 2$

Mo $K\alpha$ radiation

$\mu = 1.62\text{ mm}^{-1}$

$T = 150\text{ K}$

$0.46 \times 0.38 \times 0.31\text{ mm}$

Data collection

Bruker SMART APEXII
diffractometer

Absorption correction: multi-scan
(SADABS; Sheldrick, 2003)

$T_{\min} = 0.497$, $T_{\max} = 0.603$

11419 measured reflections
2086 independent reflections
1776 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.031$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.023$

$wR(F^2) = 0.063$

$S = 1.13$

2086 reflections

106 parameters
H-atom parameters constrained
 $\Delta\rho_{\max} = 0.35\text{ e \AA}^{-3}$
 $\Delta\rho_{\min} = -0.40\text{ e \AA}^{-3}$

Table 1
Hydrogen-bond geometry (\AA , $^\circ$).

| $D-\text{H}\cdots A$ | $D-\text{H}$ | $\text{H}\cdots A$ | $D\cdots A$ | $D-\text{H}\cdots A$ |
|--|--------------|--------------------|-------------|----------------------|
| $\text{N}2-\text{H}2\text{A}\cdots\text{N}3^{\text{i}}$ | 0.92 | 2.27 | 3.0717 (19) | 145 |
| $\text{N}2-\text{H}2\text{B}\cdots\text{S}1^{\text{ii}}$ | 0.92 | 2.60 | 3.4628 (13) | 156 |

Symmetry codes: (i) $x, -y + \frac{1}{2}, z - \frac{1}{2}$; (ii) $-x, y + \frac{1}{2}, -z + \frac{1}{2}$.

Data collection: *APEX2* (Bruker, 2004); cell refinement: *SAINT* (Bruker, 2004); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXTL*.

We thank the National Science Council of Taiwan for financial support of this work.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: PV2151).

References

- Bruker (2004). *APEX2* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Ferrer, S., Haasnoot, J. G., Reedijk, J., Muller, E., Biagini-Cingi, M., Manotti-Lanfredi, A. M., Uguzzoli, F. & Foglia, C. (1992). *J. Chem. Soc. Dalton Trans.* pp. 3029–3034.
- Gary, J. B., Kautz, J. A., Klausmeyer, K. K. & Wong, C.-W. (2004). *Acta Cryst. E60*, m328–m329.
- Gorji, A., Mahmoudkhani, A. H. M. & Amirkasra, M. (2001). *Inorg. Chim. Acta*, **315**, 133–138.
- Kozlowski, D. L. & Hodgson, D. L. (1975). *J. Chem. Soc. Dalton Trans.* pp. 55–58.
- Li, Z.-X. & Zhang, X.-L. (2004). *Acta Cryst. E60*, m1597–m1598.
- Sheldrick, G. M. (2003). *SADABS*. University of Göttingen, Germany.
- Sheldrick, G. M. (2008). *Acta Cryst. A64*, 112–122.

supporting information

Acta Cryst. (2009). E65, m525 [doi:10.1107/S1600536809013427]

Bis[2-(aminomethyl)pyridine- $\kappa^2 N,N'$]bis(thiocyanato- κN)copper(II)

Nirmal Kumar Karan, Kai-Ting Chan and Hon Man Lee

S1. Comment

The title complex was readily obtained from the reaction between copper(II) acetate, 2-aminomethylpyridine, and sodium thiocyanate. The complex consists of two *trans* bidentate ligands and two *trans* thiocyanate ligands (Fig. 1). It exhibits an octahedron coordination geometry at the Cu atom which is located on the inversion center. The bent coordination of thiocyanate results in the C5—N1—Cu1 bond angle of 127.49 (10) $^\circ$. The pyridine ring is twisted from the equatorial plane defined by the Cu and the four N atoms; the interplanar angle is 17.86 (8) $^\circ$. Intermolecular H-bonds of the type N—H \cdots N and N—H \cdots S exist, linking the complex into a two-dimensional hydrogen bonded network (Table 1).


Six-coordinate *trans*-dithiocyanato Cu(II) complexes similar to the title complex have been reported in the literature (Gary *et al.*, 2004; Ferrer *et al.*, 1992; Gorji *et al.*, 2001; Kozlowski & Hodgson, 1975; Li & Zhang, 2004).

S2. Experimental


To a methanolic solution (10 ml) of Cu(O₂CCH₃)₂.H₂O (1.0 mmol, 0.199 g), a methanolic solution (10.0 ml) of 2-aminomethylpyridine (2.0 mmol, 0.207 ml) was added dropwise with stirring. Then to this mixture of solution, NaSCN (2.0 mmol, 0.162 g) in methanol (5.0 ml) was added and the mixture was stirred for 5 min. The solution was kept undisturbed. Blue crystals suitable for *X*-ray crystallography were obtained after one week by slow evaporation of the solvent.

S3. Refinement

All the H atoms were positioned geometrically and refined as riding atoms, with N—H = 0.92, C_{aryl}—H = 0.95, C_{methylene}—H = 0.99 Å while $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C or N})$ for all H atoms.

**Figure 1**


The structure of the title complex, showing 50% displacement ellipsoids for non-H atoms. The H atoms are depicted by circles of an arbitrary radius. The unlabelled atoms are related to the labelled ones by $-x, 1 - y, 1 - z$.

**Figure 2**

A packing diagram of the title compound along the a axis. Hydrogen bonds are shown as dashed lines.

Bis[2-(aminomethyl)pyridine- κ^2N,N']bis(thiocyanato- κN)copper(II)

Crystal data



$M_r = 395.99$

Monoclinic, $P2_1/c$

Hall symbol: -P 2ybc

$a = 9.1023 (4) \text{ \AA}$

$b = 9.1740 (4) \text{ \AA}$

$c = 9.6895 (4) \text{ \AA}$

$\beta = 91.872 (3)^\circ$

$V = 808.69 (6) \text{ \AA}^3$

$Z = 2$

$F(000) = 406$

$D_x = 1.626 \text{ Mg m}^{-3}$

Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$

Cell parameters from 3360 reflections

$\theta = 3.1\text{--}28.0^\circ$

$\mu = 1.62 \text{ mm}^{-1}$

$T = 150 \text{ K}$

Plate, blue

$0.46 \times 0.38 \times 0.31 \text{ mm}$

Data collection

Bruker SMART APEXII
diffractometer
Radiation source: fine-focus sealed tube
Graphite monochromator
 ω scans
Absorption correction: multi-scan
(SADABS; Sheldrick, 2003)
 $T_{\min} = 0.497$, $T_{\max} = 0.603$

11419 measured reflections
2086 independent reflections
1776 reflections with $I > 2\sigma$
 $R_{\text{int}} = 0.031$
 $\theta_{\max} = 28.7^\circ$, $\theta_{\min} = 2.2^\circ$
 $h = -12 \rightarrow 12$
 $k = -12 \rightarrow 12$
 $l = -13 \rightarrow 12$

Refinement

Refinement on F^2
Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.023$
 $wR(F^2) = 0.063$
 $S = 1.13$
2086 reflections
106 parameters
0 restraints
Primary atom site location: structure-invariant
direct methods

Secondary atom site location: difference Fourier
map
Hydrogen site location: inferred from
neighbouring sites
H-atom parameters constrained
 $w = 1/[\sigma^2(F_o^2) + (0.0308P)^2 + 0.2097P]$
where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} < 0.001$
 $\Delta\rho_{\max} = 0.35 \text{ e } \text{\AA}^{-3}$
 $\Delta\rho_{\min} = -0.40 \text{ e } \text{\AA}^{-3}$

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

| | x | y | z | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|-----|---------------|--------------|--------------|----------------------------------|
| C1 | 0.27555 (16) | 0.35413 (16) | 0.48964 (15) | 0.0151 (3) |
| C2 | 0.41671 (16) | 0.30420 (16) | 0.52349 (17) | 0.0187 (3) |
| H2 | 0.4607 | 0.2302 | 0.4701 | 0.022* |
| C3 | 0.49184 (16) | 0.36421 (17) | 0.63614 (17) | 0.0199 (3) |
| H3 | 0.5878 | 0.3311 | 0.6618 | 0.024* |
| C4 | 0.42557 (17) | 0.47314 (17) | 0.71109 (17) | 0.0190 (3) |
| H4 | 0.4759 | 0.5170 | 0.7878 | 0.023* |
| C5 | 0.28491 (17) | 0.51688 (16) | 0.67232 (16) | 0.0170 (3) |
| H5 | 0.2395 | 0.5917 | 0.7236 | 0.020* |
| C6 | 0.18680 (17) | 0.29582 (17) | 0.36793 (16) | 0.0188 (3) |
| H6A | 0.2513 | 0.2813 | 0.2888 | 0.023* |
| H6B | 0.1435 | 0.2005 | 0.3918 | 0.023* |
| C7 | -0.15576 (16) | 0.17946 (16) | 0.52438 (16) | 0.0175 (3) |
| Cu1 | 0.0000 | 0.5000 | 0.5000 | 0.01369 (8) |
| N1 | 0.20991 (13) | 0.45719 (14) | 0.56437 (13) | 0.0142 (2) |
| N2 | 0.06857 (13) | 0.39999 (14) | 0.32960 (13) | 0.0161 (3) |

| | | | | |
|-----|---------------|--------------|--------------|--------------|
| H2A | -0.0087 | 0.3513 | 0.2869 | 0.019* |
| H2B | 0.1030 | 0.4680 | 0.2688 | 0.019* |
| N3 | -0.08726 (15) | 0.26276 (15) | 0.58955 (15) | 0.0244 (3) |
| S1 | -0.25589 (5) | 0.06047 (5) | 0.43612 (4) | 0.02601 (11) |

Atomic displacement parameters (\AA^2)

| | U^{11} | U^{22} | U^{33} | U^{12} | U^{13} | U^{23} |
|-----|--------------|--------------|--------------|---------------|---------------|---------------|
| C1 | 0.0159 (7) | 0.0142 (6) | 0.0154 (7) | 0.0005 (5) | 0.0020 (5) | 0.0008 (5) |
| C2 | 0.0166 (7) | 0.0171 (7) | 0.0225 (8) | 0.0036 (6) | 0.0032 (6) | 0.0011 (6) |
| C3 | 0.0140 (7) | 0.0215 (7) | 0.0243 (8) | 0.0029 (6) | 0.0003 (6) | 0.0069 (6) |
| C4 | 0.0167 (7) | 0.0224 (8) | 0.0177 (8) | -0.0027 (6) | -0.0030 (6) | 0.0016 (6) |
| C5 | 0.0164 (7) | 0.0187 (7) | 0.0159 (7) | -0.0008 (6) | 0.0001 (6) | -0.0009 (5) |
| C6 | 0.0187 (7) | 0.0201 (7) | 0.0176 (8) | 0.0052 (6) | -0.0015 (6) | -0.0049 (6) |
| C7 | 0.0168 (7) | 0.0183 (7) | 0.0175 (8) | 0.0037 (6) | 0.0027 (6) | 0.0057 (6) |
| Cu1 | 0.01194 (13) | 0.01631 (13) | 0.01273 (14) | 0.00240 (9) | -0.00107 (9) | -0.00347 (9) |
| N1 | 0.0130 (6) | 0.0152 (5) | 0.0143 (6) | 0.0009 (5) | 0.0004 (5) | 0.0000 (5) |
| N2 | 0.0154 (6) | 0.0190 (6) | 0.0140 (6) | 0.0017 (5) | -0.0006 (5) | -0.0019 (5) |
| N3 | 0.0261 (7) | 0.0213 (7) | 0.0255 (8) | -0.0016 (6) | -0.0033 (6) | 0.0040 (6) |
| S1 | 0.0235 (2) | 0.0293 (2) | 0.0251 (2) | -0.00253 (17) | -0.00159 (16) | -0.00652 (17) |

Geometric parameters (\AA , $^\circ$)

| | | | |
|----------|-------------|--------------------------------------|-------------|
| C1—N1 | 1.3430 (19) | C6—N2 | 1.4775 (18) |
| C1—C2 | 1.393 (2) | C6—H6A | 0.9900 |
| C1—C6 | 1.506 (2) | C6—H6B | 0.9900 |
| C2—C3 | 1.383 (2) | C7—N3 | 1.160 (2) |
| C2—H2 | 0.9500 | C7—S1 | 1.6440 (16) |
| C3—C4 | 1.385 (2) | Cu1—N2 | 2.0062 (12) |
| C3—H3 | 0.9500 | Cu1—N2 ⁱ | 2.0062 (12) |
| C4—C5 | 1.382 (2) | Cu1—N1 | 2.0288 (12) |
| C4—H4 | 0.9500 | Cu1—N1 ⁱ | 2.0288 (12) |
| C5—N1 | 1.3466 (19) | N2—H2A | 0.9200 |
| C5—H5 | 0.9500 | N2—H2B | 0.9200 |
| | | | |
| N1—C1—C2 | 121.85 (14) | C1—C6—H6B | 109.8 |
| N1—C1—C6 | 115.83 (12) | H6A—C6—H6B | 108.2 |
| C2—C1—C6 | 122.32 (13) | N3—C7—S1 | 178.26 (15) |
| C3—C2—C1 | 118.90 (14) | N2—Cu1—N2 ⁱ | 180.0 |
| C3—C2—H2 | 120.5 | N2—Cu1—N1 | 81.33 (5) |
| C1—C2—H2 | 120.5 | N2 ⁱ —Cu1—N1 | 98.67 (5) |
| C2—C3—C4 | 119.23 (14) | N2—Cu1—N1 ⁱ | 98.67 (5) |
| C2—C3—H3 | 120.4 | N2 ⁱ —Cu1—N1 ⁱ | 81.33 (5) |
| C4—C3—H3 | 120.4 | N1—Cu1—N1 ⁱ | 180.0 |
| C5—C4—C3 | 118.84 (14) | C1—N1—C5 | 118.81 (13) |
| C5—C4—H4 | 120.6 | C1—N1—Cu1 | 113.68 (10) |
| C3—C4—H4 | 120.6 | C5—N1—Cu1 | 127.49 (10) |
| N1—C5—C4 | 122.33 (14) | C6—N2—Cu1 | 109.43 (9) |

| | | | |
|--------------|--------------|----------------------------|--------------|
| N1—C5—H5 | 118.8 | C6—N2—H2A | 109.8 |
| C4—C5—H5 | 118.8 | Cu1—N2—H2A | 109.8 |
| N2—C6—C1 | 109.56 (12) | C6—N2—H2B | 109.8 |
| N2—C6—H6A | 109.8 | Cu1—N2—H2B | 109.8 |
| C1—C6—H6A | 109.8 | H2A—N2—H2B | 108.2 |
| N2—C6—H6B | 109.8 | | |
| | | | |
| N1—C1—C2—C3 | -0.9 (2) | C6—C1—N1—Cu1 | 3.52 (16) |
| C6—C1—C2—C3 | 179.38 (14) | C4—C5—N1—C1 | -1.7 (2) |
| C1—C2—C3—C4 | -0.7 (2) | C4—C5—N1—Cu1 | 176.34 (11) |
| C2—C3—C4—C5 | 1.1 (2) | N2—Cu1—N1—C1 | -17.99 (10) |
| C3—C4—C5—N1 | 0.1 (2) | N2 ⁱ —Cu1—N1—C1 | 162.01 (10) |
| N1—C1—C6—N2 | 19.63 (18) | N2—Cu1—N1—C5 | 163.84 (13) |
| C2—C1—C6—N2 | -160.67 (14) | N2 ⁱ —Cu1—N1—C5 | -16.16 (13) |
| C2—C1—N1—C5 | 2.2 (2) | C1—C6—N2—Cu1 | -33.03 (14) |
| C6—C1—N1—C5 | -178.14 (13) | N1—Cu1—N2—C6 | 27.99 (10) |
| C2—C1—N1—Cu1 | -176.18 (11) | N1 ⁱ —Cu1—N2—C6 | -152.01 (10) |

Symmetry code: (i) $-x, -y+1, -z+1$.

Hydrogen-bond geometry (\AA , °)

| $D\text{—H}\cdots A$ | $D\text{—H}$ | $\text{H}\cdots A$ | $D\cdots A$ | $D\text{—H}\cdots A$ |
|--|--------------|--------------------|-------------|----------------------|
| N2—H2A ⁱⁱ —N3 ⁱⁱ | 0.92 | 2.27 | 3.0717 (19) | 145 |
| N2—H2B ⁱⁱⁱ —S1 ⁱⁱⁱ | 0.92 | 2.60 | 3.4628 (13) | 156 |

Symmetry codes: (ii) $x, -y+1/2, z-1/2$; (iii) $-x, y+1/2, -z+1/2$.