

Acta Crystallographica Section E

#### **Structure Reports**

#### **Online**

ISSN 1600-5368

### N-(4-Chlorophenyl)succinamic acid

## B. Thimme Gowda, a\* Sabine Foro, B. S. Saraswathi and Hartmut Fuess b

<sup>a</sup>Department of Chemistry, Mangalore University, Mangalagangotri 574 199, Mangalore, India, and <sup>b</sup>Institute of Materials Science, Darmstadt University of Technology, Petersenstrasse 23, D-64287 Darmstadt, Germany Correspondence e-mail: gowdabt@yahoo.com

Received 7 July 2009; accepted 7 July 2009

Key indicators: single-crystal X-ray study; T = 299 K; mean  $\sigma(C-C) = 0.003 \text{ Å}$ ; R factor = 0.042; wR factor = 0.121; data-to-parameter ratio = 12.8.

In the title compound,  $C_{10}H_{10}CINO_3$ , the conformation of the amide O atom and the carbonyl O atom of the acid segment are *anti* to each other and further, they are *anti* to the H atoms of their adjacent  $-CH_2$  groups. The C = O and O - H bonds of the acid group are in the *syn* position relative to each other. In the crystal, molecules are packed into infinite chains through intermolecular  $N - H \cdots O$  and  $O - H \cdots O$  hydrogen bonds.

#### **Related literature**

For our study of the effect of ring and side-chain substitution on the solid-state geometry of anilides, see: Gowda  $et\ al.$  (2009a,b,c). For the modes of interlinking carboxylic acids by hydrogen bonds, see: Leiserowitz (1976). The packing of molecules involving dimeric hydrogen-bonded association of each carboxyl group with a centrosymmetrically related neighbor has also been observed, see: Jagannathan  $et\ al.$  (1994).

#### **Experimental**

Crystal data

 $\begin{array}{lll} {\rm C_{10}H_{10}CINO_3} & & b = 4.8778 \ (4) \ {\rm \mathring{A}} \\ {M_r} = 227.64 & & c = 14.286 \ (1) \ {\rm \mathring{A}} \\ {\rm Monoclinic}, \ P2_1/c & & \beta = 109.787 \ (6)^\circ \\ {a = 15.908 \ (1) \ {\rm \mathring{A}}} & & V = 1043.09 \ (13) \ {\rm \mathring{A}}^3 \\ \end{array}$ 

Z = 4 T = 299 K Cu Kα radiation  $0.55 \times 0.43 \times 0.15$  mm u = 3.16 mm<sup>-1</sup>

Data collection

Enraf–Nonius CAD-4 1837 independent reflections diffractometer 1643 reflections with  $I > 2\sigma(I)$  Absorption correction:  $\psi$  scan (North et al., 1968) 3 standard reflections  $T_{\min} = 0.265$ ,  $T_{\max} = 0.623$  frequency: 120 min 3006 measured reflections intensity decay: 1.0%

Refinement

 $\begin{array}{ll} R[F^2>2\sigma(F^2)]=0.042 & \text{H atoms treated by a mixture of} \\ wR(F^2)=0.121 & \text{independent and constrained} \\ S=1.04 & \text{refinement} \\ 1837 \text{ reflections} & \Delta\rho_{\max}=0.30 \text{ e Å}^{-3} \\ 143 \text{ parameters} & \Delta\rho_{\min}=-0.26 \text{ e Å}^{-3} \end{array}$ 

Table 1
Hydrogen-bond geometry (Å, °).

$D-H\cdots A$	$D-\mathrm{H}$	$H \cdot \cdot \cdot A$	$D \cdot \cdot \cdot A$	$D-\mathrm{H}\cdots A$
$ \begin{array}{c} N1 - H1N \cdot \cdot \cdot O1^{i} \\ O2 - H2O \cdot \cdot \cdot O3^{ii} \end{array} $	0.819 (17)	2.117 (17)	2.931 (2)	173 (2)
	0.85 (3)	1.85 (3)	2.693 (2)	179 (3)

Symmetry codes: (i) x, y + 1, z; (ii) -x + 2, -y + 1, -z + 3.

Data collection: *CAD-4-PC* (Enraf–Nonius, 1996); cell refinement: *CAD-4-PC*; data reduction: *REDU4* (Stoe & Cie, 1987); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *PLATON* (Spek, 2009); software used to prepare material for publication: *SHELXL97*.

BTG thanks the Alexander von Humboldt Foundation, Bonn, Germany, for extensions of his research fellowship.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: BV2121).

#### References

Enraf-Nonius (1996). CAD-4-PC. Enraf-Nonius, Delft, The Netherlands. Gowda, B. T., Foro, S., Saraswathi, B. S., Terao, H. & Fuess, H. (2009a). Acta Cryst. E65, 0388.

Gowda, B. T., Foro, S., Saraswathi, B. S., Terao, H. & Fuess, H. (2009b). *Acta Cryst.* E**65**, 0399.

Gowda, B. T., Foro, S., Saraswathi, B. S., Terao, H. & Fuess, H. (2009c). Acta Cryst. E65, 0873.

Jagannathan, N. R., Rajan, S. S. & Subramanian, E. (1994). J. Chem. Crystallogr. 24, 75–78.

Leiserowitz, L. (1976). *Acta Cryst.* B**32**, 775–802.

North, A. C. T., Phillips, D. C. & Mathews, F. S. (1968). Acta Cryst. A24, 351–359.

Sheldrick, G. M. (2008). Acta Cryst. A64, 112-122.

Spek, A. L. (2009). Acta Cryst. D65, 148-155.

Stoe & Cie (1987). REDU4. Stoe & Cie GmbH, Darmstadt, Germany.

Acta Cryst. (2009). E65, o1827 [doi:10.1107/S160053680902649X]

### N-(4-Chlorophenyl)succinamic acid

#### B. Thimme Gowda, Sabine Foro, B. S. Saraswathi and Hartmut Fuess

#### S1. Comment

As a part of studying the effect of ring and side chain substitutions on the solid state geometry of anilides (Gowda *et al.*, 2009*a,b,c*), we report herein the crystal structure of *N*-(4-chlorophenyl)succinamic acid (I). The conformations of N—H and C=O bonds in the amide segment are *anti* to each other and the conformation of the amide oxygen and the carbonyl oxygen of the acid segment are also *anti* to each other and further, they are *anti* to the H atoms of their adjacent –CH<sub>2</sub> groups (Fig. 1), similar to that observed in *N*-(4-chlorophenyl)succinamate (Gowda *et al.*, 2009*a*) and *N*-(2-chlorophenyl)succinamic acid (Gowda *et al.*, 2009*b*). The C=O and O—H bonds of the acid group are in *syn* position to each other. The N—H···O and O—H···O intermolecular hydrogen bonds pack the mpolecules into infinite chains in the structure (Table 1, Fig.2).


The modes of interlinking carboxylic acids by hydrogen bonds is described elsewhere (Leiserowitz, 1976). The packing of molecules involving dimeric hydrogen bonded association of each carboxyl group with a centrosymmetrically related neighbor has also been observed (Jagannathan *et al.*, 1994).

#### S2. Experimental


The solution of succinic anhydride (2.5 g) in toluene (25 cc) was treated dropwise with the solution of 4-chloroaniline (2.5 g) also in toluene (20 cc) with constant stirring. The resulting mixture was stirred for about one hour and set aside for an additional hour at room temperature for completion of the reaction. The mixture was then treated with dilute hydrochloric acid to remove the unreacted 4-chloroaniline. The resultant solid *N*-(4-chlorophenyl)succinamic acid was filtered under suction and washed thoroughly with water to remove the unreacted succinic anhydride and succinic acid. It was recrystallized to constant melting point from ethanol. The purity of the compound was checked by elemental analysis and characterized by its infrared and NMR spectra. The single crystals used in X-ray diffraction studies were grown in ethanolic solution by slow evaporation at room temperature.

#### S3. Refinement

The H atom of the OH group was located in a difference map and its position refined [O—H = 0.85 (3) Å]. The N-bound H atom was located in difference map and refined with restrained geometry to 0.86 (2) Å. The other H atoms were positioned with idealized geometry using a riding model [C—H = 0.93–0.97 Å]. All H atoms were refined with isotropic displacement parameters (set to 1.2 times of the  $U_{eq}$  of the parent atom).



**Figure 1**Molecular structure of (I), showing the atom labelling scheme. The displacement ellipsoids are drawn at the 50% probability level. The H atoms are represented as small spheres of arbitrary radii.



#### Figure 2

Molecular packing of (I) with hydrogen bonding shown as dashed lines.

#### N-(4-Chlorophenyl)succinamic acid

```
Crystal data
C_{10}H_{10}CINO_3
M_r = 227.64
Monoclinic, P2_1/c
Hall symbol: -P 2ybc
a = 15.908 (1) \text{ Å}
b = 4.8778 (4) \text{ Å}
c = 14.286 (1) \text{ Å}
\beta = 109.787 (6)^{\circ}
V = 1043.09 (13) \text{ Å}^{3}
Z = 4
```

Data collection

Enraf–Nonius CAD-4 diffractometer Radiation source: fine-focus sealed tube Graphite monochromator  $\omega/2\theta$  scans Absorption correction:  $\psi$  scan (North *et al.*, 1968)  $T_{\min} = 0.265$ ,  $T_{\max} = 0.623$ 

Refinement

3006 measured reflections

Refinement on  $F^2$ Least-squares matrix: full  $R[F^2 > 2\sigma(F^2)] = 0.042$   $wR(F^2) = 0.121$  S = 1.041837 reflections 143 parameters 1 restraint Primary atom site location: structure-invariant direct methods Secondary atom site location: difference Fourier map F(000) = 472  $D_x = 1.450 \text{ Mg m}^{-3}$   $Cu K\alpha \text{ radiation, } \lambda = 1.54180 \text{ Å}$  Cell parameters from 25 reflections  $\theta = 6.6-18.1^{\circ}$   $\mu = 3.16 \text{ mm}^{-1}$ 

T = 299 KPrism, colourless  $0.55 \times 0.43 \times 0.15 \text{ mm}$ 

1837 independent reflections 1643 reflections with  $I > 2\sigma(I)$   $R_{\text{int}} = 0.026$   $\theta_{\text{max}} = 67.0^{\circ}$ ,  $\theta_{\text{min}} = 3.0^{\circ}$   $h = -18 \rightarrow 18$   $k = 0 \rightarrow 5$   $l = -17 \rightarrow 8$ 3 standard reflections every 120 min intensity decay: 1.0%

Hydrogen site location: inferred from neighbouring sites H atoms treated by a mixture of independent and constrained refinement  $w = 1/[\sigma^2(F_o^2) + (0.0621P)^2 + 0.4605P]$  where  $P = (F_o^2 + 2F_c^2)/3$   $(\Delta/\sigma)_{\rm max} = 0.004$   $\Delta\rho_{\rm max} = 0.30 \ {\rm e} \ {\rm Å}^{-3}$   $\Delta\rho_{\rm min} = -0.26 \ {\rm e} \ {\rm Å}^{-3}$ 

Extinction correction: *SHELXL97* (Sheldrick, 2008), Fc\*=kFc[1+0.001xFc<sup>2</sup> $\lambda^3$ /sin(2 $\theta$ )]<sup>-1/4</sup> Extinction coefficient: 0.0090 (10)

#### Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted R-factor wR and goodness of fit S are based on  $F^2$ , conventional R-factors R are based on F, with F set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating R-factors(gt) etc. and is not relevant to the choice of reflections for refinement. R-factors based on  $F^2$  are statistically about twice as large as those based on F, and F-factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters  $(\mathring{A}^2)$ 

	X	у	Z	$U_{ m iso}$ */ $U_{ m eq}$
C1	0.71205 (12)	0.4065 (4)	0.91702 (13)	0.0401 (4)
C2	0.72512 (14)	0.5563 (4)	0.84114 (15)	0.0508 (5)
H2	0.7675	0.6958	0.8560	0.061*
C3	0.67546 (16)	0.4998 (5)	0.74299 (15)	0.0572 (6)
H3	0.6834	0.6028	0.6919	0.069*
C4	0.61449 (13)	0.2907 (5)	0.72194 (14)	0.0498 (5)
C5	0.60089 (14)	0.1398 (5)	0.79657 (15)	0.0524 (5)
H5	0.5591	-0.0013	0.7813	0.063*
C6	0.64971 (14)	0.1987 (4)	0.89477 (15)	0.0478 (5)
H6	0.6404	0.0981	0.9457	0.057*
C7	0.79738 (13)	0.3002 (4)	1.09135 (13)	0.0410 (4)
C8	0.83960 (13)	0.4299 (4)	1.19225 (13)	0.0439 (5)
H8A	0.8661	0.6037	1.1844	0.053*
H8B	0.7936	0.4669	1.2210	0.053*
C9	0.91033 (14)	0.2509 (4)	1.26240 (14)	0.0453 (5)
H9A	0.8848	0.0720	1.2655	0.054*
H9B	0.9584	0.2261	1.2358	0.054*
C10	0.94834 (12)	0.3632 (4)	1.36527 (14)	0.0422 (4)
N1	0.76140 (12)	0.4779 (3)	1.01677 (11)	0.0448 (4)
H1N	0.7718 (15)	0.641 (4)	1.0297 (17)	0.054*
O1	0.79464 (12)	0.0511 (3)	1.08006 (11)	0.0594 (5)
O2	1.01272 (13)	0.2126 (4)	1.42350 (12)	0.0704 (6)
H2O	1.032 (2)	0.281 (6)	1.481 (2)	0.084*
O3	0.92375 (12)	0.5735 (4)	1.39202 (10)	0.0695 (5)
C11	0.55277 (5)	0.21449 (18)	0.59903 (4)	0.0831 (3)

#### Atomic displacement parameters $(\mathring{A}^2)$

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
C1	0.0446 (9)	0.0350 (10)	0.0343 (9)	0.0029(8)	0.0052 (7)	-0.0037 (7)
C2	0.0572 (12)	0.0453 (12)	0.0449 (11)	-0.0117 (10)	0.0109 (9)	-0.0018(9)
C3	0.0683 (13)	0.0631 (14)	0.0383 (10)	-0.0065 (11)	0.0158 (9)	0.0009 (10)
C4	0.0457 (10)	0.0640 (14)	0.0353 (10)	0.0035 (10)	0.0081 (8)	-0.0096(9)
C5	0.0463 (10)	0.0561 (13)	0.0480 (11)	-0.0113 (10)	0.0071 (9)	-0.0092 (10)
C6	0.0508 (11)	0.0496 (12)	0.0382 (10)	-0.0095(9)	0.0089(8)	-0.0018(8)
C7	0.0493 (10)	0.0305 (10)	0.0361 (9)	-0.0018 (8)	0.0053 (8)	-0.0045 (7)
C8	0.0554 (11)	0.0318 (10)	0.0348 (9)	0.0005 (8)	0.0024 (8)	-0.0044(7)
C9	0.0522 (11)	0.0385 (10)	0.0370 (10)	0.0028 (8)	0.0045 (8)	-0.0046(8)
C10	0.0461 (10)	0.0382 (10)	0.0367 (9)	0.0020(8)	0.0068 (8)	0.0002(8)
N1	0.0583 (10)	0.0279 (8)	0.0369 (8)	-0.0039(7)	0.0011 (7)	-0.0042(6)
O1	0.0879 (11)	0.0271 (8)	0.0449 (8)	-0.0005 (7)	-0.0014(7)	-0.0053(6)
O2	0.0840 (12)	0.0641 (11)	0.0407 (8)	0.0300 (9)	-0.0082(8)	-0.0093(7)
O3	0.0830 (11)	0.0628 (11)	0.0412 (8)	0.0300 (9)	-0.0070(7)	-0.0147(7)
Cl1	0.0851 (5)	0.1153 (7)	0.0360(3)	-0.0133 (4)	0.0037 (3)	-0.0179 (3)

Geometric parameters (Å, °)			
C1—C6	1.378 (3)	C7—N1	1.342 (2)
C1—C2	1.380(3)	C7—C8	1.508 (2)
C1—N1	1.418 (2)	C8—C9	1.506 (3)
C2—C3	1.384 (3)	C8—H8A	0.9700
C2—H2	0.9300	C8—H8B	0.9700
C3—C4	1.369 (3)	C9—C10	1.491 (3)
С3—Н3	0.9300	C9—H9A	0.9700
C4—C5	1.372 (3)	С9—Н9В	0.9700
C4—C11	1.7373 (19)	C10—O3	1.205 (2)
C5—C6	1.384 (3)	C10—O2	1.305 (2)
C5—H5	0.9300	N1—H1N	0.819 (17)
C6—H6	0.9300	O2—H2O	0.85 (3)
C7—O1	1.225 (2)		2132 (2)
C( C1 C2	110.75 (19)	N1 C7 C0	114 04 (15)
C6—C1—C2	119.75 (18)	N1—C7—C8	114.84 (15)
C6—C1—N1	121.52 (18)	C9—C8—C7	112.54 (16)
C2—C1—N1	118.68 (18)	C9—C8—H8A	109.1
C1—C2—C3	120.3 (2)	C7—C8—H8A	109.1
C1—C2—H2	119.9	C9—C8—H8B	109.1
C3—C2—H2	119.9	C7—C8—H8B	109.1
C4—C3—C2	119.3 (2)	H8A—C8—H8B	107.8
C4—C3—H3	120.3	C10—C9—C8	113.89 (16)
C2—C3—H3	120.3	C10—C9—H9A	108.8
C3—C4—C5	121.03 (19)	C8—C9—H9A	108.8
C3—C4—C11	119.83 (17)	C10—C9—H9B	108.8
C5—C4—C11	119.14 (17)	C8—C9—H9B	108.8
C4—C5—C6	119.6 (2)	H9A—C9—H9B	107.7
C4—C5—H5	120.2	O3—C10—O2	123.09 (18)
C6—C5—H5	120.2	O3—C10—C9	123.94 (17)
C1—C6—C5	119.98 (19)	O2—C10—C9	112.96 (17)
C1—C6—H6	120.0	C7—N1—C1	125.55 (16)
C5—C6—H6	120.0	C7—N1—H1N	116.6 (17)
O1—C7—N1	123.35 (17)	C1—N1—H1N	117.8 (17)
O1—C7—C8	121.79 (17)	C10—O2—H2O	110 (2)
C6—C1—C2—C3	0.4 (3)	O1—C7—C8—C9	26.2 (3)
N1—C1—C2—C3	-177.3 (2)	N1—C7—C8—C9	-155.58 (18)
C1—C2—C3—C4	-1.2 (4)	C7—C8—C9—C10	-175.40 (17)
C2—C3—C4—C5	1.1 (4)	C8—C9—C10—O3	2.1 (3)
C2—C3—C4—C11	-179.15 (18)	C8—C9—C10—O3 C8—C9—C10—O2	-176.62 (19)
C2—C3—C4—C11 C3—C4—C5—C6	-0.2 (3)	01—C7—N1—C1	3.3 (3)
C3—C4—C5—C6 C11—C4—C5—C6	180.00 (17)	C8—C7—N1—C1	-174.84 (18)
C1—C4—C5—C6 C2—C1—C6—C5	0.4 (3)	C6—C1—N1—C7	42.0 (3)
N1—C1—C6—C5	` '	C0—C1—N1—C7 C2—C1—N1—C7	` '
N1—C1—C6—C5 C4—C5—C6—C1	178.14 (19)	C2—C1—IN1—C/	-140.3 (2)
C <del>4</del> —C3—C0—C1	-0.5(3)		

### Hydrogen-bond geometry (Å, °)

<i>D</i> —H··· <i>A</i>	D—H	$H\cdots A$	D··· $A$	<i>D</i> —H··· <i>A</i>
N1—H1 <i>N</i> ···O1 <sup>i</sup>	0.82(2)	2.12 (2)	2.931 (2)	173 (2)
O2—H2 <i>O</i> ···O3 <sup>ii</sup>	0.85 (3)	1.85 (3)	2.693 (2)	179 (3)

Symmetry codes: (i) x, y+1, z; (ii) -x+2, -y+1, -z+3.