

## Diaquabis[2-(5-isopropyl-5-methyl-4-oxo-4,5-dihydro-1*H*-imidazol-2-yl- $\kappa N^3$ )-nicotinato- $\kappa N$ ]manganese(II)

Peng Gao, Ji-Zhong Liu, Zhong Zhang and Zhong-Jing Huang\*

Department of Chemistry, Guangxi University for Nationalities, Nanning 530006, People's Republic of China  
Correspondence e-mail: huangzhongjing1@yahoo.com.cn


Received 11 November 2010; accepted 21 November 2010

Key indicators: single-crystal X-ray study;  $T = 298\text{ K}$ ; mean  $\sigma(\text{C}-\text{C}) = 0.008\text{ \AA}$ ;  $R$  factor = 0.057;  $wR$  factor = 0.179; data-to-parameter ratio = 13.4.

In the title compound,  $[\text{Mn}(\text{C}_{13}\text{H}_{14}\text{N}_3\text{O}_3)_2(\text{H}_2\text{O})_2]$ , the  $\text{Mn}^{II}$  ion is coordinated by four N atoms from two ( $\pm$ )-2-(5-isopropyl-5-methyl-4-oxo-4,5-dihydro-1*H*-imidazol-2-yl)nicotinate ligands and two water molecules in a distorted octahedral environment. Intermolecular O—H···O hydrogen bonds lead to a chain along [010]. Intramolecular N—H···O and O—H···O hydrogen bonds are observed.

### Related literature

For coordination compounds with pyridinecarboxylic acids, see: Chatterjee *et al.* (1998); Nathan & Mai (2000); Park *et al.* (2007); Yang *et al.* (2002). For the synthesis of compounds containing imidazolidinone derivatives, see: Erre *et al.* (1998).



### Experimental

#### Crystal data

$[\text{Mn}(\text{C}_{13}\text{H}_{14}\text{N}_3\text{O}_3)_2(\text{H}_2\text{O})_2]$

$M_r = 611.52$

Orthorhombic,  $Pbca$   
 $a = 12.620 (3)\text{ \AA}$   
 $b = 19.753 (4)\text{ \AA}$   
 $c = 23.017 (5)\text{ \AA}$   
 $V = 5738 (2)\text{ \AA}^3$   
 $Z = 8$   
Mo  $K\alpha$  radiation  
 $\mu = 0.52\text{ mm}^{-1}$   
 $T = 298\text{ K}$   
 $0.50 \times 0.48 \times 0.35\text{ mm}$

#### Data collection

Bruker SMART 1000  
diffractometer  
Absorption correction: multi-scan  
(SADABS; Sheldrick, 1996)  
 $R_{\min} = 0.782$ ,  $T_{\max} = 0.839$   
25491 measured reflections  
5057 independent reflections  
3208 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.055$

#### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.057$   
 $wR(F^2) = 0.179$   
 $S = 1.06$   
5057 reflections  
376 parameters  
5 restraints  
H-atom parameters constrained  
 $\Delta\rho_{\max} = 1.08\text{ e \AA}^{-3}$   
 $\Delta\rho_{\min} = -0.47\text{ e \AA}^{-3}$

**Table 1**  
Hydrogen-bond geometry ( $\text{\AA}$ ,  $^\circ$ ).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
N2—H2···O2	0.86	1.74	2.524 (5)	151
N5—H5···O5	0.86	1.76	2.535 (6)	149
O7—H7A···O3	0.85	2.09	2.838 (5)	147
O7—H7B···O1 <sup>i</sup>	0.85	1.80	2.638 (5)	170
O8—H8A···O6	0.85	2.06	2.791 (5)	143
O8—H8B···O4 <sup>ii</sup>	0.85	1.77	2.609 (5)	171

Symmetry codes: (i)  $-x + \frac{1}{2}, y - \frac{1}{2}, z$ ; (ii)  $-x + \frac{1}{2}, y + \frac{1}{2}, z$ .

Data collection: *SMART* (Bruker, 2007); cell refinement: *SAINT* (Bruker, 2007); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *DIAMOND* (Brandenburg, 1999); software used to prepare material for publication: *SHELXTL* (Sheldrick, 2008).

This work was supported by the Innovation Project of Guangxi University for Nationalities (gxun-chx2009080).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HY2382).

### References

- Brandenburg, K. (1999). *DIAMOND*. Crystal Impact GbR, Bonn, Germany.
- Bruker (2007). *SMART* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Chatterjee, M., Maji, M., Ghosh, S. & Mak, T. C. W. (1998). *J. Chem. Soc. Dalton Trans.* pp. 3641–3646.
- Erre, L. S., Garribba, E., Micera, G. & Sardone, N. (1998). *Inorg. Chim. Acta*, **272**, 68–73.
- Nathan, L. C. & Mai, T. D. (2000). *J. Chem. Crystallogr.* **30**, 509–518.
- Park, H., Lough, A. J., Kim, J. C., Jeong, M. H. & Kang, Y. S. (2007). *Inorg. Chim. Acta*, **360**, 2819–2823.
- Sheldrick, G. M. (1996). *SADABS*. University of Göttingen, Germany.
- Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
- Yang, L., Crans, D. C., Miller, S. M., la Cour, A., Anderson, O. P., Kaszynski, P. M., Godzala, M. E. III, Austin, L. D. & Willsky, G. R. (2002). *Inorg. Chem.* **41**, 4859–4871.

# supporting information

*Acta Cryst.* (2010). E66, m1668 [https://doi.org/10.1107/S1600536810048506]

## Diaquabis[2-(5-isopropyl-5-methyl-4-oxo-4,5-dihydro-1*H*-imidazol-2-yl- $\kappa$ N<sup>3</sup>)nicotinato- $\kappa$ N]manganese(II)

Peng Gao, Ji-Zhong Liu, Zhong Zhang and Zhong-Jing Huang

### S1. Comment

( $\pm$ )-2-(4-Isopropyl-4-methyl-5-oxo-4,5-dihydro-1*H*-imidazol-2-yl) nicotinic acid (imina) is a novel pyridyl-imidazolidinone ligand, which provides with efficient metal-chelating ability. The pyridine carboxylic acids have been extensively used in the design of coordination compounds, due to a variety of bonding modes and ability to form strong hydrogen bonds (Chatterjee *et al.*, 1998; Nathan & Mai, 2000; Park *et al.*, 2007; Yang *et al.*, 2002). Imidazole group, which is one of the polydentate amine ligands, generally coordinates to metal ions using N atoms as donors. The synthesis of imina and its manganese(II) complex has been reported (Erre *et al.*, 1998). Here we present the structure of a manganese(II) complex with 2-(5-isopropyl-5-methyl-4-oxo-4,5-dihydro-1*H*-imidazol-2-yl)nicotinate (*L*) ligand.


The molecular structure of the title complex is shown in Fig. 1. The asymmetric unit contains one Mn<sup>II</sup> atom, two *L* ligands and two coordinated water molecules. The Mn<sup>II</sup> atom exhibits a distorted octahedral geometry, defined by four N atoms from two *L* ligands and two O atoms from two water molecules. The dihedral angle between the two *L* planes in the complex is 61.58 (9) $^{\circ}$ . Intramolecular N—H···O and O—H···O hydrogen bonds are observed (Table 1). The complex molecules are connected via intermolecular O—H···O hydrogen bonds, forming a one-dimensional chain (Fig. 2).

### S2. Experimental


A mixture of Mn(CH<sub>3</sub>CO<sub>2</sub>)<sub>2</sub>·4H<sub>2</sub>O (0.122 g, 0.5 mmol), imina (0.392 g, 0.5 mmol), DMF (5 ml) and H<sub>2</sub>O (15 ml) was heated in a Teflon-lined steel bomb at 423 K for 3 d. Yellow crystals were obtained by slow evaporation of the solution at room temperature (yield: 78%). Analysis, calculated for C<sub>26</sub>H<sub>32</sub>MnN<sub>6</sub>O<sub>8</sub>: C 51.07, H 5.27, N 13.74%; found: C 51.02, H 5.23, N 13.70%.

### S3. Refinement

H atoms on C and N atoms were positioned geometrically and refined using a riding model, with C—H = 0.93–0.98 Å and N—H = 0.86 Å and with  $U_{\text{iso}}(\text{H}) = 1.2(1.5 \text{ for methyl})U_{\text{eq}}(\text{C,N})$ . The water H atoms were located in a difference Fourier map and refined as riding atoms, with O—H = 0.85 Å and  $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{O})$ . The highest residual electron density was found 1.08 Å from C22 and the deepest hole 0.33 Å from N5.

**Figure 1**


Molecular structure of the title compound. Displacement ellipsoids are drawn at the 50% probability level. H atoms have been omitted for clarity.

**Figure 2**

Part of the chain structure in the title compound. Dashed lines indicate hydrogen bonds.

### Diaquabis[2-(5-isopropyl-5-methyl-4-oxo-4,5-dihydro-1*H*-imidazol-2-yl- $\kappa$ N<sup>3</sup>)nicotinato- $\kappa$ N]manganese(II)

#### Crystal data



$M_r = 611.52$

Orthorhombic,  $Pbca$

Hall symbol: -P 2ac 2ab

$a = 12.620 (3) \text{ \AA}$

$b = 19.753 (4) \text{ \AA}$

$c = 23.017 (5) \text{ \AA}$

$V = 5738 (2) \text{ \AA}^3$

$Z = 8$

$F(000) = 2552$

$D_x = 1.416 \text{ Mg m}^{-3}$

Mo  $K\alpha$  radiation,  $\lambda = 0.71073 \text{ \AA}$

Cell parameters from 5733 reflections

$\theta = 2.4\text{--}27.9^\circ$

$\mu = 0.52 \text{ mm}^{-1}$

$T = 298 \text{ K}$

Block, yellow

$0.50 \times 0.48 \times 0.35 \text{ mm}$

*Data collection*

Bruker SMART 1000  
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

$\varphi$  and  $\omega$  scans

Absorption correction: multi-scan  
(*SADABS*; Sheldrick, 1996)

$T_{\min} = 0.782$ ,  $T_{\max} = 0.839$

25491 measured reflections

5057 independent reflections

3208 reflections with  $I > 2\sigma(I)$

$R_{\text{int}} = 0.055$

$\theta_{\max} = 25.0^\circ$ ,  $\theta_{\min} = 1.8^\circ$

$h = -14 \rightarrow 15$

$k = -23 \rightarrow 23$

$l = -14 \rightarrow 27$

*Refinement*

Refinement on  $F^2$

Least-squares matrix: full

$R[F^2 > 2\sigma(F^2)] = 0.057$

$wR(F^2) = 0.179$

$S = 1.06$

5057 reflections

376 parameters

5 restraints

Primary atom site location: structure-invariant  
direct methods

Secondary atom site location: difference Fourier  
map

Hydrogen site location: inferred from  
neighbouring sites

H-atom parameters constrained

$w = 1/[\sigma^2(F_o^2) + (0.0592P)^2 + 17.1897P]$   
where  $P = (F_o^2 + 2F_c^2)/3$

$(\Delta/\sigma)_{\max} < 0.001$

$\Delta\rho_{\max} = 1.08 \text{ e } \text{\AA}^{-3}$

$\Delta\rho_{\min} = -0.47 \text{ e } \text{\AA}^{-3}$

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
Mn1	0.28498 (5)	0.10909 (3)	0.37476 (3)	0.0311 (2)
N1	0.1631 (3)	0.19583 (18)	0.39468 (16)	0.0367 (9)
N2	0.2232 (4)	0.2701 (2)	0.25716 (17)	0.0490 (11)
H2	0.1965	0.3100	0.2544	0.059*
N3	0.2672 (3)	0.17162 (18)	0.29797 (15)	0.0355 (9)
N4	0.1688 (3)	0.02058 (18)	0.35275 (16)	0.0365 (9)
N5	0.2283 (4)	-0.0537 (2)	0.49061 (18)	0.0664 (15)
H5	0.2023	-0.0939	0.4929	0.080*
N6	0.2631 (3)	0.04717 (18)	0.45175 (15)	0.0350 (9)
O1	0.0913 (3)	0.42772 (17)	0.36537 (17)	0.0651 (11)
O2	0.1213 (4)	0.37586 (18)	0.28288 (17)	0.0650 (12)
O3	0.3547 (3)	0.12123 (19)	0.22133 (16)	0.0646 (11)
O4	0.0995 (3)	-0.21079 (17)	0.38402 (18)	0.0673 (12)
O5	0.1178 (5)	-0.1567 (2)	0.46503 (19)	0.110 (2)
O6	0.3470 (3)	0.09912 (18)	0.52887 (15)	0.0637 (11)
O7	0.4045 (3)	0.05333 (16)	0.32650 (15)	0.0475 (9)
H7A	0.3963	0.0573	0.2900	0.057*
H7B	0.4022	0.0115	0.3351	0.057*
O8	0.3971 (2)	0.16651 (15)	0.42592 (14)	0.0440 (8)
H8A	0.3819	0.1647	0.4619	0.053*
H8B	0.3977	0.2080	0.4162	0.053*
C1	0.1092 (3)	0.3765 (2)	0.3365 (2)	0.0391 (11)
C2	0.1627 (3)	0.2491 (2)	0.35795 (19)	0.0308 (10)
C3	0.1138 (3)	0.3108 (2)	0.37203 (19)	0.0301 (10)
C4	0.0613 (4)	0.3130 (2)	0.4252 (2)	0.0468 (13)

H4	0.0279	0.3528	0.4366	0.056*
C5	0.0578 (5)	0.2576 (3)	0.4611 (2)	0.0643 (17)
H5A	0.0199	0.2587	0.4958	0.077*
C6	0.1118 (5)	0.2006 (3)	0.4444 (2)	0.0565 (15)
H6	0.1123	0.1635	0.4693	0.068*
C7	0.2186 (4)	0.2319 (2)	0.30315 (18)	0.0341 (10)
C8	0.3063 (4)	0.1685 (2)	0.2425 (2)	0.0461 (12)
C9	0.2812 (4)	0.2346 (3)	0.2106 (2)	0.0473 (12)
C10	0.3824 (5)	0.2715 (3)	0.1936 (3)	0.0673 (17)
H10A	0.3653	0.3162	0.1803	0.101*
H10B	0.4173	0.2470	0.1631	0.101*
H10C	0.4284	0.2744	0.2267	0.101*
C11	0.2073 (5)	0.2211 (3)	0.1594 (2)	0.0609 (15)
H11	0.2455	0.1906	0.1331	0.073*
C12	0.1066 (5)	0.1839 (3)	0.1777 (3)	0.0666 (17)
H12A	0.1252	0.1447	0.2002	0.100*
H12B	0.0682	0.1700	0.1437	0.100*
H12C	0.0632	0.2135	0.2006	0.100*
C13	0.1825 (7)	0.2845 (4)	0.1247 (3)	0.095 (2)
H13A	0.1352	0.2734	0.0935	0.142*
H13B	0.2469	0.3029	0.1091	0.142*
H13C	0.1497	0.3174	0.1497	0.142*
C14	0.1122 (4)	-0.1588 (2)	0.4119 (2)	0.0452 (12)
C15	0.1655 (3)	-0.0322 (2)	0.39010 (18)	0.0309 (10)
C16	0.1191 (3)	-0.0941 (2)	0.3754 (2)	0.0339 (10)
C17	0.0734 (4)	-0.0981 (2)	0.3206 (2)	0.0443 (12)
H17	0.0420	-0.1385	0.3088	0.053*
C18	0.0735 (5)	-0.0442 (3)	0.2836 (2)	0.0543 (14)
H18	0.0406	-0.0469	0.2475	0.065*
C19	0.1235 (4)	0.0142 (3)	0.3011 (2)	0.0518 (14)
H19	0.1256	0.0508	0.2756	0.062*
C20	0.2189 (4)	-0.0141 (2)	0.44567 (19)	0.0373 (11)
C21	0.3027 (5)	0.0501 (3)	0.5075 (2)	0.0505 (13)
C22	0.2893 (5)	-0.0204 (3)	0.5368 (2)	0.0533 (12)
C23	0.3975 (5)	-0.0538 (3)	0.5459 (3)	0.0712 (17)
H23A	0.3879	-0.0982	0.5620	0.107*
H23B	0.4390	-0.0269	0.5721	0.107*
H23C	0.4336	-0.0573	0.5093	0.107*
C24	0.2253 (5)	-0.0186 (4)	0.5912 (3)	0.0735 (16)
H24	0.2100	-0.0655	0.6021	0.088*
C25	0.2858 (7)	0.0140 (4)	0.6421 (3)	0.101 (3)
H25A	0.3512	-0.0097	0.6482	0.152*
H25B	0.2434	0.0115	0.6767	0.152*
H25C	0.3004	0.0606	0.6332	0.152*
C26	0.1188 (6)	0.0170 (4)	0.5812 (3)	0.100 (2)
H26A	0.1310	0.0639	0.5726	0.150*
H26B	0.0760	0.0132	0.6155	0.150*
H26C	0.0828	-0.0039	0.5491	0.150*

Atomic displacement parameters ( $\text{\AA}^2$ )

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
Mn1	0.0387 (4)	0.0209 (3)	0.0337 (4)	-0.0009 (3)	-0.0012 (3)	0.0038 (3)
N1	0.047 (2)	0.029 (2)	0.034 (2)	0.0061 (17)	0.0065 (18)	0.0057 (17)
N2	0.078 (3)	0.031 (2)	0.037 (2)	0.015 (2)	0.004 (2)	0.0046 (19)
N3	0.049 (2)	0.0263 (19)	0.031 (2)	0.0067 (17)	0.0038 (17)	0.0039 (17)
N4	0.044 (2)	0.032 (2)	0.033 (2)	-0.0081 (17)	-0.0043 (18)	0.0033 (17)
N5	0.115 (4)	0.046 (3)	0.039 (2)	-0.034 (3)	-0.013 (3)	0.012 (2)
N6	0.047 (2)	0.0271 (19)	0.0307 (19)	-0.0084 (17)	-0.0055 (17)	0.0025 (17)
O1	0.097 (3)	0.0228 (18)	0.076 (3)	0.0018 (19)	0.020 (2)	-0.0028 (18)
O2	0.105 (3)	0.038 (2)	0.052 (2)	0.029 (2)	-0.003 (2)	0.0107 (18)
O3	0.097 (3)	0.051 (2)	0.046 (2)	0.028 (2)	0.019 (2)	0.0007 (18)
O4	0.090 (3)	0.0272 (19)	0.085 (3)	-0.0018 (19)	-0.016 (2)	0.003 (2)
O5	0.220 (6)	0.056 (3)	0.052 (3)	-0.075 (3)	-0.003 (3)	0.016 (2)
O6	0.099 (3)	0.050 (2)	0.042 (2)	-0.032 (2)	-0.020 (2)	0.0020 (18)
O7	0.056 (2)	0.0297 (17)	0.056 (2)	0.0084 (16)	0.0059 (18)	0.0029 (16)
O8	0.052 (2)	0.0286 (17)	0.052 (2)	-0.0086 (15)	-0.0028 (17)	0.0019 (16)
C1	0.031 (2)	0.027 (3)	0.059 (3)	0.0029 (19)	-0.002 (2)	-0.001 (2)
C2	0.030 (2)	0.028 (2)	0.034 (2)	0.0033 (18)	-0.0049 (19)	0.0007 (19)
C3	0.025 (2)	0.026 (2)	0.039 (2)	0.0009 (17)	-0.005 (2)	-0.001 (2)
C4	0.048 (3)	0.036 (3)	0.056 (3)	0.013 (2)	0.006 (3)	-0.006 (3)
C5	0.081 (4)	0.060 (4)	0.052 (3)	0.025 (3)	0.031 (3)	0.009 (3)
C6	0.075 (4)	0.045 (3)	0.049 (3)	0.018 (3)	0.024 (3)	0.016 (3)
C7	0.045 (3)	0.025 (2)	0.032 (2)	0.003 (2)	-0.003 (2)	0.004 (2)
C8	0.064 (3)	0.038 (3)	0.037 (3)	0.011 (3)	0.003 (2)	0.002 (2)
C9	0.056 (3)	0.046 (3)	0.040 (3)	0.006 (3)	0.004 (2)	0.003 (2)
C10	0.060 (4)	0.073 (4)	0.069 (4)	-0.018 (3)	0.014 (3)	0.013 (3)
C11	0.068 (4)	0.069 (4)	0.046 (3)	0.010 (3)	-0.005 (3)	-0.001 (3)
C12	0.060 (4)	0.072 (4)	0.068 (4)	-0.012 (3)	-0.016 (3)	-0.005 (3)
C13	0.109 (6)	0.103 (6)	0.073 (5)	0.009 (5)	-0.016 (4)	0.032 (4)
C14	0.047 (3)	0.033 (3)	0.056 (3)	-0.012 (2)	-0.005 (3)	0.005 (3)
C15	0.032 (2)	0.027 (2)	0.033 (2)	-0.0045 (18)	0.0043 (19)	0.0029 (19)
C16	0.032 (2)	0.028 (2)	0.042 (3)	-0.0045 (18)	0.004 (2)	-0.003 (2)
C17	0.047 (3)	0.033 (3)	0.053 (3)	-0.009 (2)	0.000 (2)	-0.007 (2)
C18	0.068 (4)	0.055 (3)	0.040 (3)	-0.021 (3)	-0.015 (3)	0.001 (3)
C19	0.067 (4)	0.050 (3)	0.039 (3)	-0.021 (3)	-0.012 (3)	0.010 (2)
C20	0.051 (3)	0.030 (2)	0.031 (2)	-0.009 (2)	0.000 (2)	0.003 (2)
C21	0.076 (4)	0.042 (3)	0.034 (3)	-0.013 (3)	-0.008 (3)	0.004 (2)
C22	0.064 (3)	0.051 (3)	0.045 (3)	-0.006 (2)	-0.005 (2)	-0.001 (3)
C23	0.081 (3)	0.066 (4)	0.066 (4)	0.016 (3)	-0.012 (3)	0.015 (3)
C24	0.085 (4)	0.084 (5)	0.052 (3)	-0.014 (3)	0.006 (3)	0.001 (3)
C25	0.164 (8)	0.097 (6)	0.043 (3)	-0.030 (6)	-0.006 (4)	-0.004 (4)
C26	0.077 (4)	0.148 (8)	0.075 (5)	0.003 (4)	0.018 (3)	-0.010 (5)

Geometric parameters ( $\text{\AA}$ ,  $\text{^{\circ}}$ )

Mn1—O8	2.163 (3)	C8—C9	1.533 (7)
Mn1—N3	2.168 (4)	C9—C10	1.520 (7)
Mn1—N6	2.171 (4)	C9—C11	1.525 (7)
Mn1—O7	2.173 (3)	C10—H10A	0.9600
Mn1—N4	2.337 (4)	C10—H10B	0.9600
Mn1—N1	2.348 (4)	C10—H10C	0.9600
N1—C6	1.318 (6)	C11—C13	1.519 (8)
N1—C2	1.350 (5)	C11—C12	1.527 (8)
N2—C7	1.301 (5)	C11—H11	0.9800
N2—C9	1.475 (6)	C12—H12A	0.9600
N2—H2	0.8600	C12—H12B	0.9600
N3—C7	1.345 (5)	C12—H12C	0.9600
N3—C8	1.369 (6)	C13—H13A	0.9600
N4—C19	1.325 (6)	C13—H13B	0.9600
N4—C15	1.351 (5)	C13—H13C	0.9600
N5—C20	1.303 (6)	C14—C16	1.531 (6)
N5—C22	1.468 (7)	C15—C16	1.398 (6)
N5—H5	0.8600	C15—C20	1.489 (6)
N6—C20	1.340 (5)	C16—C17	1.390 (7)
N6—C21	1.377 (6)	C17—C18	1.363 (7)
O1—C1	1.231 (6)	C17—H17	0.9300
O2—C1	1.243 (6)	C18—C19	1.376 (7)
O3—C8	1.218 (6)	C18—H18	0.9300
O4—C14	1.222 (6)	C19—H19	0.9300
O5—C14	1.225 (6)	C21—C22	1.556 (7)
O6—C21	1.222 (6)	C22—C24	1.492 (8)
O7—H7A	0.8499	C22—C23	1.531 (8)
O7—H7B	0.8500	C23—H23A	0.9600
O8—H8A	0.8500	C23—H23B	0.9600
O8—H8B	0.8500	C23—H23C	0.9600
C1—C3	1.536 (6)	C24—C26	1.534 (10)
C2—C3	1.403 (6)	C24—C25	1.539 (9)
C2—C7	1.485 (6)	C24—H24	0.9800
C3—C4	1.393 (7)	C25—H25A	0.9600
C4—C5	1.372 (7)	C25—H25B	0.9600
C4—H4	0.9300	C25—H25C	0.9600
C5—C6	1.372 (7)	C26—H26A	0.9600
C5—H5A	0.9300	C26—H26B	0.9600
C6—H6	0.9300	C26—H26C	0.9600
O8—Mn1—N3	102.29 (13)	H10B—C10—H10C	109.5
O8—Mn1—N6	86.22 (13)	C13—C11—C9	112.7 (5)
N3—Mn1—N6	166.75 (15)	C13—C11—C12	111.7 (5)
O8—Mn1—O7	95.15 (13)	C9—C11—C12	112.4 (5)
N3—Mn1—O7	86.80 (13)	C13—C11—H11	106.5
N6—Mn1—O7	102.69 (14)	C9—C11—H11	106.5

O8—Mn1—N4	157.06 (13)	C12—C11—H11	106.5
N3—Mn1—N4	100.64 (14)	C11—C12—H12A	109.5
N6—Mn1—N4	71.08 (13)	C11—C12—H12B	109.5
O7—Mn1—N4	86.87 (13)	H12A—C12—H12B	109.5
O8—Mn1—N1	86.55 (13)	C11—C12—H12C	109.5
N3—Mn1—N1	71.07 (13)	H12A—C12—H12C	109.5
N6—Mn1—N1	99.70 (14)	H12B—C12—H12C	109.5
O7—Mn1—N1	157.60 (13)	C11—C13—H13A	109.5
N4—Mn1—N1	100.21 (14)	C11—C13—H13B	109.5
C6—N1—C2	119.1 (4)	H13A—C13—H13B	109.5
C6—N1—Mn1	122.9 (3)	C11—C13—H13C	109.5
C2—N1—Mn1	116.7 (3)	H13A—C13—H13C	109.5
C7—N2—C9	109.8 (4)	H13B—C13—H13C	109.5
C7—N2—H2	125.1	O4—C14—O5	124.1 (5)
C9—N2—H2	125.1	O4—C14—C16	114.9 (5)
C7—N3—C8	106.7 (4)	O5—C14—C16	121.1 (5)
C7—N3—Mn1	118.7 (3)	N4—C15—C16	122.3 (4)
C8—N3—Mn1	134.2 (3)	N4—C15—C20	110.3 (4)
C19—N4—C15	118.9 (4)	C16—C15—C20	127.4 (4)
C19—N4—Mn1	122.4 (3)	C17—C16—C15	116.3 (4)
C15—N4—Mn1	117.3 (3)	C17—C16—C14	115.3 (4)
C20—N5—C22	110.7 (4)	C15—C16—C14	128.4 (4)
C20—N5—H5	124.7	C18—C17—C16	121.5 (4)
C22—N5—H5	124.7	C18—C17—H17	119.2
C20—N6—C21	106.6 (4)	C16—C17—H17	119.2
C20—N6—Mn1	118.5 (3)	C17—C18—C19	118.2 (5)
C21—N6—Mn1	133.7 (3)	C17—C18—H18	120.9
Mn1—O7—H7A	111.9	C19—C18—H18	120.9
Mn1—O7—H7B	110.5	N4—C19—C18	122.7 (5)
H7A—O7—H7B	108.4	N4—C19—H19	118.6
Mn1—O8—H8A	111.1	C18—C19—H19	118.6
Mn1—O8—H8B	111.5	N5—C20—N6	114.9 (4)
H8A—O8—H8B	107.4	N5—C20—C15	125.4 (4)
O1—C1—O2	124.6 (5)	N6—C20—C15	119.6 (4)
O1—C1—C3	114.4 (4)	O6—C21—N6	125.0 (5)
O2—C1—C3	121.0 (4)	O6—C21—C22	125.7 (4)
N1—C2—C3	122.3 (4)	N6—C21—C22	109.1 (4)
N1—C2—C7	110.6 (4)	N5—C22—C24	109.6 (5)
C3—C2—C7	127.2 (4)	N5—C22—C23	112.0 (5)
C4—C3—C2	116.1 (4)	C24—C22—C23	112.2 (5)
C4—C3—C1	115.1 (4)	N5—C22—C21	98.3 (4)
C2—C3—C1	128.9 (4)	C24—C22—C21	113.7 (5)
C5—C4—C3	121.3 (4)	C23—C22—C21	110.4 (5)
C5—C4—H4	119.3	C22—C23—H23A	109.5
C3—C4—H4	119.3	C22—C23—H23B	109.5
C4—C5—C6	118.0 (5)	H23A—C23—H23B	109.5
C4—C5—H5A	121.0	C22—C23—H23C	109.5
C6—C5—H5A	121.0	H23A—C23—H23C	109.5

N1—C6—C5	123.1 (5)	H23B—C23—H23C	109.5
N1—C6—H6	118.5	C22—C24—C26	111.0 (5)
C5—C6—H6	118.5	C22—C24—C25	112.4 (6)
N2—C7—N3	114.9 (4)	C26—C24—C25	111.0 (6)
N2—C7—C2	125.4 (4)	C22—C24—H24	107.4
N3—C7—C2	119.7 (4)	C26—C24—H24	107.4
O3—C8—N3	126.1 (4)	C25—C24—H24	107.4
O3—C8—C9	124.4 (4)	C24—C25—H25A	109.5
N3—C8—C9	109.6 (4)	C24—C25—H25B	109.5
N2—C9—C10	112.1 (4)	H25A—C25—H25B	109.5
N2—C9—C11	110.0 (4)	C24—C25—H25C	109.5
C10—C9—C11	113.6 (5)	H25A—C25—H25C	109.5
N2—C9—C8	99.1 (4)	H25B—C25—H25C	109.5
C10—C9—C8	110.9 (5)	C24—C26—H26A	109.5
C11—C9—C8	110.3 (4)	C24—C26—H26B	109.5
C9—C10—H10A	109.5	H26A—C26—H26B	109.5
C9—C10—H10B	109.5	C24—C26—H26C	109.5
H10A—C10—H10B	109.5	H26A—C26—H26C	109.5
C9—C10—H10C	109.5	H26B—C26—H26C	109.5
H10A—C10—H10C	109.5		
O8—Mn1—N1—C6	-79.3 (4)	C3—C2—C7—N3	175.8 (4)
N3—Mn1—N1—C6	176.5 (5)	C7—N3—C8—O3	-179.3 (5)
N6—Mn1—N1—C6	6.3 (4)	Mn1—N3—C8—O3	9.4 (9)
O7—Mn1—N1—C6	-174.4 (4)	C7—N3—C8—C9	1.4 (6)
N4—Mn1—N1—C6	78.7 (4)	Mn1—N3—C8—C9	-169.9 (3)
O8—Mn1—N1—C2	87.5 (3)	C7—N2—C9—C10	-117.0 (5)
N3—Mn1—N1—C2	-16.8 (3)	C7—N2—C9—C11	115.7 (5)
N6—Mn1—N1—C2	173.1 (3)	C7—N2—C9—C8	0.1 (5)
O7—Mn1—N1—C2	-7.7 (6)	O3—C8—C9—N2	179.8 (5)
N4—Mn1—N1—C2	-114.6 (3)	N3—C8—C9—N2	-0.9 (5)
O8—Mn1—N3—C7	-68.3 (3)	O3—C8—C9—C10	-62.2 (7)
N6—Mn1—N3—C7	60.8 (8)	N3—C8—C9—C10	117.0 (5)
O7—Mn1—N3—C7	-162.9 (3)	O3—C8—C9—C11	64.5 (7)
N4—Mn1—N3—C7	110.9 (3)	N3—C8—C9—C11	-116.2 (5)
N1—Mn1—N3—C7	13.6 (3)	N2—C9—C11—C13	73.7 (6)
O8—Mn1—N3—C8	102.1 (5)	C10—C9—C11—C13	-52.8 (7)
N6—Mn1—N3—C8	-128.7 (6)	C8—C9—C11—C13	-178.1 (5)
O7—Mn1—N3—C8	7.5 (5)	N2—C9—C11—C12	-53.7 (6)
N4—Mn1—N3—C8	-78.7 (5)	C10—C9—C11—C12	179.8 (5)
N1—Mn1—N3—C8	-175.9 (5)	C8—C9—C11—C12	54.6 (6)
O8—Mn1—N4—C19	-173.7 (4)	C19—N4—C15—C16	2.4 (7)
N3—Mn1—N4—C19	8.3 (4)	Mn1—N4—C15—C16	-164.7 (3)
N6—Mn1—N4—C19	177.6 (4)	C19—N4—C15—C20	-178.9 (4)
O7—Mn1—N4—C19	-77.8 (4)	Mn1—N4—C15—C20	14.0 (5)
N1—Mn1—N4—C19	80.7 (4)	N4—C15—C16—C17	-2.0 (7)
O8—Mn1—N4—C15	-7.0 (6)	C20—C15—C16—C17	179.6 (4)
N3—Mn1—N4—C15	174.9 (3)	N4—C15—C16—C14	177.9 (4)

N6—Mn1—N4—C15	−15.8 (3)	C20—C15—C16—C14	−0.6 (8)
O7—Mn1—N4—C15	88.8 (3)	O4—C14—C16—C17	22.3 (6)
N1—Mn1—N4—C15	−112.6 (3)	O5—C14—C16—C17	−156.7 (6)
O8—Mn1—N6—C20	−162.1 (4)	O4—C14—C16—C15	−157.6 (5)
N3—Mn1—N6—C20	67.3 (7)	O5—C14—C16—C15	23.5 (8)
O7—Mn1—N6—C20	−67.6 (4)	C15—C16—C17—C18	−0.4 (7)
N4—Mn1—N6—C20	14.5 (3)	C14—C16—C17—C18	179.7 (5)
N1—Mn1—N6—C20	112.1 (4)	C16—C17—C18—C19	2.2 (8)
O8—Mn1—N6—C21	3.2 (5)	C15—N4—C19—C18	−0.5 (8)
N3—Mn1—N6—C21	−127.4 (6)	Mn1—N4—C19—C18	166.0 (4)
O7—Mn1—N6—C21	97.6 (5)	C17—C18—C19—N4	−1.8 (9)
N4—Mn1—N6—C21	179.8 (5)	C22—N5—C20—N6	−1.6 (7)
N1—Mn1—N6—C21	−82.7 (5)	C22—N5—C20—C15	177.6 (5)
C6—N1—C2—C3	3.1 (7)	C21—N6—C20—N5	−2.7 (6)
Mn1—N1—C2—C3	−164.1 (3)	Mn1—N6—C20—N5	166.2 (4)
C6—N1—C2—C7	−176.3 (4)	C21—N6—C20—C15	178.1 (4)
Mn1—N1—C2—C7	16.5 (5)	Mn1—N6—C20—C15	−13.0 (6)
N1—C2—C3—C4	−2.8 (6)	N4—C15—C20—N5	179.5 (5)
C7—C2—C3—C4	176.5 (4)	C16—C15—C20—N5	−1.9 (8)
N1—C2—C3—C1	177.9 (4)	N4—C15—C20—N6	−1.4 (6)
C7—C2—C3—C1	−2.8 (7)	C16—C15—C20—N6	177.2 (4)
O1—C1—C3—C4	22.3 (6)	C20—N6—C21—O6	−178.5 (6)
O2—C1—C3—C4	−156.6 (5)	Mn1—N6—C21—O6	15.0 (9)
O1—C1—C3—C2	−158.4 (5)	C20—N6—C21—C22	5.6 (6)
O2—C1—C3—C2	22.7 (7)	Mn1—N6—C21—C22	−160.9 (4)
C2—C3—C4—C5	−0.3 (7)	C20—N5—C22—C24	123.4 (6)
C1—C3—C4—C5	179.1 (5)	C20—N5—C22—C23	−111.5 (6)
C3—C4—C5—C6	2.9 (9)	C20—N5—C22—C21	4.5 (6)
C2—N1—C6—C5	−0.2 (9)	O6—C21—C22—N5	178.0 (6)
Mn1—N1—C6—C5	166.2 (5)	N6—C21—C22—N5	−6.1 (6)
C4—C5—C6—N1	−2.7 (10)	O6—C21—C22—C24	62.3 (8)
C9—N2—C7—N3	0.8 (6)	N6—C21—C22—C24	−121.8 (5)
C9—N2—C7—C2	−177.3 (4)	O6—C21—C22—C23	−64.8 (8)
C8—N3—C7—N2	−1.4 (6)	N6—C21—C22—C23	111.1 (5)
Mn1—N3—C7—N2	171.4 (3)	N5—C22—C24—C26	−56.6 (7)
C8—N3—C7—C2	176.8 (4)	C23—C22—C24—C26	178.3 (6)
Mn1—N3—C7—C2	−10.3 (5)	C21—C22—C24—C26	52.2 (7)
N1—C2—C7—N2	173.2 (5)	N5—C22—C24—C25	178.4 (5)
C3—C2—C7—N2	−6.2 (8)	C23—C22—C24—C25	53.4 (8)
N1—C2—C7—N3	−4.9 (6)	C21—C22—C24—C25	−72.8 (7)

Hydrogen-bond geometry ( $\text{\AA}$ ,  $^\circ$ )

D—H···A	D—H	H···A	D···A	D—H···A
N2—H2···O2	0.86	1.74	2.524 (5)	151
N5—H5···O5	0.86	1.76	2.535 (6)	149
O7—H7A···O3	0.85	2.09	2.838 (5)	147
O7—H7B···O1 <sup>i</sup>	0.85	1.80	2.638 (5)	170

---

O8—H8A…O6	0.85	2.06	2.791 (5)	143
O8—H8B…O4 <sup>ii</sup>	0.85	1.77	2.609 (5)	171

---

Symmetry codes: (i)  $-x+1/2, y-1/2, z$ ; (ii)  $-x+1/2, y+1/2, z$ .