Acta Crystallographica Section E
Structure Reports Online
ISSN 1600-5368

Diaquabis(5-methyl-1,2-oxazole-3-carboxylato-κ^2N,O^3)cobalt(II) dihydrate

Yan Wang* and Jing Zhao

Ordered Matter Science Research Center, College of Chemistry and Chemical Engineering, Southeast University, Nanjing 210096, People's Republic of China
Correspondence e-mail: chmsunbw@seu.edu.cn

Received 3 December 2011; accepted 12 December 2011

Key indicators: single-crystal X-ray study; T = 296 K; mean σ(C–C) = 0.003 Å; R factor = 0.028; wR factor = 0.078; data-to-parameter ratio = 10.9.

In the title compound, $[Co(C_5H_4NO_3)_2(H_2O)_2]\cdot 2H_2O$, the coordination polyhedron around the six-coordinate Co^{II} ion is formed by two equatorial 5-methylisoxazole-3-carboxylate ligands in an N,O^3-bidentate fashion through the isoxazole N atom and a carboxylate O atom, and by two axial water ligands. The asymmetric unit consists of half of the complex and one water molecule (the full comlex being completed by application of inversion). In the crystal, the water molecules participate in the formation of an intricate three-dimensional network of hydrogen bonds involving the coordinated water molecule and the carboxylate groups.

Related literature

For a related structure, see: Luo *et al.* (2011).



Experimental

Crystal data

$[Co(C_5H_4NO_3)_2(H_2O)_2]\cdot 2H_2O$
M_r = 383.18
Monoclinic, $P2_1/n$
a = 5.260 (3) Å
b = 18.528 (10) Å
c = 8.077 (4) Å
β = 103.707 (6)°
V = 764.9 (7) Å^3
Z = 2
Mo $K\alpha$ radiation
μ = 1.18 mm^{-1}
T = 296 K
0.20 × 0.20 × 0.20 mm

Data collection

Rigaku SCXmini diffractometer
Absorption correction: multi-scan (*CrystalClear*; Rigaku, 2005)
T_{min} = 0.983, T_{max} = 0.983
5217 measured reflections
1344 independent reflections
1202 reflections with $I > 2\sigma(I)$
R_{int} = 0.034

Refinement

$R[F^2 > 2\sigma(F^2)]$ = 0.028
$wR(F^2)$ = 0.078
S = 1.06
1344 reflections
123 parameters
H atoms treated by a mixture of independent and constrained refinement
$\Delta\rho_{max}$ = 0.28 e Å^{-3}
$\Delta\rho_{min}$ = −0.38 e Å^{-3}

Table 1
Hydrogen-bond geometry (Å, °).

D—H···A	D—H	H···A	D···A	D—H···A
O4—H4A···O1^{i}	0.83 (5)	2.07 (5)	2.890 (3)	172 (4)
O4—H4B···O1^{ii}	0.83 (4)	2.03 (4)	2.853 (3)	172 (3)
O3—H3B···O2^{ii}	0.82 (4)	2.07 (4)	2.852 (3)	161 (3)
O3—H3A···O4	0.76 (3)	1.95 (3)	2.696 (3)	167 (3)

Symmetry codes: (i) $x-\frac{1}{2}, -y+\frac{1}{2}, z+\frac{1}{2}$; (ii) $x-1, y, z$.

Data collection: *CrystalClear* (Rigaku, 2005); cell refinement: *CrystalClear*; data reduction: *CrystalClear*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *DIAMOND* (Brandenburg & Putz, 2005); software used to prepare material for publication: *SHELXL97*.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: VM2142).

References

Brandenburg, K. & Putz, H. (2005). *DIAMOND*. Crystal Impact GbR, Bonn, Germany.
Luo, Y.-H., Qian, X.-M., Gao, G., Li, J.-F. & Mao, S.-L. (2011). *Acta Cryst.* E**67**, m172.
Rigaku. (2005). *CrystalClear*. Rigaku Corporation, Tokyo, Japan.
Sheldrick, G. M. (2008). *Acta Cryst.* A**64**, 112–122.

supporting information

Acta Cryst. (2012). E**68**, m69 [doi:10.1107/S1600536811053414]

Diaquabis(5-methyl-1,2-oxazole-3-carboxylato-κ^2N,O^3)cobalt(II) dihydrate

Yan Wang and Jing Zhao

S1. Comment

Isoxazole derivatives are versatile ligands towards transition metal ions both in man-made and natural systems. They are not only used as (bio)catalysts but also for dioxygen transport and electron storage (Luo *et al.*, 2011). As part of our interest in isoxazole derivatives, we report here the crystal structure of a new cobalt complex.

The molecular structure of the title compound is shown in Fig. 1. All non-H atoms, except O3 and O4, are located in the same plane with an r.m.s. deviation of 0.0247 Å.

The coordination polyhedron around the six coordinated central Co^{II} ion is described as a octahedron, formed by two equatorial 5-methylisoxazole-3-carboxylates in an O, N bidentate fashion through the isoxazole nitrogen and the carboxylate oxygen atoms and by two axial water ligands.

The title compound forms a three-dimensional structure *via* intermolecular O—H···O hydrogen bonds interactions (Table 1, Fig. 2).

S2. Experimental

0.06 g $CoCl_2.6H_2O$ (mg) was added to a methanol solution of 0.06 g 5-methyl-3-isoxazolecarboxylic acid and stirred for three h at room temperature. The resulting solution was filtered off and allowed to evaporate at room temperature. Pillar pink crystals of the title compound were obtained within 3 days.

S3. Refinement

All H atoms attached to C atoms were fixed geometrically and treated as riding with C—H = 0.93 Å (CH), C—H = 0.96 Å (CH_3) with U_{iso}(H) = 1.2U_{eq}(CH) and U_{iso}(H) = 1.5U_{eq}(CH_3). H atoms of water molecules were located in difference Fourier maps and included in the subsequent refinement using restraints (O—H= 0.79 (1) Å with U_{iso}(H) = 1.5U_{eq}(O) or U_{iso}(H) = 2.0 U_{eq}(O). In the last cycles of refinement, they were treated as riding on their parent O atoms.



Figure 1

The molecular structure of the title compound with the atom-labelling scheme. Displacement ellipsoids are drawn at the 30% probability level. H atoms are represented as small spheres of arbitrary radii. Symmetry code: (A) -*x*+1, -*y*, -*z*+1.



Figure 2

A packing view down the *a* axis showing the three dimensional network. Intermolecular hydrogen bonds are shown as dashed lines.

Diaquabis(5-methyl-1,2-oxazole-3-carboxylato-κ^2N,O^3)cobalt(II) dihydrate

Crystal data

$[Co(C_5H_4NO_3)_2(H_2O)_2]\cdot 2H_2O$
$M_r = 383.18$
Monoclinic, $P2_1/n$
Hall symbol: -P 2yn
$a = 5.260$ (3) Å
$b = 18.528$ (10) Å
$c = 8.077$ (4) Å
$\beta = 103.707$ (6)°
$V = 764.9$ (7) Å^3
$Z = 2$
$F(000) = 394$
$D_x = 1.664$ Mg m^{-3}
Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å
Cell parameters from 1344 reflections
$\theta = 2.2$–25.0°
$\mu = 1.18$ mm^{-1}

T = 296 K
Pillar, pink

0.20 × 0.20 × 0.20 mm

Data collection

Rigaku SCXmini diffractometer
Radiation source: fine-focus sealed tube
Graphite monochromator
Detector resolution: 13.6612 pixels mm^{-1}
CCD_Profile_fitting scans
Absorption correction: multi-scan (*CrystalClear*; Rigaku, 2005)
T_{min} = 0.983, T_{max} = 0.983

5217 measured reflections
1344 independent reflections
1202 reflections with $I > 2\sigma(I)$
R_{int} = 0.034
θ_{max} = 25.0°, θ_{min} = 2.2°
h = −6→6
k = −22→22
l = −9→9

Refinement

Refinement on F^2
Least-squares matrix: full
$R[F^2 > 2\sigma(F^2)]$ = 0.028
$wR(F^2)$ = 0.078
S = 1.06
1344 reflections
123 parameters
0 restraints
Primary atom site location: structure-invariant direct methods

Secondary atom site location: difference Fourier map
Hydrogen site location: inferred from neighbouring sites
H atoms treated by a mixture of independent and constrained refinement
$w = 1/[\sigma^2(F_o^2) + (0.0428P)^2 + 0.2614P]$ where $P = (F_o^2 + 2F_c^2)/3$
$(\Delta/\sigma)_{max} < 0.001$
$\Delta\rho_{max}$ = 0.28 e Å^{-3}
$\Delta\rho_{min}$ = −0.38 e Å^{-3}

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R-factor wR and goodness of fit S are based on F^2, conventional R-factors R are based on F, with F set to zero for negative F^2. The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R-factors(gt) *etc*. and is not relevant to the choice of reflections for refinement. R-factors based on F^2 are statistically about twice as large as those based on F, and R- factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (Å^2)

	x	y	z	U_{iso}*/U_{eq}
Co1	0.5000	0.0000	0.5000	0.02592 (16)
O1	0.8288 (3)	0.18878 (7)	0.38174 (19)	0.0361 (4)
O5	0.0881 (3)	0.06221 (8)	0.16193 (19)	0.0345 (4)
O2	0.7638 (3)	0.08451 (7)	0.50526 (17)	0.0293 (3)
N1	0.3171 (3)	0.06356 (9)	0.2896 (2)	0.0312 (4)
O3	0.3032 (4)	0.05798 (10)	0.6557 (2)	0.0369 (4)
C5	0.6992 (4)	0.13440 (10)	0.3955 (3)	0.0266 (4)
C4	0.4387 (4)	0.12311 (10)	0.2705 (3)	0.0270 (4)
C3	0.2957 (4)	0.16322 (12)	0.1325 (3)	0.0330 (5)
H3	0.3393	0.2077	0.0937	0.040*
C1	−0.1485 (5)	0.13125 (15)	−0.0775 (3)	0.0462 (6)
H1A	−0.1458	0.1782	−0.1275	0.069*
H1B	−0.3060	0.1259	−0.0382	0.069*

H1C	−0.1427	0.0949	−0.1612	0.069*
C2	0.0819 (4)	0.12328 (12)	0.0685 (3)	0.0313 (5)
O4	0.3191 (4)	0.20264 (10)	0.6234 (3)	0.0511 (5)
H3A	0.332 (6)	0.0981 (18)	0.655 (4)	0.051 (9)*
H3B	0.144 (8)	0.0564 (18)	0.623 (5)	0.081 (12)*
H4B	0.175 (8)	0.2028 (19)	0.555 (5)	0.080 (12)*
H4A	0.309 (7)	0.232 (2)	0.698 (5)	0.093 (13)*

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
Co1	0.0265 (2)	0.0213 (2)	0.0275 (3)	−0.00130 (14)	0.00157 (17)	0.00343 (14)
O1	0.0380 (8)	0.0292 (8)	0.0374 (9)	−0.0093 (6)	0.0014 (7)	0.0050 (7)
O5	0.0321 (8)	0.0325 (8)	0.0324 (8)	−0.0032 (6)	−0.0051 (6)	0.0006 (6)
O2	0.0287 (7)	0.0267 (7)	0.0290 (8)	−0.0024 (6)	−0.0002 (6)	0.0046 (6)
N1	0.0300 (9)	0.0284 (9)	0.0301 (10)	−0.0019 (7)	−0.0030 (7)	0.0033 (7)
O3	0.0360 (10)	0.0318 (10)	0.0424 (10)	0.0002 (7)	0.0082 (7)	−0.0041 (7)
C5	0.0281 (10)	0.0244 (10)	0.0269 (11)	−0.0005 (8)	0.0059 (8)	−0.0007 (8)
C4	0.0297 (10)	0.0254 (10)	0.0252 (11)	−0.0006 (8)	0.0052 (8)	0.0007 (8)
C3	0.0374 (11)	0.0294 (11)	0.0305 (11)	0.0014 (9)	0.0048 (9)	0.0085 (9)
C1	0.0409 (13)	0.0579 (16)	0.0329 (13)	0.0074 (11)	−0.0051 (10)	0.0006 (11)
C2	0.0344 (11)	0.0343 (11)	0.0234 (11)	0.0064 (9)	0.0031 (9)	0.0012 (9)
O4	0.0483 (11)	0.0376 (10)	0.0598 (12)	0.0073 (8)	−0.0024 (9)	−0.0118 (9)

Geometric parameters (Å, º)

Co1—O2^{i}	2.0860 (16)	O3—H3B	0.82 (4)
Co1—O2	2.0860 (16)	C5—C4	1.512 (3)
Co1—N1^{i}	2.1035 (18)	C4—C3	1.401 (3)
Co1—N1	2.1035 (18)	C3—C2	1.343 (3)
Co1—O3^{i}	2.1038 (18)	C3—H3	0.9300
Co1—O3	2.1038 (18)	C1—C2	1.485 (3)
O1—C5	1.236 (2)	C1—H1A	0.9600
O5—C2	1.356 (3)	C1—H1B	0.9600
O5—N1	1.388 (2)	C1—H1C	0.9600
O2—C5	1.270 (2)	O4—H4B	0.83 (4)
N1—C4	1.303 (3)	O4—H4A	0.83 (5)
O3—H3A	0.76 (3)		
O2^{i}—Co1—O2	180.00 (5)	Co1—O3—H3B	113 (3)
O2^{i}—Co1—N1^{i}	76.76 (6)	H3A—O3—H3B	103 (3)
O2—Co1—N1^{i}	103.24 (6)	O1—C5—O2	126.42 (19)
O2^{i}—Co1—N1	103.24 (6)	O1—C5—C4	119.00 (17)
O2—Co1—N1	76.76 (6)	O2—C5—C4	114.57 (16)
N1^{i}—Co1—N1	180.0	N1—C4—C3	110.96 (18)
O2^{i}—Co1—O3^{i}	91.37 (8)	N1—C4—C5	115.51 (17)
O2—Co1—O3^{i}	88.63 (8)	C3—C4—C5	133.53 (18)
N1^{i}—Co1—O3^{i}	90.08 (8)	C2—C3—C4	104.87 (19)

N1—Co1—O3^{i}	89.92 (8)	C2—C3—H3	127.6
O2^{i}—Co1—O3	88.63 (8)	C4—C3—H3	127.6
O2—Co1—O3	91.37 (8)	C2—C1—H1A	109.5
N1^{i}—Co1—O3	89.92 (8)	C2—C1—H1B	109.5
N1—Co1—O3	90.08 (8)	H1A—C1—H1B	109.5
O3^{i}—Co1—O3	180.00 (7)	C2—C1—H1C	109.5
C2—O5—N1	107.48 (15)	H1A—C1—H1C	109.5
C5—O2—Co1	117.73 (12)	H1B—C1—H1C	109.5
C4—N1—O5	106.92 (16)	C3—C2—O5	109.77 (18)
C4—N1—Co1	115.26 (13)	C3—C2—C1	134.6 (2)
O5—N1—Co1	137.76 (13)	O5—C2—C1	115.60 (19)
Co1—O3—H3A	112 (2)	H4B—O4—H4A	106 (3)

Symmetry code: (i) −*x*+1, −*y*, −*z*+1.

Hydrogen-bond geometry (Å, º)

D—H···*A*	*D*—H	H···*A*	*D*···*A*	*D*—H···*A*
O4—H4*A*···O1^{ii}	0.83 (5)	2.07 (5)	2.890 (3)	172 (4)
O4—H4*B*···O1^{iii}	0.83 (4)	2.03 (4)	2.853 (3)	172 (3)
O3—H3*B*···O2^{iii}	0.82 (4)	2.07 (4)	2.852 (3)	161 (3)
O3—H3*A*···O4	0.76 (3)	1.95 (3)	2.696 (3)	167 (3)

Symmetry codes: (ii) *x*−1/2, −*y*+1/2, *z*+1/2; (iii) *x*−1, *y*, *z*.