

## catena-Poly[(dichloridozinc)- $\mu$ -4,4'-bis-[(1H-imidazol-1-yl)methyl]biphenyl- $\kappa^2 N^3:N^3'$ ]

Cheng Wang,<sup>a</sup> Bo Wen,<sup>b</sup> Zhi-Yao Sun,<sup>a</sup> Peng-Fei Yan<sup>a</sup> and Jin-Sheng Gao<sup>b\*</sup>

<sup>a</sup>Key Laboratory of Functional Inorganic Material Chemistry, Ministry of Education, Heilongjiang University, Harbin 150080, People's Republic of China, and

<sup>b</sup>Engineering Research Center of Pesticide of Heilongjiang University, Heilongjiang University, Harbin 150050, People's Republic of China

Correspondence e-mail: hgf1000@163.com


Received 20 March 2012; accepted 31 March 2012

Key indicators: single-crystal X-ray study;  $T = 293\text{ K}$ ; mean  $\sigma(\text{C}-\text{C}) = 0.003\text{ \AA}$ ;  $R$  factor = 0.031;  $wR$  factor = 0.083; data-to-parameter ratio = 17.9.

In the title compound,  $[\text{ZnCl}_2(\text{C}_{20}\text{H}_{18}\text{N}_4)]_n$ , the  $\text{Zn}^{II}$  ion lies on a twofold rotation axis and is four-coordinated in a tetrahedral geometry defined by two Cl anions and two N atoms from two 4,4'-bis[(imidazol-1-yl)methyl]biphenyl ligands. The mid-point of the ligand is located on an inversion center, and shows a *trans* conformation. The ligands link the  $\text{Zn}^{II}$  ions, forming a chain structure along [101].

### Related literature

For the synthesis of the ligand, see: Zhu *et al.* (2002).



### Experimental

#### Crystal data

$[\text{ZnCl}_2(\text{C}_{20}\text{H}_{18}\text{N}_4)]$

$M_r = 450.67$

Monoclinic,  $C2/c$   
 $a = 22.837(5)\text{ \AA}$   
 $b = 5.9004(12)\text{ \AA}$   
 $c = 16.012(3)\text{ \AA}$   
 $\beta = 117.08(3)^\circ$   
 $V = 1921.0(9)\text{ \AA}^3$

$Z = 4$   
Mo  $K\alpha$  radiation  
 $\mu = 1.57\text{ mm}^{-1}$   
 $T = 293\text{ K}$   
 $0.36 \times 0.20 \times 0.18\text{ mm}$

#### Data collection

Rigaku R-AXIS RAPID diffractometer  
Absorption correction: multi-scan (*ABSCOR*; Higashi, 1995)  
 $T_{\min} = 0.601$ ,  $T_{\max} = 0.765$

8827 measured reflections  
2204 independent reflections  
1890 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.027$

#### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.031$   
 $wR(F^2) = 0.083$   
 $S = 1.07$   
2204 reflections

123 parameters  
H-atom parameters constrained  
 $\Delta\rho_{\max} = 0.32\text{ e \AA}^{-3}$   
 $\Delta\rho_{\min} = -0.24\text{ e \AA}^{-3}$

**Table 1**  
Selected bond lengths ( $\text{\AA}$ ).

Zn1–Cl1	2.2349 (9)	Zn1–N1	2.0224 (16)
---------	------------	--------	-------------

Data collection: *RAPID-AUTO* (Rigaku, 1998); cell refinement: *RAPID-AUTO*; data reduction: *CrystalClear* (Rigaku/MSC, 2002); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXTL*.

This work was supported in part by the NSFC (Nos. 51143002, 21072049, 21072050, 21110402016 and 21074031), the CPDF (No. 201104456), the HLJNSF of Heilongjiang (Nos. E201118, E201144), the Abroad Person with Ability Foundation of Heilongjiang Province (No. 2010td03) and the Innovation Fellowship Foundation of Heilongjiang University (No. Hdtd2010-11).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HY2529).

### References

- Higashi, T. (1995). *ABSCOR*. Rigaku Corporation, Tokyo, Japan.  
Rigaku (1998). *RAPID-AUTO*. Rigaku Corporation, Tokyo, Japan.  
Rigaku/MSC (2002). *CrystalClear*. Rigaku/MSC Inc., The Woodlands, Texas, USA.  
Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.  
Zhu, H.-F., Zhao, W., Okamura, T., Fei, B.-L., Sun, W.-Y. & Ueyama, N. (2002). *New J. Chem.* **26**, 1277–1279.

# supporting information

*Acta Cryst.* (2012). E68, m576 [doi:10.1107/S1600536812014043]

## **catena-Poly[(dichloridozinc)- $\mu$ -4,4'-bis[(1*H*-imidazol-1-yl)methyl]biphenyl- $\kappa^2N^3:N^3'$ ]**

**Cheng Wang, Bo Wen, Zhi-Yao Sun, Peng-Fei Yan and Jin-Sheng Gao**

### S1. Comment

N-containing ligands with an arene center have been widely used as building blocks for constructing inorganic-organic supramolecular architectures. Herein, we report the title compound constructed from 4,4'-(dimethylenebiphenyl)-diimidazole and ZnCl<sub>2</sub>.


In the title compound, the Zn<sup>II</sup> ion lies on a twofold rotation axis and is four-coordinated in a tetrahedral environment defined by two Cl anions and two N atoms from two ligands (Fig. 1, Table 1). The mid-point of the ligand is located in an inversion center. The ligands showing a *trans* conformation link the Zn<sup>II</sup> ions into a chain structure along [1 0  $\bar{1}$ ] (Fig. 2).

### S2. Experimental

The 4,4'-(dimethylenebiphenyl)diimidazol ligand was synthesized followed the reference method (Zhu *et al.*, 2002). ZnCl<sub>2</sub> (0.140 g, 1 mmol) and ligand (0.32 g, 1 mmol) were dissolved in a mixed solution of 4 ml ethanol and 4 ml water. After stirring the suspension was sealed in a 18 ml Teflon-lined autoclave and heated at 140°C for 5 days. After slow cooling to room temperature, colorless block crystals were filtered and washed with distilled water (yield: 35% based on Zn).


### S3. Refinement

H atoms bound to C atoms were placed in calculated positions and treated as riding atoms, with C—H = 0.93 (aromatic) and 0.97 (methylene) Å and with  $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$ .



**Figure 1**

The asymmetric unit of the title compound, showing displacement ellipsoids at the 50% probability level. [Symmetry codes: (i) -x, y, 1/2-z; (ii) 1/2-x, -1/2-y, -z.]

**Figure 2**

A partial packing view, showing the chain structure along  $[1\ 0\ \bar{1}]$ .

### **catena-Poly[(dichloridozinc)- $\mu$ -4,4'-bis[(1*H*-imidazol-1-yl)methyl]biphenyl- $\kappa^2N^3;N^3']$**

#### *Crystal data*

$[\text{ZnCl}_2(\text{C}_{20}\text{H}_{18}\text{N}_4)]$

$M_r = 450.67$

Monoclinic,  $C2/c$

Hall symbol: -C 2yc

$a = 22.837(5)$  Å

$b = 5.9004(12)$  Å

$c = 16.012(3)$  Å

$\beta = 117.08(3)^\circ$

$V = 1921.0(9)$  Å<sup>3</sup>

$Z = 4$

$F(000) = 920$

$D_x = 1.558$  Mg m<sup>-3</sup>

Mo  $K\alpha$  radiation,  $\lambda = 0.71073$  Å

Cell parameters from 7615 reflections

$\theta = 3.6\text{--}27.5^\circ$

$\mu = 1.57$  mm<sup>-1</sup>

$T = 293$  K

Block, colorless

$0.36 \times 0.20 \times 0.18$  mm

#### *Data collection*

Rigaku R-AXIS RAPID  
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

$\omega$  scan

Absorption correction: multi-scan  
(*ABSCOR*; Higashi, 1995)

$T_{\min} = 0.601$ ,  $T_{\max} = 0.765$

8827 measured reflections

2204 independent reflections

1890 reflections with  $I > 2\sigma(I)$

$R_{\text{int}} = 0.027$

$\theta_{\max} = 27.5^\circ$ ,  $\theta_{\min} = 3.6^\circ$

$h = -29 \rightarrow 26$

$k = -7 \rightarrow 7$

$l = -20 \rightarrow 20$

#### *Refinement*

Refinement on  $F^2$

Least-squares matrix: full

$R[F^2 > 2\sigma(F^2)] = 0.031$

$wR(F^2) = 0.083$

$S = 1.07$

2204 reflections

123 parameters

0 restraints

Primary atom site location: structure-invariant  
direct methods

Secondary atom site location: difference Fourier  
map

Hydrogen site location: inferred from  
neighbouring sites

H-atom parameters constrained

$w = 1/[\sigma^2(F_o^2) + (0.0483P)^2 + 0.6927P]$   
where  $P = (F_o^2 + 2F_c^2)/3$

$(\Delta/\sigma)_{\max} < 0.001$

$\Delta\rho_{\max} = 0.32$  e Å<sup>-3</sup>

$\Delta\rho_{\min} = -0.24$  e Å<sup>-3</sup>

#### *Special details*

**Geometry.** All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted R-factor  $wR$  and goodness of fit S are based on  $F^2$ , conventional R-factors R are based on F, with F set to zero for negative  $F^2$ . The threshold expression of  $F^2 > 2\text{sigma}(F^2)$  is used only for calculating R-factors(gt) etc. and is not relevant to the choice of reflections for refinement. R-factors based on  $F^2$  are statistically about twice as large as those based on F, and R-factors based on ALL data will be even larger.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
C1	0.02165 (11)	0.3388 (4)	0.10470 (15)	0.0471 (5)
H1	-0.0130	0.4089	0.0544	0.057*
C2	0.05856 (10)	0.1682 (4)	0.09746 (15)	0.0456 (5)
H2	0.0543	0.1002	0.0426	0.055*
C3	0.09174 (10)	0.2535 (3)	0.24453 (14)	0.0392 (4)
H3	0.1152	0.2508	0.3096	0.047*
C4	0.15012 (12)	-0.0734 (4)	0.21863 (17)	0.0494 (5)
H4A	0.1281	-0.2080	0.2249	0.059*
H4B	0.1856	-0.0379	0.2800	0.059*
C5	0.17867 (10)	-0.1230 (3)	0.15169 (14)	0.0389 (4)
C6	0.16437 (12)	-0.3221 (4)	0.10166 (18)	0.0502 (5)
H6	0.1358	-0.4253	0.1077	0.060*
C7	0.19175 (12)	-0.3717 (4)	0.04240 (18)	0.0499 (5)
H7	0.1810	-0.5075	0.0093	0.060*
C8	0.23486 (8)	-0.2230 (3)	0.03141 (12)	0.0317 (4)
C9	0.24832 (10)	-0.0205 (4)	0.08169 (15)	0.0440 (5)
H9	0.2766	0.0840	0.0756	0.053*
C10	0.22065 (11)	0.0283 (4)	0.14005 (16)	0.0482 (5)
H10	0.2303	0.1653	0.1722	0.058*
Cl1	-0.07645 (3)	0.79888 (10)	0.12779 (4)	0.05314 (16)
N1	0.04281 (8)	0.3932 (3)	0.19687 (12)	0.0385 (4)
N2	0.10332 (8)	0.1157 (3)	0.18714 (12)	0.0366 (3)
Zn1	0.0000	0.61108 (5)	0.2500	0.03718 (12)

*Atomic displacement parameters ( $\text{\AA}^2$ )*

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
C1	0.0445 (10)	0.0614 (13)	0.0393 (11)	0.0076 (10)	0.0223 (9)	0.0016 (9)
C2	0.0460 (10)	0.0579 (12)	0.0390 (10)	-0.0028 (10)	0.0247 (9)	-0.0125 (9)
C3	0.0477 (10)	0.0418 (10)	0.0378 (10)	0.0014 (9)	0.0280 (8)	-0.0045 (8)
C4	0.0707 (14)	0.0445 (11)	0.0551 (13)	0.0143 (10)	0.0479 (11)	0.0067 (9)
C5	0.0459 (10)	0.0392 (10)	0.0435 (10)	0.0063 (8)	0.0307 (9)	0.0010 (8)
C6	0.0615 (13)	0.0434 (10)	0.0690 (15)	-0.0130 (10)	0.0500 (12)	-0.0104 (10)
C7	0.0638 (13)	0.0412 (11)	0.0669 (14)	-0.0164 (10)	0.0491 (12)	-0.0197 (10)
C8	0.0333 (8)	0.0326 (9)	0.0358 (9)	-0.0002 (7)	0.0214 (7)	-0.0040 (7)
C9	0.0530 (11)	0.0374 (10)	0.0573 (13)	-0.0125 (9)	0.0388 (10)	-0.0123 (9)
C10	0.0639 (13)	0.0397 (10)	0.0576 (13)	-0.0078 (10)	0.0422 (11)	-0.0151 (10)
Cl1	0.0633 (3)	0.0527 (3)	0.0479 (3)	0.0107 (3)	0.0292 (3)	0.0057 (2)
N1	0.0449 (9)	0.0399 (8)	0.0424 (9)	0.0015 (7)	0.0302 (7)	-0.0015 (7)
N2	0.0424 (8)	0.0382 (8)	0.0400 (8)	0.0005 (7)	0.0281 (7)	-0.0036 (6)

Zn1	0.0457 (2)	0.03405 (18)	0.0461 (2)	0.000	0.03332 (15)	0.000
-----	------------	--------------	------------	-------	--------------	-------

*Geometric parameters ( $\text{\AA}$ ,  $\text{^{\circ}}$ )*

C1—C2	1.352 (3)	C5—C10	1.383 (3)
C1—N1	1.366 (3)	C6—C7	1.385 (3)
C1—H1	0.9300	C6—H6	0.9300
C2—N2	1.366 (3)	C7—C8	1.389 (3)
C2—H2	0.9300	C7—H7	0.9300
C3—N1	1.317 (3)	C8—C9	1.395 (3)
C3—N2	1.340 (2)	C8—C8 <sup>i</sup>	1.491 (3)
C3—H3	0.9300	C9—C10	1.376 (3)
C4—N2	1.467 (3)	C9—H9	0.9300
C4—C5	1.515 (3)	C10—H10	0.9300
C4—H4A	0.9700	Zn1—Cl1	2.2349 (9)
C4—H4B	0.9700	Zn1—N1	2.0224 (16)
C5—C6	1.375 (3)		
C2—C1—N1	109.87 (19)	C8—C7—H7	119.3
C2—C1—H1	125.1	C7—C8—C9	116.80 (16)
N1—C1—H1	125.1	C7—C8—C8 <sup>i</sup>	121.6 (2)
C1—C2—N2	106.02 (18)	C9—C8—C8 <sup>i</sup>	121.6 (2)
C1—C2—H2	127.0	C10—C9—C8	121.50 (18)
N2—C2—H2	127.0	C10—C9—H9	119.3
N1—C3—N2	111.25 (18)	C8—C9—H9	119.3
N1—C3—H3	124.4	C9—C10—C5	121.18 (19)
N2—C3—H3	124.4	C9—C10—H10	119.4
N2—C4—C5	112.62 (17)	C5—C10—H10	119.4
N2—C4—H4A	109.1	C3—N1—C1	105.60 (16)
C5—C4—H4A	109.1	C3—N1—Zn1	126.82 (14)
N2—C4—H4B	109.1	C1—N1—Zn1	127.08 (14)
C5—C4—H4B	109.1	C3—N2—C2	107.25 (16)
H4A—C4—H4B	107.8	C3—N2—C4	124.48 (18)
C6—C5—C10	117.91 (18)	C2—N2—C4	127.82 (17)
C6—C5—C4	120.83 (18)	N1—Zn1—N1 <sup>ii</sup>	101.05 (9)
C10—C5—C4	121.25 (18)	N1—Zn1—Cl1 <sup>ii</sup>	110.42 (5)
C5—C6—C7	121.24 (19)	N1 <sup>ii</sup> —Zn1—C11 <sup>ii</sup>	106.35 (5)
C5—C6—H6	119.4	N1—Zn1—Cl1	106.35 (5)
C7—C6—H6	119.4	N1 <sup>ii</sup> —Zn1—C11	110.42 (5)
C6—C7—C8	121.37 (18)	C11 <sup>ii</sup> —Zn1—Cl1	120.56 (4)
C6—C7—H7	119.3		

Symmetry codes: (i)  $-x+1/2, -y-1/2, -z$ ; (ii)  $-x, y, -z+1/2$ .