

2-Amino-5-methylpyridinium 2-hydroxy-5-chlorobenzoate

Kaliyaperumal Thanigaimani,^a Abbas Farhadikoutenaei,^{a,b}
Suhana Arshad^a and Ibrahim Abdul Razak^{a*}‡

^aSchool of Physics, Universiti Sains Malaysia, 11800 USM, Penang, Malaysia, and
^bDepartment of Physics, Faculty of Science, University of Mazandaran, Babolsar, Iran

Correspondence e-mail: arazaki@usm.my


Received 12 December 2012; accepted 17 December 2012

Key indicators: single-crystal X-ray study; $T = 100$ K; mean $\sigma(C-C) = 0.008$ Å;
 R factor = 0.073; wR factor = 0.201; data-to-parameter ratio = 11.7.

In the 5-chlorosalicylate anion of the title salt, $C_6H_9N_2^+ \cdot C_7H_4ClO_3^-$, an intramolecular O—H···O hydrogen bond with an S(6) graph-set motif is observed and the dihedral angle between the benzene ring and the —CO₂ group is 1.6 (6)°. In the crystal, the protonated N atom and the 2-amino group of the cation are hydrogen bonded to the carboxylate O atoms via a pair of N—H···O hydrogen bonds, forming an $R_2^2(8)$ ring motif. The crystal structure also features N—H···O and weak C—H···O interactions, resulting in a layer parallel to (10̄1).

Related literature

For details of non-covalent interactions, see: Desiraju (2007); Aakeroy & Seddon (1993). For background to the chemistry of substituted pyridines, see: Pozharski *et al.* (1997); Katritzky *et al.* (1996). For related structures, see: Nahringbauer & Kvick (1977); Raza *et al.* (2010); Thanigaimani *et al.* (2012a,b). For hydrogen-bond motifs, see: Bernstein *et al.* (1995). For bond-length data, see: Allen *et al.* (1987). For the stability of the temperature controller used for the data collection, see: Cosier & Glazer (1986).



Experimental

Crystal data

$C_6H_9N_2^+ \cdot C_7H_4ClO_3^-$
 $M_r = 280.70$

Monoclinic, $P2_1$
 $a = 9.004(7)$ Å

‡ Thomson Reuters ResearcherID: A-5599-2009.

Data collection

Bruker SMART APEXII Duo CCD area-detector diffractometer
Absorption correction: multi-scan (*SADABS*; Bruker, 2009)
 $T_{\min} = 0.877$, $T_{\max} = 0.979$

4785 measured reflections
2204 independent reflections
1539 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.061$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.073$
 $wR(F^2) = 0.201$
 $S = 1.01$
2204 reflections
189 parameters
2 restraints

H atoms treated by a mixture of independent and constrained refinement
 $\Delta\rho_{\max} = 0.47$ e Å⁻³
 $\Delta\rho_{\min} = -0.44$ e Å⁻³
Absolute structure: Flack (1983), 941 Friedel pairs
Flack parameter: 0.09 (16)

Table 1
Hydrogen-bond geometry (Å, °).

| $D-H \cdots A$ | $D-H$ | $H \cdots A$ | $D \cdots A$ | $D-H \cdots A$ |
|--|----------|--------------|--------------|----------------|
| O3—H1O3···O2 | 0.92 (6) | 1.73 (7) | 2.512 (6) | 141 (6) |
| N1—H1N1···O2 ⁱ | 0.94 (6) | 1.76 (6) | 2.683 (7) | 166 (5) |
| N2—H1N2···O1 ⁱ | 0.85 (5) | 1.96 (5) | 2.793 (8) | 165 (4) |
| N2—H2N2···O1 ⁱⁱ | 0.85 (6) | 2.04 (7) | 2.811 (6) | 152 (7) |
| C8—H8A···O3 ⁱⁱⁱ | 0.95 | 2.58 | 3.425 (7) | 148 |
| Symmetry codes: (i) $x + 1, y + 1, z$; (ii) $-x + 1, y + \frac{1}{2}, -z + 1$; (iii) $-x + 1, y + \frac{1}{2}, -z + 2$. | | | | |

Data collection: *APEX2* (Bruker, 2009); cell refinement: *SAINT* (Bruker, 2009); data reduction: *SAINT*; program(s) used to solve structure: *SHELXTL* (Sheldrick, 2008); program(s) used to refine structure: *SHELXTL*; molecular graphics: *SHELXTL*; software used to prepare material for publication: *SHELXTL* and *PLATON* (Spek, 2009).

The authors thank the Malaysian Government and Universiti Sains Malaysia (USM) for the research facilities and USM Short Term Grant No. 304/PFIZIK/6312078 to conduct this work. KT thanks The Academy of Sciences for the Developing World and USM for a TWAS-USM fellowship.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: IS5232).

References

- Aakeroy, C. B. & Seddon, K. R. (1993). *Chem. Soc. Rev.* **22**, 397–407.
- Allen, F. H., Kennard, O., Watson, D. G., Brammer, L., Orpen, A. G. & Taylor, R. (1987). *J. Chem. Soc. Perkin Trans. 2*, pp. S1–19.
- Bernstein, J., Davis, R. E., Shimoni, L. & Chang, N.-L. (1995). *Angew. Chem. Int. Ed. Engl.* **34**, 1555–1573.
- Bruker (2009). *SADABS*, *APEX2* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Cosier, J. & Glazer, A. M. (1986). *J. Appl. Cryst.* **19**, 105–107.
- Desiraju, G. R. (2007). *Angew. Chem. Int. Ed.* **46**, 8342–8356.
- Flack, H. D. (1983). *Acta Cryst.* **A39**, 876–881.
- Katritzky, A. R., Rees, C. W. & Scriven, E. F. V. (1996). In *Comprehensive Heterocyclic Chemistry II*, Oxford: Pergamon Press.
- Nahringbauer, I. & Kvick, Å. (1977). *Acta Cryst.* **B33**, 2902–2905.

- Pozharski, A. F., Soldatenkov, A. T. & Katritzky, A. R. (1997). In *Heterocycles in Life and Society*. New York: Wiley.
- Raza, A. R., Nisar, B., Tahir, M. N. & Raza, A. (2010). *Acta Cryst. E* **66**, o2921.
- Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
- Spek, A. L. (2009). *Acta Cryst. D* **65**, 148–155.
- Thanigaimani, K., Farhadikoutenaei, A., Khalib, N. C., Arshad, S. & Razak, I. A. (2012a). *Acta Cryst. E* **68**, o3196–o3197.
- Thanigaimani, K., Farhadikoutenaei, A., Khalib, N. C., Arshad, S. & Razak, I. A. (2012b). *Acta Cryst. E* **68**, o3319–o3320.

supporting information

Acta Cryst. (2013). E69, o132–o133 [https://doi.org/10.1107/S160053681205101X]

2-Amino-5-methylpyridinium 2-hydroxy-5-chlorobenzoate

Kaliyaperumal Thanigaimani, Abbas Farhadikoutenaei, Suhana Arshad and Ibrahim Abdul Razak

S1. Comment

Supramolecular architectures assembled *via* various delicate noncovalent interactions such as hydrogen bonds, π – π stacking and electrostatic interactions, *etc.*, have attracted intense interest in recent years because of their fascinating structural diversity and potential applications for functional materials (Desiraju, 2007). Especially, the application of intermolecular hydrogen bonds is a well known and efficient tool in the field of organic crystal design owing to its strength and directional properties (Aakeroy & Seddon, 1993). Pyridine and its derivatives play an important role in heterocyclic chemistry (Pozharski *et al.*, 1997; Katritzky *et al.*, 1996). They are often involved in hydrogen-bond interactions. In order to study potential hydrogen bonding interactions, as part of our ongoing studies on pyridine derivatives (Thanigaimani *et al.*, 2012*a,b*), the crystal structure determination of the title compound (**I**) was carried out.

The asymmetric unit (Fig. 1) contains one 2-amino-5-methylpyridinium cation and one 5-chlorosalicylate anion. The proton transfers from the one of the carboxyl group oxygen atom (O2) to atom N1 of 2-amino-5-methylpyrimidine resulted in the widening of C1—N1—C5 angle of the pyridinium ring to 121.0 (5) $^{\circ}$, compared to the corresponding angle of 117.4 (3) $^{\circ}$ in neutral 2-amino-5-methylpyridine (Nahringbauer & Kvick, 1977). The 2-amino-5-methylpyridinium cation is essentially planar, with a maximum deviation of 0.007 (6) Å for atom C3. The bond lengths (Allen *et al.*, 1987) and angles are normal.

In the crystal packing (Fig. 2), the protonated N1 atom and a nitrogen atom of the 2-amino group (N2) are hydrogen-bonded to the carboxylate oxygen atoms (O1 and O2) *via* a pair of intermolecular N1—H1N1…O2ⁱ and N2—H1N2…O1ⁱ hydrogen bonds (symmetry codes in Table 1), forming a ring motif of $R_2^2(8)$ (Bernstein *et al.*, 1995). There is also an intramolecular O3—H1O3…O2 hydrogen bond in the 5-chlorosalicylate anion, which generates an S(6) ring motif. This motif is also observed in the crystal structure of 5-chloro-2-hydroxybenzoic acid (Raza *et al.*, 2010). The crystal structure is further stabilized by N2—H2N2…O1ⁱⁱ and C8—H8A…O3ⁱⁱⁱ intermolecular interactions. These interactions have resulted in a molecular layer parallel to the (10 $\bar{1}$) plane.

S2. Experimental

Hot methanol solutions (20 ml) of 2-amino-5-methylpyridine (54 mg, Aldrich) and 5-chlorosalicylic acid (43 mg, Aldrich) were mixed and warmed over a heating magnetic stirrer hotplate for a few minutes. The resulting solution was allowed to cool slowly at room temperature and crystals of the title compound (**I**) appeared after a few days.

S3. Refinement

O- and N-bound H atoms were located in a difference Fourier maps. Atoms H1O3, H1N1 and H2N2 were refined freely, while atom H1N2 was refined with a bond length restraint N—H = 0.85 (1) Å [refined distance: O3—H1O3 = 0.92 (7) Å, N1—H1N1 = 0.94 (6) Å, N2—H1N2 = 0.853 (10) Å and N2—H2N2 = 0.85 (7) Å]. The remaining hydrogen atoms were positioned geometrically (C—H = 0.95–0.98 Å) and were refined using a riding model, with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$ or

$1.5U_{\text{eq}}$ (methyl C). A rotating group model was used for the methyl group.





Figure 1


The molecular structure of the title compound with atom labels with 50% probability displacement ellipsoids.

**Figure 2**

The crystal packing of the title compound. The H atoms not involved in the intermolecular interactions (dashed lines) have been omitted for clarity.

2-Amino-5-methylpyridinium 2-hydroxy-5-chlorobenzoate

Crystal data



$M_r = 280.70$

Monoclinic, $P2_1$

Hall symbol: P 2yb

$a = 9.004 (7)$ Å

$b = 5.767 (5)$ Å

$c = 12.617 (10)$ Å

$\beta = 90.415 (16)^\circ$

$V = 655.2 (9)$ Å³

$Z = 2$

$$F(000) = 292$$

$$D_x = 1.423 \text{ Mg m}^{-3}$$

Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å

Cell parameters from 1722 reflections

$\theta = 2.8\text{--}29.7^\circ$

$\mu = 0.30 \text{ mm}^{-1}$

$T = 100$ K

Block, colourless

$0.46 \times 0.18 \times 0.07$ mm

Data collection

Bruker SMART APEXII Duo CCD area-detector diffractometer
Radiation source: fine-focus sealed tube
Graphite monochromator
 φ and ω scans
Absorption correction: multi-scan (*SADABS*; Bruker, 2009)
 $T_{\min} = 0.877$, $T_{\max} = 0.979$

4785 measured reflections
2204 independent reflections
1539 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.061$
 $\theta_{\max} = 25.0^\circ$, $\theta_{\min} = 1.6^\circ$
 $h = -10 \rightarrow 10$
 $k = -6 \rightarrow 6$
 $l = -14 \rightarrow 15$

Refinement

Refinement on F^2
Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.073$
 $wR(F^2) = 0.201$
 $S = 1.01$
2204 reflections
189 parameters
2 restraints
Primary atom site location: structure-invariant direct methods
Secondary atom site location: difference Fourier map

Hydrogen site location: inferred from neighbouring sites
H atoms treated by a mixture of independent and constrained refinement
 $w = 1/[\sigma^2(F_o^2) + (0.1249P)^2]$
where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} = 0.001$
 $\Delta\rho_{\max} = 0.47 \text{ e } \text{\AA}^{-3}$
 $\Delta\rho_{\min} = -0.44 \text{ e } \text{\AA}^{-3}$
Absolute structure: Flack (1983), 941 Friedel pairs
Absolute structure parameter: 0.09 (16)

Special details

Experimental. The crystal was placed in the cold stream of an Oxford Cryosystems Cobra open-flow nitrogen cryostat (Cosier & Glazer, 1986) operating at 100.0 (1) K.

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

| | x | y | z | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|-----|--------------|-------------|--------------|----------------------------------|
| C11 | 0.49320 (17) | 0.7884 (3) | 0.59756 (12) | 0.0882 (6) |
| O1 | 0.1352 (4) | 0.0724 (8) | 0.6317 (2) | 0.0718 (11) |
| O2 | 0.1487 (4) | -0.0555 (7) | 0.7972 (2) | 0.0665 (10) |
| O3 | 0.3088 (5) | 0.1483 (9) | 0.9319 (3) | 0.0809 (13) |
| N1 | 0.9568 (5) | 0.6055 (9) | 0.7468 (3) | 0.0581 (11) |
| N2 | 0.9360 (7) | 0.7221 (10) | 0.5745 (4) | 0.0730 (15) |
| C1 | 0.8976 (5) | 0.5709 (10) | 0.6496 (3) | 0.0555 (13) |
| C2 | 0.8031 (5) | 0.3909 (10) | 0.6344 (4) | 0.0613 (15) |
| H2A | 0.7593 | 0.3646 | 0.5667 | 0.074* |
| C3 | 0.7716 (6) | 0.2485 (12) | 0.7170 (4) | 0.0724 (17) |
| H3A | 0.7049 | 0.1232 | 0.7056 | 0.087* |
| C4 | 0.8336 (6) | 0.2786 (13) | 0.8183 (4) | 0.0683 (14) |

| | | | | |
|------|------------|-------------|------------|-------------|
| C5 | 0.9247 (6) | 0.4608 (11) | 0.8286 (4) | 0.0622 (14) |
| H5A | 0.9688 | 0.4902 | 0.8959 | 0.075* |
| C6 | 0.8003 (8) | 0.1215 (15) | 0.9103 (5) | 0.093 (2) |
| H6A | 0.8451 | 0.1854 | 0.9750 | 0.139* |
| H6B | 0.8416 | -0.0328 | 0.8966 | 0.139* |
| H6C | 0.6925 | 0.1096 | 0.9191 | 0.139* |
| C7 | 0.3500 (5) | 0.2962 (12) | 0.8536 (3) | 0.0604 (13) |
| C8 | 0.4479 (6) | 0.4684 (11) | 0.8751 (4) | 0.0681 (16) |
| H8A | 0.4865 | 0.4834 | 0.9450 | 0.082* |
| C9 | 0.4933 (6) | 0.6238 (11) | 0.7977 (4) | 0.0666 (15) |
| H9A | 0.5615 | 0.7446 | 0.8138 | 0.080* |
| C10 | 0.4360 (5) | 0.5971 (11) | 0.6960 (4) | 0.0620 (13) |
| C11 | 0.3378 (6) | 0.4262 (11) | 0.6724 (4) | 0.0581 (13) |
| H11A | 0.3005 | 0.4116 | 0.6021 | 0.070* |
| C12 | 0.2916 (5) | 0.2732 (11) | 0.7495 (3) | 0.0507 (11) |
| C13 | 0.1848 (5) | 0.0861 (11) | 0.7244 (3) | 0.0579 (13) |
| H1N1 | 1.019 (6) | 0.735 (11) | 0.754 (4) | 0.070 (17)* |
| H1N2 | 0.985 (6) | 0.846 (7) | 0.587 (5) | 0.09 (3)* |
| H2N2 | 0.888 (7) | 0.705 (14) | 0.517 (5) | 0.09 (2)* |
| H1O3 | 0.225 (7) | 0.071 (13) | 0.909 (5) | 0.083 (19)* |

Atomic displacement parameters (\AA^2)

| | U^{11} | U^{22} | U^{33} | U^{12} | U^{13} | U^{23} |
|-----|------------|-------------|-------------|-------------|--------------|-------------|
| C11 | 0.0888 (9) | 0.0908 (11) | 0.0850 (10) | -0.0173 (9) | 0.0112 (7) | 0.0067 (10) |
| O1 | 0.076 (2) | 0.099 (3) | 0.0404 (16) | -0.016 (2) | -0.0140 (14) | -0.001 (2) |
| O2 | 0.076 (2) | 0.080 (3) | 0.0430 (16) | -0.011 (2) | -0.0066 (14) | 0.0066 (19) |
| O3 | 0.103 (3) | 0.103 (4) | 0.0371 (17) | -0.013 (3) | -0.0145 (17) | 0.0037 (19) |
| N1 | 0.066 (2) | 0.068 (3) | 0.0402 (19) | -0.005 (2) | -0.0016 (16) | -0.002 (2) |
| N2 | 0.095 (3) | 0.082 (4) | 0.042 (2) | -0.012 (3) | -0.009 (2) | -0.009 (2) |
| C1 | 0.058 (3) | 0.070 (4) | 0.038 (2) | 0.004 (3) | 0.0016 (19) | -0.005 (3) |
| C2 | 0.067 (3) | 0.073 (4) | 0.044 (2) | -0.004 (3) | -0.003 (2) | -0.010 (3) |
| C3 | 0.070 (3) | 0.077 (5) | 0.070 (3) | -0.010 (3) | 0.004 (2) | -0.014 (3) |
| C4 | 0.067 (3) | 0.079 (4) | 0.059 (3) | 0.004 (3) | 0.007 (2) | -0.002 (3) |
| C5 | 0.076 (3) | 0.072 (4) | 0.038 (2) | 0.003 (3) | 0.001 (2) | 0.002 (2) |
| C6 | 0.108 (5) | 0.098 (5) | 0.072 (3) | -0.003 (4) | 0.014 (3) | 0.017 (4) |
| C7 | 0.058 (3) | 0.083 (4) | 0.040 (2) | 0.003 (3) | -0.0017 (18) | -0.006 (3) |
| C8 | 0.070 (3) | 0.087 (5) | 0.047 (2) | -0.002 (3) | -0.007 (2) | -0.016 (3) |
| C9 | 0.063 (3) | 0.068 (4) | 0.069 (3) | 0.000 (3) | 0.003 (2) | -0.018 (3) |
| C10 | 0.053 (2) | 0.075 (4) | 0.058 (3) | -0.005 (3) | 0.005 (2) | -0.004 (3) |
| C11 | 0.064 (3) | 0.069 (3) | 0.042 (2) | 0.003 (3) | 0.0054 (19) | -0.008 (2) |
| C12 | 0.048 (2) | 0.068 (3) | 0.036 (2) | 0.010 (3) | -0.0010 (15) | -0.009 (3) |
| C13 | 0.060 (3) | 0.069 (4) | 0.044 (2) | 0.000 (3) | -0.0012 (19) | 0.005 (3) |

Geometric parameters (\AA , $^\circ$)

| | | | |
|---------|-----------|-------|-----------|
| C11—C10 | 1.742 (6) | C4—C5 | 1.339 (9) |
| O1—C13 | 1.251 (5) | C4—C6 | 1.504 (9) |

| | | | |
|--------------|------------|-----------------|------------|
| O2—C13 | 1.273 (6) | C5—H5A | 0.9500 |
| O3—C7 | 1.359 (7) | C6—H6A | 0.9800 |
| O3—H1O3 | 0.92 (7) | C6—H6B | 0.9800 |
| N1—C1 | 1.349 (6) | C6—H6C | 0.9800 |
| N1—C5 | 1.359 (7) | C7—C8 | 1.354 (9) |
| N1—H1N1 | 0.94 (6) | C7—C12 | 1.417 (6) |
| N2—C1 | 1.335 (7) | C8—C9 | 1.389 (8) |
| N2—H1N2 | 0.853 (10) | C8—H8A | 0.9500 |
| N2—H2N2 | 0.85 (7) | C9—C10 | 1.388 (7) |
| C1—C2 | 1.355 (8) | C9—H9A | 0.9500 |
| C2—C3 | 1.358 (8) | C10—C11 | 1.356 (8) |
| C2—H2A | 0.9500 | C11—C12 | 1.380 (8) |
| C3—C4 | 1.403 (8) | C11—H11A | 0.9500 |
| C3—H3A | 0.9500 | C12—C13 | 1.478 (8) |
| | | | |
| C7—O3—H1O3 | 107 (4) | C4—C6—H6C | 109.5 |
| C1—N1—C5 | 120.9 (5) | H6A—C6—H6C | 109.5 |
| C1—N1—H1N1 | 116 (3) | H6B—C6—H6C | 109.5 |
| C5—N1—H1N1 | 123 (3) | C8—C7—O3 | 119.7 (4) |
| C1—N2—H1N2 | 124 (4) | C8—C7—C12 | 119.4 (5) |
| C1—N2—H2N2 | 114 (5) | O3—C7—C12 | 120.9 (5) |
| H1N2—N2—H2N2 | 121 (7) | C7—C8—C9 | 121.8 (4) |
| N2—C1—N1 | 116.5 (5) | C7—C8—H8A | 119.1 |
| N2—C1—C2 | 124.5 (4) | C9—C8—H8A | 119.1 |
| N1—C1—C2 | 119.0 (5) | C10—C9—C8 | 118.0 (5) |
| C1—C2—C3 | 119.3 (5) | C10—C9—H9A | 121.0 |
| C1—C2—H2A | 120.4 | C8—C9—H9A | 121.0 |
| C3—C2—H2A | 120.4 | C11—C10—C9 | 121.4 (5) |
| C2—C3—C4 | 122.7 (6) | C11—C10—Cl1 | 120.0 (4) |
| C2—C3—H3A | 118.6 | C9—C10—Cl1 | 118.6 (5) |
| C4—C3—H3A | 118.6 | C10—C11—C12 | 120.6 (4) |
| C5—C4—C3 | 115.1 (5) | C10—C11—H11A | 119.7 |
| C5—C4—C6 | 121.6 (5) | C12—C11—H11A | 119.7 |
| C3—C4—C6 | 123.3 (6) | C11—C12—C7 | 118.8 (5) |
| C4—C5—N1 | 122.9 (5) | C11—C12—C13 | 121.0 (4) |
| C4—C5—H5A | 118.6 | C7—C12—C13 | 120.2 (5) |
| N1—C5—H5A | 118.6 | O1—C13—O2 | 122.9 (5) |
| C4—C6—H6A | 109.5 | O1—C13—C12 | 118.3 (4) |
| C4—C6—H6B | 109.5 | O2—C13—C12 | 118.8 (4) |
| H6A—C6—H6B | 109.5 | | |
| | | | |
| C5—N1—C1—N2 | -179.9 (5) | C8—C9—C10—Cl1 | -179.3 (4) |
| C5—N1—C1—C2 | 1.0 (7) | C9—C10—C11—C12 | 0.2 (8) |
| N2—C1—C2—C3 | -179.7 (5) | Cl1—C10—C11—C12 | 179.9 (4) |
| N1—C1—C2—C3 | -0.7 (8) | C10—C11—C12—C7 | -0.8 (7) |
| C1—C2—C3—C4 | -0.3 (9) | C10—C11—C12—C13 | -179.9 (5) |
| C2—C3—C4—C5 | 1.0 (9) | C8—C7—C12—C11 | 0.8 (7) |
| C2—C3—C4—C6 | -179.7 (6) | O3—C7—C12—C11 | -179.4 (5) |

| | | | |
|---------------|-----------|----------------|-----------|
| C3—C4—C5—N1 | −0.7 (8) | C8—C7—C12—C13 | 179.9 (5) |
| C6—C4—C5—N1 | 180.0 (5) | O3—C7—C12—C13 | −0.3 (7) |
| C1—N1—C5—C4 | −0.3 (8) | C11—C12—C13—O1 | −1.3 (7) |
| O3—C7—C8—C9 | 180.0 (5) | C7—C12—C13—O1 | 179.6 (5) |
| C12—C7—C8—C9 | −0.2 (8) | C11—C12—C13—O2 | 177.8 (4) |
| C7—C8—C9—C10 | −0.4 (8) | C7—C12—C13—O2 | −1.2 (7) |
| C8—C9—C10—C11 | 0.4 (8) | | |

Hydrogen-bond geometry (Å, °)

| D—H···A | D—H | H···A | D···A | D—H···A |
|----------------------------|----------|----------|-----------|---------|
| O3—H1O3···O2 | 0.92 (6) | 1.73 (7) | 2.512 (6) | 141 (6) |
| N1—H1N1···O2 ⁱ | 0.94 (6) | 1.76 (6) | 2.683 (7) | 166 (5) |
| N2—H1N2···O1 ⁱ | 0.85 (5) | 1.96 (5) | 2.793 (8) | 165 (4) |
| N2—H2N2···O1 ⁱⁱ | 0.85 (6) | 2.04 (7) | 2.811 (6) | 152 (7) |
| C8—H8A···O3 ⁱⁱⁱ | 0.95 | 2.58 | 3.425 (7) | 148 |

Symmetry codes: (i) $x+1, y+1, z$; (ii) $-x+1, y+1/2, -z+1$; (iii) $-x+1, y+1/2, -z+2$.