

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

3-Oxo-N',2-diphenyl-2,3-dihydro-1H-pyrazole-4-carbohydrazide

Joel T. Mague,^a Shaaban K. Mohamed,^{b,c} Mehmet Akkurt,^d Eman A. Ahmed^e and Mustafa R. Albayati^{f,*}^aDepartment of Chemistry, Tulane University, New Orleans, LA 70118, USA,^bChemistry and Environmental Division, Manchester Metropolitan University, Manchester M1 5GD, England, ^cChemistry Department, Faculty of Science, Minia University, 61519 El-Minia, Egypt, ^dDepartment of Physics, Faculty of Sciences,Erciyes University, 38039 Kayseri, Turkey, ^eChemistry Department, Faculty of Science, Sohag University, 61519 Sohag, Egypt, and ^fKirkuk University, College of Science, Department of Chemistry, Kirkuk, Iraq

Correspondence e-mail: shaabankamel@yahoo.com


Received 27 May 2014; accepted 28 May 2014

Key indicators: single-crystal X-ray study; $T = 150$ K; mean $\sigma(\text{C}-\text{C}) = 0.002$ Å; R factor = 0.043; wR factor = 0.112; data-to-parameter ratio = 18.5.

In the title compound, $\text{C}_{16}\text{H}_{14}\text{N}_4\text{O}_2$, the pyrazole ring makes a dihedral angle of 10.49 (8°) with its N-bound phenyl group, while it is nearly perpendicular to the other phenyl ring [dihedral angle = 88.47 (5°)]. The molecular conformation is stabilized by intramolecular $\text{C}-\text{H}\cdots\text{O}$ and $\text{N}-\text{H}\cdots\text{O}$ hydrogen bonds. In the crystal, the packing involves sheets of molecules parallel to (100) linked by $\text{N}-\text{H}\cdots\text{O}$ hydrogen bonds. A $\text{C}-\text{H}\cdots\text{O}$ interaction is also observed.

Related literature

For the diverse biological activities of pyrazolone compounds, see: Guckian *et al.* (2010); Fan *et al.* (2006); Castagnolo *et al.* (2008); Idrees *et al.* (2009); Abdel-Aziz *et al.* (2009); Manojkumar *et al.* (2009); Shete *et al.* (2011); Sujatha *et al.* (2009); El-Hawash *et al.* (2006); Kawai *et al.* (1997); Wu *et al.* (20026). For industrial applications of pyrazolones, see: Basaif *et al.* (2007); Ho (2005); Kirschke *et al.* (1984); Chande *et al.* (1993); El-Saraf & El-Sayed (2003). For graph-set motif notation, see: Bernstein *et al.* (1995).



Experimental

Crystal data

$\text{C}_{16}\text{H}_{14}\text{N}_4\text{O}_2$	$V = 1429.6$ (4) Å ³
$M_r = 294.31$	$Z = 4$
Monoclinic, $P2_1/c$	Mo $K\alpha$ radiation
$a = 8.4488$ (12) Å	$\mu = 0.09$ mm ⁻¹
$b = 11.5605$ (17) Å	$T = 150$ K
$c = 14.642$ (2) Å	$0.26 \times 0.20 \times 0.07$ mm
$\beta = 91.565$ (2)°	

Data collection

Bruker SMART APEX CCD diffractometer	25571 measured reflections
Absorption correction: multi-scan (SADABS; Bruker, 2013)	3674 independent reflections
$T_{\min} = 0.85$, $T_{\max} = 0.99$	2895 reflections with $I > 2\sigma(I)$
	$R_{\text{int}} = 0.049$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.043$	199 parameters
$wR(F^2) = 0.112$	H-atom parameters constrained
$S = 1.03$	$\Delta\rho_{\text{max}} = 0.25$ e Å ⁻³
3674 reflections	$\Delta\rho_{\text{min}} = -0.21$ e Å ⁻³

Table 1

Hydrogen-bond geometry (Å, °).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
$\text{N1}-\text{H1A}\cdots\text{O2}^i$	0.91	2.06	2.9244 (14)	158
$\text{N2}-\text{H2A}\cdots\text{O2}$	0.91	2.14	2.8597 (14)	136
$\text{N3}-\text{H3A}\cdots\text{O1}^{ii}$	0.91	1.75	2.6527 (15)	169
$\text{C12}-\text{H12}\cdots\text{O2}$	0.95	2.28	2.9133 (18)	124
$\text{C16}-\text{H16}\cdots\text{O1}^{ii}$	0.95	2.51	3.2745 (18)	137

Symmetry codes: (i) $-x + 1, -y + 1, -z + 1$; (ii) $-x + 1, y + \frac{1}{2}, -z + \frac{3}{2}$.

Data collection: APEX2 (Bruker, 2013); cell refinement: SAINT (Bruker, 2013); data reduction: SAINT; program(s) used to solve structure: SHELXTL (Sheldrick, 2008); program(s) used to refine structure: SHELXL2014 (Sheldrick, 2008); molecular graphics: DIAMOND (Brandenburg & Putz, 2012); software used to prepare material for publication: SHELXTL.

JTM thanks Tulane University for support of the Tulane Crystallography Laboratory.

Supporting information for this paper is available from the IUCr electronic archives (Reference: BT6982).

References

- Abdel-Aziz, M., El-Din, G., Abuo-Rahma, A. & Hassan, A. A. (2009). *Eur. J. Med. Chem.* **44**, 3480–3487.
- Basaif, S. A., Hassan, M. A. & Gobouri, A. A. (2007). *Dyes Pigm.* **72**, 387–391.
- Bernstein, J., Davis, R. E., Shimoni, L. & Chang, N.-L. (1995). *Angew. Chem. Int. Ed. Engl.* **34**, 1555–1573.
- Brandenburg, K. & Putz, H. (2012). *DIAMOND*. Crystal Impact GbR, Bonn, Germany.
- Bruker (2013). *APEX2*, *SADABS* and *SAINTE*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Castagnolo, D., Logu, A. D., Radi, M., Bechi, B., Manetti, F., Magnani, M., Supino, S., Meleddu, R., Chisu, L. & Botta, M. (2008). *Bioorg. Med. Chem. Lett.* **16**, 8587–8591.
- Chande, M. S., Bhandari, J. D., Joshi, V. R. & Joshi, V. R. (1993). *Indian J. Chem. Sect. B*, **32**, 1218–1228.
- El-Hawash, S. A. M., Badawey, E. A. M. & El-Ashmawey, I. M. (2006). *Eur. J. Med. Chem.* **41**, 155–165.
- El-Saraf, G. A. & El-Sayed, A. M. (2003). *Heteroat. Chem.* **14**, 211–217.

- Fan, X., Zhang, X., Zhou, L., Keith, K. A., Kernb, E. R. & Torrencea, P. F. (2006). *Bioorg. Med. Chem. Lett.* **16**, 3224–3228.
- Guckian, K., Carter, M. B., Lin, E. Y., Choi, M., Sun, L., Boriack-Sjodin, P. A., Chuaqui, C., Lane, B., Cheung, K., Ling, L. & Lee, W. C. (2010). *Bioorg. Med. Chem. Lett.* **20**, 326–329.
- Ho, Y. W. (2005). *Dyes Pigment.* **64**, 223–230.
- Idrees, G. A., Aly, O. M., El-Din, G., Abuo-Rahma, A. A. & Radwan, M. F. (2009). *Eur. J. Med. Chem.* **44**, 3973–3980.
- Kawai, H., Nakai, H., Suga, M., Yuki, S., Watanabe, T. & Saito, K. I. (1997). *J. Pharmacol. Exp. Ther.* **281**, 921–927.
- Kirschke, K., Luize, G. & Schmitz, E. (1984). *J. Prakt. Chem.* **326**, 367–373.
- Manojkumar, P., Ravi and, T. K. & Gopalakrishnan, S. (2009). *Eur. J. Med. Chem.* **44**, 4690–4694.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Shete, R. B., Antre, R. V., Oswal, R. J., Kshirsagar, S. S., Jangam, S. S. & Nimje, H. M. (2011). *Int. J. Drug Des. Discov.* **2**, 648–660.
- Sujatha, K., Shanthi, G., Selvam, N. P., Manoharan, S., Perumal, P. T. & Rajendran, M. (2009). *Bioorg. Med. Chem. Lett.* **19**, 4501–4503.
- Wu, T. W., Zeng, L. H., Wu, J. & Fung, K. P. (2002). *Life Sci.* **71**, 2249–2252.

supporting information

Acta Cryst. (2014). E70, o819–o820 [https://doi.org/10.1107/S1600536814012392]

3-Oxo-*N'*,2-diphenyl-2,3-dihydro-1*H*-pyrazole-4-carbohydrazide

Joel T. Mague, Shaaban K. Mohamed, Mehmet Akkurt, Eman A. Ahmed and Mustafa R. Albayati

S1. Comment

Compounds containing a pyrazole core and related analogs have received significant attention due to their chemical, medicinal, and pharmaceutical applications. Several reports showed the pyrazolone moiety to be one of most active pharmacophores and possesses anti-cancer (Guckian *et al.*, 2010), anti-viral (Fan *et al.*, 2006), anti-tubercular (Castagnolo *et al.*, 2008), anti-hyperlipidaemic (Idrees *et al.*, 2009), anti-depressant, anti-convulsant (Abdel-Aziz *et al.*, 2009), anti-oxidant, anti-bacterial (Manojkumar *et al.*, 2009; Shete *et al.*, 2011), anti-HIV (Sujatha *et al.*, 2009), anti-inflammatory, analgesic and anti-pyretic (El-Hawash *et al.*, 2006) activities. The pyrazolone-like edaravone has been developed as a drug for brain ischemia (Kawai *et al.*, 1997) and has also been reported to be effective for myocardial ischemia (Wu *et al.*, 2002). Additionally, pyrazolones have been reported to be the key starting materials for the synthesis of commercial aryl/heteroarypyrazolone dyes (Basaif *et al.*, 2007; Ho, 2005). Halogenated pyrazolones are also useful synthetic intermediates for synthesis of diazo-dyes (Kirschke *et al.*, 1984), fused (Chande *et al.*, 1993) and spiro-heterocyclic compounds (El-Saraf & El-Sayed 2003). In this context we report the synthesis and crystal structure of the title compound.


The phenyl ring C1–C6 is nearly perpendicular to the 5-membered ring (dihedral angle = 88.47 (5)°) while the latter makes a dihedral angle of 10.49 (8)° with the phenyl ring C11–C16. The rotational orientation of the latter phenyl ring as well as that of the N2–H2a unit are determined by the intramolecular C16–H16···O2 and N2–H2a···O2 hydrogen bonds (Table 1, Fig. 1) forming S(6) ring motifs (Bernstein *et al.*, 1995). The packing involves sheets of molecules parallel to the (100) plane formed by N3–H3a···O1 and pairwise N1–H1a···O2 intermolecular hydrogen bonds (Table 1, Figs. 2 and 3).

S2. Experimental


A mixture of 10 mmol (2.31 g) of 4-[(dimethylamino)methylene]-1-phenylpyrazolidine-3,5-dione and 10 mmol (1.08 g) of phenyl hydrazine in 15 ml dioxane was refluxed for 6 h. After cooling, the resulting solid was collected by filtration and recrystallized from ethanol. Colourless crystals, 84%, m.p. = 483 K.

S3. Refinement

H-atoms attached to carbon were placed in calculated positions (C–H = 0.95 Å) while those attached to nitrogen were placed in locations derived from a difference map and initially refined to check their identity following which their coordinates adjusted to give N–H = 0.91 Å. All were then included as riding contributions with isotropic displacement parameters 1.2 times those of the attached atoms.

**Figure 1**

The title molecule showing intramolecular hydrogen bonds as dotted lines. Displacement ellipsoids are drawn at the 50% probability level.

**Figure 2**

Packing viewed down the *a* axis with intermolecular hydrogen bonds shown as dotted lines.




Figure 3

Packing viewed down the *c* axis with intermolecular hydrogen bonds shown as dotted lines.

3-Oxo-*N'*,2-diphenyl-2,3-dihydro-1*H*-pyrazole-4-carbohydrazide

Crystal data

$C_{16}H_{14}N_4O_2$

$M_r = 294.31$

Monoclinic, $P2_1/c$

Hall symbol: -P 2ybc

$a = 8.4488$ (12) Å

$b = 11.5605$ (17) Å

$c = 14.642$ (2) Å

$\beta = 91.565$ (2)°

$V = 1429.6$ (4) Å³

$Z = 4$

$F(000) = 616$

$D_x = 1.367$ Mg m⁻³

Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å

Cell parameters from 9891 reflections

$\theta = 2.2$ – 28.6 °

$\mu = 0.09$ mm⁻¹

$T = 150$ K

Plate, colourless

$0.26 \times 0.20 \times 0.07$ mm

Data collection

Bruker SMART APEX CCD
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

Detector resolution: 8.3660 pixels mm⁻¹

φ and ω scans

Absorption correction: multi-scan

(*SADABS*; Bruker, 2013)

$T_{\min} = 0.85$, $T_{\max} = 0.99$

25571 measured reflections

3674 independent reflections

2895 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.049$

$\theta_{\max} = 28.7$ °, $\theta_{\min} = 2.2$ °

$h = -11 \rightarrow 11$

$k = -15 \rightarrow 15$

$l = -19 \rightarrow 19$

Refinement

Refinement on F^2

Least-squares matrix: full

$R[F^2 > 2\sigma(F^2)] = 0.043$

$wR(F^2) = 0.112$

$S = 1.03$

3674 reflections

199 parameters

0 restraints

Primary atom site location: structure-invariant
direct methods

Secondary atom site location: difference Fourier
map

Hydrogen site location: mixed

H-atom parameters constrained

$$w = 1/[\sigma^2(F_o^2) + (0.0439P)^2 + 0.5339P]$$

where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} < 0.001$

$$\Delta\rho_{\max} = 0.25 \text{ e } \text{\AA}^{-3}$$

$$\Delta\rho_{\min} = -0.21 \text{ e } \text{\AA}^{-3}$$

Special details

Geometry. Bond distances, angles *etc.* have been calculated using the rounded fractional coordinates. All su's are estimated from the variances of the (full) variance-covariance matrix. The cell e.s.d.'s are taken into account in the estimation of distances, angles and torsion angles

Refinement. Refinement on F^2 for ALL reflections except those flagged by the user for potential systematic errors. Weighted R -factors wR and all goodnesses of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The observed criterion of $F^2 > \sigma(F^2)$ is used only for calculating $-R$ -factor-obs *etc.* and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
O1	0.63625 (12)	0.59121 (8)	0.76051 (6)	0.0326 (3)
O2	0.48112 (11)	0.70165 (8)	0.48802 (6)	0.0318 (3)
N1	0.72819 (12)	0.44304 (9)	0.62602 (7)	0.0271 (3)
N2	0.64406 (12)	0.54510 (9)	0.60905 (7)	0.0271 (3)
N3	0.38524 (14)	0.88161 (10)	0.66714 (7)	0.0304 (3)
N4	0.38879 (13)	0.85733 (9)	0.57481 (7)	0.0280 (3)
C1	0.89573 (15)	0.45011 (12)	0.62204 (8)	0.0284 (3)
C2	0.98148 (18)	0.34748 (14)	0.62651 (10)	0.0394 (4)
C3	1.14618 (19)	0.35060 (17)	0.62340 (11)	0.0501 (5)
C4	1.22455 (18)	0.45435 (18)	0.61602 (10)	0.0506 (6)
C5	1.13945 (18)	0.55579 (17)	0.61308 (10)	0.0468 (5)
C6	0.97471 (16)	0.55477 (13)	0.61649 (9)	0.0357 (4)
C7	0.60259 (15)	0.61338 (10)	0.67917 (8)	0.0259 (3)
C8	0.51543 (15)	0.71675 (11)	0.65311 (8)	0.0263 (3)
C9	0.46389 (16)	0.79948 (11)	0.71259 (8)	0.0285 (4)
C10	0.46608 (15)	0.75198 (11)	0.56291 (8)	0.0264 (3)
C11	0.31419 (16)	0.93191 (11)	0.50934 (8)	0.0294 (3)
C12	0.3405 (2)	0.91486 (13)	0.41745 (9)	0.0401 (5)
C13	0.2658 (2)	0.98677 (15)	0.35349 (10)	0.0470 (5)
C14	0.1706 (2)	1.07633 (15)	0.37982 (11)	0.0456 (5)
C15	0.1489 (2)	1.09488 (16)	0.47180 (11)	0.0507 (6)
C16	0.21914 (19)	1.02231 (14)	0.53697 (10)	0.0429 (5)
H1A	0.68570	0.38480	0.59150	0.0320*
H2	0.92800	0.27560	0.63170	0.0470*
H2A	0.62470	0.57050	0.55100	0.0320*
H3	1.20480	0.28050	0.62640	0.0600*
H3A	0.36760	0.95490	0.68710	0.0360*
H4	1.33670	0.45590	0.61300	0.0610*
H5	1.19360	0.62750	0.60870	0.0560*
H6	0.91710	0.62530	0.61500	0.0430*
H9	0.48190	0.79820	0.77690	0.0340*
H12	0.40880	0.85480	0.39830	0.0480*

H13	0.28090	0.97360	0.29030	0.0560*
H14	0.12040	1.12490	0.33540	0.0550*
H15	0.08530	1.15780	0.49080	0.0610*
H16	0.20200	1.03470	0.60010	0.0520*

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
O1	0.0487 (6)	0.0260 (5)	0.0230 (4)	-0.0009 (4)	0.0018 (4)	-0.0005 (3)
O2	0.0371 (5)	0.0345 (5)	0.0239 (4)	-0.0022 (4)	0.0012 (4)	-0.0072 (4)
N1	0.0270 (5)	0.0257 (5)	0.0286 (5)	-0.0012 (4)	0.0029 (4)	-0.0043 (4)
N2	0.0299 (5)	0.0286 (5)	0.0229 (5)	0.0003 (4)	0.0018 (4)	-0.0019 (4)
N3	0.0432 (6)	0.0268 (5)	0.0212 (5)	0.0004 (5)	0.0013 (4)	-0.0033 (4)
N4	0.0355 (6)	0.0275 (5)	0.0209 (5)	-0.0029 (4)	0.0012 (4)	-0.0026 (4)
C1	0.0268 (6)	0.0398 (7)	0.0186 (5)	-0.0005 (5)	0.0015 (4)	-0.0041 (5)
C2	0.0369 (7)	0.0458 (8)	0.0354 (7)	0.0058 (6)	-0.0009 (6)	-0.0100 (6)
C3	0.0378 (8)	0.0735 (12)	0.0386 (8)	0.0187 (8)	-0.0043 (6)	-0.0178 (8)
C4	0.0271 (7)	0.0945 (14)	0.0300 (7)	-0.0009 (8)	-0.0005 (6)	-0.0155 (8)
C5	0.0343 (8)	0.0735 (12)	0.0326 (7)	-0.0175 (8)	-0.0005 (6)	-0.0012 (7)
C6	0.0314 (7)	0.0462 (8)	0.0294 (6)	-0.0083 (6)	-0.0002 (5)	0.0010 (6)
C7	0.0286 (6)	0.0248 (6)	0.0243 (6)	-0.0078 (5)	0.0027 (5)	-0.0024 (5)
C8	0.0301 (6)	0.0249 (6)	0.0239 (6)	-0.0053 (5)	0.0027 (5)	-0.0020 (4)
C9	0.0371 (7)	0.0258 (6)	0.0227 (6)	-0.0027 (5)	0.0013 (5)	-0.0007 (5)
C10	0.0278 (6)	0.0269 (6)	0.0246 (6)	-0.0065 (5)	0.0028 (5)	-0.0034 (5)
C11	0.0323 (6)	0.0303 (6)	0.0254 (6)	-0.0079 (5)	-0.0029 (5)	0.0012 (5)
C12	0.0551 (9)	0.0380 (8)	0.0274 (7)	-0.0010 (7)	0.0031 (6)	0.0003 (6)
C13	0.0633 (10)	0.0502 (9)	0.0272 (7)	-0.0051 (8)	-0.0014 (7)	0.0052 (6)
C14	0.0510 (9)	0.0471 (9)	0.0378 (8)	-0.0043 (7)	-0.0130 (7)	0.0098 (7)
C15	0.0572 (10)	0.0515 (10)	0.0427 (9)	0.0147 (8)	-0.0115 (7)	-0.0006 (7)
C16	0.0503 (9)	0.0473 (9)	0.0307 (7)	0.0106 (7)	-0.0064 (6)	-0.0034 (6)

Geometric parameters (Å, °)

O1—C7	1.2436 (15)	C8—C9	1.3724 (18)
O2—C10	1.2509 (15)	C8—C10	1.4332 (17)
N1—N2	1.3962 (15)	C11—C16	1.385 (2)
N1—C1	1.4207 (16)	C11—C12	1.3838 (18)
N2—C7	1.3489 (16)	C12—C13	1.391 (2)
N3—N4	1.3819 (15)	C13—C14	1.373 (2)
N3—C9	1.3273 (17)	C14—C15	1.381 (2)
N4—C10	1.3951 (17)	C15—C16	1.391 (2)
N4—C11	1.4236 (16)	C2—H2	0.9500
N1—H1A	0.9100	C3—H3	0.9500
N2—H2A	0.9100	C4—H4	0.9500
N3—H3A	0.9100	C5—H5	0.9500
C1—C6	1.385 (2)	C6—H6	0.9500
C1—C2	1.391 (2)	C9—H9	0.9500
C2—C3	1.394 (2)	C12—H12	0.9500

C3—C4	1.376 (3)	C13—H13	0.9500
C4—C5	1.376 (3)	C14—H14	0.9500
C5—C6	1.394 (2)	C15—H15	0.9500
C7—C8	1.4493 (17)	C16—H16	0.9500
N2—N1—C1	116.56 (10)	N4—C11—C12	119.25 (12)
N1—N2—C7	120.04 (10)	N4—C11—C16	120.65 (11)
N4—N3—C9	108.74 (10)	C12—C11—C16	120.09 (13)
N3—N4—C10	108.80 (10)	C11—C12—C13	119.18 (14)
N3—N4—C11	120.98 (10)	C12—C13—C14	121.35 (14)
C10—N4—C11	130.15 (10)	C13—C14—C15	119.04 (15)
N2—N1—H1A	110.00	C14—C15—C16	120.65 (16)
C1—N1—H1A	113.00	C11—C16—C15	119.64 (14)
C7—N2—H2A	119.00	C1—C2—H2	120.00
N1—N2—H2A	121.00	C3—C2—H2	120.00
N4—N3—H3A	121.00	C2—C3—H3	120.00
C9—N3—H3A	126.00	C4—C3—H3	120.00
C2—C1—C6	119.79 (12)	C3—C4—H4	120.00
N1—C1—C2	117.86 (12)	C5—C4—H4	120.00
N1—C1—C6	122.33 (12)	C4—C5—H5	120.00
C1—C2—C3	119.71 (15)	C6—C5—H5	120.00
C2—C3—C4	120.54 (17)	C1—C6—H6	120.00
C3—C4—C5	119.57 (15)	C5—C6—H6	120.00
C4—C5—C6	120.87 (16)	N3—C9—H9	125.00
C1—C6—C5	119.50 (14)	C8—C9—H9	125.00
N2—C7—C8	115.01 (10)	C11—C12—H12	120.00
O1—C7—N2	123.43 (11)	C13—C12—H12	120.00
O1—C7—C8	121.56 (11)	C12—C13—H13	119.00
C7—C8—C10	127.58 (11)	C14—C13—H13	119.00
C9—C8—C10	107.30 (11)	C13—C14—H14	120.00
C7—C8—C9	125.12 (11)	C15—C14—H14	120.00
N3—C9—C8	110.09 (11)	C14—C15—H15	120.00
N4—C10—C8	104.97 (10)	C16—C15—H15	120.00
O2—C10—C8	129.92 (12)	C11—C16—H16	120.00
O2—C10—N4	125.08 (11)	C15—C16—H16	120.00
C1—N1—N2—C7	-93.97 (13)	C2—C3—C4—C5	1.0 (2)
N2—N1—C1—C2	-171.62 (11)	C3—C4—C5—C6	-0.7 (2)
N2—N1—C1—C6	10.19 (17)	C4—C5—C6—C1	-0.6 (2)
N1—N2—C7—O1	0.51 (18)	O1—C7—C8—C9	0.9 (2)
N1—N2—C7—C8	-179.89 (10)	O1—C7—C8—C10	-178.68 (13)
C9—N3—N4—C10	3.27 (14)	N2—C7—C8—C9	-178.74 (12)
C9—N3—N4—C11	-179.56 (11)	N2—C7—C8—C10	1.71 (19)
N4—N3—C9—C8	-2.57 (15)	C7—C8—C9—N3	-178.73 (12)
N3—N4—C10—O2	175.50 (12)	C10—C8—C9—N3	0.90 (15)
N3—N4—C10—C8	-2.61 (13)	C7—C8—C10—O2	2.7 (2)
C11—N4—C10—O2	-1.3 (2)	C7—C8—C10—N4	-179.30 (12)
C11—N4—C10—C8	-179.44 (12)	C9—C8—C10—O2	-176.90 (13)

N3—N4—C11—C12	170.15 (13)	C9—C8—C10—N4	1.08 (14)
N3—N4—C11—C16	-8.37 (19)	N4—C11—C12—C13	179.11 (14)
C10—N4—C11—C12	-13.3 (2)	C16—C11—C12—C13	-2.4 (2)
C10—N4—C11—C16	168.14 (13)	N4—C11—C16—C15	179.27 (14)
N1—C1—C2—C3	-179.61 (13)	C12—C11—C16—C15	0.8 (2)
C6—C1—C2—C3	-1.4 (2)	C11—C12—C13—C14	2.0 (2)
N1—C1—C6—C5	179.80 (12)	C12—C13—C14—C15	-0.1 (3)
C2—C1—C6—C5	1.64 (19)	C13—C14—C15—C16	-1.6 (3)
C1—C2—C3—C4	0.1 (2)	C14—C15—C16—C11	1.2 (3)

Hydrogen-bond geometry (Å, °)

<i>D</i> —H \cdots <i>A</i>	<i>D</i> —H	H \cdots <i>A</i>	<i>D</i> \cdots <i>A</i>	<i>D</i> —H \cdots <i>A</i>
N1—H1A \cdots O2 ⁱ	0.91	2.06	2.9244 (14)	158
N2—H2A \cdots O2	0.91	2.14	2.8597 (14)	136
N3—H3A \cdots O1 ⁱⁱ	0.91	1.75	2.6527 (15)	169
C12—H12 \cdots O2	0.95	2.28	2.9133 (18)	124
C16—H16 \cdots O1 ⁱⁱ	0.95	2.51	3.2745 (18)	137

Symmetry codes: (i) $-x+1, -y+1, -z+1$; (ii) $-x+1, y+1/2, -z+3/2$.