data reports





OPEN a ACCESS

Crystal structure of 2-methylamino-3nitro-4-p-tolylpyrano[3,2-c]chromen-5(4H)-one

J. Govindaraj,^a Y. AaminaNaaz,^b Jayabal Kamalraja,^c Paramasiyam T. Perumal^c and A. SubbiahPandi^{b*}

^aDepartment of Physics, Pachaiyappa's College for Men, Kanchipuram 631 501, India, ^bDepartment of Physics, Presidency College (Autonomous), Chennai 600 005, India, and ^cOrganic Chemistry Division, Central Leather Research Institute, Adyar, Chennai 602 020, India. *Correspondence e-mail: aspandian59@gmail.com

Received 21 December 2014; accepted 3 February 2015

Edited by W. T. A. Harrison, University of Aberdeen, Scotland

In the racemic title compound, $C_{20}H_{16}N_2O_5$, the pyran ring adopts a shallow envelope conformation, with the stereogenic C atom displaced from the other atoms by 0.273 (2) Å. The dihedral angle between the fused-ring system and the pendant *p*-tolyl group is $87.62 (7)^\circ$. The molecular conformation is consolidated by an intramolecular N−H···O hydrogen bond, which generates an S(6) ring. In the crystal, molecules are linked by $C-H \cdots O$ interactions, resulting in [010] chains.

Keywords: crystal structure; pyrano[3,2-c]chromenone; biological activity; chromene derivatives; hydrogen bonding; crystal structure.

CCDC reference: 1046918

1. Related literature

For background to the biological activity of chromene derivatives, see: Borges et al. (2005, 2009); Gibbs (2000); Varmus (2006). For a related structure, see: Narayanan et al. (2013).



2. Experimental

2.1. Crystal data

 $C_{20}H_{16}N_2O_5$ $M_r = 364.35$ Monoclinic, $P2_1/n$ a = 10.8336 (11) Åb = 11.7927 (11) Å c = 13.7275 (14) Å $\beta = 108.357 \ (2)^{\circ}$

V = 1664.5 (3) Å³ Z = 4Mo $K\alpha$ radiation $\mu = 0.11 \text{ mm}^{-1}$ T = 293 K $0.21 \times 0.19 \times 0.18 \text{ mm}$

28712 measured reflections

 $R_{\rm int} = 0.039$

4571 independent reflections

2862 reflections with $I > 2\sigma(I)$

2.2. Data collection Bruker SMART APEXII CCD diffractometer Absorption correction: multi-scan

(SADABS; Bruker, 2008) $T_{\min} = 0.978, \ T_{\max} = 0.981$

2.3. Refinement

$R[F^2 > 2\sigma(F^2)] = 0.050$	244 parameters
$wR(F^2) = 0.151$	H-atom parameters constrained
S = 1.03	$\Delta \rho_{\rm max} = 0.26 \text{ e} \text{ Å}^{-3}$
4571 reflections	$\Delta \rho_{\rm min} = -0.36 \text{ e } \text{\AA}^{-3}$

Table 1 Hydrogen-bond geometry (Å, °).

$D - H \cdot \cdot \cdot A$	D-H	$H \cdot \cdot \cdot A$	$D \cdots A$	$D - \mathbf{H} \cdot \cdot \cdot A$
$\overline{ \begin{array}{c} N1 - H1 \cdots O5 \\ C9 - H9C \cdots O4^{i} \end{array} } $	0.86 0.96	1.96 2.46	2.590 (2) 3.389 (3)	129 163

Symmetry code: (i) $-x + \frac{3}{2}, y - \frac{1}{2}, -z + \frac{1}{2}$.

Data collection: APEX2 (Bruker, 2008); cell refinement: SAINT (Bruker, 2008); data reduction: SAINT; program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: ORTEP-3 for Windows (Farrugia, 2012); software used to prepare material for publication: SHELXL97 and PLATON (Spek, 2009).

Acknowledgements

The authors thank Dr Babu Varghese, SAIF, IIT, Chennai, India, for the data collection.

Supporting information for this paper is available from the IUCr electronic archives (Reference: HB7345).

References

Borges, F., Roleira, F., Milhazes, N., Santana, L. & Uriarte, E. (2005). Curr. Med. Chem. 12, 887–916.

- Borges, F., Roleira, F., Milhazes, N., Uriarte, E. & Santana, L. (2009). Front. Med. Chem. 4, 23–85.
- Bruker (2008). APEX2, SADABS and SAINT. Bruker AXS Inc., Madison, Wisconsin, USA.
- Farrugia, L. J. (2012). J. Appl. Cryst. 45, 849-854.
- Gibbs, J. B. (2000). Science, 287, 1969–1973.
- Narayanan, P., Kamalraja, J., Perumal, P. T. & Sethusankar, K. (2013). Acta Cryst. E69, 0931–0932.
- Sheldrick, G. M. (2008). Acta Cryst. A64, 112-122.
- Spek, A. L. (2009). Acta Cryst. D65, 148-155.
- Varmus, H. (2006). Science, 312, 1162-1165.

supporting information

Acta Cryst. (2015). E71, o158–o159 [doi:10.1107/S205698901500225X]

Crystal structure of 2-methylamino-3-nitro-4-*p*-tolylpyrano[3,2c]chromen-5(4*H*)-one

J. Govindaraj, Y. AaminaNaaz, Jayabal Kamalraja, Paramasivam T. Perumal and A. SubbiahPandi

S1. Comment

Coumarins and their natural synthetic derivatives are pharmacologically interesting compounds due to their structural diversity and synthetic accessibility (Borges *et al.*, 2005, 2009). Cancer, a diverse group of diseases characterized by uncontrolled growth of abnormal cells, is a major worldwide problem. It is a fatal disease standing next to the cardiovascular disease in terms of morbidity and mortality. Although the cancer research has led to a number of new and effective solutions, the medicines used as treatments have clear limitations and unfortunately cancer is projected as the primary cause of death in the future(Gibbs *et al.* 2000; Varmus *et al.* 2006).

The title compound, Fig. 1, consists of a chromene moiety attached to a nitrophenyl ring, a nitro group and a methylamine group. The molecular structure is stabilized by an intra molecular N1—H1A···O5 interaction, which generates an S(6) ring motif. The chromen ring is almost coplanar with the least-square planes of the phenyl ring, making dihedral angle of 87.18 (8)°. The six-membered pyran ring(C7/O1/C8/C10/C11/C12) adopts sofa conformatons, with puckering parameters Q₂ = 0.1787 (17) Å, Q₃ = -0.0688 (18) Å and φ_2 = 0.9 (6)°, respectively. The C18 atom deviates from mean plane of the phenyl ring by -0.0260 Å. The title compound exihibits structural similarities with an already reported related structure (Narayanan *et al.* 2013).

In the crystal, the molecules are linked *via* intermolecular C9—H9C···O4 hydrogen-bond interaction to generate [010] chains.

S2. Experimental

A solution of 4-methylbenzaldehyde (1.0 mmol), 4-hydroxycoumarin (1.0 mmol), NMSM (1.0 mmol), and piperidine (0.2 equiv) in EtOH (2 ml) was stirred for the three hours. After reaction was complete as indicated by TLC, the product was filtered and washed with EtOH (2 ml) to remove the excess base and other impurities. Finally, the product was recrystallized from EtOH to yield colourless blocks of the title compound.

S3. Refinement

N and C-bound H atoms were positioned geometrically (C–H = 0.93–0.98 Å) and allowed to ride on their parent atoms, with $U_{iso}(H) = 1.5U_{eq}(C)$ for methyl H atoms and $1.2U_{eq}(C)$ for all other H atoms.



Figure 1

The molecular structure of the title molecule, with atom displacement ellipsoids drawn at the 30% probability level. The intramolecular N—H \cdots O hydrogen bond, which generates an S(6) ring motif, is shown as a dashed line.



Figure 2

The crystal packing of the title compound, viewed along the b axis, showing C9—H9C···O4 hydrogen bonds producing chains parallel to the 101 planes.

2-Methylamino-3-nitro-4-p-tolylpyrano[3,2-c]chromen-5(4H)-one

Crystal data

 $C_{20}H_{16}N_2O_5$ $M_r = 364.35$ Monoclinic, $P2_1/n$ Hall symbol: -P 2yn a = 10.8336 (11) Å b = 11.7927 (11) Å c = 13.7275 (14) Å $\beta = 108.357$ (2)° V = 1664.5 (3) Å³ Z = 4

Data collection

Bruker SMART APEXII CCD diffractometer Radiation source: fine-focus sealed tube Graphite monochromator ω and φ scans F(000) = 760 $D_x = 1.454 \text{ Mg m}^{-3}$ Mo K\alpha radiation, $\lambda = 0.71073 \text{ Å}$ Cell parameters from 2862 reflections $\theta = 2.1-30.3^{\circ}$ $\mu = 0.11 \text{ mm}^{-1}$ T = 293 KBlock, colourless $0.21 \times 0.19 \times 0.18 \text{ mm}$

Absorption correction: multi-scan (*SADABS*; Bruker, 2008) $T_{min} = 0.978$, $T_{max} = 0.981$ 28712 measured reflections 4571 independent reflections 2862 reflections with $I > 2\sigma(I)$

$R_{\rm int} = 0.039$	$k = -15 \rightarrow 16$
$\theta_{\text{max}} = 30.3^{\circ}, \theta_{\text{min}} = 2.1^{\circ}$	$l = -19 \rightarrow 19$
$h = -15 \rightarrow 15$	

Refinement

5	
Refinement on F^2	Secondary atom site location: difference Fourier
Least-squares matrix: full	map
$R[F^2 > 2\sigma(F^2)] = 0.050$	Hydrogen site location: inferred from
$wR(F^2) = 0.151$	neighbouring sites
S = 1.03	H-atom parameters constrained
4571 reflections	$w = 1/[\sigma^2(F_o^2) + (0.0607P)^2 + 0.7266P]$
244 parameters	where $P = (F_o^2 + 2F_c^2)/3$
0 restraints	$(\Delta/\sigma)_{\rm max} = 0.001$
Primary atom site location: structure-invariant	$\Delta \rho_{\rm max} = 0.26 \text{ e } \text{\AA}^{-3}$
direct methods	$\Delta \rho_{\rm min} = -0.36 \text{ e } \text{\AA}^{-3}$

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted *R*-factor *wR* and goodness of fit *S* are based on F^2 , conventional *R*-factors *R* are based on *F*, with *F* set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating *R*-factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. *R*-factors based on F^2 are statistically about twice as large as those based on *F*, and *R*- factors based on ALL data will be even larger.

	x	у	Ζ	$U_{\rm iso}$ */ $U_{\rm eq}$
C1	0.39731 (17)	0.29273 (15)	0.11931 (14)	0.0394 (4)
C2	0.3614 (2)	0.18037 (17)	0.11445 (17)	0.0525 (5)
H2	0.2802	0.1594	0.1181	0.063*
C3	0.4481 (2)	0.09986 (18)	0.10411 (18)	0.0569 (6)
Н3	0.4256	0.0235	0.1014	0.068*
C4	0.5677 (2)	0.13063 (17)	0.09769 (17)	0.0538 (5)
H4	0.6246	0.0751	0.0895	0.065*
C5	0.60377 (19)	0.24263 (17)	0.10328 (15)	0.0455 (4)
Н5	0.6849	0.2629	0.0990	0.055*
C6	0.51827 (16)	0.32599 (14)	0.11533 (13)	0.0358 (4)
C7	0.54773 (16)	0.44453 (14)	0.13040 (13)	0.0342 (4)
C8	0.70721 (17)	0.58447 (15)	0.13873 (13)	0.0375 (4)
C9	0.9063 (2)	0.5072 (2)	0.11560 (18)	0.0560 (5)
H9A	0.9850	0.5386	0.1089	0.084*
H9B	0.8626	0.4640	0.0553	0.084*
H9C	0.9270	0.4587	0.1747	0.084*
C10	0.62572 (17)	0.66705 (14)	0.15559 (13)	0.0365 (4)
C11	0.50320 (16)	0.64000 (14)	0.18012 (13)	0.0359 (4)
H11	0.4340	0.6918	0.1422	0.043*
C12	0.46442 (16)	0.52058 (15)	0.14680 (13)	0.0350 (4)
C13	0.33590 (17)	0.48409 (16)	0.14373 (14)	0.0422 (4)
C14	0.52303 (15)	0.65125 (14)	0.29503 (13)	0.0331 (4)

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters $(Å^2)$

C15	0.60210 (17)	0.57475 (15)	0.36318 (14)	0.0400 (4)
H15	0.6410	0.5159	0.3384	0.048*
C16	0.62389 (18)	0.58497 (16)	0.46753 (15)	0.0445 (4)
H16	0.6773	0.5328	0.5120	0.053*
C17	0.56764 (17)	0.67147 (16)	0.50698 (14)	0.0414 (4)
C18	0.5931 (2)	0.6825 (2)	0.62041 (16)	0.0597 (6)
H18A	0.6515	0.6236	0.6554	0.090*
H18B	0.5127	0.6760	0.6354	0.090*
H18C	0.6316	0.7552	0.6431	0.090*
C19	0.48681 (18)	0.74572 (16)	0.43833 (15)	0.0449 (4)
H19	0.4466	0.8037	0.4630	0.054*
C20	0.46409 (17)	0.73612 (15)	0.33388 (14)	0.0405 (4)
H20	0.4087	0.7872	0.2894	0.049*
N1	0.82208 (16)	0.59828 (15)	0.12756 (13)	0.0480 (4)
H1	0.8497	0.6666	0.1273	0.058*
N2	0.66129 (17)	0.78014 (13)	0.15862 (12)	0.0455 (4)
O1	0.67089 (11)	0.47326 (10)	0.13148 (10)	0.0405 (3)
O2	0.30759 (12)	0.37082 (11)	0.12920 (11)	0.0469 (3)
O3	0.25155 (13)	0.54490 (13)	0.15308 (14)	0.0624 (4)
O4	0.58643 (16)	0.85218 (12)	0.17480 (12)	0.0591 (4)
O5	0.76697 (15)	0.80934 (12)	0.14575 (12)	0.0598 (4)

Atomic displacement parameters $(Å^2)$

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
C1	0.0360 (9)	0.0392 (9)	0.0391 (9)	0.0006 (7)	0.0063 (7)	-0.0084 (7)
C2	0.0418 (10)	0.0437 (11)	0.0668 (14)	-0.0075 (8)	0.0098 (9)	-0.0126 (10)
C3	0.0534 (12)	0.0367 (10)	0.0722 (15)	-0.0048 (9)	0.0077 (10)	-0.0144 (10)
C4	0.0517 (12)	0.0410 (11)	0.0642 (13)	0.0066 (9)	0.0117 (10)	-0.0147 (9)
C5	0.0421 (10)	0.0443 (11)	0.0492 (11)	0.0049 (8)	0.0129 (8)	-0.0096 (8)
C6	0.0367 (9)	0.0356 (9)	0.0325 (9)	0.0017 (7)	0.0073 (7)	-0.0051 (7)
C7	0.0324 (8)	0.0367 (9)	0.0324 (8)	0.0011 (7)	0.0089 (7)	-0.0012 (7)
C8	0.0418 (9)	0.0384 (9)	0.0338 (9)	0.0000 (7)	0.0140 (7)	0.0048 (7)
C9	0.0470 (11)	0.0626 (13)	0.0669 (14)	0.0091 (10)	0.0301 (10)	0.0089 (11)
C10	0.0412 (9)	0.0320 (8)	0.0374 (9)	0.0011 (7)	0.0139 (7)	0.0033 (7)
C11	0.0342 (8)	0.0303 (8)	0.0417 (9)	0.0059 (7)	0.0097 (7)	0.0013 (7)
C12	0.0332 (8)	0.0357 (9)	0.0342 (9)	0.0034 (7)	0.0079 (7)	-0.0016 (7)
C13	0.0346 (9)	0.0415 (10)	0.0470 (10)	0.0018 (7)	0.0081 (8)	-0.0061 (8)
C14	0.0298 (8)	0.0308 (8)	0.0402 (9)	-0.0002 (6)	0.0131 (7)	-0.0001 (7)
C15	0.0393 (9)	0.0360 (9)	0.0457 (10)	0.0082 (7)	0.0149 (8)	-0.0012 (7)
C16	0.0436 (10)	0.0439 (10)	0.0438 (10)	0.0067 (8)	0.0107 (8)	0.0084 (8)
C17	0.0385 (9)	0.0442 (10)	0.0441 (10)	-0.0077 (8)	0.0165 (8)	-0.0041 (8)
C18	0.0679 (14)	0.0687 (15)	0.0450 (12)	-0.0062 (11)	0.0212 (10)	-0.0041 (10)
C19	0.0460 (10)	0.0415 (10)	0.0517 (11)	0.0046 (8)	0.0220 (9)	-0.0075 (8)
C20	0.0385 (9)	0.0366 (9)	0.0466 (10)	0.0071 (7)	0.0138 (8)	-0.0001 (8)
N1	0.0472 (9)	0.0462 (9)	0.0595 (10)	-0.0008 (7)	0.0295 (8)	0.0051 (8)
N2	0.0586 (10)	0.0366 (8)	0.0424 (9)	-0.0015 (7)	0.0176 (8)	0.0045 (7)
01	0.0364 (6)	0.0360 (7)	0.0525 (8)	0.0021 (5)	0.0189 (6)	-0.0005 (6)

supporting information

O2	0.0344 (6)	0.0419 (7)	0.0626 (9)	-0.0018 (5)	0.0129 (6)	-0.0120 (6)	
03	0.0376 (7)	0.0541 (9)	0.0952 (12)	0.0077 (6)	0.0204 (8)	-0.0142 (8)	
O4	0.0780 (10)	0.0349 (7)	0.0708 (10)	0.0064 (7)	0.0328 (8)	0.0035 (7)	
05	0.0682 (10)	0.0461 (8)	0.0738 (11)	-0.0111 (7)	0.0348 (8)	0.0063 (7)	

Geometric parameters (Å, °)

C1—02	1.376 (2)	C11—C12	1.499 (2)	
C1—C2	1.377 (3)	C11—C14	1.529 (2)	
C1—C6	1.385 (2)	C11—H11	0.9800	
C2—C3	1.374 (3)	C12—C13	1.445 (2)	
С2—Н2	0.9300	C13—O3	1.200 (2)	
C3—C4	1.374 (3)	C13—O2	1.371 (2)	
С3—Н3	0.9300	C14—C20	1.381 (2)	
C4—C5	1.373 (3)	C14—C15	1.385 (2)	
C4—H4	0.9300	C15—C16	1.382 (3)	
C5—C6	1.396 (2)	C15—H15	0.9300	
С5—Н5	0.9300	C16—C17	1.383 (3)	
С6—С7	1.434 (2)	C16—H16	0.9300	
C7—C12	1.341 (2)	C17—C19	1.379 (3)	
C7—O1	1.372 (2)	C17—C18	1.499 (3)	
C8—N1	1.311 (2)	C18—H18A	0.9600	
C8—O1	1.364 (2)	C18—H18B	0.9600	
C8—C10	1.382 (2)	C18—H18C	0.9600	
C9—N1	1.452 (3)	C19—C20	1.381 (3)	
С9—Н9А	0.9600	C19—H19	0.9300	
С9—Н9В	0.9600	C20—H20	0.9300	
С9—Н9С	0.9600	N1—H1	0.8600	
C10—N2	1.385 (2)	N2—O4	1.242 (2)	
C10—C11	1.503 (2)	N2—O5	1.260 (2)	
O2—C1—C2	116.81 (17)	C7—C12—C13	119.29 (16)	
O2—C1—C6	121.38 (16)	C7—C12—C11	122.74 (15)	
C2—C1—C6	121.81 (17)	C13—C12—C11	117.61 (15)	
C3—C2—C1	118.54 (19)	O3—C13—O2	117.06 (17)	
С3—С2—Н2	120.7	O3—C13—C12	125.32 (18)	
C1—C2—H2	120.7	O2—C13—C12	117.62 (15)	
C2—C3—C4	120.87 (19)	C20—C14—C15	118.29 (16)	
С2—С3—Н3	119.6	C20-C14-C11	121.95 (15)	
С4—С3—Н3	119.6	C15—C14—C11	119.76 (15)	
C5—C4—C3	120.53 (19)	C16—C15—C14	120.72 (16)	
C5—C4—H4	119.7	C16—C15—H15	119.6	
С3—С4—Н4	119.7	C14—C15—H15	119.6	
C4—C5—C6	119.76 (19)	C15—C16—C17	121.18 (17)	
C4—C5—H5	120.1	C15—C16—H16	119.4	
С6—С5—Н5	120.1	C17—C16—H16	119.4	
C1—C6—C5	118.46 (17)	C19—C17—C16	117.64 (17)	
C1—C6—C7	116.14 (15)	C19—C17—C18	121.61 (18)	

C5—C6—C7	125.29 (17)	C16—C17—C18	120.75 (19)
C12—C7—O1	122.46 (16)	C17—C18—H18A	109.5
С12—С7—С6	123.04 (16)	C17—C18—H18B	109.5
O1—C7—C6	114.43 (14)	H18A—C18—H18B	109.5
N1-C8-O1	111.93 (16)	C17—C18—H18C	109.5
N1-C8-C10	127.74 (17)	H18A—C18—H18C	109.5
O1—C8—C10	120.33 (15)	H18B—C18—H18C	109.5
N1—C9—H9A	109.5	C17—C19—C20	121.64 (17)
N1—C9—H9B	109.5	С17—С19—Н19	119.2
H9A—C9—H9B	109.5	С20—С19—Н19	119.2
N1—C9—H9C	109.5	C19—C20—C14	120.49 (17)
Н9А—С9—Н9С	109.5	С19—С20—Н20	119.8
Н9В—С9—Н9С	109.5	С14—С20—Н20	119.8
C8—C10—N2	119.80 (16)	C8—N1—C9	125.09 (17)
C8—C10—C11	122.95 (15)	C8—N1—H1	117.5
N2-C10-C11	117.04 (15)	C9—N1—H1	117.5
C12—C11—C10	108.26 (14)	O4—N2—O5	120.76 (16)
C12—C11—C14	109.33 (14)	O4—N2—C10	118.21 (16)
C10—C11—C14	111.45 (14)	O5—N2—C10	121.03 (16)
C12—C11—H11	109.3	C8—O1—C7	119.69 (13)
C10—C11—H11	109.3	C13—O2—C1	122.25 (14)
C14—C11—H11	109.3		
O2—C1—C2—C3	179.72 (18)	C11—C12—C13—O3	9.9 (3)
C6—C1—C2—C3	-0.8 (3)	C7—C12—C13—O2	3.3 (3)
C1—C2—C3—C4	-0.6 (3)	C11—C12—C13—O2	-169.93 (15)
C2—C3—C4—C5	1.1 (3)	C12—C11—C14—C20	-129.00(17)
C3—C4—C5—C6	-0.2 (3)	C10-C11-C14-C20	111.35 (18)
O2—C1—C6—C5	-178.80 (16)	C12—C11—C14—C15	51.0 (2)
C2—C1—C6—C5	1.7 (3)	C10—C11—C14—C15	-68.7 (2)
O2—C1—C6—C7	4.9 (2)	C20-C14-C15-C16	-1.6(3)
C2-C1-C6-C7	-174.59 (18)	C11—C14—C15—C16	178.42 (16)
C4—C5—C6—C1	-1.2 (3)	C14—C15—C16—C17	0.0 (3)
C4—C5—C6—C7	174.73 (18)	C15—C16—C17—C19	1.4 (3)
C1—C6—C7—C12	-0.5 (3)	C15—C16—C17—C18	-179.30 (18)
C5—C6—C7—C12	-176.51 (18)	C16—C17—C19—C20	-1.2 (3)
C1C6C7O1	176.64 (15)	C18—C17—C19—C20	179.47 (18)
C5—C6—C7—O1	0.6 (3)	C17—C19—C20—C14	-0.4 (3)
N1-C8-C10-N2	2.4 (3)	C15-C14-C20-C19	1.8 (3)
O1-C8-C10-N2	-177.36 (15)	C11—C14—C20—C19	-178.26 (16)
N1-C8-C10-C11	-172.24 (17)	O1—C8—N1—C9	-3.8 (3)
O1-C8-C10-C11	8.0 (3)	C10-C8-N1-C9	176.42 (19)
C8-C10-C11-C12	-19.5 (2)	C8—C10—N2—O4	-179.39 (17)
N2-C10-C11-C12	165.70 (15)	C11—C10—N2—O4	-4.5 (2)
C8—C10—C11—C14	100.73 (19)	C8—C10—N2—O5	0.3 (3)
N2-C10-C11-C14	-74.03 (19)	C11—C10—N2—O5	175.25 (16)
O1—C7—C12—C13	179.56 (15)	N1—C8—O1—C7	-173.09 (15)
C6—C7—C12—C13	-3.6 (3)	C10—C8—O1—C7	6.7 (2)

supporting information

C6—C7—C12—C11169.29 (16)C6—C7—O1—C8175.86 (15)C10—C11—C12—C719.3 (2)O3—C13—O2—C1 $-178.85 (17)$ C14—C11—C12—C7 $-102.29 (19)$ C12—C13—O2—C1 $1.0 (3)$ C10—C11—C12—C13 $-167.72 (15)$ C2—C1—O2—C13 $174.23 (17)$ C14—C11—C12—C13 $70.70 (19)$ C6—C1—O2—C13 $-5.2 (3)$ C7—C12—C13—O3 $-176.84 (19)$ $-176.84 (19)$	
--	--

Hydrogen-bond geometry (Å, °)

D—H···A	D—H	H···A	D····A	<i>D</i> —H··· <i>A</i>
N1—H1…O5	0.86	1.96	2.590 (2)	129
C9—H9 <i>C</i> ···O4 ⁱ	0.96	2.46	3.389 (3)	163

Symmetry code: (i) -*x*+3/2, *y*-1/2, -*z*+1/2.