

# 1-[(E)-4-[(2Z)-2,3-Dihydro-1,3-thiazol-2-ylidene]sulfamoyl]phenyl]iminiumyl]-methyl)naphthalen-2-olate

Muhammad Shahid,<sup>a</sup> Muhammad Nawaz Tahir,<sup>b\*</sup>  
Muhammad Salim,<sup>a</sup> Munawar Ali Munawar<sup>a</sup> and  
Hazoor Ahmad Shad<sup>c</sup>

<sup>a</sup>Department of Chemistry, University of the Punjab, Lahore, Punjab, Pakistan,

<sup>b</sup>Department of Physics, University of Sargodha, Sargodha, Punjab, Pakistan, and

<sup>c</sup>Department of Chemistry, University of Sargodha, Sargodha, Punjab, Pakistan.

\*Correspondence e-mail: dmntahir\_uos@yahoo.com

Received 9 May 2015; accepted 19 May 2015

Edited by S. Parkin, University of Kentucky, USA

In the title zwitterionic compound,  $C_{20}H_{15}N_3O_3S_2$ , the 2-hydroxynaphthalene-1-carbaldehyde group *A*, the anilinic unit *B* and the 1,3-thiazol-2(3*H*)-imine group *C* are each approximately planar with r.m.s. deviation of 0.0721, 0.0412 and 0.0125 Å, respectively. The dihedral angles between *A/B*, *A/C* and *B/C* are 24.70 (10), 79.97 (7) and 83.14 (6)°, respectively. There is an intramolecular *S*(6) motif involving the imine N–H and the naphtholate O atom. In the crystal, inversion-related molecules form dimers as a result of N–H···N and N–H···O hydrogen bonds with  $R_2^2(8)$  and  $R_1^2(4)$  motifs, respectively. Weak  $\pi$ – $\pi$  interactions between the benzene and naphthyl rings of inversion-related molecules have ring centroid–centroid distances of 3.638 (2) and 4.041 (2) Å. A C–H··· $\pi$  interaction occurs between the thiazol ring and the benzene ring of an adjacent molecule.

**Keywords:** crystal structure; zwitterionic compound; sulfathiazole; hydrogen bonding; C–H··· $\pi$  interactions;  $\pi$ – $\pi$  interactions.

**CCDC reference:** 1401829

## 1. Related literature

For related structures, see: El-Ghamry *et al.* (2008); Hebbachi *et al.* (2013); Zhang (2009).

## 2. Experimental

### 2.1. Crystal data

$C_{20}H_{15}N_3O_3S_2$	$\gamma = 102.044 (5)^\circ$
$M_r = 409.47$	$V = 927.5 (3) \text{ \AA}^3$
Triclinic, $P\bar{1}$	$Z = 2$
$a = 9.127 (2) \text{ \AA}$	Mo $K\alpha$ radiation
$b = 10.1417 (12) \text{ \AA}$	$\mu = 0.31 \text{ mm}^{-1}$
$c = 11.355 (3) \text{ \AA}$	$T = 296 \text{ K}$
$\alpha = 114.526 (6)^\circ$	$0.32 \times 0.26 \times 0.18 \text{ mm}$
$\beta = 91.556 (5)^\circ$	

### 2.2. Data collection

Bruker Kappa APEXII CCD diffractometer  
Absorption correction: multi-scan (*SADABS*; Bruker, 2005)  
 $T_{\min} = 0.910$ ,  $T_{\max} = 0.948$

13121 measured reflections  
3554 independent reflections  
2086 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.052$

### 2.3. Refinement

$R[F^2 > 2\sigma(F^2)] = 0.049$   
 $wR(F^2) = 0.127$   
 $S = 1.01$   
3554 reflections

253 parameters  
H-atom parameters constrained  
 $\Delta\rho_{\max} = 0.23 \text{ e \AA}^{-3}$   
 $\Delta\rho_{\min} = -0.25 \text{ e \AA}^{-3}$

**Table 1**  
Hydrogen-bond geometry (Å, °).

*Cg4* is the centroid of the C12–C17 ring.

<i>D</i> –H··· <i>A</i>	<i>D</i> –H	H··· <i>A</i>	<i>D</i> ··· <i>A</i>	<i>D</i> –H··· <i>A</i>
N1–H1···O1	0.86	1.87	2.550 (3)	134
N3–H3A···S1 <sup>i</sup>	0.86	2.88	3.729 (2)	168
N3–H3A···O2 <sup>i</sup>	0.86	2.44	3.131 (3)	138
N3–H3A···N2 <sup>i</sup>	0.86	2.13	2.943 (3)	158
C13–H13···O2 <sup>ii</sup>	0.93	2.60	3.257 (4)	128
C19–H19···O1 <sup>iii</sup>	0.93	2.57	3.373 (4)	145
C20–H20···Cg4 <sup>iv</sup>	0.93	2.99	3.853 (4)	156

Symmetry codes: (i)  $-x + 1, -y + 1, -z + 1$ ; (ii)  $-x, -y, -z + 1$ ; (iii)  $-x + 1, -y + 1, -z + 2$ ; (iv)  $x + 1, y, z$ .

Data collection: *APEX2* (Bruker, 2007); cell refinement: *SAINT* (Bruker, 2007); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL2014/7* (Sheldrick, 2015); molecular graphics: *ORTEP-3 for Windows* (Farrugia, 2012) and *PLATON* (Spek, 2009); software used to prepare material for publication: *WinGX* (Farrugia, 2012) and *PLATON*.

## Acknowledgements

The authors acknowledge the provision of funds for the purchase of the diffractometer and encouragement by Dr Muhammad Akram Chaudhary, Vice Chancellor, University of Sargodha, Pakistan.

Supporting information for this paper is available from the IUCr electronic archives (Reference: PK2552).

## References

- Bruker (2005). *SADABS*. Bruker AXS Inc., Madison, Wisconsin, USA.  
Bruker (2007). *APEX2* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.  
El-Ghamry, H., Issa, R., El-Baradie, K., Isagai, K., Masaoka, S. & Sakai, K. (2008). *Acta Cryst. E* **64**, o1350–o1351.  
Farrugia, L. J. (2012). *J. Appl. Cryst.* **45**, 849–854.  
Hebbachi, R., Mousser, H. & Mousser, A. (2013). *Acta Cryst. E* **69**, o67–o68.  
Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.  
Sheldrick, G. M. (2015). *Acta Cryst. C* **71**, 3–8.  
Spek, A. L. (2009). *Acta Cryst. D* **65**, 148–155.  
Zhang, X.-L. (2009). *Acta Cryst. E* **65**, o2274.

# supporting information

*Acta Cryst.* (2015). E71, o421–o422 [doi:10.1107/S2056989015009640]

## 1-{{(E)-(4-{{(2Z)-2,3-Dihydro-1,3-thiazol-2-ylidene}sulfamoyl}phenyl)-iminiumyl}methyl}naphthalen-2-olate

**Muhammad Shahid, Muhammad Nawaz Tahir, Muhammad Salim, Munawar Ali Munawar and Hazoor Ahmad Shad**

### S1. Comment

The crystal structures of 1-(4-(diaminomethyleneaminosulfonyl)phenyl iminiomethyl)-2-naphtholate *N,N*-dimethyl-formamide solvate (El-Ghamry, 2008), *N*-(2,3-dihydro-1,3-thiazol-2-ylidene)-4-((2-hydroxybenzylidene)amino) benzene-sulfonamide (Zhang, 2009) and 1-(4-((4-((E)-(2-hydroxynaphthalen-1-yl) methylideneamino)phenyl)sulfanyl)phenyl)-ethanone unknown solvate (Hebbachi, 2013) have been published, and are related to the title compound (I, Fig. 1). (I) was synthesized to study its biological properties and to explore complexation with different metals.


The title compound crystallizes as a zwitterion. In (I), the 2-hydroxynaphthalene-1-carbaldehyde moiety *A* (C1–C11/O1), the anilinic moiety *B* (N1/C12–C17) and the 1,3-thiazol-2(3*H*) -imine group *C* (N2/N3/S1/C18/C19/C20) are planar with r.m.s. deviation of 0.0721, 0.0412 and 0.0125 Å, respectively. The dihedral angles between A/B, A/C and B/C are 24.70 (10)°, 79.97 (7)° and 83.14 (6)°, respectively. The sulfonyl group *D* (S1/O2/O3) is oriented at a dihedral angle of 69.14 (10)° and 55.43 (13)° with *B* and *C*, respectively. There exist intermolecular H-bonding of N—H···O type (Table 1, Fig. 1) forming *S* (6) loop (Bernstein *et al.*, 1995). The molecules are dimerized due to N—H···N type of H-bonding (Table 1, Fig. 2). *R*<sub>1</sub><sup>2</sup>(4) and *R*<sub>2</sub><sup>2</sup>(8) rings (Table 1, Fig. 2) (Bernstein *et al.*, 1995) are formed. There exist strong π···π interactions at a distance of 3.638 (2) Å between the centroids of *Cg*2—*Cg*3<sup>i</sup> and *Cg*3—*Cg*2<sup>i</sup> [*i* = -1 - *x*, - *y*, 2 - *z*], where *Cg*2 and *Cg*3 are the centroids of *E* (C4–C9) and *F* (C1–C4/C9/C10), respectively. Similarly π···π interactions exists between the centeroids of [*Cg*3—*Cg*4<sup>ii</sup> and *Cg*4—*Cg*3<sup>ii</sup>: *ii* = - *x*, - *y*, 2 - *z*] at a distance of 4.041 (2) Å. There also exist C—H···π interactions (Table 1). All π···π and C—H···π interactions participate in stabilizing the structure.

### S2. Experimental


Equimolar quantities of 2-hydroxynaphthalene-1-carbaldehyde and 4-amino-*N*-(1,3-thiazol-2-yl)benzenesulfonamide (Sulfathiazole) were refluxed in methanol for 6 h. The solution was kept at room temperature for crystallization which afforded light orange plates after 72 h.

### S3. Refinement

The H-atoms were positioned geometrically (C—H = 0.93 Å, N—H= 0.86 Å) and refined as riding with  $U_{\text{iso}}(\text{H}) = xU_{\text{eq}}(\text{C}, \text{N})$ , where  $x = 1.2$  for all H-atoms.

**Figure 1**

View of the title compound with the atom numbering scheme. Thermal ellipsoids are drawn at the 50% probability level. H-atoms are shown as small circles of arbitrary radius. The dotted lines show intramolecular H-bonding.

**Figure 2**

A partial packing plot (*PLATON*; Spek, 2009), which shows that molecules form dimers and are interlinked forming various ring motifs.

### 1-{[(E)-(4-{[(2Z)-2,3-Dihydro-1,3-thiazol-2-ylidene]sulfamoyl}phenyl)iminiumyl]methyl}naphthalen-2-olate

#### Crystal data

$C_{20}H_{15}N_3O_3S_2$   
 $M_r = 409.47$   
Triclinic,  $P\bar{1}$   
 $a = 9.127 (2)$  Å  
 $b = 10.1417 (12)$  Å  
 $c = 11.355 (3)$  Å  
 $\alpha = 114.526 (6)^\circ$   
 $\beta = 91.556 (5)^\circ$   
 $\gamma = 102.044 (5)^\circ$   
 $V = 927.5 (3)$  Å<sup>3</sup>

$Z = 2$   
 $F(000) = 424$   
 $D_x = 1.466 \text{ Mg m}^{-3}$   
Mo  $K\alpha$  radiation,  $\lambda = 0.71073$  Å  
Cell parameters from 2086 reflections  
 $\theta = 2.3\text{--}26.0^\circ$   
 $\mu = 0.31 \text{ mm}^{-1}$   
 $T = 296 \text{ K}$   
Plate, light orange  
 $0.32 \times 0.26 \times 0.18$  mm

*Data collection*

Bruker Kappa APEXII CCD  
diffractometer  
Radiation source: fine-focus sealed tube  
Graphite monochromator  
Detector resolution: 7.80 pixels mm<sup>-1</sup>  
 $\omega$  scans  
Absorption correction: multi-scan  
(SADABS; Bruker, 2005)  
 $T_{\min} = 0.910$ ,  $T_{\max} = 0.948$

13121 measured reflections  
3554 independent reflections  
2086 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.052$   
 $\theta_{\max} = 26.0^\circ$ ,  $\theta_{\min} = 2.3^\circ$   
 $h = -11 \rightarrow 11$   
 $k = -12 \rightarrow 10$   
 $l = -13 \rightarrow 13$

*Refinement*

Refinement on  $F^2$   
Least-squares matrix: full  
 $R[F^2 > 2\sigma(F^2)] = 0.049$   
 $wR(F^2) = 0.127$   
 $S = 1.01$   
3554 reflections  
253 parameters  
0 restraints  
Primary atom site location: structure-invariant  
direct methods

Secondary atom site location: difference Fourier  
map  
Hydrogen site location: inferred from  
neighbouring sites  
H-atom parameters constrained  
 $w = 1/[\sigma^2(F_o^2) + (0.0596P)^2]$   
where  $P = (F_o^2 + 2F_c^2)/3$   
 $(\Delta/\sigma)_{\max} < 0.001$   
 $\Delta\rho_{\max} = 0.23 \text{ e } \text{\AA}^{-3}$   
 $\Delta\rho_{\min} = -0.24 \text{ e } \text{\AA}^{-3}$

*Special details*

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) etc. and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

	$x$	$y$	$z$	$U_{\text{iso}}^*/U_{\text{eq}}$
S1	0.26196 (9)	0.20802 (8)	0.46258 (8)	0.0436 (2)
S2	0.57914 (9)	0.19236 (8)	0.58749 (9)	0.0571 (3)
O1	-0.0869 (3)	0.3290 (3)	1.1505 (2)	0.0747 (7)
O2	0.1538 (2)	0.2532 (2)	0.4023 (2)	0.0580 (6)
O3	0.2907 (2)	0.0638 (2)	0.38835 (19)	0.0498 (5)
N1	-0.0117 (3)	0.1888 (3)	0.9256 (2)	0.0512 (7)
H1	0.0035	0.2699	0.9964	0.061*
N2	0.4105 (3)	0.3410 (2)	0.5032 (2)	0.0449 (6)
N3	0.6639 (3)	0.4405 (2)	0.5815 (2)	0.0481 (7)
H3A	0.6652	0.5187	0.5689	0.058*
C1	-0.1806 (4)	0.2077 (4)	1.1338 (3)	0.0561 (9)
C2	-0.2866 (5)	0.2126 (4)	1.2278 (4)	0.0728 (11)
H2	-0.2825	0.3016	1.3007	0.087*
C3	-0.3895 (4)	0.0895 (4)	1.2094 (4)	0.0691 (10)
H3	-0.4586	0.0968	1.2692	0.083*
C4	-0.4008 (4)	-0.0546 (4)	1.1024 (3)	0.0526 (8)

C5	-0.5088 (4)	-0.1806 (4)	1.0914 (4)	0.0661 (10)
H5	-0.5771	-0.1709	1.1520	0.079*
C6	-0.5151 (4)	-0.3180 (5)	0.9924 (4)	0.0789 (11)
H6	-0.5871	-0.4017	0.9852	0.095*
C7	-0.4126 (4)	-0.3300 (4)	0.9034 (4)	0.0730 (11)
H7	-0.4144	-0.4235	0.8372	0.088*
C8	-0.3080 (4)	-0.2069 (4)	0.9106 (3)	0.0586 (9)
H8	-0.2418	-0.2186	0.8482	0.070*
C9	-0.2989 (3)	-0.0644 (3)	1.0099 (3)	0.0471 (8)
C10	-0.1920 (3)	0.0706 (3)	1.0238 (3)	0.0444 (7)
C11	-0.1073 (3)	0.0693 (3)	0.9224 (3)	0.0477 (8)
H11	-0.1189	-0.0206	0.8487	0.057*
C12	0.0678 (3)	0.1932 (3)	0.8206 (3)	0.0432 (7)
C13	0.0942 (3)	0.0669 (3)	0.7250 (3)	0.0480 (8)
H13	0.0687	-0.0233	0.7316	0.058*
C14	0.1589 (3)	0.0737 (3)	0.6188 (3)	0.0456 (8)
H14	0.1759	-0.0126	0.5534	0.055*
C15	0.1990 (3)	0.2078 (3)	0.6081 (3)	0.0402 (7)
C16	0.1789 (3)	0.3370 (3)	0.7084 (3)	0.0541 (8)
H16	0.2080	0.4282	0.7039	0.065*
C17	0.1152 (3)	0.3290 (3)	0.8155 (3)	0.0529 (8)
H17	0.1042	0.4158	0.8843	0.063*
C18	0.5396 (3)	0.3322 (3)	0.5515 (3)	0.0396 (7)
C19	0.7905 (4)	0.4204 (4)	0.6338 (3)	0.0587 (9)
H19	0.8842	0.4882	0.6581	0.070*
C20	0.7636 (4)	0.2935 (4)	0.6456 (3)	0.0630 (9)
H20	0.8354	0.2625	0.6809	0.076*

Atomic displacement parameters ( $\text{\AA}^2$ )

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
S1	0.0429 (5)	0.0418 (4)	0.0496 (5)	0.0035 (3)	0.0057 (4)	0.0262 (4)
S2	0.0582 (6)	0.0460 (5)	0.0718 (6)	0.0055 (4)	-0.0039 (4)	0.0340 (4)
O1	0.0905 (19)	0.0571 (14)	0.0641 (16)	0.0136 (14)	0.0200 (13)	0.0156 (12)
O2	0.0507 (14)	0.0628 (13)	0.0693 (15)	0.0066 (11)	-0.0034 (11)	0.0410 (12)
O3	0.0565 (14)	0.0419 (11)	0.0489 (13)	0.0080 (10)	0.0141 (10)	0.0191 (10)
N1	0.0498 (17)	0.0543 (16)	0.0462 (16)	0.0106 (13)	0.0084 (13)	0.0193 (13)
N2	0.0409 (15)	0.0411 (14)	0.0596 (17)	0.0020 (11)	0.0073 (13)	0.0319 (12)
N3	0.0494 (17)	0.0361 (13)	0.0606 (17)	0.0035 (12)	0.0112 (13)	0.0255 (12)
C1	0.068 (2)	0.052 (2)	0.053 (2)	0.0151 (18)	0.0109 (18)	0.0261 (17)
C2	0.100 (3)	0.067 (2)	0.063 (3)	0.033 (2)	0.037 (2)	0.0310 (19)
C3	0.077 (3)	0.090 (3)	0.062 (2)	0.038 (2)	0.035 (2)	0.044 (2)
C4	0.048 (2)	0.078 (2)	0.048 (2)	0.0256 (18)	0.0149 (16)	0.0382 (18)
C5	0.056 (2)	0.093 (3)	0.069 (3)	0.017 (2)	0.0168 (19)	0.054 (2)
C6	0.066 (3)	0.085 (3)	0.087 (3)	-0.003 (2)	0.005 (2)	0.049 (3)
C7	0.077 (3)	0.068 (2)	0.063 (3)	0.004 (2)	0.015 (2)	0.0234 (19)
C8	0.056 (2)	0.065 (2)	0.051 (2)	0.0091 (18)	0.0108 (17)	0.0242 (18)
C9	0.045 (2)	0.062 (2)	0.0433 (19)	0.0161 (16)	0.0071 (15)	0.0295 (16)

C10	0.0411 (19)	0.0555 (19)	0.0433 (19)	0.0162 (15)	0.0104 (15)	0.0254 (15)
C11	0.043 (2)	0.0460 (18)	0.052 (2)	0.0091 (15)	0.0041 (16)	0.0198 (15)
C12	0.0356 (18)	0.0515 (18)	0.0451 (19)	0.0085 (14)	0.0058 (14)	0.0241 (15)
C13	0.046 (2)	0.0468 (18)	0.060 (2)	0.0105 (15)	0.0152 (16)	0.0312 (16)
C14	0.047 (2)	0.0458 (17)	0.049 (2)	0.0104 (14)	0.0159 (15)	0.0252 (15)
C15	0.0320 (17)	0.0415 (16)	0.0461 (18)	0.0048 (13)	0.0063 (13)	0.0198 (14)
C16	0.052 (2)	0.0432 (18)	0.064 (2)	0.0038 (15)	0.0133 (17)	0.0230 (16)
C17	0.054 (2)	0.0410 (17)	0.054 (2)	0.0090 (15)	0.0138 (17)	0.0120 (15)
C18	0.044 (2)	0.0334 (15)	0.0400 (17)	0.0041 (14)	0.0088 (14)	0.0165 (13)
C19	0.042 (2)	0.055 (2)	0.070 (2)	0.0014 (16)	0.0001 (17)	0.0240 (18)
C20	0.048 (2)	0.061 (2)	0.075 (2)	0.0089 (17)	-0.0123 (17)	0.0276 (18)

*Geometric parameters ( $\text{\AA}$ ,  $\text{^{\circ}}$ )*

S1—O2	1.437 (2)	C5—H5	0.9300
S1—O3	1.4373 (19)	C6—C7	1.382 (5)
S1—N2	1.599 (2)	C6—H6	0.9300
S1—C15	1.765 (3)	C7—C8	1.375 (4)
S2—C20	1.726 (3)	C7—H7	0.9300
S2—C18	1.731 (3)	C8—C9	1.400 (4)
O1—C1	1.280 (4)	C8—H8	0.9300
N1—C11	1.323 (3)	C9—C10	1.451 (4)
N1—C12	1.424 (4)	C10—C11	1.401 (4)
N1—H1	0.8600	C11—H11	0.9300
N2—C18	1.322 (3)	C12—C13	1.366 (4)
N3—C18	1.325 (3)	C12—C17	1.381 (4)
N3—C19	1.375 (4)	C13—C14	1.379 (4)
N3—H3A	0.8600	C13—H13	0.9300
C1—C10	1.412 (4)	C14—C15	1.389 (4)
C1—C2	1.453 (4)	C14—H14	0.9300
C2—C3	1.329 (5)	C15—C16	1.386 (4)
C2—H2	0.9300	C16—C17	1.388 (4)
C3—C4	1.442 (4)	C16—H16	0.9300
C3—H3	0.9300	C17—H17	0.9300
C4—C5	1.398 (4)	C19—C20	1.322 (4)
C4—C9	1.408 (4)	C19—H19	0.9300
C5—C6	1.367 (5)	C20—H20	0.9300
O2—S1—O3	117.41 (13)	C9—C8—H8	119.3
O2—S1—N2	103.97 (12)	C8—C9—C4	116.5 (3)
O3—S1—N2	112.68 (13)	C8—C9—C10	124.6 (3)
O2—S1—C15	108.18 (13)	C4—C9—C10	118.9 (3)
O3—S1—C15	106.92 (12)	C11—C10—C1	118.7 (3)
N2—S1—C15	107.23 (13)	C11—C10—C9	120.1 (3)
C20—S2—C18	90.63 (15)	C1—C10—C9	121.0 (3)
C11—N1—C12	125.0 (3)	N1—C11—C10	123.7 (3)
C11—N1—H1	117.5	N1—C11—H11	118.1
C12—N1—H1	117.5	C10—C11—H11	118.1

C18—N2—S1	121.34 (19)	C13—C12—C17	120.2 (3)
C18—N3—C19	116.1 (2)	C13—C12—N1	121.6 (3)
C18—N3—H3A	122.0	C17—C12—N1	118.2 (3)
C19—N3—H3A	122.0	C12—C13—C14	119.7 (3)
O1—C1—C10	123.0 (3)	C12—C13—H13	120.2
O1—C1—C2	118.7 (3)	C14—C13—H13	120.2
C10—C1—C2	118.2 (3)	C13—C14—C15	120.9 (3)
C3—C2—C1	119.8 (3)	C13—C14—H14	119.6
C3—C2—H2	120.1	C15—C14—H14	119.6
C1—C2—H2	120.1	C16—C15—C14	119.2 (3)
C2—C3—C4	124.1 (3)	C16—C15—S1	121.3 (2)
C2—C3—H3	118.0	C14—C15—S1	119.4 (2)
C4—C3—H3	118.0	C15—C16—C17	119.4 (3)
C5—C4—C9	121.1 (3)	C15—C16—H16	120.3
C5—C4—C3	121.0 (3)	C17—C16—H16	120.3
C9—C4—C3	117.8 (3)	C12—C17—C16	120.5 (3)
C6—C5—C4	120.7 (3)	C12—C17—H17	119.8
C6—C5—H5	119.6	C16—C17—H17	119.8
C4—C5—H5	119.6	N2—C18—N3	121.3 (3)
C5—C6—C7	118.7 (3)	N2—C18—S2	129.4 (2)
C5—C6—H6	120.6	N3—C18—S2	109.3 (2)
C7—C6—H6	120.6	C20—C19—N3	112.2 (3)
C8—C7—C6	121.4 (3)	C20—C19—H19	123.9
C8—C7—H7	119.3	N3—C19—H19	123.9
C6—C7—H7	119.3	C19—C20—S2	111.8 (3)
C7—C8—C9	121.4 (3)	C19—C20—H20	124.1
C7—C8—H8	119.3	S2—C20—H20	124.1
O2—S1—N2—C18	-173.8 (2)	C9—C10—C11—N1	177.4 (3)
O3—S1—N2—C18	-45.6 (3)	C11—N1—C12—C13	-23.2 (4)
C15—S1—N2—C18	71.8 (3)	C11—N1—C12—C17	155.2 (3)
O1—C1—C2—C3	177.0 (3)	C17—C12—C13—C14	-4.5 (5)
C10—C1—C2—C3	0.7 (5)	N1—C12—C13—C14	173.9 (3)
C1—C2—C3—C4	2.6 (6)	C12—C13—C14—C15	0.6 (5)
C2—C3—C4—C5	177.8 (4)	C13—C14—C15—C16	2.6 (4)
C2—C3—C4—C9	-1.8 (5)	C13—C14—C15—S1	-173.1 (2)
C9—C4—C5—C6	2.2 (5)	O2—S1—C15—C16	-60.6 (3)
C3—C4—C5—C6	-177.5 (3)	O3—S1—C15—C16	172.1 (2)
C4—C5—C6—C7	0.0 (6)	N2—S1—C15—C16	51.0 (3)
C5—C6—C7—C8	-1.7 (6)	O2—S1—C15—C14	115.0 (2)
C6—C7—C8—C9	1.2 (6)	O3—S1—C15—C14	-12.4 (3)
C7—C8—C9—C4	0.9 (5)	N2—S1—C15—C14	-133.4 (2)
C7—C8—C9—C10	-179.9 (3)	C14—C15—C16—C17	-1.9 (4)
C5—C4—C9—C8	-2.6 (4)	S1—C15—C16—C17	173.7 (2)
C3—C4—C9—C8	177.1 (3)	C13—C12—C17—C16	5.2 (5)
C5—C4—C9—C10	178.2 (3)	N1—C12—C17—C16	-173.2 (3)
C3—C4—C9—C10	-2.1 (4)	C15—C16—C17—C12	-1.9 (5)
O1—C1—C10—C11	-6.1 (5)	S1—N2—C18—N3	177.9 (2)

C2—C1—C10—C11	170.0 (3)	S1—N2—C18—S2	−2.8 (4)
O1—C1—C10—C9	179.3 (3)	C19—N3—C18—N2	178.6 (3)
C2—C1—C10—C9	−4.6 (5)	C19—N3—C18—S2	−0.9 (3)
C8—C9—C10—C11	11.7 (5)	C20—S2—C18—N2	−178.0 (3)
C4—C9—C10—C11	−169.2 (3)	C20—S2—C18—N3	1.4 (2)
C8—C9—C10—C1	−173.8 (3)	C18—N3—C19—C20	−0.4 (4)
C4—C9—C10—C1	5.3 (4)	N3—C19—C20—S2	1.5 (4)
C12—N1—C11—C10	−175.4 (3)	C18—S2—C20—C19	−1.7 (3)
C1—C10—C11—N1	2.8 (5)		

*Hydrogen-bond geometry (Å, °)*

Cg4 is the centroid of the C12—C17 ring.

<i>D</i> —H··· <i>A</i>	<i>D</i> —H	H··· <i>A</i>	<i>D</i> ··· <i>A</i>	<i>D</i> —H··· <i>A</i>
N1—H1···O1	0.86	1.87	2.550 (3)	134
N3—H3 <i>A</i> ···S1 <sup>i</sup>	0.86	2.88	3.729 (2)	168
N3—H3 <i>A</i> ···O2 <sup>i</sup>	0.86	2.44	3.131 (3)	138
N3—H3 <i>A</i> ···N2 <sup>i</sup>	0.86	2.13	2.943 (3)	158
C13—H13···O2 <sup>ii</sup>	0.93	2.60	3.257 (4)	128
C19—H19···O1 <sup>iii</sup>	0.93	2.57	3.373 (4)	145
C20—H20···Cg4 <sup>iv</sup>	0.93	2.99	3.853 (4)	156

Symmetry codes: (i)  $-x+1, -y+1, -z+1$ ; (ii)  $-x, -y, -z+1$ ; (iii)  $-x+1, -y+1, -z+2$ ; (iv)  $x+1, y, z$ .