# data reports





open 👌 access

# Crystal structure of methyl (2*Z*)-2-[(2*Z*)-2-(2-cyclopentylidenehydrazin-1-ylidene)-4-oxo-3-phenyl-1,3-thiazolidin-5ylidene]ethanoate

#### Mehmet Akkurt,<sup>a</sup> Victoria A. Smolenski,<sup>b</sup> Shaaban K. Mohamed,<sup>c,d</sup> Jerry P. Jasinski,<sup>b</sup> Alaa A. Hassan<sup>d</sup> and Mustafa R. Albayati<sup>e</sup>\*

<sup>a</sup>Department of Physics, Faculty of Sciences, Erciyes University, 38039 Kayseri, Turkey, <sup>b</sup>Department of Chemistry, Keene State College, 229 Main Street, Keene, NH 03435-2001, USA, <sup>c</sup>Chemistry and Environmental Division, Manchester Metropolitan University, Manchester M1 5GD, England, <sup>d</sup>Chemistry Department, Faculty of Science, Minia University, 61519 El-Minia, Egypt, and <sup>e</sup>Kirkuk University, College of Science, Department of Chemistry, Kirkuk, Iraq. \*Correspondence e-mail: shaabankamel@yahoo.com

Received 17 September 2015; accepted 18 September 2015

Edited by E. R. T. Tiekink, University of Malaya, Malaysia

In the title compound,  $C_{17}H_{17}N_3O_3S$ , the cyclopentane ring is disordered over two sets of sites with an occupancy ratio of 0.775 (8):0.225 (8) for the affected atoms. The thiazolidinyl ring is planar (r.m.s. deviation = 0.024 Å) and forms a dihedral angle of 65.13 (8)° with the attached phenyl ring. The molecular packing is stabilized by  $C-H\cdots O$  and  $C-H\cdots \pi$ interactions, forming a three-dimensional structure.

**Keywords:** crystal structure; thiazolidinyl ring; disorder; hydrogen bonding; C—H··· $\pi$  interactions.

CCDC reference: 1425685

#### 1. Related literature

For biological properties of thiazole-containing compounds, see: Quiroga *et al.* (2002); Hutchinson *et al.* (2002); Hargrave *et al.* (1983); Patt *et al.* (1992); Sharma *et al.* (2009); Jaen *et al.* (1990); Tsuji & Ishikawa (1994); Bell *et al.* (1995): Ergenc *et al.* (1999); Carter *et al.* (1999); Badorc *et al.* (1997); Rudolph *et al.* (2001).



#### 2. Experimental

**2.1. Crystal data**   $C_{17}H_{17}N_3O_3S$   $M_r = 343.40$ Monoclinic,  $P2_1/n$  a = 5.5215 (3) Å b = 16.1299 (8) Å c = 18.7112 (9) Å  $\beta = 93.980$  (5)°

2.2. Data collection

diffractometer

2.3. Refinement

 $wR(F^2) = 0.135$ 

5503 reflections

S = 1.02

 $R[F^2 > 2\sigma(F^2)] = 0.050$ 

Agilent Xcalibur, Eos, Gemini

Absorption correction: multi-scan

(CrysAlis PRO; Agilent, 2014)  $T_{\min} = 0.850, T_{\max} = 1.000$   $V = 1662.42 (15) Å^{3}$ Z = 4 Mo K\alpha radiation  $\mu = 0.22 \text{ mm}^{-1}$ T = 296 K 0.28 \times 0.08 \times 0.04 mm

11300 measured reflections 5503 independent reflections 3958 reflections with  $I > 2\sigma(I)$  $R_{int} = 0.036$ 

222 parameters H-atom parameters constrained  $\Delta \rho_{\rm max} = 0.37$  e Å<sup>-3</sup>  $\Delta \rho_{\rm min} = -0.32$  e Å<sup>-3</sup>

Table 1Hydrogen-bond geometry (Å, °).

Cg4 is the centroid of the C9-C14 ring.

$D - H \cdots A$	D-H	$H \cdot \cdot \cdot A$	$D \cdots A$	$D - H \cdots A$
C13-H13····O2 <sup>i</sup> C15-H15···O3 <sup>ii</sup> C17-H17 $A$ ···O1 <sup>ii</sup>	0.93 0.93 0.96	2.35 2.56 2.42	3.245 (2) 3.485 (2) 3.269 (2)	163 172 147
$C3A - H3A2 \cdots Cg4^{iii}$	0.97	2.96	3.914 (3)	169
Symmetry codes: $-x + \frac{3}{2}, y - \frac{1}{2}, -z + \frac{1}{2}$	(i) $x - \frac{1}{2}, -\frac{1}{2}$	$y + \frac{3}{2}, z + \frac{1}{2};$	(ii) $-x, -y$	+2, -z; (iii)

Data collection: *CrysAlis PRO* (Agilent, 2014); cell refinement: *CrysAlis PRO*; data reduction: *CrysAlis PRO*; program(s) used to solve structure: *SHELXS2014* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL2014* (Sheldrick, 2015; molecular graphics: *ORTEP-3 for Windows* (Farrugia, 2012); software used to prepare material for publication: *PLATON* (Spek, 2009).

#### Acknowledgements

JPJ acknowledges the NSF–MRI program (grant No. CHE-1039027) for funds to purchase the X-ray diffractometer.

Supporting information for this paper is available from the IUCr electronic archives (Reference: TK5388).

#### References

- Agilent (2014). CrysAlis PRO. Agilent Technologies Ltd, Yarnton, England. Badorc, A., Bordes, M. F., de Cointet, P., Savi, P., Bernat, A., Lalé, A., Petitou,
- M., Maffrand, J. P. & Herbert, J. M. (1997). J. Med. Chem. 40, 3393–3401.
   Bell, F. W., Cantrell, A. S., Högberg, M., Jaskunas, S. R., Johansson, N. G., Jordan, C. L., Kinnick, M. D., Lind, P., Morin, J. M. Jr & Noréen, R. (1995).
- J. Med. Chem. 38, 4929–4936.
  Carter, J. S., Kramer, S., Talley, J. J., Penning, T., Collins, P., Graneto, M. J., Seibert, K., Koboldt, C., Masferrer, J. & Zweifel, B. (1999). Bioorg. Med. Chem. Lett. 9, 1171–1174.
- Ergenç, N., Çapan, G., Günay, N. S., Özkirimli, S., Güngör, M., Özbey, S. & Kendi, E. (1999). Arch. Pharm. Pharm. Med. Chem. 332, 343–347.

- Farrugia, L. J. (2012). J. Appl. Cryst. 45, 849-854.
- Hargrave, K. D., Hess, F. K. & Oliver, J. T. (1983). J. Med. Chem. 26, 1158–1163.
- Hutchinson, I., Jennings, S. A., Vishnuvajjala, B. R., Westwell, A. D. & Stevens, M. F. G. (2002). J. Med. Chem. 45, 744–747.
- Jaen, J. C., Wise, L. D., Caprathe, B. W., Tecle, H., Bergmeier, S., Humblet, C. C., Heffner, T. G., Meltzer, L. T. & Pugsley, T. A. (1990). *J. Med. Chem.* 33, 311–317.
- Patt, W. C., Hamilton, H. W., Taylor, M. D., Ryan, M. J., Taylor, D. G. Jr, Connolly, C. J. C., Doherty, A. M., Klutchko, S. R., Sircar, I. & Steinbaugh, B. A. (1992). J. Med. Chem. 35, 2562–2572.
- Quiroga, J., Hernández, P., Insuasty, B., Abonía, R., Cobo, J., Sánchez, A., Nogueras, M. & Low, J. N. (2002). J. Chem. Soc. Perkin Trans. 1, pp. 555– 559.
- Rudolph, J., Theis, H., Hanke, R., Endermann, R., Johannsen, L. & Geschke, F. U. (2001). J. Med. Chem. 44, 619–626.
- Sharma, R. N., Xavier, F. P., Vasu, K. K., Chaturvedi, S. C. & Pancholi, S. S. (2009). J. Enzyme Inhib. Med. Chem. 24, 890–897.
- Sheldrick, G. M. (2008). Acta Cryst. A64, 112-122.
- Sheldrick, G. M. (2015). Acta Cryst. C71, 3-8.
- Spek, A. L. (2009). Acta Cryst. D65, 148-155.
- Tsuji, K. & Ishikawa, H. (1994). Bioorg. Med. Chem. Lett. 4, 1601-1606.

# supporting information

Acta Cryst. (2015). E71, o776-o777 [doi:10.1107/S2056989015017454]

# Crystal structure of methyl (2*Z*)-2-[(2*Z*)-2-(2-cyclopentylidenehydrazin-1-yl-idene)-4-oxo-3-phenyl-1,3-thiazolidin-5-ylidene]ethanoate

# Mehmet Akkurt, Victoria A. Smolenski, Shaaban K. Mohamed, Jerry P. Jasinski, Alaa A. Hassan and Mustafa R. Albayati

### S1. Comment

Thiazoles are important class of heterocyclic compounds, found in many potent biologically active molecules such as sulfathiazol (antimicrobial drug), Ritonavir (antiretroviral drug), Abafungin (antifungal drug), with trade name Abasol cream, and Bleomycine and Tiazofurin (antineoplastic drug). It has been noted over the years that interesting biological activities (Quiroga *et al.*, 2002; Hutchinson *et al.*, 2002) were associated with thiazole derivatives. Applications of thiazoles were found in drug development for the treatment of allergies (Hargrave *et al.*, 1983), hypertension (Patt *et al.*, 1992), inflammation (Sharma *et al.*, 2009), schizophrenia (Jaen *et al.*, 1990), bacteria infection (Tsuji & Ishikawa, 1994), HIV infection (Bell *et al.*, 1995), hypnotics (Ergenc *et al.*, 1999) and for the treatment of pain (Carter *et al.*, 1999), as fibrinogen receptor antagonists with antithrombotic activity (Badorc *et al.*, 1997) and as new inhibitors of bacterial DNA gyrase B (Rudolph *et al.*, 2001). In this context we report in this study the synthesis and crystal structure of the title compound.

The molecular structure of the title compound is shown in Fig. 1. The major and minor components of the disordered cyclopentane ring [0.775 (8):0.225 (8)] adopt an envelope conformations with atoms C2A and C2B as the flap in each component. The puckering parameters are Q(2) 0.274 (3) Å,  $\varphi$  (2) = 42.7 (6)° for major component, and Q(2) 0.253 (8) Å,  $\varphi$  (2) = 209.6 (16)° for minor component. The central 1,3-thiazolidine ring (S1/N3C6–C8) makes a dihedral angle of 65.13 (8)° with the phenyl ring (C9–C14).

In the crystal, C—H···O and C—H··· $\pi$  interactions stabilize the molecular packing, forming a three-dimensional network, Fig. 2 and Table 1.

#### **S2. Experimental**

A mixture of 2-cyclopentylidene-*N*-phenylhydrazinecarbothioamide (1 mmol, 233 mg) and dimethyl but-2-ynedioate (1 mmol, 142 mg) in ethylacetate (10 ml) was stirred and refluxed at 350 K. The reaction progress was monitored by TLC until completion. On cooling, a solid yellow product was precipitated, filtered off, dried under vacuum and recrystallized from ethanol to afford yellow crystals.

#### S3. Refinement

All H atoms were positioned geometrically and constrained to ride on their parent atoms (C—H = 0.93-0.97 Å) with  $U_{iso}(H) = 1.2-1.5U_{eq}(C)$ . The cyclopentyl group was partially disordered over two positions with refined site-occupancies of 0.775 (8): 0.225 (8). The (3 0 23), (2 1 24), (-1 3 13), (2 11 22), (5 16 3), (2 2 8), (1 3 27), (4 7 18) and (-1 1 14) reflections were omitted owing to poor agreement.



### Figure 1

View of the title compound showing only the major component of the disorder. Displacement ellipsoids for non-H atoms are drawn at the 50% probability level.



#### Figure 2

The molecular packing viewed down *a* axis. The C—H···O interactions are shown as dotted lines with non-participating H atoms omitted for clarity.

# Methyl~(2Z)-2-[(2Z)-2-(2-cyclopentylidenehydrazin-1-ylidene)-4-oxo-3-phenyl-1, 3-thiazolidin-5-cyclopentylidenehydrazin-1-ylidene)-4-oxo-3-phenyl-1, 3-thiazolidin-5-cyclopentylidenehydrazin-1-ylidene)-4-oxo-3-phenyl-1, 3-thiazolidin-5-cyclopentylidenehydrazin-1-ylidene)-4-oxo-3-phenyl-1, 3-thiazolidin-5-cyclopentylidenehydrazin-1-ylidene)-4-oxo-3-phenyl-1, 3-thiazolidin-5-cyclopentylidenehydrazin-1-ylidene)-4-oxo-3-phenyl-1, 3-thiazolidin-5-cyclopentylidenehydrazin-1-ylidene)-4-oxo-3-phenyl-1, 3-thiazolidin-5-cyclopentylidenehydrazin-1-ylidene)-4-oxo-3-phenyl-1, 3-thiazolidin-5-cyclopentylidenehydrazin-1-ylidene)-4-oxo-3-phenyl-1, 3-thiazolidin-5-cyclopentylidenehydrazin-1-ylidenehydra

#### ylidene]ethanoate

Crystal data  $C_{17}H_{17}N_3O_3S$   $M_r = 343.40$ Monoclinic,  $P2_1/n$ Hall symbol: -P 2yn a = 5.5215 (3) Å b = 16.1299 (8) Å c = 18.7112 (9) Å  $\beta = 93.980$  (5)° V = 1662.42 (15) Å<sup>3</sup> Z = 4

F(000) = 720  $D_x = 1.372 \text{ Mg m}^{-3}$ Mo K\alpha radiation,  $\lambda = 0.71073 \text{ Å}$ Cell parameters from 2753 reflections  $\theta = 4.0-31.8^{\circ}$   $\mu = 0.22 \text{ mm}^{-1}$  T = 296 KNeedle, colourless  $0.28 \times 0.08 \times 0.04 \text{ mm}$  Data collection

11300 measured reflections
5503 independent reflections
3958 reflections with $I > 2\sigma(I)$
$R_{\rm int} = 0.036$
$\theta_{\rm max} = 32.8^\circ, \ \theta_{\rm min} = 3.3^\circ$
$h = -8 \rightarrow 6$
$k = -21 \rightarrow 23$
$l = -27 \rightarrow 28$
Hydrogen site location: inferred from
neighbouring sites
H-atom parameters constrained
$w = 1/[\sigma^2(F_0^2) + (0.058P)^2 + 0.3068P]$
where $P = (F_o^2 + 2F_c^2)/3$
$(\Delta/\sigma)_{\rm max} < 0.001$
$\Delta \rho_{\rm max} = 0.37 \text{ e } \text{\AA}^{-3}$
$\Delta \rho_{\rm min} = -0.32$ e Å <sup>-3</sup>

#### Special details

**Geometry**. Bond distances, angles *etc*. have been calculated using the rounded fractional coordinates. All su's are estimated from the variances of the (full) variance-covariance matrix. The cell e.s.d.'s are taken into account in the estimation of distances, angles and torsion angles

**Refinement**. Refinement on  $F^2$  for ALL reflections except those flagged by the user for potential systematic errors. Weighted *R*-factors *wR* and all goodnesses of fit *S* are based on  $F^2$ , conventional *R*-factors *R* are based on *F*, with *F* set to zero for negative  $F^2$ . The observed criterion of  $F^2 > \sigma(F^2)$  is used only for calculating *-R*-factor-obs *etc*. and is not relevant to the choice of reflections for refinement. *R*-factors based on  $F^2$  are statistically about twice as large as those based on *F*, and *R*-factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters  $(Å^2)$ 

	x	у	Ζ	$U_{ m iso}$ */ $U_{ m eq}$	Occ. (<1)
C1A	1.2932 (4)	0.58581 (12)	0.06164 (10)	0.0431 (5)	0.775 (8)
H1A1	1.4493	0.6135	0.0674	0.052*	0.775 (8)
H1A2	1.2277	0.5927	0.0125	0.052*	0.775 (8)
C2A	1.3179 (9)	0.4943 (2)	0.0808 (2)	0.0593 (11)	0.775 (8)
H2A1	1.2026	0.4613	0.0515	0.071*	0.775 (8)
H2A2	1.4806	0.4746	0.0739	0.071*	0.775 (8)
C3A	1.2661 (6)	0.48937 (15)	0.15730 (14)	0.0737 (9)	0.775 (8)
H3A1	1.4154	0.4948	0.1874	0.088*	0.775 (8)
H3A2	1.1932	0.4363	0.1673	0.088*	0.775 (8)
C4A	1.0943 (4)	0.55863 (12)	0.17258 (10)	0.0435 (5)	0.775 (8)
H4A1	0.9287	0.5385	0.1721	0.052*	0.775 (8)
H4A2	1.1381	0.5835	0.2189	0.052*	0.775 (8)
C5A	1.1210 (3)	0.61997 (10)	0.11325 (8)	0.0310 (3)	0.775 (8)
C1B	1.2932 (4)	0.58581 (12)	0.06164 (10)	0.0431 (5)	0.225 (8)
H1B1	1.4095	0.6271	0.0482	0.052*	0.225 (8)
H1B2	1.2079	0.5633	0.0189	0.052*	0.225 (8)
C2B	1.413 (3)	0.5181 (8)	0.1087 (7)	0.0593 (11)	0.225 (8)

	1 4506	0.472 (	0.0706	0.071*	0.005 (0)
H2B1	1.4586	0.4726	0.0786	0.071*	0.225 (8)
H2B2	1.5594	0.5399	0.1333	0.071*	0.225 (8)
C3B	1.2661 (6)	0.48937 (15)	0.15730 (14)	0.0737 (9)	0.225 (8)
H3B1	1.3603	0.4733	0.2008	0.088*	0.225 (8)
H3B2	1.1765	0.4414	0.1386	0.088*	0.225 (8)
C4B	1.0943 (4)	0.55863 (12)	0.17258 (10)	0.0435 (5)	0.225 (8)
H4B1	0.9287	0.5385	0.1721	0.052*	0.225 (8)
H4B2	1.1381	0.5835	0.2189	0.052*	0.225 (8)
C5B	1.1210 (3)	0.61997 (10)	0.11325 (8)	0.0310 (3)	0.225 (8)
C6	0.7150 (3)	0.76671 (10)	0.13570 (8)	0.0265 (3)	
C7	0.3804 (3)	0.85436 (10)	0.14664 (8)	0.0285 (3)	
C8	0.4255 (3)	0.86289 (10)	0.06923 (8)	0.0273 (3)	
C9	0.5666 (3)	0.78876 (9)	0.25645 (8)	0.0252 (3)	
C10	0.7676 (3)	0.81830 (10)	0.29704 (9)	0.0310 (3)	
H10	0.8922	0.8450	0.2752	0.037*	
C11	0.7804 (3)	0.80745 (11)	0.37074 (9)	0.0352 (4)	
H11	0.9157	0.8261	0.3985	0.042*	
C12	0.5927 (3)	0.76895 (11)	0.40315 (9)	0.0352 (4)	
H12	0.5999	0.7628	0.4527	0.042*	
C13	0.3940 (3)	0.73959 (11)	0.36148 (9)	0.0362 (4)	
H13	0.2693	0.7129	0.3833	0.043*	
C14	0.3784 (3)	0.74947 (10)	0.28753 (9)	0.0317 (3)	
H14	0.2443	0.7301	0.2597	0.038*	
C15	0.2862 (3)	0.91153 (10)	0.02523 (9)	0.0299 (3)	
H15	0.1573	0.9405	0.0428	0.036*	
C16	0.3360 (3)	0.91924 (10)	-0.05004(9)	0.0300 (3)	
C17	0.1970 (4)	0.96748 (13)	-0.16424 (10)	0.0489 (5)	
H17A	0.0682	0.9999	-0.1871	0.073*	
H17B	0.1937	0.9127	-0.1843	0.073*	
H17C	0.3501	0.9931	-0.1716	0.073*	
N1	1.0203 (3)	0.69020 (9)	0.10329 (8)	0.0364 (3)	
N2	0.8698 (3)	0.71279 (9)	0.15868 (7)	0.0318 (3)	
N3	0.5509 (2)	0.80198 (8)	0.18016 (7)	0.0266 (3)	
01	0.2219(2)	0.88906 (8)	0.17660 (7)	0.0404 (3)	
02	0.5119(2)	0.88964 (8)	-0.07551(7)	0.0396(3)	
03	0.1654(2)	0.96244 (8)	-0.08814(6)	0.0387 (3)	
S1	0 67455 (7)	0.80416(2)	0.04705 (2)	0.02957 (11)	
<u>.</u> .	0.07 100 (7)	0.00110(2)	0.01700 (2)	0.02/07 (11)	

Atomic displacement parameters  $(Å^2)$ 

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
C1A	0.0508 (11)	0.0431 (10)	0.0379 (9)	0.0199 (9)	0.0213 (8)	0.0066 (8)
C2A	0.092 (3)	0.0466 (18)	0.042 (2)	0.0352 (18)	0.0245 (18)	0.0039 (13)
C3A	0.114 (2)	0.0509 (13)	0.0616 (15)	0.0400 (14)	0.0432 (16)	0.0202 (11)
C4A	0.0522 (12)	0.0412 (10)	0.0390 (10)	0.0131 (8)	0.0183 (9)	0.0094 (8)
C5A	0.0314 (8)	0.0372 (8)	0.0249 (7)	0.0078 (6)	0.0061 (6)	0.0017 (6)
C1B	0.0508 (11)	0.0431 (10)	0.0379 (9)	0.0199 (9)	0.0213 (8)	0.0066 (8)
C2B	0.092 (3)	0.0466 (18)	0.042 (2)	0.0352 (18)	0.0245 (18)	0.0039 (13)

C3B	0.114 (2)	0.0509 (13)	0.0616 (15)	0.0400 (14)	0.0432 (16)	0.0202 (11)
C4B	0.0522 (12)	0.0412 (10)	0.0390 (10)	0.0131 (8)	0.0183 (9)	0.0094 (8)
C5B	0.0314 (8)	0.0372 (8)	0.0249 (7)	0.0078 (6)	0.0061 (6)	0.0017 (6)
C6	0.0262 (7)	0.0299 (7)	0.0241 (7)	0.0031 (6)	0.0061 (6)	-0.0022 (6)
C7	0.0275 (7)	0.0308 (8)	0.0277 (8)	0.0043 (6)	0.0055 (6)	-0.0003 (6)
C8	0.0259 (7)	0.0287 (7)	0.0281 (7)	0.0029 (6)	0.0065 (6)	0.0000 (6)
C9	0.0258 (7)	0.0279 (7)	0.0226 (7)	0.0045 (5)	0.0067 (6)	-0.0012 (5)
C10	0.0266 (7)	0.0393 (9)	0.0278 (8)	-0.0046 (6)	0.0069 (6)	-0.0015 (6)
C11	0.0337 (9)	0.0434 (9)	0.0282 (8)	-0.0036 (7)	0.0003 (7)	-0.0051 (7)
C12	0.0416 (9)	0.0398 (9)	0.0249 (8)	0.0028 (7)	0.0073 (7)	0.0027 (7)
C13	0.0353 (9)	0.0414 (9)	0.0332 (9)	-0.0060 (7)	0.0120 (7)	0.0069 (7)
C14	0.0258 (7)	0.0365 (8)	0.0328 (8)	-0.0031 (6)	0.0024 (6)	0.0010 (6)
C15	0.0286 (8)	0.0315 (8)	0.0303 (8)	0.0074 (6)	0.0060 (6)	0.0001 (6)
C16	0.0325 (8)	0.0261 (7)	0.0317 (8)	0.0049 (6)	0.0032 (6)	0.0018 (6)
C17	0.0621 (13)	0.0552 (12)	0.0294 (9)	0.0193 (10)	0.0041 (9)	0.0069 (8)
N1	0.0401 (8)	0.0432 (8)	0.0271 (7)	0.0175 (6)	0.0117 (6)	0.0042 (6)
N2	0.0333 (7)	0.0376 (7)	0.0252 (6)	0.0121 (6)	0.0072 (5)	-0.0004 (5)
N3	0.0254 (6)	0.0325 (7)	0.0224 (6)	0.0064 (5)	0.0052 (5)	-0.0004 (5)
01	0.0394 (7)	0.0498 (7)	0.0333 (6)	0.0199 (6)	0.0124 (5)	0.0030 (5)
O2	0.0396 (7)	0.0462 (7)	0.0339 (6)	0.0160 (6)	0.0100 (5)	0.0039 (5)
03	0.0409 (7)	0.0459 (7)	0.0294 (6)	0.0184 (6)	0.0036 (5)	0.0053 (5)
S1	0.0303 (2)	0.0351 (2)	0.02404 (19)	0.01015 (15)	0.00729 (15)	0.00175 (14)

## Geometric parameters (Å, °)

C1A—C5A	1.506 (2)	C8—S1	1.7435 (15)
C1A—C2A	1.523 (4)	C9—C14	1.380 (2)
C1A—H1A1	0.9700	C9—C10	1.385 (2)
C1A—H1A2	0.9700	C9—N3	1.4400 (19)
C2A—C3A	1.480 (4)	C10—C11	1.387 (2)
C2A—H2A1	0.9700	C10—H10	0.9300
C2A—H2A2	0.9700	C11—C12	1.384 (2)
C3A—C4A	1.506 (3)	C11—H11	0.9300
C3A—H3A1	0.9700	C12—C13	1.384 (3)
СЗА—НЗА2	0.9700	C12—H12	0.9300
C4A—C5A	1.502 (2)	C13—C14	1.389 (2)
C4A—H4A1	0.9700	С13—Н13	0.9300
C4A—H4A2	0.9700	C14—H14	0.9300
C5A—N1	1.270 (2)	C15—C16	1.459 (2)
C2B—H2B1	0.9700	C15—H15	0.9300
C2B—H2B2	0.9700	C16—O2	1.2094 (19)
C6—N2	1.273 (2)	C16—O3	1.3371 (19)
C6—N3	1.3930 (18)	C17—O3	1.449 (2)
C6—S1	1.7648 (16)	C17—H17A	0.9600
C7—O1	1.2087 (18)	C17—H17B	0.9600
C7—N3	1.383 (2)	C17—H17C	0.9600
С7—С8	1.493 (2)	N1—N2	1.4203 (18)
C8—C15	1.341 (2)		

C5A—C1A—C2A	104.68 (17)	C14—C9—C10	121.67 (14)
C5A—C1A—H1A1	110.8	C14—C9—N3	119.38 (14)
C2A—C1A—H1A1	110.8	C10—C9—N3	118.91 (13)
C5A—C1A—H1A2	110.8	C9—C10—C11	119.03 (15)
C2A—C1A—H1A2	110.8	C9-C10-H10	120.5
H1A1—C1A—H1A2	108.9	C11—C10—H10	120.5
C3A—C2A—C1A	105.0 (2)	C12—C11—C10	120.30 (16)
C3A—C2A—H2A1	110.7	C12—C11—H11	119.9
C1A—C2A—H2A1	110.7	C10-C11-H11	119.9
C3A—C2A—H2A2	110.7	C11—C12—C13	119.66 (15)
C1A—C2A—H2A2	110.7	C11—C12—H12	120.2
H2A1—C2A—H2A2	108.8	C13—C12—H12	120.2
C2A—C3A—C4A	108.1 (2)	C12—C13—C14	120.90 (15)
C2A—C3A—H3A1	110.1	C12—C13—H13	119.6
C4A—C3A—H3A1	110.1	C14—C13—H13	119.6
С2А—С3А—НЗА2	110.1	C9—C14—C13	118.43 (15)
С4А—С3А—Н3А2	110.1	C9—C14—H14	120.8
НЗА1—СЗА—НЗА2	108.4	C13—C14—H14	120.8
C5A—C4A—C3A	104.65 (15)	C8—C15—C16	120.29 (14)
C5A—C4A—H4A1	110.8	C8—C15—H15	119.9
C3A—C4A—H4A1	110.8	C16—C15—H15	119.9
C5A—C4A—H4A2	110.8	O2—C16—O3	123.44 (15)
C3A—C4A—H4A2	110.8	O2—C16—C15	123.85 (15)
H4A1—C4A—H4A2	108.9	O3—C16—C15	112.71 (14)
N1—C5A—C4A	129.17 (15)	O3—C17—H17A	109.5
N1—C5A—C1A	121.44 (15)	O3—C17—H17B	109.5
C4A—C5A—C1A	109.38 (14)	H17A—C17—H17B	109.5
H2B1—C2B—H2B2	107.8	O3—C17—H17C	109.5
N2—C6—N3	121.76 (14)	H17A—C17—H17C	109.5
N2—C6—S1	126.11 (12)	H17B—C17—H17C	109.5
N3—C6—S1	112.11 (11)	C5A—N1—N2	113.21 (13)
O1—C7—N3	124.37 (15)	C6—N2—N1	110.00 (13)
O1—C7—C8	125.61 (15)	C7—N3—C6	115.42 (13)
N3—C7—C8	110.00 (12)	C7—N3—C9	122.16 (12)
C15—C8—C7	121.50 (14)	C6—N3—C9	122.32 (13)
C15—C8—S1	126.88 (12)	C16—O3—C17	115.13 (13)
C7—C8—S1	111.62 (11)	C8—S1—C6	90.72 (7)
C5A—C1A—C2A—C3A	-26.1 (4)	C4A—C5A—N1—N2	2.6 (3)
C1A—C2A—C3A—C4A	29.1 (4)	C1AC5AN1N2	-178.28 (17)
C2A—C3A—C4A—C5A	-20.2 (4)	N3-C6-N2-N1	-177.41 (14)
C3A—C4A—C5A—N1	-177.5 (2)	S1—C6—N2—N1	3.9 (2)
C3A—C4A—C5A—C1A	3.2 (3)	C5A—N1—N2—C6	-158.03 (17)
C2A—C1A—C5A—N1	-165.2 (3)	O1—C7—N3—C6	178.61 (16)
C2A—C1A—C5A—C4A	14.1 (3)	C8—C7—N3—C6	-2.76 (19)
O1—C7—C8—C15	-0.4 (3)	O1—C7—N3—C9	-4.9 (3)
N3—C7—C8—C15	-179.02 (15)	C8—C7—N3—C9	173.70 (13)

	150.00 (15)		154.01 (16)
01—C/—C8—S1	178.92 (15)	N2—C6—N3—C7	-1/4.81(16)
N3—C7—C8—S1	0.32 (17)	S1—C6—N3—C7	4.01 (17)
C14—C9—C10—C11	0.5 (2)	N2—C6—N3—C9	8.7 (2)
N3-C9-C10-C11	178.44 (14)	S1—C6—N3—C9	-172.45 (11)
C9—C10—C11—C12	-1.1 (3)	C14—C9—N3—C7	66.1 (2)
C10-C11-C12-C13	1.4 (3)	C10—C9—N3—C7	-111.84 (17)
C11—C12—C13—C14	-1.1 (3)	C14—C9—N3—C6	-117.65 (16)
C10-C9-C14-C13	-0.2 (2)	C10—C9—N3—C6	64.4 (2)
N3—C9—C14—C13	-178.09 (15)	O2—C16—O3—C17	3.7 (3)
C12—C13—C14—C9	0.5 (3)	C15—C16—O3—C17	-176.13 (15)
C7—C8—C15—C16	179.45 (15)	C15—C8—S1—C6	-179.15 (16)
S1—C8—C15—C16	0.2 (2)	C7—C8—S1—C6	1.56 (12)
C8—C15—C16—O2	-6.8 (3)	N2-C6-S1-C8	175.66 (16)
C8—C15—C16—O3	173.02 (15)	N3—C6—S1—C8	-3.10 (12)

### Hydrogen-bond geometry (Å, °)

Cg4 is the centroid of the C9–C14 ring.

D—H···A	<i>D</i> —Н	H…A	$D \cdots A$	<i>D</i> —H…A
C13—H13…O2 <sup>i</sup>	0.93	2.35	3.245 (2)	163
С15—Н15…ОЗ <sup>іі</sup>	0.93	2.56	3.485 (2)	172
C17—H17 <i>A</i> ···O1 <sup>ii</sup>	0.96	2.42	3.269 (2)	147
$C3A$ — $H3A2$ ··· $Cg4^{iii}$	0.97	2.96	3.914 (3)	169

Symmetry codes: (i) x-1/2, -y+3/2, z+1/2; (ii) -x, -y+2, -z; (iii) -x+3/2, y-1/2, -z+1/2.