

Journal of

Applied

Crystallography

addenda and errata

ISSN 1600-5767

An X-ray diffractometer using mirage diffraction. Erratum

Tomoe Fukamachi,^a* Sukswat Jongsukswat,^a Dongying Ju,^a Riichirou Negishi,^a Keiichi Hirano^b and Takaaki Kawamura^c

^aSaitama Institute of Technology, Fukaya, Saitama 369-0293, Japan, ^bInstitute of Material Structure Science, KEK-PF, High Energy Accelerator Research Organization, Tsukuba, Ibaraki 305-0801, Japan, and ^cUniversity of Yamanashi, Kofu 400-8510, Japan. Correspondence e-mail: tomoe-f@wonder.ocn.ne.jp

Errors in the article by Fukamachi, Jongsukswat, Ju, Negishi, Hirano & Kawamura [*J. Appl. Cryst.* (2014), **47**, 1267–1272] are corrected.

In the article by Fukamachi *et al.* (2014), there are errors in Fig. 2 (§2, p. 1268) and in equations (12)–(16) (§4, p. 1270–1271).

The equations should read

$$\delta W X_0 = \frac{\left|\delta \mathbf{K}_E\right|}{\cos \theta_{\rm B}},\tag{12}$$

$$\frac{\delta E}{E} = \frac{\left|\chi_{h}\right|}{2} \delta W,\tag{13}$$

$$\delta E = E \,\delta \alpha \, \frac{\sin 2\theta_{\rm B}}{2},\tag{14}$$

$$\delta E = \frac{|\chi_h|E}{2} \left[1 - \left(1 + \frac{\beta^2 x^2}{4} \right)^{1/2} \right]$$
 (15)

and

$$dE = \frac{|\chi_h|}{2} \left(1 + \frac{\beta^2 x^2}{4} \right)^{-1/2} \frac{\beta^2}{4} Ex \, dx. \tag{16}$$




Figure 1 As the last sentence of the caption of Fig. 2 of Fukamachi *et al.* (2014), the following sentence should be added: $|\delta \mathbf{K}_E|$ is the distance between a_2 and a_4 .

Then, rather than the value of 11 meV for $|\delta E|$ in the first line of the left column on p. 1271, the value should read 10 meV. Rather than -3.0, -5.0, -6.7 and -7.9 meV for the values of δE in Table 1, they should read -2.7, -4.6, -6.2 and -7.3 meV, respectively. In spite of these corrections, the conclusions are not affected.

As the last sentence of the caption of Fig. 2 of Fukamachi *et al.* (2014), the following sentence should be added: $|\delta \mathbf{K}_E|$ is the distance between a_2 and a_4 . Fig. 2 of Fukamachi *et al.* (2014) is updated as Fig. 1 in the current article to reflect the correction.

References

Fukamachi, T., Jongsukswat, S., Ju, D., Negishi, R., Hirano, K. & Kawamura, T. (2014). J. Appl. Cryst. 47, 1267–1272.