## STRUCTURE/PROPERTY RELATIONSHIP

complementary methods, TDXD and simultaneous TG-MS coupling techniques.

[1] Vaidhyanathan R., Natarajan S., Rao C.N.R., J. Solid State Chem., 2004, 177, 1444.

Keywords: hydrothermal, mixed carboxylates, thermal analysis

## P.08.09.7

Acta Cryst. (2005). A61, C334

Diffraction Study of Recyclization of Oxazolopyridinium Salts to Indolizines

<u>Dmitry V. Albov</u>, V.B. Rybakov, E.V.Babaev, V.V.Chernyshev, L.A.Aslanov, *Department of Chemistry, Moscow State University, Moscow, Russia*. E-mail: albov@struct.chem.msu.ru

In the course of our systematic study of structure/reactivity relationships for heterocycles, the reaction of recyclization of oxazolo[3,2-a]pyridinium salts with annelated cycloalkane fragments of different size revealed some unexpected peculiarities. All obtained compounds were studied by single crystal (1a-d, 3c, 4b,c) or powder (4d) diffraction. The previous results are reported in [1].

$$R = (CH_2)_n \quad Ar = p - CIPh \quad \frac{|a|b|c|d}{|n|1|2|3|4}$$

$$R = (CH_2)_n \quad Ar = p - CIPh \quad \frac{|a|b|c|d}{|n|1|2|3|4}$$

$$R = (CH_2)_n \quad Ar = p - CIPh \quad \frac{|a|b|c|d}{|n|1|2|3|4}$$

$$R = (CH_3)_n \quad Ar = p - CIPh \quad R = (CH_3)_n$$

$$R = (CH_3)_n \quad Ar = p - CIPh \quad R = (CH_3)_n$$

$$R = (CH_3)_n \quad Ar = p - CIPh \quad R = (CH_3)_n$$

$$R = (CH_3)_n \quad Ar = p - CIPh \quad R = (CH_3)_n$$

$$R = (CH_3)_n \quad Ar = p - CIPh \quad R = (CH_3)_n$$

$$R = (CH_3)_n \quad Ar = p - CIPh \quad R = (CH_3)_n$$

$$R = (CH_3)_n \quad Ar = p - CIPh \quad R = (CH_3)_n$$

$$R = (CH_3)_n \quad Ar = p - CIPh \quad R = (CH_3)_n$$

$$R = (CH_3)_n \quad Ar = p - CIPh \quad R = (CH_3)_n$$

$$R = (CH_3)_n \quad Ar = p - CIPh \quad R = (CH_3)_n$$

$$R = (CH_3)_n \quad Ar = p - CIPh \quad R = (CH_3)_n$$

$$R = (CH_3)_n \quad Ar = p - CIPh \quad R = (CH_3)_n$$

$$R = (CH_3)_n \quad Ar = p - CIPh \quad R = (CH_3)_n$$

$$R = (CH_3)_n \quad Ar = p - CIPh \quad R = (CH_3)_n$$

$$R = (CH_3)_n \quad Ar = p - CIPh \quad R = (CH_3)_n$$

$$R = (CH_3)_n \quad Ar = (CH_3)_n$$

$$R = ($$

As discovered earlier, compounds 1b,d easily gave corresponding indolizines 4b,d. In the case of compound 1c the reaction suddenly stopped at the non-predicted intermediate 3c (with  $ClO_4$  anion). It can be explained by the less distortion of 7-membered ring connected to a non-planar bicycle than in 4c. Dehydratation of 3c led to 4c. Compound 1a was also attacked by piperidine, but only resin was formed. In this case, the unstable intermediate 2a is unable to react further because compounds 3a and 4a have high angle distortions as the AM1 molecular model shows.

[1] Acta Cryst., 2004, E60, o1096-o1097, o1301-o1302, o2313-o2314. Keywords: structure/reactivity relationship, organic chemistry, powder diffraction

P.08.09.8

Acta Cryst. (2005). A61, C334

Structure and Properties of Safe and Powerful Noble-Metals
Oxidation Reagents

Angela Serpe<sup>a</sup>, Paola Deplano<sup>a</sup>, Luciano Marchiò<sup>b</sup>, Maria Laura Mercuri<sup>a</sup>, Luca Pilia<sup>a</sup>, <sup>a</sup>Dipartimento di Chimica Inorganica ed Analitica, Università di Cagliari, Italy. <sup>b</sup>Dipartimento di Chimica Generale ed Inorganica, Chimica Analitica, Chimica Fisica, Università di Parma, Italy. E-mail: serpe@unica.it

Molecular CT-complexes obtained by reacting acceptors such as diiodine with S-donor molecules, have been extensively studied mainly due to their intrinsic structural, spectroscopic, chemical and physical properties and, recently, to their applicability as conducting materials or as oxidation reagents towards transition metals. With the view to synthesize complexing-oxidizing agents capable to dissolve noble-metals (NMs) in mild conditions, we have chosen exa- and epta-atomic cyclic dithioxamides as bidentate S,S-donors. By reacting the N,N'-dialkyl-perhydrodiazepine-2,3-dithione (R<sub>2</sub>dazdt, R=Me (a), Et (b)) class of ligands with I<sub>2</sub> the expected 1:2 CT-complexes, R<sub>2</sub>dazdt·2I<sub>2</sub> (1), have been obtained as proved by structural and spectroscopic characterization.<sup>[1]</sup> Instead, by using the N,N'-dialkylpiperazine-2,3-dithione (R<sub>2</sub>pipdt, R=Me, Et, Pr<sup>1</sup> (c)) class, which shows an exa-atomic ring in spite of the hepta-atomic one in R2dazdt, the unexpected triiodide salt of the protonated donors, [R<sub>2</sub>pipdtH]I<sub>3</sub> (2), have been isolated. The different nature and structure of the two class of reagents is reflected on a different reactivity towards NMs: while class 1 adducts are capable to oxidize Pd and Au metal but are inactive towards Pt, class 2 reagents are capable to dissolve Pt metal too. Further studies are in progress in order to clarify the different behaviour of the two class of ligands and the source of H<sup>+</sup> in the reaction

[1] Serpe A., et al., Chem. Commun., 2005, 1040, and refs therein.

Keywords: charge-transfer complexes, halogens, noble-metals

## P 08 09 9

Acta Cryst. (2005). A61, C334

Nickel(II) Carbosilane Dendrimers: Structure and Polymerization Catalysis

José María Benito, E. de Jesús, F.J. de la Mata, J.C. Flores, R. Gómez, P. Gómez-Sal, Department of Inorganic Chemistry, University of Alcala, 28871-Alcalá de Henares, Spain. E-mail: jm.benito@uah.es

Nickel(II) compounds containing sterically demanding α-diimine ligands, and related chelates, have been found to be attractive catalysts for the production of polyolefins.<sup>[1]</sup> Dendrimers can be used as welldefined supports for active centers in homogeneous phase, which catalytic applications are being widely studied, [2] including those in polymerization processes.<sup>[3]</sup> In this work, a series of carbosilane dendritic compounds Gn-ONNMe $_m$ NiBr $_2$  (n = 0, 1, 2, 3; m = 0, 2, 3),from monometallic to metallodendritic structures containing up to sixteen (n = 3) terminal pyridylimine nickel complexes, have been synthesized, and the crystal structure of some model compounds have been determined. The nickel complexes, in combination with methylaluminoxane (MAO), convert ethylene into mixtures of toluene-insoluble polyethylene and oily oligomers. The variation of the pyridylimine ligand framework by m methyl subtituents has a decisive influence on the activities of the nickel compounds. Also, the generation of the dendritic precursor (n) acutely affects the catalyst performance and the microstructure of the insertion products as well. Thus, higher generation catalysts show superior oligomerization activities and produce less branched polyethylene.

[1] Ittel S.D., Johnson L.K., Brookhart M., *Chem. Rev.*, 2000, **100**, 1169. [2] Astruc D., Chardac F., *Chem. Rev.*, 2001, 101, 2991. [3] Müller C., Ackerman L.J., Reek J.N.H., Kamer P.C.J., van Leeuwen P.W.N.M., *J. Am. Chem. Soc.*, 2004, **126**, 14960.

Keywords: nickel, dendrimers, polymerization

## P.08.09.10

Acta Cryst. (2005). A61, C334

Solid-state Formation of a Coordination Polymer Starting from a Monomeric Thiodiacetate Manganese Complex

<u>Francisco Montilla</u><sup>a</sup>, Abdessamad Grirrane<sup>a</sup>, Matthew Herbert<sup>a</sup>, Agustín Galindo<sup>a</sup>, Antonio Pastor<sup>a</sup>, Eleuterio Álvarez<sup>b</sup>, <sup>a</sup>Departamento de Química Inorgánica, US, Sevilla, Spain. <sup>b</sup>IIQ, CSIC-US, Sevilla, Spain. E-mail: montilla@us.es

Compounds  $[Mn(tda)(H_2O)_3] \cdot H_2O$  (1) and  $[Mn(tda)(H_2O)]_n$  (2)  $(tda = thiodiacetate, S(CH_2COO)_2^2)$  were obtained by the reaction of aqueous solutions of manganese dichloride and a 1:1 mixture of  $Na_2CO_3$  and thiodiacetic acid with the appropriate work-up. The X-ray study of 1 shows that the complex is a monomer containing the typical tridentate thiodiacetate ligand with a facial configuration. For compound 2, as previously reported by us [1], we propose a structure similar to that published for the homologous cadmium derivative [2], namely a 2D-polymer with  $\{Mn(tda)(H_2O)\}$  subunits bridged by the carboxylate groups of tda.

In this communication we will report the unprecedented solid-state polymerization of compound  $[Mn(tda)(H_2O)_3] \cdot H_2O$  (1) to afford  $[Mn(tda)(H_2O)]_n$  (2). The formation of a coordination polymer from the corresponding monomer occurred in the solid state and the process can be monitored straightforwardly by IR spectroscopy.

Additionally, we will describe some preliminary results concerning the use of these derivatives and the related oxydiacetate compounds as catalyst precursors in the oxidation reaction of alcohols to aldehydes with dioxygen, a "clean reagent".

[1] Grirrane A., Pastor A., Galindo A., Ienco A., Mealli C., *Chemm. Commun.*, 2003, 512. [2] Whitlow S.H., *Acta Cryst.*, 1975, **B31**, 2531.

Keywords: thiodiacetate, crystal structures, oxydiacetate