

**N-[(E,Z)-1,3-Diphenylprop-2-enylidene]-
N'-(1,3-dithiolan-2-ylidene)hydrazine**
Jian-Feng Liu,^{a*} Xiao-Lan Liu^b and Yong-Hong Liu^b

^aTechnology Center, Jiuquan Iron and Steel (Group) Co. Ltd, Jiayuguan 735100, People's Republic of China, and ^bCollege of Chemistry and Chemical Engineering, Yangzhou University, Yangzhou 225002, People's Republic of China
Correspondence e-mail: yqliuyuz@yahoo.com.cn


Received 15 June 2008; accepted 19 June 2008

Key indicators: single-crystal X-ray study; $T = 296$ K; mean $\sigma(\text{C}-\text{C}) = 0.005 \text{ \AA}$; disorder in main residue; R factor = 0.046; wR factor = 0.118; data-to-parameter ratio = 16.2.

Molecules of the title compound, $\text{C}_{18}\text{H}_{16}\text{N}_2\text{S}_2$, exist as the (2*E*, 1'*Z*)-isomer. The 1,3-dithiolane ring has an envelope conformation; the atoms of the C—C bond are disordered over two positions with occupancies of 0.47 (7) and 0.53 (7). The structure exhibits intermolecular C—H···S and C—H···π(arene) hydrogen bonds.

Related literature

For related literature, see: Beghidja *et al.* (2006); Cremer & Pople (1975); Gou *et al.* (2004); Liu *et al.* (2001, 2003, 2007, 2008); Wang *et al.* (1994); Xu *et al.* (2005); Yang *et al.* (2007); Yarishkin *et al.* (2008); Zhai *et al.* (1999).



Experimental

Crystal data

$\text{C}_{18}\text{H}_{16}\text{N}_2\text{S}_2$	$V = 1621.57 (9) \text{ \AA}^3$
$M_r = 324.47$	$Z = 4$
Orthorhombic, $Pna2_1$	Mo $K\alpha$ radiation
$a = 30.9008 (9) \text{ \AA}$	$\mu = 0.33 \text{ mm}^{-1}$
$b = 5.7352 (2) \text{ \AA}$	$T = 296 (2) \text{ K}$
$c = 9.1499 (3) \text{ \AA}$	$0.30 \times 0.30 \times 0.20 \text{ mm}$

Data collection

Bruker SMART 1000 CCD diffractometer

Absorption correction: multi-scan (*SADABS*; Bruker, 2007)
 $T_{\min} = 0.909$, $T_{\max} = 0.938$

7320 measured reflections
3339 independent reflections

2833 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.055$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.046$
 $wR(F^2) = 0.117$
 $S = 1.00$
3339 reflections
206 parameters
7 restraints

H-atom parameters constrained
 $\Delta\rho_{\text{max}} = 0.47 \text{ e \AA}^{-3}$
 $\Delta\rho_{\text{min}} = -0.34 \text{ e \AA}^{-3}$
Absolute structure: Flack (1983),
1186 Friedel pairs
Flack parameter: -0.03 (9)

Table 1
Hydrogen-bond geometry (Å, °).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
C17'—H17B···Cg ⁱ	0.97	2.94	3.842 (9)	156
C18'—H18A···S1 ⁱⁱ	0.97	2.69	3.439 (6)	135
C18'—H18B···S1 ⁱ	0.97	2.86	3.628 (7)	137

Symmetry codes: (i) $-x + \frac{1}{2}, y - \frac{1}{2}, z + \frac{1}{2}$; (ii) $-x + \frac{1}{2}, y + \frac{1}{2}, z + \frac{1}{2}$. Cg is the centroid of atoms C10–C15.

Data collection: *SMART* (Bruker, 2007); cell refinement: *SAINT* (Bruker, 2007); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *PLATON* (Spek, 2003); software used to prepare material for publication: *SHELXTL* (Sheldrick, 2008).

The authors thank the Natural Science Foundation of Yangzhou University (No. 2006XJJ03) for financial support of this work.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: OM2242).

References

- Beghidja, C., Rogez, G., Kortus, J., Wesolek, M. & Welter, R. (2006). *J. Am. Chem. Soc.* **128**, 3140–3141.
- Bruker (2007). *SMART*, *SAINT* and *SADABS*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Cremer, D. & Pople, J. A. (1975). *J. Am. Chem. Soc.* **97**, 1354–1358.
- Flack, H. D. (1983). *Acta Cryst.* **A39**, 876–881.
- Gou, S.-H., Chen, H.-C., Fang, Z.-P., Luo, J. & Wang, Y.-L. (2004). *Chin. J. Org. Chem.* **24**, 234–238.
- Liu, Y.-H., Liu, X.-L., Dai, X.-Q., Xu, W. & Guo, R. (2008). *J. Chem. Crystallogr.* **38**, 109–113.
- Liu, X.-L., Liu, Y.-H., Dai, X.-Q., Zhao, Y. & Tong, B.-W. (2007). *Acta Cryst.* **E63**, o4019.
- Liu, M., Wilairat, P., Croft, S. L., Tan, A. L. C. & Go, M.-L. (2003). *Bioorg. Med. Chem.* **11**, 2729–2738.
- Liu, M., Wilairat, P. & Go, M. L. (2001). *J. Med. Chem.* **44**, 4443–4452.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Spek, A. L. (2003). *J. Appl. Cryst.* **36**, 7–13.
- Wang, Y., Li, Z. H. & Gao, N. (1994). *Acta Pharm. Sin.* **29**, 78–80.
- Xu, L. Z., Xu, H. Z., Yang, S. H., Li, C. L. & Zhou, K. (2005). *Acta Cryst.* **E61**, o31–o32.
- Yang, L.-J., Li, Z.-G., Liu, X.-L. & Liu, Y.-H. (2007). *Acta Cryst.* **E63**, o4501.
- Yarishkin, O. V., Ryu, H. W., Park, J. Y., Yang, M. S., Hong, S. G. & Park, K. H. (2008). *Bioorg. Med. Chem. Lett.* **18**, 137–140.
- Zhai, L., Chen, M., Blom, J., Theander, T. G., Christensen, S. B. & Kharazmi, A. (1999). *Antimicrob. Agents Chemother.* **43**, 793–803.

supporting information

Acta Cryst. (2008). E64, o1340 [doi:10.1107/S1600536808018606]

N-[*(E,Z*)-1,3-Diphenylprop-2-enylidene]-N'-(1,3-dithiolan-2-ylidene)hydrazine

Jian-Feng Liu, Xiao-Lan Liu and Yong-Hong Liu

S1. Comment

The Schiff bases and carbonyl derivatives of 2-hydrazone-1, 3-dithiolane have been abstracted for their coordination chemistry and biological activity (Beghidja *et al.*, 2006; Wang *et al.*, 1994, Gou *et al.*, 2004; Xu *et al.*, 2005). Chalcone and its derivatives, as a natural products, have shown strong antibacterial, antifungal, antitumor and anti-inflammatory properties, especially antileishmanial, antimarial and antimarial (Zhai *et al.*, 1999; Liu *et al.*, 2001, 2003). Some chalcones demonstrated the ability to block voltage-dependent potassium channels (Yarishkin *et al.*, 2008). As ongoing research (Liu *et al.*, 2008, Yang *et al.*, 2007), we report herein the synthesis and structure of the title compound *via* the condensation reaction of the simple chalcone, (*E*)-1,3-diphenyl-propenone, and 2-hydrazone-1, 3-dithiolane.

The molecule of the title compound exists as the most stable configuration of (*2E, 1'Z*)-isomer (Fig. 1). In the molecule the atoms of C16, N2, N1, C9, C8, C7 and two phenyl rings form a large conjugated system, but only the atoms of S1, S2, C16, N2, N1, C9 and C8 are coplanar, and C7, C6 and C10 are deviate by 0.22, 0.24, 0.11 (2) Å from the plane, respectively. The dihedral angles between the plane to phenyl ring (C10 ~ C15) plane and (C1~C6) plane are 63.45 (2)° and 43.30 (18)°, respectively. The two phenyl ring planes are almost vertical (the dihedral angle between them is 84.16°) (Fig. 1, Table 2).

In the ring of 1, 3-dithiolane of the molecule, the atoms of C17 and C18 are disordered over two positions with relative occupancies of 0.43 (7):0.57 (7) for the minor and major components. The rings at the two positions are also in the envelope (Cremer *et al.*, 1975) form, and atoms C18 and C18' respectively deviate by - 0.367 (3) Å and 0.402 (2) Å from the plane defined by S1, C16 and S2, just like that in (*3E*)-3-(1, 3-dithiolan-2-ylidenehydrazone)buton (Liu *et al.*, 2007).


In its packing structure, the molecules are linked into a three-dimensional framework by C—H···S and C—H···π(arene) intermolecular hydrogen bonds in the major components (Fig. 2 and 3, Table 2).

S2. Experimental


The title compound was prepared from (*E*)-1, 3-diphenyl-propenone and 2-hydrazone-1, 3-dithiolane in the equimolar ratio in 95% EtOH. The resulting yellow solid was recrystallized from CH₂Cl₂—EtOH to give crystals of suitable for single-crystal X-ray diffraction (yield 88%, m.p. 440–442 K). Analysis calculated for C₁₈H₁₆N₂S₂: C, 66.63; H, 4.97; N, 8.63%; found: C, 66.36; H, 4.81; N, 8.28. ¹H NMR (600 MHz, CDCl₃, δ, p.p.m.): 7.879(d, J=16.47 Hz, 1H, CH=C), 6.891(d, J=16.54 Hz, 1H, CH=C), 7.324–7.677(m, 10H, 2C₆H₅), 3.521(m, 2H, CH₂), 3.460(m, 2H, CH₂).

S3. Refinement


The C17 and C18 atoms were refined as disordered with refined occupancy of 57.3 (7) % for the major component. The anisotropic displacement parameters of C17, C17', C18 and C18' were constrained to be equal. After their location in a difference map, all H atoms were fixed geometrically at ideal positions and allowed to ride on the parent C atoms, with C—H distances of 0.93 (aromatic and ethylenic CH) or 0.97 Å (methene), and with U_{iso}(H) values of 1.2U_{eq} (C).

**Figure 1**

The molecular structure of the title compound, showing 30% probability ellipsoids. Open bonds show the minor disorder component.

**Figure 2**

Part of the crystal structure, showing C–H \cdots S inter-molecular hydrogen bonds as dashed lines. For the sake of clarity, H atoms not involved in hydrogen bonding have been omitted.

**Figure 3**

Part of the crystal structure, showing C–H \cdots π as dashed lines. For the sake of clarity, H atoms not involved in hydrogen bonding have been omitted.

N-[(E,Z)-1,3-Diphenylprop-2-enylidene]- N'-(1,3-dithiolan-2-ylidene)-hydrazine*Crystal data*

C₁₈H₁₆N₂S₂
M_r = 324.47
 Orthorhombic, *Pna2*₁
 Hall symbol: P 2c -2n
a = 30.9008 (9) Å
b = 5.7352 (2) Å
c = 9.1499 (3) Å
V = 1621.57 (9) Å³
Z = 4
F(000) = 680

D_x = 1.329 Mg m⁻³
 Melting point: 442 K
 Mo *Kα* radiation, λ = 0.71073 Å
 Cell parameters from 2883 reflections
 θ = 2.6–28.1°
 μ = 0.33 mm⁻¹
T = 296 K
 Block, yellow
 0.30 × 0.30 × 0.20 mm

Data collection

Bruker SMART 1000 CCD
 diffractometer
 Radiation source: fine-focus sealed tube
 Graphite monochromator
 ω scans
 Absorption correction: multi-scan
 (*SADABS*; Bruker, 2007)
*T*_{min} = 0.909, *T*_{max} = 0.938

7320 measured reflections
 3339 independent reflections
 2833 reflections with *I* > 2σ(*I*)
 R_{int} = 0.055
 $\theta_{\text{max}} = 28.4^\circ$, $\theta_{\text{min}} = 2.6^\circ$
 $h = -41 \rightarrow 39$
 $k = -4 \rightarrow 7$
 $l = -12 \rightarrow 11$

Refinement

Refinement on *F*²
 Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)]$ = 0.046
 $wR(F^2)$ = 0.117
 S = 1.00
 3339 reflections
 206 parameters
 7 restraints
 Primary atom site location: structure-invariant
 direct methods
 Secondary atom site location: difference Fourier
 map

Hydrogen site location: inferred from
 neighbouring sites
 H-atom parameters constrained
 $w = 1/[\sigma^2(F_o^2) + (0.0727P)^2]$
 where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\text{max}} = 0.003$
 $\Delta\rho_{\text{max}} = 0.47$ e Å⁻³
 $\Delta\rho_{\text{min}} = -0.34$ e Å⁻³
 Absolute structure: Flack (1983), 1186 Friedel
 pairs
 Absolute structure parameter: -0.03 (9)

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of *F*² against ALL reflections. The weighted *R*-factor *wR* and goodness of fit *S* are based on *F*², conventional *R*-factors *R* are based on *F*, with *F* set to zero for negative *F*². The threshold expression of *F*² > σ(*F*²) is used only for calculating *R*-factors(gt) etc. and is not relevant to the choice of reflections for refinement. *R*-factors based on *F*² are statistically about twice as large as those based on *F*, and *R*-factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (Å²)

	<i>x</i>	<i>y</i>	<i>z</i>	<i>U</i> _{iso} */* <i>U</i> _{eq}	Occ. (<1)
C1	0.00882 (11)	1.1023 (6)	0.9703 (5)	0.0507 (8)	
H1	-0.0016	1.0304	0.8863	0.061*	
C2	-0.01559 (12)	1.2737 (7)	1.0391 (5)	0.0569 (10)	

H2	-0.0428	1.3112	1.0024	0.068*	
C3	-0.00045 (12)	1.3879 (6)	1.1592 (4)	0.0526 (9)	
H3	-0.0168	1.5053	1.2025	0.063*	
C4	0.03941 (11)	1.3275 (7)	1.2162 (5)	0.0547 (9)	
H4	0.0500	1.4039	1.2985	0.066*	
C5	0.06363 (10)	1.1535 (6)	1.1509 (4)	0.0423 (7)	
H5	0.0903	1.1133	1.1908	0.051*	
C6	0.04918 (9)	1.0381 (5)	1.0281 (3)	0.0321 (6)	
C7	0.07453 (9)	0.8558 (5)	0.9542 (3)	0.0318 (6)	
H7	0.0679	0.8263	0.8568	0.038*	
C8	0.10609 (9)	0.7288 (5)	1.0139 (3)	0.0302 (6)	
H8	0.1126	0.7561	1.1117	0.036*	
C9	0.13112 (8)	0.5516 (5)	0.9387 (3)	0.0288 (6)	
C10	0.13030 (9)	0.5395 (5)	0.7762 (3)	0.0287 (6)	
C11	0.11505 (11)	0.3437 (6)	0.7030 (4)	0.0400 (7)	
H11	0.1039	0.2189	0.7559	0.048*	
C12	0.11627 (13)	0.3328 (7)	0.5522 (4)	0.0485 (9)	
H12	0.1059	0.2011	0.5044	0.058*	
C13	0.13278 (10)	0.5157 (6)	0.4720 (4)	0.0457 (8)	
H13	0.1341	0.5062	0.3706	0.055*	
C14	0.14728 (10)	0.7122 (6)	0.5424 (4)	0.0424 (8)	
H14	0.1581	0.8365	0.4883	0.051*	
C15	0.14592 (9)	0.7269 (6)	0.6941 (3)	0.0352 (7)	
H15	0.1554	0.8615	0.7408	0.042*	
C16	0.19817 (8)	0.1107 (5)	1.0334 (3)	0.0267 (6)	
C17	0.2416 (6)	-0.261 (2)	1.1233 (8)	0.061 (3)	0.427 (7)
H17C	0.2319	-0.4193	1.1064	0.073*	0.427 (7)
H17D	0.2724	-0.2661	1.1438	0.073*	0.427 (7)
C18	0.2200 (3)	-0.1717 (16)	1.2466 (9)	0.0409 (13)	0.427 (7)
H18C	0.2410	-0.1558	1.3248	0.049*	0.427 (7)
H18D	0.1989	-0.2864	1.2778	0.049*	0.427 (7)
C17'	0.2517 (3)	-0.1970 (15)	1.1350 (5)	0.061 (3)	0.573 (7)
H17A	0.2432	-0.3591	1.1449	0.073*	0.573 (7)
H17B	0.2830	-0.1927	1.1340	0.073*	0.573 (7)
C18'	0.2375 (2)	-0.0777 (12)	1.2611 (6)	0.0409 (13)	0.573 (7)
H18A	0.2612	0.0151	1.2993	0.049*	0.573 (7)
H18B	0.2295	-0.1906	1.3353	0.049*	0.573 (7)
N1	0.15384 (7)	0.4150 (4)	1.0215 (3)	0.0303 (5)	
N2	0.17893 (8)	0.2525 (4)	0.9464 (3)	0.0326 (5)	
S1	0.23331 (2)	-0.09801 (13)	0.96398 (8)	0.0371 (2)	
S2	0.19208 (2)	0.10941 (13)	1.22517 (8)	0.03412 (18)	

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
C1	0.0449 (17)	0.054 (2)	0.0529 (19)	0.0162 (16)	-0.0127 (17)	-0.0014 (18)
C2	0.0450 (18)	0.064 (3)	0.062 (2)	0.025 (2)	-0.0003 (18)	0.011 (2)
C3	0.0468 (19)	0.048 (2)	0.063 (2)	0.0138 (16)	0.0177 (17)	0.0037 (17)

C4	0.0448 (17)	0.057 (2)	0.062 (2)	0.0032 (17)	0.0105 (19)	-0.014 (2)
C5	0.0282 (14)	0.0498 (19)	0.0489 (19)	0.0002 (14)	0.0035 (13)	-0.0052 (15)
C6	0.0304 (13)	0.0307 (15)	0.0353 (14)	0.0037 (12)	0.0044 (11)	0.0105 (12)
C7	0.0307 (13)	0.0326 (14)	0.0321 (13)	-0.0017 (12)	-0.0014 (12)	0.0042 (13)
C8	0.0300 (12)	0.0319 (15)	0.0287 (13)	0.0000 (12)	0.0000 (10)	0.0062 (11)
C9	0.0245 (12)	0.0292 (14)	0.0326 (14)	-0.0031 (11)	0.0000 (10)	0.0083 (11)
C10	0.0256 (12)	0.0277 (14)	0.0328 (13)	0.0085 (11)	0.0001 (11)	0.0060 (11)
C11	0.0465 (16)	0.0330 (16)	0.0405 (18)	0.0057 (14)	-0.0028 (14)	0.0068 (14)
C12	0.061 (2)	0.0419 (19)	0.0426 (18)	0.0144 (18)	-0.0111 (16)	-0.0071 (15)
C13	0.0507 (18)	0.056 (2)	0.0300 (14)	0.0256 (17)	0.0009 (16)	0.0032 (16)
C14	0.0417 (16)	0.050 (2)	0.0358 (16)	0.0093 (16)	0.0069 (14)	0.0178 (15)
C15	0.0303 (13)	0.0381 (17)	0.0373 (16)	0.0033 (13)	0.0026 (11)	0.0097 (13)
C16	0.0260 (12)	0.0276 (15)	0.0266 (12)	-0.0049 (11)	-0.0006 (10)	0.0055 (11)
C17	0.087 (6)	0.050 (6)	0.046 (2)	0.039 (5)	-0.018 (3)	-0.001 (3)
C18	0.038 (3)	0.039 (4)	0.046 (3)	0.009 (2)	-0.016 (2)	0.008 (3)
C17'	0.087 (6)	0.050 (6)	0.046 (2)	0.039 (5)	-0.018 (3)	-0.001 (3)
C18'	0.038 (3)	0.039 (4)	0.046 (3)	0.009 (2)	-0.016 (2)	0.008 (3)
N1	0.0260 (11)	0.0347 (13)	0.0302 (11)	0.0046 (10)	0.0023 (9)	0.0081 (10)
N2	0.0315 (11)	0.0357 (13)	0.0306 (12)	0.0058 (10)	0.0038 (9)	0.0078 (10)
S1	0.0372 (4)	0.0369 (4)	0.0373 (4)	0.0088 (3)	0.0046 (3)	0.0062 (4)
S2	0.0336 (3)	0.0405 (4)	0.0283 (3)	0.0076 (3)	-0.0037 (3)	0.0034 (3)

Geometric parameters (\AA , $^\circ$)

C1—C2	1.389 (5)	C13—C14	1.373 (5)
C1—C6	1.404 (4)	C13—H13	0.9300
C1—H1	0.9300	C14—C15	1.391 (4)
C2—C3	1.362 (6)	C14—H14	0.9300
C2—H2	0.9300	C15—H15	0.9300
C3—C4	1.381 (5)	C16—N2	1.284 (3)
C3—H3	0.9300	C16—S1	1.736 (3)
C4—C5	1.383 (5)	C16—S2	1.765 (3)
C4—H4	0.9300	C17—C18	1.406 (5)
C5—C6	1.378 (4)	C17—S1	1.750 (5)
C5—H5	0.9300	C17—H17C	0.9700
C6—C7	1.471 (4)	C17—H17D	0.9700
C7—C8	1.334 (4)	C18—S2	1.839 (8)
C7—H7	0.9300	C18—H18C	0.9700
C8—C9	1.451 (4)	C18—H18D	0.9700
C8—H8	0.9300	C17'—C18'	1.410 (5)
C9—N1	1.296 (3)	C17'—S1	1.759 (4)
C9—C10	1.489 (4)	C17'—H17A	0.9700
C10—C11	1.390 (5)	C17'—H17B	0.9700
C10—C15	1.397 (4)	C18'—S2	1.798 (5)
C11—C12	1.382 (5)	C18'—H18A	0.9700
C11—H11	0.9300	C18'—H18B	0.9700
C12—C13	1.378 (5)	N1—N2	1.394 (3)
C12—H12	0.9300		

C2—C1—C6	119.8 (4)	C13—C14—C15	120.5 (3)
C2—C1—H1	120.1	C13—C14—H14	119.7
C6—C1—H1	120.1	C15—C14—H14	119.7
C3—C2—C1	121.3 (3)	C14—C15—C10	120.0 (3)
C3—C2—H2	119.4	C14—C15—H15	120.0
C1—C2—H2	119.4	C10—C15—H15	120.0
C2—C3—C4	119.3 (3)	N2—C16—S1	120.0 (2)
C2—C3—H3	120.3	N2—C16—S2	124.7 (2)
C4—C3—H3	120.3	S1—C16—S2	115.30 (15)
C3—C4—C5	120.0 (4)	C18—C17—S1	113.9 (6)
C3—C4—H4	120.0	C18—C17—H17C	108.8
C5—C4—H4	120.0	S1—C17—H17C	108.8
C6—C5—C4	121.5 (3)	C18—C17—H17D	108.8
C6—C5—H5	119.2	S1—C17—H17D	108.8
C4—C5—H5	119.2	H17C—C17—H17D	107.7
C5—C6—C1	118.0 (3)	C17—C18—S2	117.1 (6)
C5—C6—C7	122.9 (3)	C17—C18—H18C	108.0
C1—C6—C7	119.1 (3)	S2—C18—H18C	108.0
C8—C7—C6	126.1 (3)	C17—C18—H18D	108.0
C8—C7—H7	117.0	S2—C18—H18D	108.0
C6—C7—H7	117.0	H18C—C18—H18D	107.3
C7—C8—C9	125.3 (3)	C18'—C17'—S1	118.1 (5)
C7—C8—H8	117.3	C18'—C17'—H17A	107.8
C9—C8—H8	117.3	S1—C17'—H17A	107.8
N1—C9—C8	115.8 (2)	C18'—C17'—H17B	107.8
N1—C9—C10	124.4 (3)	S1—C17'—H17B	107.8
C8—C9—C10	119.8 (2)	H17A—C17'—H17B	107.1
C11—C10—C15	118.6 (3)	C17'—C18'—S2	112.4 (5)
C11—C10—C9	121.7 (3)	C17'—C18'—H18A	109.1
C15—C10—C9	119.7 (3)	S2—C18'—H18A	109.1
C12—C11—C10	120.6 (4)	C17'—C18'—H18B	109.1
C12—C11—H11	119.7	S2—C18'—H18B	109.1
C10—C11—H11	119.7	H18A—C18'—H18B	107.8
C13—C12—C11	120.5 (4)	C9—N1—N2	114.7 (2)
C13—C12—H12	119.8	C16—N2—N1	112.1 (2)
C11—C12—H12	119.8	C16—S1—C17	98.9 (3)
C14—C13—C12	119.7 (3)	C16—S1—C17'	95.7 (3)
C14—C13—H13	120.1	C16—S2—C18'	95.8 (2)
C12—C13—H13	120.1	C16—S2—C18	93.4 (3)

Hydrogen-bond geometry (\AA , $^\circ$)

$D—\text{H}\cdots A$	$D—\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D—\text{H}\cdots A$
$\text{C}17'\cdots\text{H}17B\cdots\text{Cg}^i$	0.97	2.94	3.842 (9)	156

C18'—H18A···S1 ⁱⁱ	0.97	2.69	3.439 (6)	135
C18'—H18B···S1 ⁱ	0.97	2.86	3.628 (7)	137

Symmetry codes: (i) $-x+1/2, y-1/2, z+1/2$; (ii) $-x+1/2, y+1/2, z+1/2$.