

Acta Crystallographica Section E

## Structure Reports

Online

ISSN 1600-5368

## {2-[(4-Bromophenyl)iminomethyl]-pyridine- $\kappa^2N,N'$ }diiodidozinc(II)

Mehdi Khalaj,<sup>a</sup> Saeed Dehghanpour<sup>b\*</sup> and Ali Mahmoudi<sup>a</sup><sup>a</sup>Department of Chemistry, Islamic Azad University, Karaj Branch, Karaj, Iran, and<sup>b</sup>Department of Chemistry, Alzahra University, Vanak, PO Box 1993891176,

Tehran, Iran

Correspondence e-mail: dehghanpour\_farasha@yahoo.com


Received 11 June 2008; accepted 4 July 2008

Key indicators: single-crystal X-ray study;  $T = 100$  K; mean  $\sigma(C-C) = 0.005$  Å;  $R$  factor = 0.032;  $wR$  factor = 0.085; data-to-parameter ratio = 27.3.

In the title compound,  $[ZnI_2(C_{12}H_9BrN_2)]$ , the metal centre displays a moderately distorted tetrahedral coordination geometry defined by two iodide anions and two N atoms of the organic ligand. The dihedral angle between the pyridine and benzene rings is  $15.15$  ( $13$ )°.

### Related literature

For the crystal structure of similar iminopyridine complexes, see: Dehghanpour, Mahmoudi, Khalaj & Salmanpour (2007); Dehghanpour, Mahmoudi, Khalaj, Salmanpour & Adib (2007). For related structures see: Lee *et al.* (2008); Wriedt *et al.* (2008).



### Experimental

#### Crystal data

 $[ZnI_2(C_{12}H_9BrN_2)]$  $M_r = 580.29$ Triclinic,  $P\bar{1}$  $a = 8.0749$  (9) Å $b = 9.7323$  (11) Å $c = 11.1884$  (13) Å
 $\alpha = 79.157$  (2)°  
 $\beta = 71.178$  (3)°  
 $\gamma = 67.325$  (2)°  
 $V = 765.87$  (15) Å<sup>3</sup>  
 $Z = 2$ 

 Mo  $K\alpha$  radiation  
 $\mu = 8.23$  mm<sup>-1</sup>  
 $T = 100$  (2) K  
 $0.45 \times 0.21 \times 0.12$  mm

#### Data collection

 Bruker APEXII CCD area-detector diffractometer  
 Absorption correction: multi-scan (*APEX2*; Bruker, 2005)  
 $T_{\min} = 0.135$ ,  $T_{\max} = 0.378$ 

 9814 measured reflections  
 4449 independent reflections  
 3983 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.040$ 

#### Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.032$   
 $wR(F^2) = 0.084$   
 $S = 1.01$   
 4449 reflections

 163 parameters  
 H-atom parameters constrained  
 $\Delta\rho_{\max} = 1.94$  e Å<sup>-3</sup>  
 $\Delta\rho_{\min} = -1.96$  e Å<sup>-3</sup>
**Table 1**

Selected geometric parameters (Å, °).

I1—Zn1	2.5201 (5)	Zn1—N1	2.062 (3)
I2—Zn1	2.5389 (5)	Zn1—N2	2.094 (3)
N1—Zn1—N2	80.30 (11)	N1—Zn1—I2	109.45 (8)
N1—Zn1—I1	117.81 (8)	N2—Zn1—I2	110.18 (8)
N2—Zn1—I1	117.60 (8)	I1—Zn1—I2	116.210 (17)

Data collection: *APEX2* (Bruker, 2005); cell refinement: *APEX2*; data reduction: *APEX2*; program(s) used to solve structure: *SHELXTL* (Sheldrick, 2008); program(s) used to refine structure: *SHELXTL*; molecular graphics: *SHELXTL*; software used to prepare material for publication: *SHELXTL*.

SD acknowledges the Alzahra University Research Council for partial support of this work.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: RZ2225).

### References

- Bruker (2005). *APEX2*. Bruker AXS Inc., Madison, Wisconsin, USA.  
 Dehghanpour, S., Mahmoudi, A., Khalaj, M. & Salmanpour, S. (2007). *Acta Cryst.* **E63**, m2840.  
 Dehghanpour, S., Mahmoudi, A., Khalaj, M., Salmanpour, S. & Adib, M. (2007). *Acta Cryst.* **E63**, m2841.  
 Lee, S. H., Kim, S.-H., Kim, P.-G., Kim, C. & Kim, Y. (2008). *Acta Cryst.* **E64**, m511.  
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.  
 Wriedt, M., Jess, I. & Näther, C. (2008). *Acta Cryst.* **E64**, m11.

## supporting information

*Acta Cryst.* (2008). E64, m1018 [doi:10.1107/S1600536808020680]

**{2-[(4-Bromophenyl)iminomethyl]pyridine- $\kappa^2N,N'$ }diiodidozinc(II)****Mehdi Khalaj, Saeed Dehghanpour and Ali Mahmoudi****S1. Comment**

Iminopyridines derivatives are common ligands and many complexes containing these ligands have been reported. Recently, the crystal structure of zinc(II)-complexes similar to the title compound has been reported by our group (Dehghanpour, Mahmoudi, Khalaj & Salmanpour, 2007; Dehghanpour, Mahmoudi, Khalaj, Salmanpour & Adib, 2007).


The molecular structure of the title compound and the atom numbering scheme are shown in Fig. 1. The structure consists of discrete  $[\text{ZnI}_2(\text{C}_{12}\text{H}_9\text{BrN}_2)]$  complex molecules where the metal centre has a tetrahedral coordination geometry which shows significant distortion, mainly due to the presence of the five-membered chelate ring. The endocyclic N1—Zn1—N2 angle (Table 1) is much narrower than the ideal tetrahedral angle of  $109.5^\circ$ , whereas the opposite I1—Zn1—I2 angle is much wider. Bond lengths involving the Zn atom are in good agreement with the values found in the literature for tetrahedral zinc(II) complexes (Lee *et al.*, 2008; Wriedt *et al.*, 2008). The dihedral angle formed by the pyridine and benzene ring is  $15.15(13)^\circ$ . The crystal structure is enforced by van der Waals interactions only.

**S2. Experimental**

To a solution of (4-bromo-phenyl)-pyridin-2-ylmethylene-amine (26.1 mg, 0.1 mmol) in acetonitrile (20 ml) was added zinc iodide (31.9 mg, 0.1 mmol). The mixture was heated to dissolve the reactants. The solution was filtered and the volume of solvent removed under vacuum to about 5 ml. The diffusion of diethyl ether vapor into the solution gave yellow crystals. The crystals were collected and washed with diethylether-dichloromethane (9:1 v/v); yield 81%. Calc. for  $\text{C}_{12}\text{H}_9\text{BrI}_2\text{N}_2\text{Zn}$ : C 24.84, H 1.56, N 4.83%; found: C 24.86, H 1.55, N 4.82%.

**S3. Refinement**

All hydrogen atoms were placed geometrically and refined in isotropic approximation in riding model with the  $U_{\text{iso}}(\text{H})$  parameters equal to  $1.2U_{\text{eq}}(\text{C})$ . There is a high positive residual density of  $1.93 \text{ e } \text{\AA}^{-3}$  at  $0.83 \text{ \AA}$  from atom I2 due to considerable absorption effects which could not be completely corrected.

**Figure 1**

The molecular structure of the title compound showing the atom-labelling scheme and thermal ellipsoids drawn at the 50% probability level.

### {2-[(4-Bromophenyl)iminomethyl]pyridine- $\kappa^2N,N'$ }diiodidozinc(II)

#### Crystal data

[ZnI<sub>2</sub>(C<sub>12</sub>H<sub>9</sub>BrN<sub>2</sub>)]

$M_r = 580.29$

Triclinic,  $P\bar{1}$

Hall symbol: -P 1

$a = 8.0749$  (9) Å

$b = 9.7323$  (11) Å

$c = 11.1884$  (13) Å

$\alpha = 79.157$  (2)°

$\beta = 71.178$  (3)°

$\gamma = 67.325$  (2)°

$V = 765.87$  (15) Å<sup>3</sup>

$Z = 2$

$F(000) = 532$

$D_x = 2.516$  Mg m<sup>-3</sup>

Mo  $K\alpha$  radiation,  $\lambda = 0.71073$  Å

Cell parameters from 1953 reflections

$\theta = 2.8$ – $34.4$ °

$\mu = 8.23$  mm<sup>-1</sup>

$T = 100$  K

Plate, yellow

$0.45 \times 0.21 \times 0.12$  mm

#### Data collection

Bruker APEXII CCD area-detector  
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

$\omega$  scans

Absorption correction: multi-scan

(*APEX2*; Bruker, 2005)

$T_{\min} = 0.135$ ,  $T_{\max} = 0.378$

9814 measured reflections

4449 independent reflections

3983 reflections with  $I > 2\sigma(I)$

$R_{\text{int}} = 0.040$

$\theta_{\max} = 30.0$ °,  $\theta_{\min} = 1.9$ °

$h = -11 \rightarrow 11$

$k = -13 \rightarrow 13$

$l = -15 \rightarrow 15$

#### Refinement

Refinement on  $F^2$

Least-squares matrix: full

$R[F^2 > 2\sigma(F^2)] = 0.032$

$wR(F^2) = 0.084$

$S = 1.01$

4449 reflections

163 parameters

0 restraints

Primary atom site location: structure-invariant  
direct methods

Secondary atom site location: difference Fourier  
map

Hydrogen site location: inferred from  
neighbouring sites

H-atom parameters constrained

$$w = 1/[\sigma^2(F_o^2) + (0.04P)^2]$$

where  $P = (F_o^2 + 2F_c^2)/3$   
 $(\Delta/\sigma)_{\max} = 0.001$

$$\Delta\rho_{\max} = 1.94 \text{ e } \text{\AA}^{-3}$$

$$\Delta\rho_{\min} = -1.96 \text{ e } \text{\AA}^{-3}$$

*Special details*

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
I1	-0.28834 (3)	0.85145 (2)	0.60583 (2)	0.01640 (7)
I2	0.16700 (3)	0.84434 (2)	0.72880 (2)	0.01874 (7)
Br1	0.51281 (5)	0.79618 (4)	-0.04600 (3)	0.02005 (9)
Zn1	0.02685 (5)	0.70420 (4)	0.64300 (4)	0.01456 (9)
N1	0.0641 (4)	0.4960 (3)	0.7379 (3)	0.0178 (6)
N2	0.2315 (4)	0.5720 (3)	0.4997 (3)	0.0154 (5)
C1	0.2115 (5)	0.3877 (4)	0.6720 (3)	0.0159 (6)
C2	0.2711 (5)	0.2407 (4)	0.7206 (3)	0.0195 (7)
H2A	0.3754	0.1671	0.6722	0.023*
C3	0.1746 (6)	0.2034 (4)	0.8421 (4)	0.0234 (7)
H3A	0.2130	0.1039	0.8786	0.028*
C4	0.0213 (5)	0.3136 (4)	0.9090 (4)	0.0240 (8)
H4A	-0.0483	0.2900	0.9913	0.029*
C5	-0.0296 (5)	0.4594 (4)	0.8543 (3)	0.0225 (7)
H5A	-0.1335	0.5349	0.9010	0.027*
C6	0.3009 (5)	0.4359 (4)	0.5426 (3)	0.0158 (6)
H6A	0.4084	0.3675	0.4913	0.019*
C7	0.3033 (4)	0.6193 (4)	0.3715 (3)	0.0147 (6)
C8	0.4198 (5)	0.5200 (4)	0.2790 (3)	0.0169 (6)
H8A	0.4551	0.4155	0.3005	0.020*
C9	0.4848 (5)	0.5734 (4)	0.1550 (3)	0.0185 (7)
H9A	0.5671	0.5061	0.0920	0.022*
C10	0.4275 (5)	0.7263 (4)	0.1250 (3)	0.0165 (6)
C11	0.3091 (5)	0.8267 (4)	0.2146 (3)	0.0204 (7)
H11A	0.2710	0.9311	0.1921	0.024*
C12	0.2468 (5)	0.7728 (4)	0.3380 (3)	0.0195 (7)
H12A	0.1649	0.8407	0.4006	0.023*

*Atomic displacement parameters ( $\text{\AA}^2$ )*

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
I1	0.01523 (11)	0.01337 (11)	0.02111 (12)	-0.00533 (8)	-0.00547 (8)	-0.00085 (8)

I2	0.01755 (12)	0.01407 (12)	0.02641 (13)	-0.00646 (9)	-0.00745 (9)	-0.00117 (9)
Br1	0.02369 (18)	0.01625 (17)	0.01622 (17)	-0.00571 (14)	-0.00288 (13)	0.00060 (13)
Zn1	0.01415 (18)	0.01008 (17)	0.01727 (19)	-0.00385 (14)	-0.00195 (14)	-0.00109 (14)
N1	0.0177 (13)	0.0139 (13)	0.0216 (14)	-0.0076 (11)	-0.0031 (11)	-0.0002 (11)
N2	0.0181 (13)	0.0132 (13)	0.0162 (13)	-0.0079 (11)	-0.0027 (10)	-0.0022 (10)
C1	0.0166 (14)	0.0140 (15)	0.0186 (15)	-0.0073 (12)	-0.0050 (12)	-0.0003 (12)
C2	0.0230 (16)	0.0138 (15)	0.0218 (16)	-0.0058 (13)	-0.0077 (13)	0.0001 (13)
C3	0.0318 (19)	0.0139 (16)	0.0265 (18)	-0.0090 (14)	-0.0136 (15)	0.0058 (14)
C4	0.0275 (19)	0.0201 (17)	0.0220 (17)	-0.0116 (15)	-0.0035 (14)	0.0056 (14)
C5	0.0230 (17)	0.0223 (18)	0.0200 (17)	-0.0092 (14)	-0.0034 (13)	0.0023 (14)
C6	0.0156 (14)	0.0111 (14)	0.0197 (16)	-0.0043 (12)	-0.0038 (12)	-0.0016 (12)
C7	0.0148 (14)	0.0123 (14)	0.0170 (15)	-0.0053 (12)	-0.0039 (11)	-0.0008 (12)
C8	0.0194 (15)	0.0097 (14)	0.0201 (16)	-0.0041 (12)	-0.0035 (12)	-0.0032 (12)
C9	0.0189 (15)	0.0138 (15)	0.0199 (16)	-0.0040 (13)	-0.0020 (12)	-0.0040 (12)
C10	0.0167 (14)	0.0178 (16)	0.0155 (15)	-0.0080 (13)	-0.0032 (12)	0.0001 (12)
C11	0.0248 (17)	0.0126 (15)	0.0206 (17)	-0.0055 (13)	-0.0031 (13)	-0.0018 (13)
C12	0.0210 (16)	0.0089 (14)	0.0213 (17)	-0.0034 (12)	0.0013 (13)	-0.0013 (12)

*Geometric parameters (Å, °)*

I1—Zn1	2.5201 (5)	C3—H3A	0.9500
I2—Zn1	2.5389 (5)	C4—C5	1.394 (5)
Zn1—N1	2.062 (3)	C4—H4A	0.9500
Zn1—N2	2.094 (3)	C5—H5A	0.9500
Br1—C10	1.902 (3)	C6—H6A	0.9500
Zn1—N1	2.062 (3)	C7—C8	1.391 (5)
Zn1—N2	2.094 (3)	C7—C12	1.398 (5)
N1—C5	1.339 (4)	C8—C9	1.392 (5)
N1—C1	1.353 (4)	C8—H8A	0.9500
N2—C6	1.289 (4)	C9—C10	1.387 (5)
N2—C7	1.424 (4)	C9—H9A	0.9500
C1—C2	1.385 (5)	C10—C11	1.381 (5)
C1—C6	1.473 (5)	C11—C12	1.385 (5)
C2—C3	1.391 (5)	C11—H11A	0.9500
C2—H2A	0.9500	C12—H12A	0.9500
C3—C4	1.387 (6)		
N1—Zn1—N2	80.30 (11)	N1—C5—C4	121.8 (3)
N1—Zn1—I1	117.81 (8)	N1—C5—H5A	119.1
N2—Zn1—I1	117.60 (8)	C4—C5—H5A	119.1
N1—Zn1—I2	109.45 (8)	N2—C6—C1	119.2 (3)
N2—Zn1—I2	110.18 (8)	N2—C6—H6A	120.4
I1—Zn1—I2	116.210 (17)	C1—C6—H6A	120.4
C5—N1—C1	118.8 (3)	C8—C7—C12	119.5 (3)
C5—N1—Zn1	128.7 (3)	C8—C7—N2	123.0 (3)
C1—N1—Zn1	112.4 (2)	C12—C7—N2	117.5 (3)
C6—N2—C7	120.8 (3)	C7—C8—C9	120.2 (3)
C6—N2—Zn1	111.5 (2)	C7—C8—H8A	119.9

---

C7—N2—Zn1	127.5 (2)	C9—C8—H8A	119.9
N1—C1—C2	122.7 (3)	C10—C9—C8	118.9 (3)
N1—C1—C6	115.2 (3)	C10—C9—H9A	120.5
C2—C1—C6	122.1 (3)	C8—C9—H9A	120.5
C1—C2—C3	118.4 (3)	C11—C10—C9	121.8 (3)
C1—C2—H2A	120.8	C11—C10—Br1	120.0 (3)
C3—C2—H2A	120.8	C9—C10—Br1	118.1 (3)
C4—C3—C2	119.0 (3)	C10—C11—C12	118.9 (3)
C4—C3—H3A	120.5	C10—C11—H11A	120.6
C2—C3—H3A	120.5	C12—C11—H11A	120.6
C3—C4—C5	119.3 (3)	C11—C12—C7	120.6 (3)
C3—C4—H4A	120.3	C11—C12—H12A	119.7
C5—C4—H4A	120.3	C7—C12—H12A	119.7
N2—Zn1—N1—C5	-175.2 (3)	Zn1—N1—C5—C4	-175.4 (3)
I1—Zn1—N1—C5	-59.0 (3)	C3—C4—C5—N1	0.9 (6)
I2—Zn1—N1—C5	76.7 (3)	C7—N2—C6—C1	-174.2 (3)
N2—Zn1—N1—C1	9.0 (2)	Zn1—N2—C6—C1	10.1 (4)
I1—Zn1—N1—C1	125.1 (2)	N1—C1—C6—N2	-2.6 (5)
I2—Zn1—N1—C1	-99.1 (2)	C2—C1—C6—N2	175.4 (3)
N1—Zn1—N2—C6	-10.3 (2)	C6—N2—C7—C8	14.4 (5)
I1—Zn1—N2—C6	-126.7 (2)	Zn1—N2—C7—C8	-170.5 (3)
I2—Zn1—N2—C6	97.0 (2)	C6—N2—C7—C12	-168.0 (3)
N1—Zn1—N2—C7	174.3 (3)	Zn1—N2—C7—C12	7.0 (4)
I1—Zn1—N2—C7	57.9 (3)	C12—C7—C8—C9	2.2 (5)
I2—Zn1—N2—C7	-78.4 (3)	N2—C7—C8—C9	179.7 (3)
C5—N1—C1—C2	-0.8 (5)	C7—C8—C9—C10	-1.7 (5)
Zn1—N1—C1—C2	175.5 (3)	C8—C9—C10—C11	0.5 (5)
C5—N1—C1—C6	177.2 (3)	C8—C9—C10—Br1	-178.3 (3)
Zn1—N1—C1—C6	-6.5 (4)	C9—C10—C11—C12	0.3 (6)
N1—C1—C2—C3	0.2 (5)	Br1—C10—C11—C12	179.0 (3)
C6—C1—C2—C3	-177.6 (3)	C10—C11—C12—C7	0.2 (6)
C1—C2—C3—C4	0.9 (6)	C8—C7—C12—C11	-1.5 (5)
C2—C3—C4—C5	-1.5 (6)	N2—C7—C12—C11	-179.1 (3)
C1—N1—C5—C4	0.2 (5)		

---