

**(4-Oxido-2-oxo-1,2-dihydropyrimidine-5-carboxylato- $\kappa^2O^4,O^5$ )(4-oxido-2-oxo-1,2-dihydropyrimidin-3-ium-5-carboxylato- $\kappa^2O^4,O^5$ )bis(1,10-phenanthroline- $\kappa^2N,N'$ )gadolinium(III) dihydrate**

Wei Xiong, Huihui Xing, Yan Su and Zilu Chen\*

College of Chemistry and Chemical Engineering, Guangxi Normal University, Yucui Road 15, Guilin 541004, People's Republic of China  
Correspondence e-mail: chen ziluczl@yahoo.co.uk


Received 25 July 2008; accepted 9 August 2008

Key indicators: single-crystal X-ray study;  $T = 273$  K; mean  $\sigma(C-C) = 0.005$  Å;  $R$  factor = 0.032;  $wR$  factor = 0.064; data-to-parameter ratio = 15.4.

The title compound,  $[Gd(C_5H_2N_2O_4)(C_5H_3N_2O_4) \cdot (C_{12}H_8N_2)_2] \cdot 2H_2O$ , was obtained from a solvothermal reaction of 2,4-dihydropyrimidine-5-carboxylic acid ( $H_3iso$ ),  $GdCl_3 \cdot 6H_2O$  and 1,10-phenanthroline (phen). The  $Gd^{III}$  ion is located on a twofold rotation axis and is coordinated by four N atoms from two chelating phen ligands and four O atoms (5-carboxylate and 4-oxido O atoms) from  $H_2iso^-$  and  $Hiso^{2-}$  ligands. The molecules are linked into a three-dimensional network by  $N-H \cdots O$ ,  $N-H \cdots N$  and  $O-H \cdots O$  hydrogen bonds. The H atom involved in an  $N-H \cdots N$  hydrogen bond is disordered around a twofold rotation axis with half occupancy.

### Related literature

For isostructural lanthanide complexes with 2,4-dioxo-1,2,3,4-tetrahydropyrimidine-5-carboxylic acid, see: Sun & Jin (2004*a,b*); Xing *et al.* (2008*a*). For related literature, see: Hueso-Ureña *et al.* (1993, 1996); Baran *et al.* (1996); Luo *et al.* (2002); Maistralis *et al.* (1991, 1992); Xing *et al.* (2008*b*).



### Experimental

#### Crystal data

$[Gd(C_5H_2N_2O_4)(C_5H_3N_2O_4) \cdot (C_{12}H_8N_2)_2] \cdot 2H_2O$   
 $M_r = 862.87$   
Monoclinic,  $C2/c$   
 $a = 17.158$  (8) Å  
 $b = 14.504$  (7) Å  
 $c = 13.197$  (7) Å

$\beta = 99.955$  (5)°  
 $V = 3235$  (3) Å<sup>3</sup>  
 $Z = 4$   
Mo  $K\alpha$  radiation  
 $\mu = 2.13$  mm<sup>-1</sup>  
 $T = 273$  (2) K  
 $0.20 \times 0.10 \times 0.10$  mm

#### Data collection

Bruker APEXII CCD area-detector diffractometer  
Absorption correction: multi-scan (*SADABS*; Bruker, 1998)  
 $T_{min} = 0.676$ ,  $T_{max} = 0.816$   
9884 measured reflections  
3686 independent reflections  
3212 reflections with  $I > 2\sigma(I)$   
 $R_{int} = 0.039$

#### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.031$   
 $wR(F^2) = 0.064$   
 $S = 1.05$   
3686 reflections

240 parameters  
H-atom parameters constrained  
 $\Delta\rho_{max} = 0.74$  e Å<sup>-3</sup>  
 $\Delta\rho_{min} = -0.65$  e Å<sup>-3</sup>

**Table 1**

Selected geometric parameters (Å, °).

Gd1—O1	2.288 (2)	Gd1—N3	2.586 (3)
Gd1—O3	2.344 (2)	Gd1—N4	2.603 (3)
O1—Gd1—O1 <sup>i</sup>	88.22 (11)	O1—Gd1—N4	80.80 (8)
O1—Gd1—O3 <sup>i</sup>	82.54 (8)	O3—Gd1—N4	122.38 (8)
O1—Gd1—O3	73.65 (8)	N3—Gd1—N4	63.39 (8)
O3 <sup>i</sup> —Gd1—O3	146.71 (11)	O1—Gd1—N4 <sup>i</sup>	147.64 (8)
O1—Gd1—N3 <sup>i</sup>	148.84 (8)	O3—Gd1—N4 <sup>i</sup>	74.79 (8)
O3—Gd1—N3 <sup>i</sup>	135.03 (8)	N3—Gd1—N4 <sup>i</sup>	72.83 (8)
O1—Gd1—N3	105.26 (9)	N4—Gd1—N4 <sup>i</sup>	123.04 (11)
O3—Gd1—N3	74.86 (8)		

Symmetry code: (i)  $-x + 1, y, -z + \frac{1}{2}$ .

**Table 2**

Hydrogen-bond geometry (Å, °).

$D-H \cdots A$	$D-H$	$H \cdots A$	$D \cdots A$	$D-H \cdots A$
N1—H1 <sup>i</sup> $\cdots$ O2 <sup>ii</sup>	0.86	2.04	2.898 (3)	178
N1—H1 <sup>i</sup> $\cdots$ O1 <sup>ii</sup>	0.86	2.60	3.160 (4)	124
N2—H2 <sup>i</sup> $\cdots$ N2 <sup>iii</sup>	0.86	1.81	2.669 (5)	174
O5—H5A <sup>i</sup> $\cdots$ O4 <sup>iv</sup>	0.85	2.14	2.970 (4)	164
O5—H5B <sup>i</sup> $\cdots$ O2 <sup>v</sup>	0.85	2.14	2.985 (4)	173

Symmetry codes: (ii)  $x, -y, z - \frac{1}{2}$ ; (iii)  $-x + \frac{1}{2}, -y - \frac{1}{2}, -z$ ; (iv)  $-x + \frac{1}{2}, -y + \frac{1}{2}, -z$ ; (v)  $x, y + 1, z$ .

Data collection: *APEX2* (Bruker, 2004); cell refinement: *APEX2*; data reduction: *SAINT* (Bruker, 2004); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXTL*.

The authors thank the Science Foundation of Guangxi Province, China (Guikeqing 0542021), and the Scientific Research Foundation of Guangxi Normal University for financial support.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: CI2644).

## References

- Baran, E., Mercaser, R. C., Hueso-Ureña, F., Moreno-Carretero, M. N., Quiros-Olozabal, M. & Salas-Peregrin, J. M. (1996). *Polyhedron*, **15**, 1717–1724.
- Bruker (1998). *SADABS*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Bruker (2004). *APEX2* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Hueso-Ureña, F., Moreno-Carretero, M. N., Romero-Molina, M. A., Salas-Peregrin, J. M., Sanchez-Sanchez, M. P., Alvarez de Cienfuegos-Lopez, G. & Faure, R. (1993). *J. Inorg. Biochem.* **51**, 613–632.
- Hueso-Ureña, F., Moreno-Carretero, M. N., Quirós-Olozabal, M., Salas-Peregrin, J. M., Faure, R. & Cienfuegos-López, G. A. (1996). *Inorg. Chim. Acta*, **241**, 61–69.
- Luo, J.-H., Hong, M.-C., Zhao, Y.-J., Cao, R. & Weng, J.-B. (2002). *Chin. J. Struct. Chem.* **21**, 392–395.
- Maistralis, G., Katsaros, N., Mentzafos, D. & Terzis, A. (1991). *Acta Cryst.* **C47**, 740–743.
- Maistralis, G., Katsaros, N., Perlepes, S. P. & Kovala-Demertzi, D. (1992). *J. Inorg. Biochem.* **45**, 1–12.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Sun, C.-Y. & Jin, L.-P. (2004a). *Polyhedron*, **23**, 2227–2233.
- Sun, C.-Y. & Jin, L.-P. (2004b). *Polyhedron*, **23**, 2085–2093.
- Xing, H.-H., Chen, Z.-L. & Ng, S. W. (2008a). *Acta Cryst.* **E64**, m418.
- Xing, H.-H., Chen, Z.-L. & Ng, S. W. (2008b). *Acta Cryst.* **E64**, m419–m420.

## supporting information

*Acta Cryst.* (2008). E64, m1168–m1169 [doi:10.1107/S1600536808025713]

**(4-Oxido-2-oxo-1,2-dihydropyrimidine-5-carboxylato- $\kappa^2O^4,O^5$ )(4-oxido-2-oxo-1,2-dihydropyrimidin-3-ium-5-carboxylato- $\kappa^2O^4,O^5$ )bis(1,10-phenanthroline- $\kappa^2N,N'$ )gadolinium(III) dihydrate**

Wei Xiong, Huihui Xing, Yan Su and Zilu Chen

### S1. Comment

2,4-Dihydroxypyrimidine-5-carboxylic acid has been extensively used in the preparation of metal complexes because of its versatile coordination modes. It can connect metal ions to form robust networks or some porous coordination polymers. Though various transition metal complexes with 2,4-dihydroxypyrimidine-5-carboxylate have been reported (Maistralis *et al.*, 1991, 1992; Hueso-Ureña *et al.*, 1993, 1996; Baran *et al.*, 1996; Luo *et al.*, 2002; Sun & Jin 2004a), lanthanide complexes are very limited. Only lanthanide complexes of Yb<sup>III</sup>, Tb<sup>III</sup>, Pr<sup>III</sup>, Eu<sup>III</sup>, Nd<sup>III</sup> and Er<sup>III</sup> have been reported (Sun & Jin 2004b; Xing *et al.*, 2008a,b). In this paper, we report a new Gd<sup>III</sup> complex, Gd(Hiso)(H<sub>2</sub>iso)(phen)<sub>2</sub>·2H<sub>2</sub>O, (I).

In compound (I), the Gd<sup>III</sup> atom is located on a twofold rotation axis and coordinated in a square antiprismatic geometry by four N atoms belonging to two chelating phen ligands and four O atoms from one monovalent and one divalent 2,4-dihydroxypyrimidine-5-carboxylate anions. The Gd—O bond lengths [2.288 (2) and 2.334 (2) Å] are shorter than the Gd—N bond lengths [2.586 (3) and 2.603 (3) Å].


The molecules are linked into a three-dimensional network by N—H···O, N—H···N and O—H···O hydrogen bonds (Table 2).

### S2. Experimental

A mixture of 2,4-dihydroxypyrimidine-5-carboxylic acid (0.0312 g, 0.2 mmol), GdCl<sub>3</sub>·6H<sub>2</sub>O (0.0743 g, 0.2 mmol), phen·H<sub>2</sub>O (0.0396 g, 0.2 mmol), NaOH (0.008 g, 0.2 mmol) and water (15 ml) was sealed in a 25 ml Teflon-lined stainless-steel reactor and heated at 383 K for 120 h. It was then cooled over a period of 48 h, light yellow crystals were isolated in 80% yield. Elemental analysis for C<sub>34</sub>H<sub>25</sub>GdN<sub>8</sub>O<sub>10</sub>, calculated: C 47.32, H 2.92, N 12.98%; found: C 47.59, H 2.96, N 13.24%.

### S3. Refinement

H atoms of the water molecule were located in a difference Fourier map and allowed to ride on the O atom with  $U_{\text{iso}}(\text{H}) = 1.5U_{\text{eq}}(\text{O})$ . The remaining H atoms were placed at calculated positions (C—H = 0.93 Å and N—H = 0.86 Å) and were included in the refinement in the riding model approximation, with  $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C}, \text{N})$ .

**Figure 1**

A view of the molecular structure of (I) with the atom-numbering scheme. Displacement ellipsoids are drawn at the 30% probability level. Unlabelled atoms are related to labelled atoms by the symmetry operation  $(1-x, y, 1/2-z)$ .

**(4-Oxido-2-oxo-1,2-dihydropyrimidine-5-carboxylato- $\kappa^2\text{O}^4, \text{O}^5$ )(4-oxido-2-oxo-1,2-dihydropyrimidin-3-ium-5-carboxylato- $\kappa^2\text{O}^4, \text{O}^5$ )bis(1,10-phenanthroline- $\kappa^2\text{N}, \text{N}'$ )gadolinium(III) dihydrate**

*Crystal data*

$[\text{Gd}(\text{C}_5\text{H}_2\text{N}_2\text{O}_4)(\text{C}_5\text{H}_3\text{N}_2\text{O}_4)(\text{C}_{12}\text{H}_8\text{N}_2)_2] \cdot 2\text{H}_2\text{O}$

$M_r = 862.87$

Monoclinic,  $C2/c$

Hall symbol:  $-C\ 2yc$

$a = 17.158\ (8)\ \text{\AA}$

$b = 14.504\ (7)\ \text{\AA}$

$c = 13.197\ (7)\ \text{\AA}$

$\beta = 99.955\ (5)^\circ$

$V = 3235\ (3)\ \text{\AA}^3$

$Z = 4$

$F(000) = 1716$

$D_x = 1.772\ \text{Mg m}^{-3}$

Mo  $K\alpha$  radiation,  $\lambda = 0.71073\ \text{\AA}$

Cell parameters from 3284 reflections

$\theta = 2.3\text{--}25.5^\circ$

$\mu = 2.13\ \text{mm}^{-1}$

$T = 273\ \text{K}$

Block, colourless

$0.20 \times 0.10 \times 0.10\ \text{mm}$

*Data collection*

Bruker APEXII CCD area-detector

diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

$\varphi$  and  $\omega$  scans

Absorption correction: multi-scan

(*SADABS*; Bruker, 1998)

$T_{\min} = 0.676$ ,  $T_{\max} = 0.816$

9884 measured reflections

3686 independent reflections

3212 reflections with  $I > 2\sigma(I)$

$R_{\text{int}} = 0.039$

$\theta_{\max} = 27.5^\circ$ ,  $\theta_{\min} = 2.3^\circ$

$h = -21 \rightarrow 22$

$k = -18 \rightarrow 13$

$l = -17 \rightarrow 16$

*Refinement*

Refinement on  $F^2$

Least-squares matrix: full

$R[F^2 > 2\sigma(F^2)] = 0.031$

$wR(F^2) = 0.064$

$S = 1.05$

3686 reflections

240 parameters

0 restraints

Primary atom site location: structure-invariant

direct methods

Secondary atom site location: difference Fourier

map

Hydrogen site location: inferred from  
neighbouring sites  
H-atom parameters constrained

$$w = 1/[\sigma^2(F_o^2) + (0.0258P)^2]$$

where  $P = (F_o^2 + 2F_c^2)/3$

$$(\Delta/\sigma)_{\max} = 0.001$$

$$\Delta\rho_{\max} = 0.74 \text{ e } \text{\AA}^{-3}$$

$$\Delta\rho_{\min} = -0.65 \text{ e } \text{\AA}^{-3}$$

*Special details*

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$	Occ. (<1)
Gd1	0.5000	0.111515 (14)	0.2500	0.02254 (7)	
O1	0.42801 (12)	-0.00176 (14)	0.31169 (16)	0.0329 (5)	
O2	0.34603 (14)	-0.11272 (15)	0.33997 (16)	0.0352 (5)	
O3	0.40327 (12)	0.06523 (14)	0.11160 (16)	0.0320 (5)	
O4	0.26936 (15)	-0.11830 (15)	-0.13464 (17)	0.0424 (6)	
N1	0.33231 (15)	-0.02639 (17)	-0.00642 (19)	0.0296 (6)	
H1	0.3371	0.0157	-0.0508	0.035*	
N2	0.28238 (16)	-0.16877 (18)	0.0304 (2)	0.0361 (7)	
H2	0.2589	-0.2201	0.0125	0.043*	0.50
N3	0.40482 (14)	0.25042 (17)	0.2136 (2)	0.0300 (6)	
N4	0.46494 (14)	0.19709 (17)	0.40957 (19)	0.0282 (6)	
C1	0.34878 (17)	-0.0740 (2)	0.1674 (2)	0.0248 (7)	
C2	0.36429 (17)	-0.0080 (2)	0.0939 (2)	0.0251 (7)	
C3	0.29303 (19)	-0.1061 (2)	-0.0434 (2)	0.0304 (7)	
C4	0.3080 (2)	-0.1512 (2)	0.1292 (2)	0.0348 (8)	
H4	0.2973	-0.1949	0.1765	0.042*	
C5	0.37526 (17)	-0.0627 (2)	0.2800 (2)	0.0248 (6)	
C6	0.37014 (18)	0.2746 (2)	0.1201 (3)	0.0372 (8)	
H6	0.3689	0.2319	0.0672	0.045*	
C7	0.3352 (2)	0.3608 (3)	0.0960 (3)	0.0475 (10)	
H7	0.3113	0.3747	0.0290	0.057*	
C8	0.3372 (2)	0.4239 (3)	0.1725 (3)	0.0499 (10)	
H8	0.3157	0.4822	0.1577	0.060*	
C9	0.3710 (2)	0.4014 (2)	0.2728 (3)	0.0428 (9)	
C10	0.3742 (2)	0.4633 (3)	0.3580 (4)	0.0592 (12)	
H10	0.3547	0.5229	0.3461	0.071*	
C11	0.4042 (3)	0.4380 (3)	0.4535 (4)	0.0618 (12)	
H11	0.4056	0.4803	0.5068	0.074*	
C12	0.4346 (2)	0.3467 (3)	0.4763 (3)	0.0442 (9)	
C13	0.4638 (2)	0.3150 (3)	0.5755 (3)	0.0577 (11)	

H13	0.4648	0.3543	0.6314	0.069*
C14	0.4906 (2)	0.2274 (3)	0.5910 (3)	0.0510 (10)
H14	0.5088	0.2056	0.6571	0.061*
C15	0.49028 (19)	0.1703 (3)	0.5054 (2)	0.0359 (8)
H15	0.5089	0.1103	0.5166	0.043*
C16	0.43530 (18)	0.2836 (2)	0.3944 (2)	0.0298 (7)
C17	0.40366 (18)	0.3123 (2)	0.2911 (3)	0.0317 (7)
O5	0.3084 (2)	0.6863 (2)	0.3396 (2)	0.0901 (11)
H5A	0.2777	0.6708	0.2847	0.135*
H5B	0.3166	0.7439	0.3441	0.135*

*Atomic displacement parameters (Å<sup>2</sup>)*

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
Gd1	0.02861 (12)	0.01718 (12)	0.01966 (12)	0.000	-0.00192 (8)	0.000
O1	0.0440 (13)	0.0318 (13)	0.0208 (11)	-0.0131 (11)	-0.0007 (10)	0.0008 (9)
O2	0.0496 (14)	0.0348 (13)	0.0209 (11)	-0.0118 (11)	0.0055 (10)	0.0019 (10)
O3	0.0427 (13)	0.0250 (12)	0.0243 (12)	-0.0113 (10)	-0.0055 (10)	0.0032 (9)
O4	0.0627 (16)	0.0363 (14)	0.0217 (12)	-0.0031 (12)	-0.0108 (11)	-0.0055 (10)
N1	0.0409 (15)	0.0272 (15)	0.0179 (13)	-0.0076 (12)	-0.0023 (11)	0.0023 (11)
N2	0.0533 (18)	0.0244 (15)	0.0264 (15)	-0.0114 (13)	-0.0043 (13)	-0.0024 (12)
N3	0.0299 (14)	0.0263 (15)	0.0319 (15)	0.0024 (11)	0.0000 (12)	0.0012 (11)
N4	0.0324 (14)	0.0271 (14)	0.0244 (14)	0.0016 (11)	0.0028 (11)	0.0010 (11)
C1	0.0306 (16)	0.0229 (16)	0.0197 (15)	-0.0035 (13)	0.0005 (13)	0.0026 (12)
C2	0.0286 (16)	0.0229 (16)	0.0215 (16)	0.0005 (13)	-0.0022 (13)	-0.0024 (12)
C3	0.0350 (17)	0.0259 (17)	0.0268 (17)	0.0014 (14)	-0.0045 (14)	-0.0039 (14)
C4	0.049 (2)	0.0291 (18)	0.0247 (17)	-0.0116 (16)	0.0025 (15)	0.0013 (14)
C5	0.0331 (17)	0.0219 (16)	0.0191 (15)	-0.0014 (13)	0.0031 (13)	-0.0010 (12)
C6	0.0365 (18)	0.039 (2)	0.0339 (19)	0.0071 (16)	-0.0002 (15)	0.0067 (15)
C7	0.043 (2)	0.051 (2)	0.047 (2)	0.0128 (18)	0.0026 (18)	0.0207 (19)
C8	0.049 (2)	0.033 (2)	0.068 (3)	0.0107 (18)	0.010 (2)	0.019 (2)
C9	0.040 (2)	0.028 (2)	0.062 (3)	0.0083 (15)	0.0133 (18)	0.0040 (17)
C10	0.069 (3)	0.030 (2)	0.079 (3)	0.016 (2)	0.015 (2)	-0.006 (2)
C11	0.077 (3)	0.037 (2)	0.071 (3)	0.014 (2)	0.013 (3)	-0.025 (2)
C12	0.050 (2)	0.039 (2)	0.045 (2)	0.0016 (18)	0.0112 (18)	-0.0138 (18)
C13	0.063 (3)	0.068 (3)	0.043 (2)	0.007 (2)	0.010 (2)	-0.023 (2)
C14	0.054 (2)	0.069 (3)	0.029 (2)	0.012 (2)	0.0063 (18)	-0.0081 (19)
C15	0.0372 (18)	0.043 (2)	0.0270 (18)	0.0053 (16)	0.0051 (15)	0.0013 (15)
C16	0.0294 (17)	0.0257 (17)	0.0348 (19)	0.0005 (13)	0.0067 (14)	-0.0027 (14)
C17	0.0271 (16)	0.0278 (18)	0.041 (2)	0.0021 (13)	0.0089 (15)	0.0027 (15)
O5	0.133 (3)	0.051 (2)	0.070 (2)	0.000 (2)	-0.027 (2)	0.0100 (16)

*Geometric parameters (Å, °)*

Gd1—O1	2.288 (2)	C1—C5	1.485 (4)
Gd1—O1 <sup>i</sup>	2.288 (2)	C4—H4	0.93
Gd1—O3 <sup>i</sup>	2.344 (2)	C6—C7	1.399 (5)
Gd1—O3	2.344 (2)	C6—H6	0.93

Gd1—N3 <sup>i</sup>	2.586 (3)	C7—C8	1.358 (6)
Gd1—N3	2.586 (3)	C7—H7	0.93
Gd1—N4	2.603 (3)	C8—C9	1.389 (5)
Gd1—N4 <sup>i</sup>	2.603 (3)	C8—H8	0.93
O1—C5	1.282 (3)	C9—C17	1.414 (4)
O2—C5	1.242 (3)	C9—C10	1.432 (6)
O3—C2	1.256 (3)	C10—C11	1.329 (6)
O4—C3	1.216 (4)	C10—H10	0.93
N1—C2	1.369 (4)	C11—C12	1.435 (6)
N1—C3	1.383 (4)	C11—H11	0.93
N1—H1	0.86	C12—C13	1.396 (5)
N2—C4	1.327 (4)	C12—C16	1.417 (5)
N2—C3	1.367 (4)	C13—C14	1.355 (5)
N2—H2	0.86	C13—H13	0.93
N3—C6	1.322 (4)	C14—C15	1.399 (5)
N3—C17	1.364 (4)	C14—H14	0.93
N4—C15	1.323 (4)	C15—H15	0.93
N4—C16	1.356 (4)	C16—C17	1.439 (4)
C1—C4	1.369 (4)	O5—H5A	0.85
C1—C2	1.421 (4)	O5—H5B	0.85
O1—Gd1—O1 <sup>i</sup>	88.22 (11)	N1—C2—C1	116.0 (3)
O1—Gd1—O3 <sup>i</sup>	82.54 (8)	O4—C3—N2	123.0 (3)
O1 <sup>i</sup> —Gd1—O3 <sup>i</sup>	73.65 (8)	O4—C3—N1	122.0 (3)
O1—Gd1—O3	73.65 (8)	N2—C3—N1	114.9 (3)
O1 <sup>i</sup> —Gd1—O3	82.54 (8)	N2—C4—C1	125.5 (3)
O3 <sup>i</sup> —Gd1—O3	146.71 (11)	N2—C4—H4	117.3
O1—Gd1—N3 <sup>i</sup>	148.84 (8)	C1—C4—H4	117.3
O1 <sup>i</sup> —Gd1—N3 <sup>i</sup>	105.26 (9)	O2—C5—O1	122.3 (3)
O3 <sup>i</sup> —Gd1—N3 <sup>i</sup>	74.86 (8)	O2—C5—C1	119.0 (3)
O3—Gd1—N3 <sup>i</sup>	135.03 (8)	O1—C5—C1	118.6 (3)
O1—Gd1—N3	105.26 (9)	N3—C6—C7	123.7 (3)
O1 <sup>i</sup> —Gd1—N3	148.84 (8)	N3—C6—H6	118.1
O3 <sup>i</sup> —Gd1—N3	135.03 (8)	C7—C6—H6	118.1
O3—Gd1—N3	74.86 (8)	C8—C7—C6	118.6 (4)
N3 <sup>i</sup> —Gd1—N3	77.63 (12)	C8—C7—H7	120.7
O1—Gd1—N4	80.80 (8)	C6—C7—H7	120.7
O1 <sup>i</sup> —Gd1—N4	147.64 (8)	C7—C8—C9	120.2 (4)
O3 <sup>i</sup> —Gd1—N4	74.79 (8)	C7—C8—H8	119.9
O3—Gd1—N4	122.38 (8)	C9—C8—H8	119.9
N3 <sup>i</sup> —Gd1—N4	72.83 (8)	C8—C9—C17	117.7 (4)
N3—Gd1—N4	63.39 (8)	C8—C9—C10	123.7 (4)
O1—Gd1—N4 <sup>i</sup>	147.64 (8)	C17—C9—C10	118.6 (4)
O1 <sup>i</sup> —Gd1—N4 <sup>i</sup>	80.80 (8)	C11—C10—C9	121.9 (4)
O3 <sup>i</sup> —Gd1—N4 <sup>i</sup>	122.38 (8)	C11—C10—H10	119.1
O3—Gd1—N4 <sup>i</sup>	74.79 (8)	C9—C10—H10	119.1
N3 <sup>i</sup> —Gd1—N4 <sup>i</sup>	63.39 (8)	C10—C11—C12	121.4 (4)
N3—Gd1—N4 <sup>i</sup>	72.83 (8)	C10—C11—H11	119.3

N4—Gd1—N4 <sup>i</sup>	123.04 (11)	C12—C11—H11	119.3
C5—O1—Gd1	140.60 (19)	C13—C12—C16	116.9 (3)
C2—O3—Gd1	132.05 (19)	C13—C12—C11	124.0 (4)
C2—N1—C3	126.4 (3)	C16—C12—C11	119.1 (4)
C2—N1—H1	116.8	C14—C13—C12	120.5 (4)
C3—N1—H1	116.8	C14—C13—H13	119.7
C4—N2—C3	120.6 (3)	C12—C13—H13	119.7
C4—N2—H2	119.7	C13—C14—C15	118.7 (4)
C3—N2—H2	119.7	C13—C14—H14	120.7
C6—N3—C17	117.6 (3)	C15—C14—H14	120.7
C6—N3—Gd1	123.3 (2)	N4—C15—C14	123.6 (3)
C17—N3—Gd1	117.6 (2)	N4—C15—H15	118.2
C15—N4—C16	117.7 (3)	C14—C15—H15	118.2
C15—N4—Gd1	123.4 (2)	N4—C16—C12	122.5 (3)
C16—N4—Gd1	117.1 (2)	N4—C16—C17	118.5 (3)
C4—C1—C2	116.3 (3)	C12—C16—C17	119.0 (3)
C4—C1—C5	120.5 (3)	N3—C17—C9	122.0 (3)
C2—C1—C5	123.2 (3)	N3—C17—C16	118.0 (3)
O3—C2—N1	117.1 (3)	C9—C17—C16	120.0 (3)
O3—C2—C1	126.9 (3)	H5A—O5—H5B	113.1
O1 <sup>i</sup> —Gd1—O1—C5	-72.3 (3)	C4—N2—C3—O4	-178.6 (3)
O3 <sup>i</sup> —Gd1—O1—C5	-146.0 (3)	C4—N2—C3—N1	0.8 (5)
O3—Gd1—O1—C5	10.5 (3)	C2—N1—C3—O4	-176.8 (3)
N3 <sup>i</sup> —Gd1—O1—C5	170.5 (3)	C2—N1—C3—N2	3.9 (5)
N3—Gd1—O1—C5	79.2 (3)	C3—N2—C4—C1	-2.7 (5)
N4—Gd1—O1—C5	138.3 (3)	C2—C1—C4—N2	0.2 (5)
N4 <sup>i</sup> —Gd1—O1—C5	-2.7 (4)	C5—C1—C4—N2	-179.2 (3)
O1—Gd1—O3—C2	-23.0 (3)	Gd1—O1—C5—O2	-176.9 (2)
O1 <sup>i</sup> —Gd1—O3—C2	67.3 (3)	Gd1—O1—C5—C1	3.6 (5)
O3 <sup>i</sup> —Gd1—O3—C2	23.1 (3)	C4—C1—C5—O2	-15.4 (5)
N3 <sup>i</sup> —Gd1—O3—C2	171.5 (2)	C2—C1—C5—O2	165.2 (3)
N3—Gd1—O3—C2	-134.3 (3)	C4—C1—C5—O1	164.1 (3)
N4—Gd1—O3—C2	-90.5 (3)	C2—C1—C5—O1	-15.2 (5)
N4 <sup>i</sup> —Gd1—O3—C2	149.8 (3)	C17—N3—C6—C7	2.5 (5)
O1—Gd1—N3—C6	-104.0 (2)	Gd1—N3—C6—C7	-163.2 (3)
O1 <sup>i</sup> —Gd1—N3—C6	8.9 (3)	N3—C6—C7—C8	0.3 (6)
O3 <sup>i</sup> —Gd1—N3—C6	161.3 (2)	C6—C7—C8—C9	-2.0 (6)
O3—Gd1—N3—C6	-36.1 (2)	C7—C8—C9—C17	0.9 (5)
N3 <sup>i</sup> —Gd1—N3—C6	108.0 (3)	C7—C8—C9—C10	-178.9 (4)
N4—Gd1—N3—C6	-175.2 (3)	C8—C9—C10—C11	177.3 (4)
N4 <sup>i</sup> —Gd1—N3—C6	42.3 (2)	C17—C9—C10—C11	-2.5 (6)
O1—Gd1—N3—C17	90.3 (2)	C9—C10—C11—C12	-0.4 (7)
O1 <sup>i</sup> —Gd1—N3—C17	-156.8 (2)	C10—C11—C12—C13	-177.2 (4)
O3 <sup>i</sup> —Gd1—N3—C17	-4.4 (3)	C10—C11—C12—C16	2.5 (6)
O3—Gd1—N3—C17	158.2 (2)	C16—C12—C13—C14	-0.5 (6)
N3 <sup>i</sup> —Gd1—N3—C17	-57.7 (2)	C11—C12—C13—C14	179.1 (4)
N4—Gd1—N3—C17	19.1 (2)	C12—C13—C14—C15	1.6 (6)



N4 <sup>i</sup> —Gd1—N3—C17	-123.4 (2)	C16—N4—C15—C14	-2.3 (5)
O1—Gd1—N4—C15	64.5 (2)	Gd1—N4—C15—C14	162.0 (3)
O1 <sup>i</sup> —Gd1—N4—C15	-7.1 (3)	C13—C14—C15—N4	-0.2 (6)
O3 <sup>i</sup> —Gd1—N4—C15	-20.2 (2)	C15—N4—C16—C12	3.4 (5)
O3—Gd1—N4—C15	128.4 (2)	Gd1—N4—C16—C12	-161.8 (3)
N3 <sup>i</sup> —Gd1—N4—C15	-98.7 (3)	C15—N4—C16—C17	-176.8 (3)
N3—Gd1—N4—C15	176.8 (3)	Gd1—N4—C16—C17	18.0 (3)
N4 <sup>i</sup> —Gd1—N4—C15	-139.2 (3)	C13—C12—C16—N4	-2.1 (5)
O1—Gd1—N4—C16	-131.1 (2)	C11—C12—C16—N4	178.2 (3)
O1 <sup>i</sup> —Gd1—N4—C16	157.20 (19)	C13—C12—C16—C17	178.2 (3)
O3 <sup>i</sup> —Gd1—N4—C16	144.2 (2)	C11—C12—C16—C17	-1.5 (5)
O3—Gd1—N4—C16	-67.3 (2)	C6—N3—C17—C9	-3.7 (5)
N3 <sup>i</sup> —Gd1—N4—C16	65.6 (2)	Gd1—N3—C17—C9	162.9 (2)
N3—Gd1—N4—C16	-18.8 (2)	C6—N3—C17—C16	174.8 (3)
N4 <sup>i</sup> —Gd1—N4—C16	25.13 (19)	Gd1—N3—C17—C16	-18.6 (4)
Gd1—O3—C2—N1	-158.7 (2)	C8—C9—C17—N3	2.0 (5)
Gd1—O3—C2—C1	22.2 (5)	C10—C9—C17—N3	-178.1 (3)
C3—N1—C2—O3	174.5 (3)	C8—C9—C17—C16	-176.4 (3)
C3—N1—C2—C1	-6.2 (5)	C10—C9—C17—C16	3.4 (5)
C4—C1—C2—O3	-176.9 (3)	N4—C16—C17—N3	0.3 (4)
C5—C1—C2—O3	2.5 (5)	C12—C16—C17—N3	-179.9 (3)
C4—C1—C2—N1	3.9 (4)	N4—C16—C17—C9	178.8 (3)
C5—C1—C2—N1	-176.7 (3)	C12—C16—C17—C9	-1.4 (5)

Symmetry code: (i)  $-x+1, y, -z+1/2$ .

Hydrogen-bond geometry ( $\text{\AA}, ^\circ$ )

<i>D</i> —H $\cdots$ <i>A</i>	<i>D</i> —H	H $\cdots$ <i>A</i>	<i>D</i> $\cdots$ <i>A</i>	<i>D</i> —H $\cdots$ <i>A</i>
N1—H1 $\cdots$ O2 <sup>ii</sup>	0.86	2.04	2.898 (3)	178
N1—H1 $\cdots$ O1 <sup>ii</sup>	0.86	2.60	3.160 (4)	124
N2—H2 $\cdots$ N2 <sup>iii</sup>	0.86	1.81	2.669 (5)	174
O5—H5A $\cdots$ O4 <sup>iv</sup>	0.85	2.14	2.970 (4)	164
O5—H5B $\cdots$ O2 <sup>v</sup>	0.85	2.14	2.985 (4)	173

Symmetry codes: (ii)  $x, -y, z-1/2$ ; (iii)  $-x+1/2, -y-1/2, -z$ ; (iv)  $-x+1/2, -y+1/2, -z$ ; (v)  $x, y+1, z$ .