

Acta Crystallographica Section E

## Structure Reports

Online

ISSN 1600-5368

# Bis(5-bromopyridine-2-carboxylato- $\kappa$ O)-triphenylantimony(V)

Li Quan, Handong Yin\* and Daqi Wang

 College of Chemistry and Chemical Engineering, Liaocheng University, Shandong 252059, People's Republic of China  
 Correspondence e-mail: handongyin@163.com


Received 20 September 2008; accepted 16 October 2008

 Key indicators: single-crystal X-ray study;  $T = 298$  K; mean  $\sigma(\text{C}-\text{C}) = 0.019$  Å;  $R$  factor = 0.060;  $wR$  factor = 0.166; data-to-parameter ratio = 14.4.

In the title compound,  $[\text{Sb}(\text{C}_6\text{H}_5)_3(\text{C}_6\text{H}_3\text{BrNO}_2)_2]$ , the Sb center has a distorted trigonal-bipyramidal geometry, with two carboxylate O atoms of two 5-bromopyridine-2-carboxylate ligands in equatorial positions and three phenyl ligands in axial positions. The crystal structure is stabilized by C—H $\cdots$ Br hydrogen bonds and intermolecular C—Br $\cdots$  $\pi$  interactions [C $\cdots$  $\pi = 3.57$  (1) Å].

## Related literature

For the synthesis and structures of related triphenylantimony compounds, see: Yin *et al.* (2008); Chaudhari *et al.* (2007); Mahon *et al.* (1998); Quan *et al.* (2008).



## Experimental

### Crystal data

$[\text{Sb}(\text{C}_6\text{H}_5)_3(\text{C}_6\text{H}_3\text{BrNO}_2)_2]$   
 $M_r = 755.06$   
 Orthorhombic, *Fdd2*  
 $a = 20.597$  (2) Å  
 $b = 13.057$  (1) Å  
 $c = 20.541$  (2) Å

$V = 5524.2$  (9) Å<sup>3</sup>  
 $Z = 8$   
 Mo  $K\alpha$  radiation  
 $\mu = 3.93$  mm<sup>-1</sup>  
 $T = 298$  (2) K  
 $0.43 \times 0.37 \times 0.20$  mm

### Data collection

Siemens SMART diffractometer  
 Absorption correction: multi-scan  
 (*SADABS*; Sheldrick, 1996)  
 $T_{\text{min}} = 0.204$ ,  $T_{\text{max}} = 0.460$

5869 measured reflections  
 2564 independent reflections  
 1861 reflections with  $I > 2\sigma(I)$   
 $R_{\text{int}} = 0.081$

### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.060$   
 $wR(F^2) = 0.166$   
 $S = 1.01$   
 2564 reflections  
 178 parameters  
 1 restraint

H-atom parameters constrained  
 $\Delta\rho_{\text{max}} = 1.02$  e Å<sup>-3</sup>  
 $\Delta\rho_{\text{min}} = -0.86$  e Å<sup>-3</sup>  
 Absolute structure: Flack (1983),  
 1172 Friedel pairs  
 Flack parameter: 0.02 (3)

**Table 1**

Hydrogen-bond geometry (Å, °).

<i>D</i> —H $\cdots$ <i>A</i>	<i>D</i> —H	H $\cdots$ <i>A</i>	<i>D</i> $\cdots$ <i>A</i>	<i>D</i> —H $\cdots$ <i>A</i>
C10—H10 $\cdots$ Br <sup>i</sup>	0.93	2.90	3.69 (2)	144

 Symmetry code: (i)  $-x + \frac{1}{2}, -y + \frac{1}{2}, z$ .

Data collection: *SMART* (Siemens, 1996); cell refinement: *SAINT* (Siemens, 1996); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *ORTEP-3* (Farrugia, 1997) and *DIAMOND* (Brandenburg, 1998); software used to prepare material for publication: *SHELXTL* (Sheldrick, 2008).

We acknowledge the National Natural Science Foundation of China (grant No. 20771053) and the Natural Science Foundation of Shandong Province (grant No. 2005ZX09) for financial support.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: LX2073).

## References

- Brandenburg, K. (1998). *DIAMOND*. Crystal Impact GbR, Bonn, Germany.  
 Chaudhari, K. R., Jain, V. K., Sagoria, V. S. & Tiekink, E. R. T. (2007). *J. Organomet. Chem.* **692**, 4928–4932.  
 Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.  
 Flack, H. D. (1983). *Acta Cryst.* **A39**, 876–881.  
 Mahon, M. F., Molloy, K. C., Omotowa, B. A. & Mesubi, M. A. (1998). *J. Organomet. Chem.* **560**, 95–101.  
 Quan, L., Yin, H. & Wang, D. (2008). *Acta Cryst.* **E64**, m1302.  
 Sheldrick, G. M. (1996). *SADABS*. University of Göttingen, Germany.  
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.  
 Siemens (1996). *SMART* and *SAINT*. Siemens Analytical X-ray Instruments Inc., Madison, Wisconsin, USA.  
 Yin, H. D., Quan, L. & Li, L. W. (2008). *Inorg. Chem. Commun.* **11**, 1122–1125.

## supporting information

*Acta Cryst.* (2008). E64, m1503 [doi:10.1107/S1600536808033783]

**Bis(5-bromopyridine-2-carboxylato- $\kappa$ O)triphenylantimony(V)**

Li Quan, Handong Yin and Daqi Wang

**S1. Comment**

The triphenylantimony compound containing the heterocyclic pyridine carboxylate skeleton show some potential biological activity (Yin *et al.*, 2008) and we have synthesized the title compound (I) and report its crystal structure here.

As shown in Fig. 1, the Sb atom is five-coordinated by the three phenyl C atoms and the two carboxylate O atoms. The average distance of Sb—C (2.10 Å) in the (I) is shorter than the average distance of S—C (2.225 Å; Mahon *et al.*, 1998). The average distance of Sb—O (2.146 Å) in the (I) is equal to the average distance of Sb—O (2.145 Å; Chaudhari *et al.*, 2007). The crystal structure is stabilized by intermolecular C—H $\cdots$ Br hydrogen bonds (Fig. 2 and Table 1; symmetry code as in Fig. 2). In addition, the crystal structure exhibits C—Br $\cdots$  $\pi$  interactions, with a C5—Br $\cdots$ Cg<sup>ii</sup> separation of 3.57 (1) Å (Fig. 2; Cg is the centroid of the C7-C12 benzene ring, symmetry code as in Fig. 2).

**S2. Experimental**

5-bromopyridine-2-carboxylic acid (0.061 g, 0.3 mmol) and sodium methoxide (0.6 ml, 0.3 mmol) was added to a stirring solution containing triphenylantimonydichloride (0.064 g, 0.15 mmol) in toluene (25 ml). After refluxing for 8 h, the colorless solution was obtained and then filtered. The solvent was gradually removed by evaporation under vacuum until the white solid is obtained. The solid was recrystallized from petroleum ether/dichloromethane (1:1) to give colorless crystals.

**S3. Refinement**

All H atoms were positioned geometrically and refined as riding atoms, with C—H = 0.93 Å, Uiso(H) = 1.2Ueq(C).






Figure 2

C—H...Br and C—Br... $\pi$  interactions (dotted lines) in the title compound. Cg denotes the ring centroid. [Symmetry code: (i)  $-x+1/2, -y+1/2, z$ ; (ii)  $x, y-1, z$ ; (iii)  $-x+1/2, -y+1/2, z$ ; (iv)  $-x+1, -y+1, z$ ; (v)  $-x+1, -y+2, z$ ; (vi)  $x+1/2, y+1/2, z$ .]

### Bis(5-bromopyridine-2-carboxylato- $\kappa$ O)triphenylantimony(V)

#### Crystal data

$[\text{Sb}(\text{C}_6\text{H}_5)_3(\text{C}_6\text{H}_3\text{BrNO}_2)_2]$

$M_r = 755.06$

Orthorhombic,  $Fdd2$

Hall symbol:  $f 2 -2d$

$a = 20.597(2) \text{ \AA}$

$b = 13.057(1) \text{ \AA}$

$c = 20.541(2) \text{ \AA}$

$V = 5524.2(9) \text{ \AA}^3$

$Z = 8$

$F(000) = 2944$

$D_x = 1.816 \text{ Mg m}^{-3}$

Mo  $K\alpha$  radiation,  $\lambda = 0.71073 \text{ \AA}$

Cell parameters from 2025 reflections

$\theta = 2.8\text{--}24.1^\circ$

$\mu = 3.93 \text{ mm}^{-1}$

$T = 298 \text{ K}$

Block, colorless

$0.43 \times 0.37 \times 0.20 \text{ mm}$

*Data collection*

Siemens SMART diffractometer	5869 measured reflections
Radiation source: fine-focus sealed tube	2564 independent reflections
Graphite monochromator	1861 reflections with $I > 2\sigma(I)$
Detector resolution: 20.0 pixels $\text{mm}^{-1}$	$R_{\text{int}} = 0.081$
$\varphi$ and $\omega$ scans	$\theta_{\text{max}} = 26.0^\circ$ , $\theta_{\text{min}} = 2.1^\circ$
Absorption correction: multi-scan (SADABS; Sheldrick, 1996)	$h = -23 \rightarrow 25$
$T_{\text{min}} = 0.204$ , $T_{\text{max}} = 0.460$	$k = -16 \rightarrow 12$
	$l = -24 \rightarrow 25$

*Refinement*

Refinement on $F^2$	Hydrogen site location: inferred from neighbouring sites
Least-squares matrix: full	H-atom parameters constrained
$R[F^2 > 2\sigma(F^2)] = 0.060$	$w = 1/[\sigma^2(F_o^2) + (0.0963P)^2]$
$wR(F^2) = 0.166$	where $P = (F_o^2 + 2F_c^2)/3$
$S = 1.01$	$(\Delta/\sigma)_{\text{max}} < 0.001$
2564 reflections	$\Delta\rho_{\text{max}} = 1.02 \text{ e } \text{\AA}^{-3}$
178 parameters	$\Delta\rho_{\text{min}} = -0.86 \text{ e } \text{\AA}^{-3}$
1 restraint	Absolute structure: Flack (1983), 1172 Friedel pairs
Primary atom site location: structure-invariant direct methods	Absolute structure parameter: 0.02 (3)
Secondary atom site location: difference Fourier map	

*Special details*

**Geometry.** All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted R-factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional R-factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > 2\sigma(F^2)$  is used only for calculating R-factors(gt) etc. and is not relevant to the choice of reflections for refinement. R-factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and R-factors based on ALL data will be even larger.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
Sb	0.5000	0.5000	0.64254 (4)	0.0395 (3)
Br	0.38657 (9)	-0.14610 (10)	0.69850 (11)	0.1021 (8)
N	0.4328 (6)	0.1462 (8)	0.6388 (6)	0.074 (3)
O1	0.4633 (4)	0.3464 (5)	0.6376 (4)	0.0449 (17)
O2	0.4672 (5)	0.3511 (7)	0.7460 (5)	0.064 (2)
C1	0.4568 (5)	0.3068 (9)	0.6937 (7)	0.049 (3)
C2	0.4353 (5)	0.1947 (9)	0.6944 (7)	0.052 (3)
C3	0.4223 (7)	0.1484 (13)	0.7532 (7)	0.065 (4)
H3	0.4257	0.1860	0.7916	0.078*
C4	0.4047 (7)	0.0490 (12)	0.7557 (8)	0.069 (4)
H4	0.3932	0.0178	0.7947	0.083*
C5	0.4046 (7)	-0.0025 (8)	0.6998 (8)	0.064 (4)
C6	0.4174 (9)	0.0468 (10)	0.6421 (10)	0.084 (5)
H6	0.4153	0.0094	0.6036	0.101*

C7	0.4109 (5)	0.5538 (8)	0.6790 (6)	0.044 (3)
C8	0.3959 (7)	0.5504 (11)	0.7467 (7)	0.065 (3)
H8	0.4256	0.5260	0.7770	0.078*
C9	0.3346 (8)	0.5853 (12)	0.7657 (9)	0.069 (5)
H9	0.3235	0.5854	0.8096	0.083*
C10	0.2904 (7)	0.6196 (10)	0.7200 (10)	0.071 (4)
H10	0.2495	0.6412	0.7335	0.085*
C11	0.3054 (7)	0.6225 (11)	0.6559 (9)	0.074 (4)
H11	0.2753	0.6456	0.6255	0.089*
C12	0.3667 (6)	0.5902 (9)	0.6362 (7)	0.058 (3)
H12	0.3776	0.5938	0.5923	0.070*
C13	0.5000	0.5000	0.5399 (8)	0.043 (4)
C14	0.5053 (6)	0.4088 (10)	0.5057 (6)	0.058 (3)
H14	0.5082	0.3467	0.5277	0.070*
C15	0.5062 (7)	0.4116 (12)	0.4393 (6)	0.068 (4)
H15	0.5112	0.3508	0.4162	0.082*
C16	0.5000	0.5000	0.4066 (10)	0.074 (6)
H16	0.5000	0.5000	0.3613	0.089*

*Atomic displacement parameters (Å<sup>2</sup>)*

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
Sb	0.0407 (5)	0.0310 (4)	0.0468 (5)	-0.0008 (5)	0.000	0.000
Br	0.1069 (13)	0.0400 (8)	0.159 (2)	-0.0140 (8)	0.0465 (13)	0.0023 (10)
N	0.118 (10)	0.045 (6)	0.058 (7)	-0.023 (6)	0.010 (8)	-0.004 (6)
O1	0.053 (4)	0.029 (4)	0.052 (5)	-0.004 (3)	-0.001 (4)	-0.002 (4)
O2	0.084 (6)	0.047 (5)	0.060 (5)	-0.011 (5)	-0.010 (5)	-0.005 (4)
C1	0.046 (6)	0.038 (6)	0.064 (8)	-0.001 (5)	-0.004 (6)	-0.004 (6)
C2	0.050 (7)	0.043 (6)	0.064 (8)	0.000 (5)	0.010 (7)	0.005 (6)
C3	0.078 (10)	0.060 (9)	0.057 (9)	-0.007 (7)	0.012 (8)	0.005 (7)
C4	0.070 (9)	0.052 (8)	0.086 (11)	0.009 (7)	0.001 (8)	0.017 (8)
C5	0.069 (9)	0.023 (6)	0.101 (12)	-0.005 (5)	0.014 (8)	0.003 (8)
C6	0.123 (13)	0.041 (7)	0.089 (10)	-0.010 (8)	0.028 (12)	-0.007 (9)
C7	0.039 (6)	0.029 (5)	0.064 (8)	-0.004 (4)	-0.004 (6)	-0.004 (5)
C8	0.075 (9)	0.067 (9)	0.053 (8)	-0.009 (8)	0.005 (7)	-0.009 (7)
C9	0.078 (10)	0.054 (8)	0.075 (10)	-0.010 (8)	0.046 (9)	-0.017 (7)
C10	0.053 (8)	0.049 (8)	0.111 (14)	0.002 (6)	0.026 (9)	-0.005 (8)
C11	0.052 (8)	0.066 (9)	0.105 (14)	0.008 (6)	-0.002 (9)	0.004 (8)
C12	0.056 (7)	0.052 (7)	0.068 (8)	-0.005 (5)	-0.007 (7)	-0.001 (6)
C13	0.052 (9)	0.022 (7)	0.056 (9)	0.009 (7)	0.000	0.000
C14	0.068 (8)	0.050 (7)	0.057 (8)	0.009 (6)	-0.006 (7)	0.003 (6)
C15	0.089 (10)	0.067 (9)	0.049 (7)	0.022 (7)	0.007 (8)	-0.014 (6)
C16	0.085 (14)	0.091 (16)	0.045 (10)	0.019 (12)	0.000	0.000

*Geometric parameters (Å, °)*

Sb—C7	2.103 (11)	C7—C8	1.425 (19)
Sb—C7 <sup>i</sup>	2.103 (11)	C8—C9	1.40 (2)

Sb—C13	2.108 (17)	C8—H8	0.9300
Sb—O1 <sup>i</sup>	2.146 (7)	C9—C10	1.38 (2)
Sb—O1	2.146 (7)	C9—H9	0.9300
Br—C5	1.911 (10)	C10—C11	1.35 (2)
N—C2	1.309 (16)	C10—H10	0.9300
N—C6	1.337 (17)	C11—C12	1.39 (2)
O1—C1	1.270 (16)	C11—H11	0.9300
O2—C1	1.238 (16)	C12—H12	0.9300
C1—C2	1.529 (17)	C13—C14 <sup>i</sup>	1.387 (16)
C2—C3	1.377 (19)	C13—C14	1.387 (16)
C3—C4	1.35 (2)	C14—C15	1.364 (19)
C3—H3	0.9300	C14—H14	0.9300
C4—C5	1.33 (2)	C15—C16	1.342 (18)
C4—H4	0.9300	C15—H15	0.9300
C5—C6	1.37 (2)	C16—C15 <sup>i</sup>	1.342 (18)
C6—H6	0.9300	C16—H16	0.9300
C7—C12	1.352 (17)		
C7—Sb—C7 <sup>i</sup>	138.2 (7)	C12—C7—C8	120.0 (12)
C7—Sb—C13	110.9 (3)	C12—C7—Sb	118.2 (10)
C7 <sup>i</sup> —Sb—C13	110.9 (3)	C8—C7—Sb	121.8 (10)
C7—Sb—O1 <sup>i</sup>	90.7 (3)	C9—C8—C7	117.3 (15)
C7 <sup>i</sup> —Sb—O1 <sup>i</sup>	91.2 (4)	C9—C8—H8	121.4
C13—Sb—O1 <sup>i</sup>	87.3 (2)	C7—C8—H8	121.4
C7—Sb—O1	91.2 (4)	C10—C9—C8	120.7 (14)
C7 <sup>i</sup> —Sb—O1	90.7 (3)	C10—C9—H9	119.6
C13—Sb—O1	87.3 (2)	C8—C9—H9	119.6
O1 <sup>i</sup> —Sb—O1	174.6 (5)	C11—C10—C9	121.2 (13)
C2—N—C6	115.8 (13)	C11—C10—H10	119.4
C1—O1—Sb	112.0 (7)	C9—C10—H10	119.4
O2—C1—O1	125.4 (11)	C10—C11—C12	118.8 (15)
O2—C1—C2	119.3 (12)	C10—C11—H11	120.6
O1—C1—C2	115.3 (11)	C12—C11—H11	120.6
N—C2—C3	123.1 (12)	C7—C12—C11	121.9 (15)
N—C2—C1	117.8 (11)	C7—C12—H12	119.1
C3—C2—C1	119.0 (13)	C11—C12—H12	119.1
C4—C3—C2	120.5 (14)	C14 <sup>i</sup> —C13—C14	119.1 (16)
C4—C3—H3	119.7	C14 <sup>i</sup> —C13—Sb	120.4 (8)
C2—C3—H3	119.7	C14—C13—Sb	120.4 (8)
C5—C4—C3	117.0 (14)	C15—C14—C13	119.0 (13)
C5—C4—H4	121.5	C15—C14—H14	120.5
C3—C4—H4	121.5	C13—C14—H14	120.5
C4—C5—C6	120.4 (12)	C16—C15—C14	121.5 (14)
C4—C5—Br	120.5 (12)	C16—C15—H15	119.2
C6—C5—Br	119.0 (11)	C14—C15—H15	119.2
N—C6—C5	123.0 (16)	C15 <sup>i</sup> —C16—C15	119.8 (18)
N—C6—H6	118.5	C15 <sup>i</sup> —C16—H16	120.1
C5—C6—H6	118.5	C15—C16—H16	120.1

C7—Sb—O1—C1	-72.0 (8)	C13—Sb—C7—C8	172.8 (9)
C7 <sup>i</sup> —Sb—O1—C1	66.3 (8)	O1 <sup>i</sup> —Sb—C7—C8	-99.8 (11)
C13—Sb—O1—C1	177.2 (7)	O1—Sb—C7—C8	85.2 (10)
Sb—O1—C1—O2	3.2 (15)	C12—C7—C8—C9	0.4 (19)
Sb—O1—C1—C2	-176.0 (7)	Sb—C7—C8—C9	-178.2 (10)
C6—N—C2—C3	-1 (2)	C7—C8—C9—C10	1 (2)
C6—N—C2—C1	176.3 (13)	C8—C9—C10—C11	-1 (2)
O2—C1—C2—N	-171.3 (13)	C9—C10—C11—C12	0 (2)
O1—C1—C2—N	7.8 (15)	C8—C7—C12—C11	-1.8 (19)
O2—C1—C2—C3	5.8 (17)	Sb—C7—C12—C11	176.8 (10)
O1—C1—C2—C3	-175.0 (12)	C10—C11—C12—C7	2 (2)
N—C2—C3—C4	-1 (2)	C7—Sb—C13—C14 <sup>i</sup>	63.8 (7)
C1—C2—C3—C4	-178.4 (12)	C7 <sup>i</sup> —Sb—C13—C14 <sup>i</sup>	-116.2 (7)
C2—C3—C4—C5	4 (2)	O1 <sup>i</sup> —Sb—C13—C14 <sup>i</sup>	-25.9 (7)
C3—C4—C5—C6	-5 (2)	O1—Sb—C13—C14 <sup>i</sup>	154.1 (7)
C3—C4—C5—Br	175.5 (11)	C7—Sb—C13—C14	-116.2 (7)
C2—N—C6—C5	0 (2)	C7 <sup>i</sup> —Sb—C13—C14	63.8 (7)
C4—C5—C6—N	3 (3)	O1 <sup>i</sup> —Sb—C13—C14	154.1 (7)
Br—C5—C6—N	-177.5 (13)	O1—Sb—C13—C14	-25.9 (7)
C7 <sup>i</sup> —Sb—C7—C12	174.2 (9)	C14 <sup>i</sup> —C13—C14—C15	1.0 (10)
C13—Sb—C7—C12	-5.8 (9)	Sb—C13—C14—C15	-179.0 (10)
O1 <sup>i</sup> —Sb—C7—C12	81.6 (9)	C13—C14—C15—C16	-2 (2)
O1—Sb—C7—C12	-93.3 (9)	C14—C15—C16—C15 <sup>i</sup>	1.1 (10)
C7 <sup>i</sup> —Sb—C7—C8	-7.2 (9)		

Symmetry code: (i)  $-x+1, -y+1, z$ .

*Hydrogen-bond geometry* ( $\text{\AA}$ ,  $^\circ$ )

<i>D</i> —H $\cdots$ <i>A</i>	<i>D</i> —H	H $\cdots$ <i>A</i>	<i>D</i> $\cdots$ <i>A</i>	<i>D</i> —H $\cdots$ <i>A</i>
C10—H10 $\cdots$ Br <sup>ii</sup>	0.93	2.90	3.69 (2)	144

Symmetry code: (ii)  $-x+1/2, -y+1/2, z$ .