

Tetrakis(6-methyl-2,2'-bipyridine)- $1\kappa^2N,N'$; $2\kappa^2N,N'$; $3\kappa^2N,N'$; $4\kappa^2N,N'$ -tetra- μ -nitrate- $1:2\kappa^2O:O'$; $2:3\kappa^3O:O',O''$; $2:3\kappa^3O,O':O''$; $3:4\kappa^2O:O'$ -tetranitrate- $1\kappa^4O,O'$; $4\kappa^2O,O'$ -tetralead(II)

Roya Ahmadi,^a Khadijeh Kalateh,^a Robabeh Alizadeh,^{b*} Zeinab Khoshtarkib^a and Vahid Amani^a

^aIslamic Azad University, Shahr-e-Rey Branch, Tehran, Iran, and ^bDamghan University of Basic Sciences, School of Chemistry, Damghan, Iran
Correspondence e-mail: robabeh_alizadeh@yahoo.com


Received 31 July 2009; accepted 28 August 2009

Key indicators: single-crystal X-ray study; $T = 298$ K; mean $\sigma(C-C) = 0.016$ Å; R factor = 0.049; wR factor = 0.137; data-to-parameter ratio = 19.0.

In the tetranuclear centrosymmetric title compound, $[Pb_4(NO_3)_8(C_{11}H_{10}N_2)_4]$, irregular PbN_2O_5 and PbN_2O_4 coordination polyhedra occur. The heptacoordinated lead(II) ion is bonded to two bidentate and one monodentate nitrate ion and one bidentate 6-methyl-2,2'-bipyridine (mbpy) ligand. The six-coordinate lead(II) ion is bonded to one bidentate and two monodentate nitrate anions and one mbpy ligand. In the crystal, bridging nitrate anions lead to infinite chains propagating in [111]. A number of $C-H \cdots O$ hydrogen bonds may stabilize the structure.

Related literature

For different metal complexes of 6-methyl-2,2'-bipyridine, see: Ahmadi, Kalateh *et al.* (2008); Ahmadi, Ebadi *et al.* (2008); Newkome *et al.* (1982); Onggo *et al.* (1990, 2005).



Experimental

Crystal data

$[Pb_4(NO_3)_8(C_{11}H_{10}N_2)_4]$	$c = 12.642$ (3) Å
$M_r = 1002.84$	$\alpha = 109.25$ (3)°
Triclinic, $P\bar{1}$	$\beta = 95.43$ (3)°
$a = 11.093$ (2) Å	$\gamma = 105.62$ (3)°
$b = 11.266$ (2) Å	$V = 1407.0$ (7) Å ³

$Z = 2$
Mo $K\alpha$ radiation
 $\mu = 12.03$ mm⁻¹

$T = 298$ K
 $0.40 \times 0.30 \times 0.25$ mm

Data collection

Bruker SMART CCD diffractometer
Absorption correction: numerical shape of crystal determined optically (*X-SHAPE* and *X- μ*)
RED32; Stoe & Cie, 2005
 $T_{\min} = 0.021$, $T_{\max} = 0.052$
16752 measured reflections
7561 independent reflections
6277 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.089$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.049$
 $wR(F^2) = 0.137$
 $S = 1.10$
7561 reflections
397 parameters
H-atom parameters constrained
 $\Delta\rho_{\max} = 2.18$ e Å⁻³
 $\Delta\rho_{\min} = -2.37$ e Å⁻³

Table 1

Selected bond lengths (Å).

Pb1—O1	2.566 (8)	Pb2—O9	2.624 (7)
Pb1—O2	2.609 (8)	Pb2—O10	2.763 (11)
Pb1—O4	2.851 (8)	Pb2—O11	2.629 (8)
Pb1—O5	2.675 (9)	Pb2—N6	2.470 (7)
Pb1—O8	2.693 (8)	Pb2—N7	2.422 (8)
Pb1—N1	2.618 (8)	Pb2—O12 ⁱ	2.910 (9)
Pb1—N2	2.528 (8)		

Symmetry code: (i) $-x + 1, -y, -z$.

Table 2

Hydrogen-bond geometry (Å, °).

$D-H \cdots A$	$D-H$	$H \cdots A$	$D \cdots A$	$D-H \cdots A$
C1—H1A \cdots O4 ⁱⁱ	0.96	2.55	3.378 (14)	144
C3—H3 \cdots O10 ⁱⁱⁱ	0.93	2.50	3.368 (17)	155
C10—H10 \cdots O6 ^{iv}	0.93	2.47	3.349 (17)	157
C12—H12A \cdots O10	0.96	2.48	3.299 (15)	143
C12—H12B \cdots O7	0.96	2.49	3.412 (17)	160
C12—H12C \cdots O8 ⁱⁱⁱ	0.96	2.59	3.516 (14)	162
C19—H19 \cdots O9 ^v	0.93	2.45	3.253 (13)	145
C21—H21 \cdots O1 ^{iv}	0.93	2.42	3.212 (15)	143
C22—H22 \cdots O12 ⁱ	0.93	2.53	3.268 (15)	137

Symmetry codes: (i) $-x + 1, -y, -z$; (ii) $-x + 2, -y + 1, -z + 1$; (iii) $-x + 1, -y + 1, -z + 1$; (iv) $-x + 2, -y, -z + 1$; (v) $-x + 1, -y, -z + 1$.

Data collection: *SMART* (Bruker, 1998); cell refinement: *SAINT* (Bruker, 1998); data reduction: *SAINT*; program(s) used to solve structure: *SHELXTL* (Sheldrick, 2008); program(s) used to refine structure: *SHELXTL*; molecular graphics: *ORTEP-3* (Farrugia, 1997); software used to prepare material for publication: *WinGX* (Farrugia, 1999).

We are grateful to Damghan University of Basic Sciences and the Islamic Azad University, Shahr-e-Rey Branch, for financial support.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HB5028).

References

- Ahmadi, R., Ebadi, A., Kalateh, K., Norouzi, A. & Amani, V. (2008). *Acta Cryst. E* **64**, m1407.
Ahmadi, R., Kalateh, K., Ebadi, A., Amani, V. & Khavasi, H. R. (2008). *Acta Cryst. E* **64**, m1266.

metal-organic compounds

- Bruker (1998). *SMART, SAINT and SADABS*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- Farrugia, L. J. (1999). *J. Appl. Cryst.* **32**, 837–838.
- Newkome, G. R., Fronczek, F. R., Gupta, V. K., Puckett, W. E., Pantaleo, D. C. & Kiefer, G. E. (1982). *J. Am. Chem. Soc.* **104**, 1782–1783.
- Onggo, D., Hook, J. M., Rae, A. D. & Goodwin, H. A. (1990). *Inorg. Chim. Acta*, **173**, 19–30.
- Onggo, D., Scudder, M. L., Craig, D. C. & Goodwin, H. A. (2005). *J. Mol. Struct.* **738**, 129–136.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Stoe & Cie (2005). *X-RED32 and X-SHAPE*. Stoe & Cie, Darmstadt, Germany.

supporting information

Acta Cryst. (2009). E65, m1169–m1170 [doi:10.1107/S160053680903459X]

Tetrakis(6-methyl-2,2'-bipyridine)-1 κ^2 N,N';2 κ^2 N,N';3 κ^2 N,N';4 κ^2 N,N'-tetra- μ -nitrate-1:2 κ^2 O:O';2:3 κ^3 O:O',O'';2:3 κ^3 O,O':O'';3:4 κ^2 O:O'-tetranitrato-1 κ^4 O,O';4 κ^2 O,O'-tetralead(II)

Roya Ahmadi, Khadijeh Kalateh, Robabeh Alizadeh, Zeinab Khoshtarkib and Vahid Amani

S1. Comment

6-Methyl-2,2'-bipyridine (6-mbipy) is a good bidentate ligand, and numerous complexes with 6-mbipy have been prepared, such as that of zinc (Ahmadi, Kalateh *et al.*, 2008), mercury (Ahmadi, Ebadi *et al.*, 2008), palladium (Newkome *et al.*, 1982), ruthenium (Onggo, Scudder *et al.*, 2005) and iron (Onggo, Hook *et al.*, 1990). We report herein the synthesis and crystal structure of the title compound (I).

The asymmetric unit of this tetrameric compound, (I), (Fig. 1), contains two different hepta and hexa-coordinated Pb^{II} centers that the metallic centers site in distorted environment by five oxygen atoms from three nitrate and two nitrogen atom from one 6-methyl-2,2'-bipyridine and distorted octahedral environment by four oxygen atoms from three nitrate and two nitrogen atom from one 6-methyl-2,2'-bipyridine respectively. The Pb—O and Pb—N bond lengths and angles are collected in Table 1.

In the crystal structure, intermolecular C—H \cdots O hydrogen bonds (Table 2) may stabilize the structure.

S2. Experimental

6-Methyl-2,2'-bipyridine (0.14 g, 0.79 mmol, 0.13 ml) in 5 ml methanol was added to a solution of Pb(NO₃)₂ (0.26 g, 0.79 mmol) in methanol (10 ml) and the resulting colorless solution was stirred at 313 K for 30 min. This solution was left to evaporate slowly at room temperature. After one week, colorless blocks of (I) were isolated (yield 0.29 g, 73.2%).

S3. Refinement

All H atoms were positioned geometrically, with C—H = 0.93 Å and refined as riding with $U_{\text{iso}}(\text{H})=1.2U_{\text{eq}}$.




Figure 1

The molecular structure of (I). Displacement ellipsoids are drawn at the 30% probability level. [Symmetry codes: (a) $-x, -y, -z$]

Tetrakis(6-methyl-2,2'-bipyridine)-1 κ^2 N,N'; 2 κ^2 N,N'; 3 κ^2 N,N'; 4 κ^2 N,N'- tetra- μ -nitrate-1:2 κ^2 O:O'; 2:3 κ^3 O:O',O''; 2:3 κ^3 O,O':O''; 3:4 κ^2 O:O'-tetranitrate- 1 κ^4 O,O'; 4 κ^2 O,O'-tetralead(II)

Crystal data

[Pb₄(NO₃)₈(C₁₁H₁₀N₂)₄]

$M_r = 1002.84$

Triclinic, $P\bar{1}$

Hall symbol: $-P\ 1$

$a = 11.093\ (2)\ \text{\AA}$

$b = 11.266\ (2)\ \text{\AA}$

$c = 12.642\ (3)\ \text{\AA}$

$\alpha = 109.25\ (3)^\circ$

$\beta = 95.43\ (3)^\circ$

$\gamma = 105.62\ (3)^\circ$

$V = 1407.0\ (7)\ \text{\AA}^3$

$Z = 2$

$F(000) = 936$

$D_x = 2.367\ \text{Mg m}^{-3}$

Mo $K\alpha$ radiation, $\lambda = 0.71073\ \text{\AA}$

Cell parameters from 1311 reflections

$\theta = 1.7\text{--}29.2^\circ$

$\mu = 12.03\ \text{mm}^{-1}$

$T = 298\ \text{K}$

Block, colorless

$0.40 \times 0.30 \times 0.25\ \text{mm}$

Data collection

Bruker SMART CCD

diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

ω scans

Absorption correction: numerical

shape of crystal determined optically (program?

reference?)

$T_{\min} = 0.021, T_{\max} = 0.052$

16752 measured reflections

7561 independent reflections

6277 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.089$

$\theta_{\max} = 29.2^\circ, \theta_{\min} = 1.7^\circ$

$h = -15 \rightarrow 15$

$k = -15 \rightarrow 14$

$l = -17 \rightarrow 17$

Refinement

Refinement on F^2
 Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.049$
 $wR(F^2) = 0.137$
 $S = 1.10$
 7561 reflections
 397 parameters
 0 restraints
 Primary atom site location: structure-invariant
 direct methods

Secondary atom site location: difference Fourier
 map
 Hydrogen site location: inferred from
 neighbouring sites
 H-atom parameters constrained
 $w = 1/[\sigma^2(F_o^2) + (0.0636P)^2 + 3.7094P]$
 where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} = 0.011$
 $\Delta\rho_{\max} = 2.18 \text{ e } \text{\AA}^{-3}$
 $\Delta\rho_{\min} = -2.37 \text{ e } \text{\AA}^{-3}$

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
C1	0.9335 (12)	0.7297 (9)	0.8235 (9)	0.062 (3)
H1A	0.9208	0.6913	0.7416	0.074*
H1B	1.0234	0.7629	0.8558	0.074*
H1C	0.8983	0.8013	0.8446	0.074*
C2	0.8691 (9)	0.6277 (9)	0.8670 (7)	0.0478 (18)
C3	0.7749 (12)	0.6393 (12)	0.9294 (9)	0.066 (3)
H3	0.7515	0.7159	0.9485	0.079*
C4	0.7160 (12)	0.5403 (12)	0.9634 (10)	0.067 (3)
H4	0.6503	0.5476	1.0032	0.080*
C5	0.7530 (10)	0.4297 (10)	0.9393 (8)	0.053 (2)
H5	0.7142	0.3619	0.9636	0.063*
C6	0.8491 (8)	0.4204 (8)	0.8785 (7)	0.0412 (15)
C7	0.8970 (8)	0.3056 (8)	0.8500 (7)	0.0424 (16)
C8	0.8691 (9)	0.2158 (9)	0.9059 (9)	0.052 (2)
H8	0.8187	0.2264	0.9609	0.063*
C9	0.9175 (12)	0.1117 (9)	0.8781 (10)	0.062 (3)
H9	0.8987	0.0501	0.9132	0.074*
C10	0.9918 (11)	0.0992 (10)	0.8002 (10)	0.060 (2)
H10	1.0288	0.0319	0.7834	0.072*
C11	1.0127 (10)	0.1894 (9)	0.7449 (9)	0.053 (2)
H11	1.0577	0.1762	0.6859	0.063*
C12	0.3946 (11)	0.3441 (9)	0.3475 (10)	0.062 (3)
H12A	0.3814	0.3192	0.2659	0.075*
H12B	0.4834	0.3913	0.3805	0.075*
H12C	0.3446	0.4000	0.3778	0.075*

C13	0.3544 (9)	0.2208 (9)	0.3761 (8)	0.0505 (19)
C14	0.2605 (10)	0.2030 (13)	0.4403 (10)	0.068 (3)
H14	0.2193	0.2660	0.4646	0.081*
C15	0.2295 (11)	0.0929 (14)	0.4671 (10)	0.075 (3)
H15	0.1664	0.0798	0.5094	0.091*
C16	0.2915 (9)	0.0006 (12)	0.4318 (9)	0.062 (3)
H16	0.2723	-0.0745	0.4507	0.074*
C17	0.3841 (7)	0.0227 (8)	0.3667 (7)	0.0425 (16)
C18	0.4550 (8)	-0.0716 (8)	0.3243 (7)	0.0442 (17)
C19	0.4256 (11)	-0.1938 (10)	0.3387 (9)	0.063 (3)
H19	0.3604	-0.2185	0.3759	0.076*
C20	0.4965 (13)	-0.2769 (10)	0.2960 (11)	0.072 (3)
H20	0.4774	-0.3589	0.3036	0.087*
C21	0.5926 (12)	-0.2405 (10)	0.2438 (11)	0.067 (3)
H21	0.6405	-0.2959	0.2160	0.081*
C22	0.6182 (10)	-0.1186 (10)	0.2325 (10)	0.059 (2)
H22	0.6836	-0.0931	0.1956	0.071*
N1	0.9053 (7)	0.5176 (7)	0.8420 (6)	0.0411 (13)
N2	0.9713 (8)	0.2921 (7)	0.7728 (6)	0.0477 (16)
N3	1.2895 (7)	0.5378 (9)	0.7956 (8)	0.057 (2)
N4	0.9322 (8)	0.2233 (8)	0.4204 (7)	0.0519 (17)
N5	0.7285 (7)	0.3733 (8)	0.4898 (6)	0.0469 (15)
N6	0.4148 (6)	0.1316 (7)	0.3391 (6)	0.0410 (13)
N7	0.5523 (7)	-0.0368 (7)	0.2727 (6)	0.0443 (14)
N8	0.3510 (8)	0.0199 (8)	0.0272 (7)	0.0505 (16)
O1	1.2315 (7)	0.4180 (7)	0.7307 (8)	0.071 (2)
O2	1.2252 (7)	0.6164 (7)	0.8206 (7)	0.0591 (16)
O3	1.4048 (7)	0.5766 (10)	0.8320 (9)	0.083 (3)
O4	0.9642 (9)	0.3404 (8)	0.4264 (7)	0.068 (2)
O5	0.9608 (9)	0.2066 (8)	0.5144 (8)	0.076 (2)
O6	0.8789 (12)	0.1308 (10)	0.3342 (9)	0.110 (4)
O7	0.7188 (10)	0.4369 (9)	0.4276 (8)	0.082 (3)
O8	0.7761 (7)	0.4279 (7)	0.5941 (6)	0.0578 (16)
O9	0.6873 (7)	0.2468 (7)	0.4469 (6)	0.0612 (17)
O10	0.3682 (10)	0.1365 (8)	0.0852 (8)	0.077 (3)
O11	0.4108 (7)	-0.0399 (7)	0.0670 (7)	0.0614 (17)
O12	0.2747 (8)	-0.0373 (8)	-0.0665 (7)	0.070 (2)
Pb1	1.02005 (3)	0.45241 (3)	0.67017 (2)	0.04043 (9)
Pb2	0.58525 (3)	0.16179 (3)	0.22876 (3)	0.04202 (10)

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
C1	0.087 (7)	0.044 (5)	0.063 (6)	0.030 (5)	0.012 (5)	0.024 (4)
C2	0.057 (5)	0.046 (4)	0.046 (4)	0.030 (4)	0.008 (4)	0.014 (3)
C3	0.086 (8)	0.074 (7)	0.052 (5)	0.049 (6)	0.018 (5)	0.021 (5)
C4	0.076 (7)	0.081 (7)	0.065 (6)	0.048 (6)	0.041 (5)	0.028 (5)
C5	0.057 (5)	0.064 (5)	0.048 (4)	0.022 (4)	0.017 (4)	0.029 (4)

C6	0.045 (4)	0.048 (4)	0.038 (3)	0.021 (3)	0.009 (3)	0.020 (3)
C7	0.047 (4)	0.040 (4)	0.042 (4)	0.012 (3)	0.011 (3)	0.019 (3)
C8	0.053 (5)	0.050 (5)	0.067 (5)	0.016 (4)	0.021 (4)	0.036 (4)
C9	0.079 (7)	0.043 (4)	0.073 (6)	0.019 (5)	0.020 (5)	0.032 (5)
C10	0.070 (6)	0.043 (4)	0.075 (6)	0.026 (4)	0.017 (5)	0.026 (4)
C11	0.059 (5)	0.048 (5)	0.061 (5)	0.028 (4)	0.020 (4)	0.022 (4)
C12	0.068 (6)	0.045 (5)	0.078 (7)	0.035 (4)	0.015 (5)	0.013 (4)
C13	0.048 (5)	0.050 (5)	0.049 (4)	0.019 (4)	0.008 (4)	0.010 (4)
C14	0.052 (5)	0.086 (8)	0.067 (6)	0.031 (5)	0.027 (5)	0.019 (6)
C15	0.056 (6)	0.112 (10)	0.064 (6)	0.025 (6)	0.036 (5)	0.035 (6)
C16	0.044 (5)	0.080 (7)	0.064 (6)	0.009 (5)	0.018 (4)	0.038 (5)
C17	0.034 (3)	0.048 (4)	0.044 (4)	0.007 (3)	0.008 (3)	0.021 (3)
C18	0.040 (4)	0.039 (4)	0.048 (4)	0.003 (3)	0.004 (3)	0.019 (3)
C19	0.070 (6)	0.053 (5)	0.066 (6)	0.002 (5)	0.007 (5)	0.037 (5)
C20	0.093 (8)	0.044 (5)	0.082 (7)	0.019 (5)	-0.008 (6)	0.036 (5)
C21	0.083 (8)	0.050 (5)	0.080 (7)	0.039 (5)	0.005 (6)	0.027 (5)
C22	0.053 (5)	0.052 (5)	0.075 (6)	0.026 (4)	0.006 (5)	0.022 (5)
N1	0.046 (4)	0.040 (3)	0.043 (3)	0.022 (3)	0.010 (3)	0.016 (3)
N2	0.060 (4)	0.043 (4)	0.045 (4)	0.020 (3)	0.015 (3)	0.018 (3)
N3	0.038 (4)	0.064 (5)	0.081 (6)	0.012 (3)	0.004 (4)	0.047 (5)
N4	0.057 (4)	0.054 (4)	0.055 (4)	0.019 (3)	0.021 (3)	0.017 (3)
N5	0.038 (3)	0.056 (4)	0.049 (4)	0.020 (3)	0.007 (3)	0.019 (3)
N6	0.035 (3)	0.041 (3)	0.045 (3)	0.012 (3)	0.006 (3)	0.014 (3)
N7	0.052 (4)	0.036 (3)	0.047 (4)	0.017 (3)	0.011 (3)	0.016 (3)
N8	0.051 (4)	0.053 (4)	0.050 (4)	0.018 (3)	0.015 (3)	0.020 (3)
O1	0.054 (4)	0.053 (4)	0.118 (7)	0.021 (3)	0.016 (4)	0.045 (4)
O2	0.054 (4)	0.053 (4)	0.076 (5)	0.024 (3)	0.017 (3)	0.025 (3)
O3	0.043 (4)	0.096 (6)	0.111 (7)	0.012 (4)	0.003 (4)	0.053 (6)
O4	0.088 (6)	0.058 (4)	0.062 (4)	0.015 (4)	0.019 (4)	0.032 (3)
O5	0.086 (6)	0.066 (5)	0.091 (6)	0.027 (4)	0.019 (5)	0.047 (4)
O6	0.121 (9)	0.070 (6)	0.086 (7)	0.011 (6)	0.025 (6)	-0.023 (5)
O7	0.104 (7)	0.089 (6)	0.081 (6)	0.051 (5)	0.020 (5)	0.051 (5)
O8	0.052 (4)	0.065 (4)	0.046 (3)	0.019 (3)	0.011 (3)	0.007 (3)
O9	0.056 (4)	0.063 (4)	0.058 (4)	0.011 (3)	0.009 (3)	0.022 (3)
O10	0.089 (7)	0.059 (5)	0.078 (5)	0.040 (5)	-0.004 (5)	0.023 (4)
O11	0.057 (4)	0.062 (4)	0.075 (5)	0.025 (3)	0.009 (3)	0.033 (4)
O12	0.062 (4)	0.078 (5)	0.059 (4)	0.015 (4)	-0.002 (3)	0.021 (4)
Pb1	0.04429 (17)	0.04041 (16)	0.04192 (15)	0.01671 (12)	0.01061 (11)	0.01886 (12)
Pb2	0.04585 (17)	0.03412 (15)	0.04792 (17)	0.01031 (11)	0.01553 (12)	0.01783 (12)

Geometric parameters (Å, °)

Pb1—O1	2.566 (8)	C5—C6	1.379 (14)
Pb1—O2	2.609 (8)	C6—C7	1.478 (13)
Pb1—O4	2.851 (8)	C7—C8	1.401 (14)
Pb1—O5	2.675 (9)	C8—C9	1.375 (16)
Pb1—O8	2.693 (8)	C9—C10	1.339 (18)
Pb1—N1	2.618 (8)	C10—C11	1.396 (16)

Pb1—N2	2.528 (8)	C12—C13	1.512 (15)
Pb2—O9	2.624 (7)	C13—C14	1.392 (16)
Pb2—O10	2.763 (11)	C14—C15	1.36 (2)
Pb2—O11	2.629 (8)	C15—C16	1.375 (18)
Pb2—N6	2.470 (7)	C16—C17	1.397 (14)
Pb2—N7	2.422 (8)	C17—C18	1.480 (13)
Pb2—O12 ⁱ	2.910 (9)	C18—C19	1.403 (15)
O1—N3	1.269 (13)	C19—C20	1.389 (18)
O2—N3	1.261 (12)	C20—C21	1.348 (19)
O3—N3	1.222 (12)	C21—C22	1.384 (17)
O4—N4	1.245 (13)	C1—H1A	0.9600
O5—N4	1.287 (13)	C1—H1B	0.9600
O6—N4	1.192 (14)	C1—H1C	0.9600
O7—N5	1.241 (13)	C3—H3	0.9300
O8—N5	1.247 (10)	C4—H4	0.9300
O9—N5	1.275 (12)	C5—H5	0.9300
O10—N8	1.226 (13)	C8—H8	0.9300
O11—N8	1.244 (12)	C9—H9	0.9300
O12—N8	1.244 (12)	C10—H10	0.9300
N1—C2	1.354 (13)	C11—H11	0.9300
N1—C6	1.349 (12)	C12—H12A	0.9600
N2—C7	1.333 (12)	C12—H12B	0.9600
N2—C11	1.312 (14)	C12—H12C	0.9600
N6—C13	1.338 (13)	C14—H14	0.9300
N6—C17	1.350 (12)	C15—H15	0.9300
N7—C18	1.348 (12)	C16—H16	0.9300
N7—C22	1.329 (14)	C19—H19	0.9300
C1—C2	1.477 (15)	C20—H20	0.9300
C2—C3	1.376 (16)	C21—H21	0.9300
C3—C4	1.354 (19)	C22—H22	0.9300
C4—C5	1.365 (18)		
O1—Pb1—O2	49.6 (3)	N1—C2—C3	119.6 (10)
O1—Pb1—O4	105.4 (3)	C1—C2—C3	123.3 (10)
O1—Pb1—O5	84.7 (3)	C2—C3—C4	120.6 (12)
O1—Pb1—O8	166.8 (3)	C3—C4—C5	120.0 (12)
O1—Pb1—N1	111.9 (3)	C4—C5—C6	118.8 (11)
O1—Pb1—N2	73.1 (3)	N1—C6—C5	121.1 (9)
O2—Pb1—O4	133.0 (3)	N1—C6—C7	116.2 (8)
O2—Pb1—O5	134.1 (3)	C5—C6—C7	122.7 (9)
O2—Pb1—O8	141.9 (2)	N2—C7—C6	118.4 (8)
O2—Pb1—N1	83.7 (2)	N2—C7—C8	120.7 (9)
O2—Pb1—N2	94.9 (3)	C6—C7—C8	120.8 (8)
O4—Pb1—O5	45.5 (3)	C7—C8—C9	118.9 (10)
O4—Pb1—O8	71.0 (3)	C8—C9—C10	119.8 (10)
O4—Pb1—N1	140.2 (3)	C9—C10—C11	118.6 (11)
O4—Pb1—N2	116.8 (3)	N2—C11—C10	122.6 (10)
O5—Pb1—O8	84.0 (3)	N6—C13—C12	117.1 (9)

O5—Pb1—N1	124.2 (3)	N6—C13—C14	121.8 (10)
O5—Pb1—N2	72.2 (3)	C12—C13—C14	121.1 (10)
O8—Pb1—N1	69.5 (2)	C13—C14—C15	119.5 (12)
O8—Pb1—N2	96.9 (3)	C14—C15—C16	120.0 (12)
N1—Pb1—N2	63.9 (3)	C15—C16—C17	118.2 (12)
O9—Pb2—O10	141.1 (3)	N6—C17—C16	122.1 (9)
O9—Pb2—O11	141.2 (3)	N6—C17—C18	115.9 (7)
O9—Pb2—N6	70.3 (2)	C16—C17—C18	122.0 (9)
O9—Pb2—N7	75.0 (2)	N7—C18—C17	118.5 (8)
O9—Pb2—O12 ⁱ	117.1 (2)	N7—C18—C19	119.6 (9)
O10—Pb2—O11	46.0 (3)	C17—C18—C19	121.9 (9)
O10—Pb2—N6	75.8 (3)	C18—C19—C20	118.3 (11)
O10—Pb2—N7	109.1 (3)	C19—C20—C21	121.0 (11)
O10—Pb2—O12 ⁱ	101.8 (3)	C20—C21—C22	118.3 (12)
O11—Pb2—N6	81.6 (2)	N7—C22—C21	122.0 (11)
O11—Pb2—N7	69.7 (3)	C2—C1—H1A	110.00
O11—Pb2—O12 ⁱ	74.6 (3)	C2—C1—H1B	110.00
N6—Pb2—N7	67.5 (3)	C2—C1—H1C	110.00
O12 ⁱ —Pb2—N6	147.3 (3)	H1A—C1—H1B	109.00
O12 ⁱ —Pb2—N7	83.3 (3)	H1A—C1—H1C	109.00
Pb1—O1—N3	96.4 (6)	H1B—C1—H1C	109.00
Pb1—O2—N3	94.6 (6)	C2—C3—H3	120.00
Pb1—O4—N4	94.8 (6)	C4—C3—H3	120.00
Pb1—O4—Pb1 ⁱⁱ	110.9 (3)	C3—C4—H4	120.00
Pb1 ⁱⁱ —O4—N4	153.4 (7)	C5—C4—H4	120.00
Pb1—O5—N4	102.2 (6)	C4—C5—H5	121.00
Pb1—O8—N5	120.0 (6)	C6—C5—H5	121.00
Pb2—O9—N5	110.7 (5)	C7—C8—H8	121.00
Pb2—O10—N8	94.1 (7)	C9—C8—H8	121.00
Pb2—O11—N8	100.3 (6)	C8—C9—H9	120.00
Pb2 ⁱ —O12—N8	106.0 (7)	C10—C9—H9	120.00
Pb1—N1—C2	119.9 (6)	C9—C10—H10	121.00
Pb1—N1—C6	116.9 (6)	C11—C10—H10	121.00
C2—N1—C6	119.9 (8)	N2—C11—H11	119.00
Pb1—N2—C7	120.8 (6)	C10—C11—H11	119.00
Pb1—N2—C11	119.8 (7)	C13—C12—H12A	109.00
C7—N2—C11	119.2 (9)	C13—C12—H12B	109.00
O1—N3—O2	118.2 (8)	C13—C12—H12C	110.00
O1—N3—O3	121.0 (10)	H12A—C12—H12B	109.00
O2—N3—O3	120.7 (10)	H12A—C12—H12C	109.00
O4—N4—O5	115.7 (9)	H12B—C12—H12C	109.00
O4—N4—O6	123.4 (10)	C13—C14—H14	120.00
O5—N4—O6	120.9 (10)	C15—C14—H14	120.00
O7—N5—O8	122.7 (9)	C14—C15—H15	120.00
O7—N5—O9	119.5 (8)	C16—C15—H15	120.00
O8—N5—O9	117.8 (8)	C15—C16—H16	121.00
Pb2—N6—C13	122.8 (6)	C17—C16—H16	121.00
Pb2—N6—C17	118.7 (5)	C18—C19—H19	121.00

C13—N6—C17	118.4 (8)	C20—C19—H19	121.00
Pb2—N7—C18	118.9 (6)	C19—C20—H20	119.00
Pb2—N7—C22	119.8 (7)	C21—C20—H20	119.00
C18—N7—C22	120.7 (9)	C20—C21—H21	121.00
O10—N8—O11	117.3 (9)	C22—C21—H21	121.00
O10—N8—O12	121.4 (10)	N7—C22—H22	119.00
O11—N8—O12	121.3 (9)	C21—C22—H22	119.00
N1—C2—C1	117.2 (9)		
O2—Pb1—O1—N3	-6.2 (6)	O11—Pb2—N7—C22	87.4 (8)
O4—Pb1—O1—N3	127.9 (6)	N6—Pb2—N7—C22	176.5 (8)
O5—Pb1—O1—N3	168.9 (7)	O12 ⁱ —Pb2—N7—C22	11.4 (8)
N1—Pb1—O1—N3	-66.3 (7)	O12 ⁱ —Pb2—N6—C13	-155.8 (6)
N2—Pb1—O1—N3	-118.2 (7)	O9—Pb2—N6—C17	-83.2 (6)
O4 ⁱⁱ —Pb1—O1—N3	54.0 (7)	O10—Pb2—N6—C17	116.3 (6)
O1—Pb1—O2—N3	6.2 (6)	O11—Pb2—N6—C17	69.7 (6)
O4—Pb1—O2—N3	-65.2 (7)	N7—Pb2—N6—C17	-1.8 (6)
O5—Pb1—O2—N3	-0.8 (8)	O12 ⁱ —Pb2—N6—C17	26.5 (8)
O8—Pb1—O2—N3	176.8 (5)	O9—Pb2—N7—C18	80.0 (6)
N1—Pb1—O2—N3	132.1 (6)	O10—Pb2—N7—C18	-59.4 (7)
N2—Pb1—O2—N3	69.1 (6)	O11—Pb2—N7—C18	-83.6 (6)
O4 ⁱⁱ —Pb1—O2—N3	-122.8 (6)	N6—Pb2—N7—C18	5.5 (6)
O1—Pb1—O4—N4	73.9 (7)	O12 ⁱ —Pb2—N7—C18	-159.6 (6)
O2—Pb1—O4—N4	122.3 (6)	O9—Pb2—N6—C13	94.5 (7)
O5—Pb1—O4—N4	7.7 (6)	O10—Pb2—N6—C13	-66.0 (7)
O8—Pb1—O4—N4	-92.9 (7)	O11—Pb2—N6—C13	-112.6 (7)
N1—Pb1—O4—N4	-85.2 (8)	N7—Pb2—N6—C13	175.9 (7)
N2—Pb1—O4—N4	-4.7 (8)	O9—Pb2—N7—C22	-109.0 (8)
O4 ⁱⁱ —Pb1—O4—N4	-173.2 (7)	O10—Pb2—N7—C22	111.6 (8)
O1—Pb1—O4—Pb1 ⁱⁱ	-113.0 (3)	Pb1—O1—N3—O3	-168.1 (10)
O2—Pb1—O4—Pb1 ⁱⁱ	-64.5 (5)	Pb1—O1—N3—O2	11.1 (10)
O5—Pb1—O4—Pb1 ⁱⁱ	-179.1 (6)	Pb1—O2—N3—O1	-10.8 (10)
O8—Pb1—O4—Pb1 ⁱⁱ	80.3 (3)	Pb1—O2—N3—O3	168.4 (10)
N1—Pb1—O4—Pb1 ⁱⁱ	88.0 (5)	Pb1 ⁱⁱ —O4—N4—O5	-178.4 (13)
N2—Pb1—O4—Pb1 ⁱⁱ	168.5 (3)	Pb1—O4—N4—O6	167.5 (11)
O4 ⁱⁱ —Pb1—O4—Pb1 ⁱⁱ	0.0 (3)	Pb1—O4—N4—O5	-12.8 (10)
O1 ⁱⁱ —Pb1 ⁱⁱ —O4—Pb1	-97.2 (4)	Pb1 ⁱⁱ —O4—N4—O6	2 (2)
O2 ⁱⁱ —Pb1 ⁱⁱ —O4—Pb1	-138.7 (4)	Pb1—O5—N4—O4	13.9 (11)
O4 ⁱⁱ —Pb1 ⁱⁱ —O4—Pb1	0.0 (3)	Pb1—O5—N4—O6	-166.4 (10)
O5 ⁱⁱ —Pb1 ⁱⁱ —O4—Pb1	-0.7 (5)	Pb1—O8—N5—O9	81.2 (9)
O8 ⁱⁱ —Pb1 ⁱⁱ —O4—Pb1	75.2 (3)	Pb1—O8—N5—O7	-99.6 (10)
N1 ⁱⁱ —Pb1 ⁱⁱ —O4—Pb1	138.6 (3)	Pb2—O9—N5—O8	177.8 (6)
O1 ⁱⁱ —Pb1 ⁱⁱ —O4—N4	67.4 (18)	Pb2—O9—N5—O7	-1.4 (11)
O2 ⁱⁱ —Pb1 ⁱⁱ —O4—N4	26.0 (17)	Pb2—O10—N8—O11	14.9 (10)
O4 ⁱⁱ —Pb1 ⁱⁱ —O4—N4	164.7 (18)	Pb2—O10—N8—O12	-166.7 (9)
O5 ⁱⁱ —Pb1 ⁱⁱ —O4—N4	164.0 (17)	Pb2—O11—N8—O10	-15.9 (10)
O8 ⁱⁱ —Pb1 ⁱⁱ —O4—N4	-120.2 (17)	Pb2—O11—N8—O12	165.7 (8)
N1 ⁱⁱ —Pb1 ⁱⁱ —O4—N4	-56.7 (18)	Pb2 ⁱ —O12—N8—O10	129.4 (9)

O1—Pb1—O5—N4	-125.3 (7)	Pb2 ⁱ —O12—N8—O11	-52.2 (11)
O2—Pb1—O5—N4	-120.0 (7)	Pb1—N1—C2—C1	-20.6 (11)
O4—Pb1—O5—N4	-7.6 (6)	C6—N1—C2—C1	-179.4 (8)
O8—Pb1—O5—N4	61.6 (7)	Pb1—N1—C2—C3	158.7 (7)
N1—Pb1—O5—N4	121.8 (6)	C6—N1—C2—C3	-0.1 (13)
N2—Pb1—O5—N4	160.8 (8)	C2—N1—C6—C5	1.3 (13)
O4 ⁱⁱ —Pb1—O5—N4	-8.5 (8)	Pb1—N1—C6—C7	22.2 (10)
O2—Pb1—O8—N5	141.4 (7)	C2—N1—C6—C7	-178.4 (8)
O4—Pb1—O8—N5	4.4 (7)	Pb1—N1—C6—C5	-158.2 (7)
O5—Pb1—O8—N5	-40.4 (7)	C11—N2—C7—C6	-178.7 (9)
N1—Pb1—O8—N5	-170.4 (8)	Pb1—N2—C7—C8	179.4 (7)
N2—Pb1—O8—N5	-111.6 (7)	C7—N2—C11—C10	-5.9 (16)
O4 ⁱⁱ —Pb1—O8—N5	77.1 (7)	Pb1—N2—C11—C10	178.3 (8)
O8—Pb1—N1—C6	92.2 (6)	Pb1—N2—C7—C6	-3.1 (11)
N2—Pb1—N1—C6	-16.8 (6)	C11—N2—C7—C8	3.7 (14)
O4 ⁱⁱ —Pb1—N1—C6	159.2 (6)	Pb2—N6—C17—C16	178.1 (7)
O1—Pb1—N2—C7	135.5 (7)	C13—N6—C17—C16	0.3 (13)
O2—Pb1—N2—C7	90.4 (7)	Pb2—N6—C13—C14	-178.6 (8)
O4—Pb1—N2—C7	-125.4 (7)	Pb2—N6—C13—C12	0.1 (12)
O5—Pb1—N2—C7	-134.7 (7)	C17—N6—C13—C12	177.7 (8)
O8—Pb1—N2—C7	-53.3 (7)	Pb2—N6—C17—C18	-1.6 (9)
N1—Pb1—N2—C7	9.9 (6)	C17—N6—C13—C14	-0.9 (14)
O1—Pb1—N2—C11	-48.8 (8)	C13—N6—C17—C18	-179.4 (8)
O2—Pb1—N2—C11	-93.9 (8)	Pb2—N7—C22—C21	-172.4 (9)
O4—Pb1—N2—C11	50.2 (8)	Pb2—N7—C18—C19	172.8 (7)
O5—Pb1—N2—C11	40.9 (8)	Pb2—N7—C18—C17	-8.6 (10)
O8—Pb1—N2—C11	122.4 (8)	C18—N7—C22—C21	-1.5 (16)
N1—Pb1—N2—C11	-174.4 (8)	C22—N7—C18—C17	-179.5 (9)
O5—Pb1—N1—C6	25.0 (7)	C22—N7—C18—C19	1.9 (13)
O5—Pb1—N1—C2	-134.5 (7)	C1—C2—C3—C4	177.5 (11)
O8—Pb1—N1—C2	-67.3 (7)	N1—C2—C3—C4	-1.7 (16)
N2—Pb1—N1—C2	-176.2 (8)	C2—C3—C4—C5	2.3 (18)
O4 ⁱⁱ —Pb1—N1—C2	-0.2 (7)	C3—C4—C5—C6	-1.1 (17)
O1—Pb1—N1—C2	126.8 (7)	C4—C5—C6—N1	-0.7 (14)
O2—Pb1—N1—C2	85.1 (7)	C4—C5—C6—C7	179.0 (9)
O4—Pb1—N1—C2	-75.0 (8)	N1—C6—C7—C8	164.3 (9)
O4—Pb1—N1—C6	84.5 (7)	N1—C6—C7—N2	-13.3 (12)
O1—Pb1—N1—C6	-73.7 (7)	C5—C6—C7—C8	-15.4 (14)
O2—Pb1—N1—C6	-115.4 (6)	C5—C6—C7—N2	167.0 (9)
O10 ⁱ —Pb2 ⁱ —O12—N8	11.7 (7)	C6—C7—C8—C9	-178.9 (10)
O11 ⁱ —Pb2 ⁱ —O12—N8	-25.8 (7)	N2—C7—C8—C9	-1.3 (15)
N6 ⁱ —Pb2 ⁱ —O12—N8	-70.4 (8)	C7—C8—C9—C10	1.2 (17)
N7 ⁱ —Pb2 ⁱ —O12—N8	-96.6 (7)	C8—C9—C10—C11	-3.2 (18)
O9 ⁱ —Pb2 ⁱ —O12—N8	-165.9 (6)	C9—C10—C11—N2	5.8 (18)
O10—Pb2—O9—N5	-74.9 (7)	C12—C13—C14—C15	-178.1 (11)
O11—Pb2—O9—N5	-151.9 (6)	N6—C13—C14—C15	0.5 (16)
N6—Pb2—O9—N5	-105.8 (6)	C13—C14—C15—C16	0.6 (18)
N7—Pb2—O9—N5	-176.8 (7)	C14—C15—C16—C17	-1.2 (17)

O12 ⁱ —Pb2—O9—N5	109.0 (6)	C15—C16—C17—N6	0.8 (15)
O9—Pb2—O10—N8	-130.6 (6)	C15—C16—C17—C18	-179.6 (9)
O11—Pb2—O10—N8	-8.6 (6)	C16—C17—C18—C19	5.6 (14)
N6—Pb2—O10—N8	-100.6 (7)	N6—C17—C18—C19	-174.7 (8)
N7—Pb2—O10—N8	-41.0 (7)	C16—C17—C18—N7	-173.0 (8)
O12 ⁱ —Pb2—O10—N8	45.9 (7)	N6—C17—C18—N7	6.7 (11)
O9—Pb2—O11—N8	130.3 (6)	C17—C18—C19—C20	179.8 (10)
O10—Pb2—O11—N8	8.6 (6)	N7—C18—C19—C20	-1.7 (15)
N6—Pb2—O11—N8	87.0 (6)	C18—C19—C20—C21	1.1 (18)
N7—Pb2—O11—N8	156.0 (7)	C19—C20—C21—C22	-0.7 (19)
O12 ⁱ —Pb2—O11—N8	-115.5 (6)	C20—C21—C22—N7	0.9 (19)

Symmetry codes: (i) $-x+1, -y, -z$; (ii) $-x+2, -y+1, -z+1$.

Hydrogen-bond geometry (Å, °)

<i>D</i> —H \cdots <i>A</i>	<i>D</i> —H	H \cdots <i>A</i>	<i>D</i> \cdots <i>A</i>	<i>D</i> —H \cdots <i>A</i>
C1—H1A \cdots O4 ⁱⁱ	0.96	2.55	3.378 (14)	144
C3—H3 \cdots O10 ⁱⁱⁱ	0.93	2.50	3.368 (17)	155
C10—H10 \cdots O6 ^{iv}	0.93	2.47	3.349 (17)	157
C12—H12A \cdots O10	0.96	2.48	3.299 (15)	143
C12—H12B \cdots O7	0.96	2.49	3.412 (17)	160
C12—H12C \cdots O8 ⁱⁱⁱ	0.96	2.59	3.516 (14)	162
C19—H19 \cdots O9 ^v	0.93	2.45	3.253 (13)	145
C21—H21 \cdots O1 ^{iv}	0.93	2.42	3.212 (15)	143
C22—H22 \cdots O12 ⁱ	0.93	2.53	3.268 (15)	137

Symmetry codes: (i) $-x+1, -y, -z$; (ii) $-x+2, -y+1, -z+1$; (iii) $-x+1, -y+1, -z+1$; (iv) $-x+2, -y, -z+1$; (v) $-x+1, -y, -z+1$.