

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

N-Isopropyl-6-methyl-2-phenylquinoline-3-carboxamide

Saida Benzerka,^a Abdelmalek Bouraiou,^a Sofiane Bouacida,^{b*} Thierry Roisnel^c and Ali Belfaitah^a

^aLaboratoire des Produits Naturels d'Origine Végétale et de Synthèse Organique, PHYSYNOR, Université Mentouri-Constantine, 25000 Constantine, Algeria, ^bUnité de Recherche de Chimie de l'Environnement et Moléculaire Structurale, CHEMS, Université Mentouri-Constantine, 25000 Algeria, and ^cCentre de Difractométrie X, UMR 6226 CNRS Unité Sciences Chimiques de Rennes, Université de Rennes I, 263 Avenue du Général Leclerc, 35042 Rennes, France
Correspondence e-mail: bouacida_sofiane@yahoo.fr


Received 27 July 2010; accepted 5 August 2010

Key indicators: single-crystal X-ray study; $T = 150$ K; mean $\sigma(\text{C}-\text{C}) = 0.002$ Å; R factor = 0.050; wR factor = 0.157; data-to-parameter ratio = 18.5.

In the title compound, $\text{C}_{20}\text{H}_{20}\text{N}_2\text{O}$, the dihedral angle between the quinoline ring system and the phenyl ring is 49.40 (5)°. In the crystal structure, zigzag layers of molecules, in which the quinoline units are parallel to the $(\bar{1}10)$ plane, are arranged perpendicular to the b axis. Intermolecular $\text{N}-\text{H}\cdots\text{O}$ hydrogen bonds connect the molecules into chains along [010], reinforcing the cohesion between the layers of the structure.

Related literature

For our previous work on the preparation of quinoline derivatives, see: Benzerka *et al.* (2008); Ladraa *et al.* (2009); Bouraiou *et al.* (2006, 2008). For the evaluation of their biological activity, see: Atwell *et al.* (1988, 1989); Denny *et al.* (1990); Toshima *et al.* (1999); Mikata *et al.* (1998); Henriksen *et al.* (1991). For the synthetic procedure, see: Saudi *et al.* (2003).



Experimental

Crystal data

$\text{C}_{20}\text{H}_{20}\text{N}_2\text{O}$
 $M_r = 304.38$
 Orthorhombic, $Pbca$
 $a = 12.0007$ (3) Å
 $b = 9.6314$ (2) Å
 $c = 29.4627$ (8) Å
 $V = 3405.40$ (14) Å³
 $Z = 8$
 Mo $K\alpha$ radiation
 $\mu = 0.07$ mm⁻¹
 $T = 150$ K
 $0.32 \times 0.11 \times 0.08$ mm

Data collection

Bruker APEXII diffractometer
 Absorption correction: multi-scan (SADABS; Bruker, 2001)
 $T_{\min} = 0.747$, $T_{\max} = 0.994$
 15315 measured reflections
 3906 independent reflections
 2839 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.046$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.050$
 $wR(F^2) = 0.157$
 $S = 1.04$
 3906 reflections
 211 parameters
 H-atom parameters constrained
 $\Delta\rho_{\max} = 0.23$ e Å⁻³
 $\Delta\rho_{\min} = -0.26$ e Å⁻³

Table 1

Hydrogen-bond geometry (Å, °).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
$\text{N2}-\text{H2N}\cdots\text{O1}^1$	0.88	1.95	2.804 (3)	164

Symmetry code: (i) $-x + \frac{1}{2}, y - \frac{1}{2}, z$.

Data collection: APEX2 (Bruker, 2001); cell refinement: SAINT (Bruker, 2001); data reduction: SAINT; program(s) used to solve structure: SIR2002 (Burla *et al.*, 2003); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: ORTEP-3 for Windows (Farrugia, 1997) and DIAMOND (Brandenburg & Berndt, 2001); software used to prepare material for publication: WinGX publication routines (Farrugia, 1999).

We are grateful to all personnel of the PHYSYNOR laboratory, Université Mentouri-Constantine, Algeria, for their assistance.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: LH5101).

References

- Atwell, G. J., Baguley, B. C. & Denny, W. A. (1989). *J. Med. Chem.* **32**, 396–401.
 Atwell, G. J., Bos, C. D., Baguley, B. C. & Denny, W. A. (1988). *J. Med. Chem.* **31**, 1048–1052.
 Benzerka, S., Bouraiou, A., Bouacida, S., Rhouati, S. & Belfaitah, A. (2008). *Acta Cryst.* **E64**, o2089–o2090.
 Bouraiou, A., Debache, A., Rhouati, S., Carboni, B. & Belfaitah, A. (2008). *J. Heterocycl. Chem.* **45**, 329–333.
 Bouraiou, A., Menasra, H., Debache, A., Rhouati, S. & Belfaitah, A. (2006). *J. Soc. Alger. Chim.* **16**, 171–183.
 Brandenburg, K. & Berndt, M. (2001). *DIAMOND*. Crystal Impact, Bonn, Germany.
 Bruker (2001). APEX2, SAINT and SADABS, Bruker AXS Inc., Madison, Wisconsin, USA.
 Burla, M. C., Caliandro, R., Camalli, M., Carrozzini, B., Cascarano, G. L., De Caro, L., Giacovazzo, C., Polidori, G. & Spagna, R. (2003). *J. Appl. Cryst.* **38**, 381–388.
 Denny, W. A. G. W., Rewcastle, G. W. B. C. & Baguley, B. C. (1990). *J. Med. Chem.* **33**, 814–819.
 Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
 Farrugia, L. J. (1999). *J. Appl. Cryst.* **32**, 837–838.

- Henriksen, U., Larsen, C., Karup, G., Jeppesen, C., Nielsen, P. E. & Buchardt, O. (1991). *Photochem. Photobiol.* **53**, 299–305.
- Ladraa, S., Bouraiou, A., Bouacida, S., Roisnel, T. & Belfaitah, A. (2009). *Acta Cryst.* **C65**, o475–o478.
- Mikata, Y., Yokoyama, M., Ogura, S., Okura, I., Kawasaki, M., Maeda, M. & Yano, S. (1998). *Bioorg. Med. Chem. Lett.* **8**, 1243–1248.
- Saudi, M. N. S., Rostom, S. A. F., Fahmy, H. T. Y. & El Ashmawy, I. M. (2003). *Arch. Pharm. Pharm. Med. Chem.* **336**, 165–174.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Toshima, K., Takano, R., Maeda, Y., Suzuki, M., Asai, A. & Matsumura, S. (1999). *Angew. Chem. Int. Ed.* **38**, 3733–3735.

supporting information

Acta Cryst. (2010). E66, o2304–o2305 [https://doi.org/10.1107/S1600536810031582]

N*-Isopropyl-6-methyl-2-phenylquinoline-3-carboxamide*Saida Benzerka, Abdelmalek Bouraiou, Sofiane Bouacida, Thierry Roisnel and Ali Belfaitah****S1. Comment**

Since Atwell *et al.* (1988) and Denny *et al.* (1990) demonstrated the efficacy of 2 + 1 unfused tricyclic aromatic systems such as phenylquinolines as a minimal intercalators, 2-phenylquinoline (Mikata *et al.*, 1998; Henriksen *et al.*, 1991) was selected as the DNA intercalator. The conjugated C=N bond in the 2-phenylquinoline unit was also expected to generate the photoexcited $^3(n \rightarrow \pi^*)$ state upon photoirradiation, which may have a radical character and could be capable of cleaving DNA (Toshima *et al.*, 1999). On the other hand, certain 2-phenylquinoline carboxamide derivatives have been shown to possess DNA binding capability and a broad-spectrum activity in both leukemia and solid-tumor assays (Atwell *et al.*, 1989). As part of our program related to the synthesis of some new heterocyclic compounds with medicinal potential (Bouraiou *et al.*, 2006, 2008; Benzerka *et al.*, 2008; Ladraa *et al.*, 2009), we report here the synthesis and crystal structure of the title compound (I). The molecular geometry and the atom-numbering scheme of (I) are shown in Fig. 1. The asymmetric unit of title compound contains a quinolyl unit bearing a phenyl ring at position C-2, amide group at C-3 and methyl at C-6. The two rings of the quinolyl moiety are fused in an axial fashion and form a dihedral angle of $3.13(4)^\circ$. The dihedral angle between the phenyl ring quinoline ring system is $49.40(5)^\circ$. The amide group is essentially planar. The r.m.s deviation for atoms C2/C17/O1/N2/C18 is 0.007\AA and the maximum deviation is $-0.0131(15)\text{\AA}$ for C17. The C—N [$1.3260(17)\text{\AA}$] bond length to the carbonyl group is closer to that of a standard C=N double bond (1.27\AA) than to that of a single bond (1.49\AA). This is because the lone pair electrons on nitrogen of the amide are delocalized into the carbonyl group. The crystal packing can be described as layers in zig zag perpendicular to *b* axis which quinoline rings are parallel to the (-110) plane (Fig. 2). The crystal packing is stabilized by intermolecular hydrogen bond (N—H \cdots O), resulting in the formation of infinite one-dimensional chain along the *b* axis linked these layers reinforce the cohesion of the structure (Fig. 2).

S2. Experimental

Compound (I) was obtained from 6-methyl-2-phenylquinoline-3-carboxylic acid and ethyl chloroformate in presence triethylamine in chloroform (Saudi *et al.*, 2003). Suitable crystals for X-ray diffraction were obtained by slow evaporation of a solution of (I) in diisopropylether at room temperature.

S3. Refinement

All H atoms were located from Fourier maps but introduced in calculated positions and treated as riding on their parent C atom with C-H = $0.93\text{--}0.98\text{\AA}$ and $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$ or $1.5U_{\text{eq}}(\text{C}_{\text{methyl}})$.




Figure 1

The molecular structure (Farrugia, 1997) of the title compound with the atomic labelling scheme. Displacement are drawn at the 50% probability level.




Figure 2

Part of the crystal structure (Brandenburg & Berndt, 2001) showing the layered packing of (I) viewed along the *c* axis and showing hydrogen bonds [N—H...O] as dashed line along the *b* axis.

N-Isopropyl-6-methyl-2-phenylquinoline-3-carboxamide

Crystal data

$C_{20}H_{20}N_2O$

$M_r = 304.38$

Orthorhombic, *Pbca*

Hall symbol: -P 2ac 2ab

$a = 12.0007 (3) \text{ \AA}$

$b = 9.6314 (2) \text{ \AA}$

$c = 29.4627 (8) \text{ \AA}$

$V = 3405.40 (14) \text{ \AA}^3$

$Z = 8$

$F(000) = 1296$

$D_x = 1.187 \text{ Mg m}^{-3}$

Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$

Cell parameters from 4726 reflections
 $\theta = 3.0\text{--}27.3^\circ$
 $\mu = 0.07\text{ mm}^{-1}$

$T = 150\text{ K}$
 Stick, colourless
 $0.32 \times 0.11 \times 0.08\text{ mm}$

Data collection

Bruker APEXII
 diffractometer
 Graphite monochromator
 CCD rotation images, thin slices scans
 Absorption correction: multi-scan
 (SADABS; Bruker, 2001)
 $T_{\min} = 0.747$, $T_{\max} = 0.994$
 15315 measured reflections

3906 independent reflections
 2839 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.046$
 $\theta_{\max} = 27.5^\circ$, $\theta_{\min} = 2.8^\circ$
 $h = -10 \rightarrow 15$
 $k = -7 \rightarrow 12$
 $l = -24 \rightarrow 38$

Refinement

Refinement on F^2
 Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.050$
 $wR(F^2) = 0.157$
 $S = 1.04$
 3906 reflections
 211 parameters
 0 restraints
 Primary atom site location: structure-invariant
 direct methods

Secondary atom site location: difference Fourier
 map
 Hydrogen site location: inferred from
 neighbouring sites
 H-atom parameters constrained
 $w = 1/[\sigma^2(F_o^2) + (0.0914P)^2 + 0.3352P]$
 where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} = 0.001$
 $\Delta\rho_{\max} = 0.23\text{ e \AA}^{-3}$
 $\Delta\rho_{\min} = -0.26\text{ e \AA}^{-3}$

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
O1	0.29293 (9)	-0.22115 (10)	0.10660 (4)	0.0378 (3)
N1	0.58409 (10)	-0.43666 (12)	0.14988 (4)	0.0288 (3)
N2	0.21063 (10)	-0.43091 (12)	0.09977 (4)	0.0309 (3)
H2N	0.2211	-0.5213	0.0984	0.037*
C1	0.47981 (11)	-0.39345 (14)	0.14808 (5)	0.0258 (3)
C2	0.40933 (11)	-0.41975 (13)	0.10973 (5)	0.0240 (3)
C3	0.44903 (12)	-0.50023 (13)	0.07517 (5)	0.0249 (3)
H3	0.4038	-0.5201	0.0504	0.030*
C4	0.55847 (12)	-0.55334 (13)	0.07693 (4)	0.0251 (3)
C5	0.60463 (12)	-0.64177 (14)	0.04333 (5)	0.0289 (3)
H5	0.5619	-0.6654	0.0182	0.035*
C6	0.71088 (13)	-0.69338 (15)	0.04705 (5)	0.0335 (4)
C7	0.77548 (13)	-0.65292 (17)	0.08495 (6)	0.0352 (4)

H7	0.8477	-0.6870	0.0878	0.042*
C8	0.73505 (13)	-0.56529 (16)	0.11750 (5)	0.0332 (4)
H8	0.7805	-0.5384	0.1415	0.040*
C9	0.62453 (11)	-0.51521 (14)	0.11490 (5)	0.0266 (3)
C10	0.75887 (16)	-0.79114 (18)	0.01255 (6)	0.0448 (4)
H10A	0.7119	-0.7928	-0.0138	0.067*
H10B	0.7633	-0.8827	0.0253	0.067*
H10C	0.8321	-0.7604	0.0041	0.067*
C11	0.43566 (13)	-0.32106 (16)	0.18883 (5)	0.0328 (4)
C12	0.33582 (14)	-0.3632 (2)	0.20819 (6)	0.0464 (5)
H12	0.2956	-0.4352	0.1950	0.056*
C13	0.29535 (17)	-0.2991 (3)	0.24697 (7)	0.0681 (7)
H13	0.2292	-0.3291	0.2602	0.082*
C14	0.3541 (2)	-0.1903 (3)	0.26577 (8)	0.0792 (8)
H14	0.3264	-0.1452	0.2913	0.095*
C15	0.4537 (2)	-0.1480 (2)	0.24698 (7)	0.0690 (7)
H15	0.4928	-0.0746	0.2599	0.083*
C16	0.49557 (16)	-0.21433 (18)	0.20900 (6)	0.0454 (4)
H16	0.5639	-0.1874	0.1970	0.055*
C17	0.29824 (12)	-0.34913 (13)	0.10575 (5)	0.0258 (3)
C18	0.09700 (12)	-0.37692 (16)	0.09527 (6)	0.0395 (4)
H18	0.1017	-0.2852	0.0810	0.047*
C19	0.03298 (16)	-0.4717 (2)	0.06337 (11)	0.0859 (9)
H19A	0.0293	-0.5633	0.0762	0.129*
H19B	0.0703	-0.4755	0.0346	0.129*
H19C	-0.0411	-0.4363	0.0592	0.129*
C20	0.04341 (19)	-0.3592 (3)	0.14068 (8)	0.0850 (9)
H20A	0.0880	-0.2983	0.1590	0.128*
H20B	0.0374	-0.4479	0.1553	0.128*
H20C	-0.0296	-0.3201	0.1369	0.128*

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
O1	0.0403 (7)	0.0158 (5)	0.0574 (7)	-0.0006 (4)	-0.0080 (5)	0.0015 (4)
N1	0.0269 (6)	0.0314 (6)	0.0281 (6)	-0.0029 (5)	0.0000 (5)	0.0012 (5)
N2	0.0234 (6)	0.0155 (5)	0.0539 (8)	0.0019 (5)	-0.0045 (6)	0.0033 (5)
C1	0.0264 (7)	0.0220 (6)	0.0290 (7)	-0.0029 (5)	-0.0008 (6)	0.0020 (5)
C2	0.0241 (7)	0.0167 (6)	0.0312 (7)	-0.0031 (5)	-0.0019 (6)	0.0030 (5)
C3	0.0287 (7)	0.0185 (6)	0.0276 (7)	-0.0038 (5)	-0.0045 (6)	0.0018 (5)
C4	0.0285 (7)	0.0194 (6)	0.0276 (7)	-0.0035 (6)	0.0024 (6)	0.0046 (5)
C5	0.0338 (8)	0.0236 (7)	0.0293 (7)	-0.0017 (6)	0.0025 (6)	0.0039 (6)
C6	0.0369 (9)	0.0269 (7)	0.0367 (8)	0.0015 (6)	0.0116 (7)	0.0071 (6)
C7	0.0260 (8)	0.0376 (8)	0.0421 (9)	0.0049 (6)	0.0069 (7)	0.0106 (7)
C8	0.0260 (8)	0.0407 (9)	0.0328 (8)	-0.0018 (6)	-0.0001 (6)	0.0064 (6)
C9	0.0260 (7)	0.0254 (7)	0.0283 (7)	-0.0030 (6)	0.0024 (6)	0.0066 (6)
C10	0.0501 (10)	0.0400 (9)	0.0444 (10)	0.0111 (8)	0.0159 (8)	0.0012 (8)
C11	0.0324 (8)	0.0356 (8)	0.0304 (8)	0.0071 (7)	-0.0068 (6)	-0.0031 (6)

C12	0.0364 (10)	0.0642 (12)	0.0387 (10)	0.0050 (8)	0.0019 (7)	-0.0107 (8)
C13	0.0471 (12)	0.112 (2)	0.0449 (11)	0.0199 (12)	0.0061 (9)	-0.0181 (12)
C14	0.0741 (16)	0.115 (2)	0.0487 (13)	0.0337 (15)	-0.0048 (12)	-0.0389 (13)
C15	0.0828 (17)	0.0685 (14)	0.0557 (13)	0.0135 (12)	-0.0237 (12)	-0.0327 (11)
C16	0.0486 (10)	0.0439 (10)	0.0437 (10)	0.0031 (8)	-0.0122 (8)	-0.0103 (8)
C17	0.0289 (8)	0.0179 (6)	0.0307 (7)	0.0003 (5)	-0.0024 (6)	0.0015 (5)
C18	0.0243 (8)	0.0248 (7)	0.0695 (11)	0.0047 (6)	-0.0029 (8)	0.0120 (7)
C19	0.0369 (11)	0.0361 (10)	0.185 (3)	0.0037 (8)	-0.0494 (14)	-0.0047 (14)
C20	0.0510 (13)	0.112 (2)	0.0926 (18)	0.0396 (13)	0.0298 (12)	0.0511 (16)

Geometric parameters (Å, °)

O1—C17	1.2346 (16)	C10—H10B	0.9600
N1—C1	1.3198 (18)	C10—H10C	0.9600
N1—C9	1.3676 (18)	C11—C12	1.388 (2)
N2—C17	1.3255 (18)	C11—C16	1.388 (2)
N2—C18	1.4654 (18)	C12—C13	1.387 (3)
N2—H2N	0.8800	C12—H12	0.9300
C1—C2	1.4339 (19)	C13—C14	1.379 (4)
C1—C11	1.486 (2)	C13—H13	0.9300
C2—C3	1.3656 (19)	C14—C15	1.378 (4)
C2—C17	1.5012 (19)	C14—H14	0.9300
C3—C4	1.4104 (19)	C15—C16	1.383 (3)
C3—H3	0.9300	C15—H15	0.9300
C4—C5	1.4187 (19)	C16—H16	0.9300
C4—C9	1.419 (2)	C18—C20	1.494 (3)
C5—C6	1.373 (2)	C18—C19	1.519 (3)
C5—H5	0.9300	C18—H18	0.9800
C6—C7	1.414 (2)	C19—H19A	0.9600
C6—C10	1.501 (2)	C19—H19B	0.9600
C7—C8	1.366 (2)	C19—H19C	0.9600
C7—H7	0.9300	C20—H20A	0.9600
C8—C9	1.413 (2)	C20—H20B	0.9600
C8—H8	0.9300	C20—H20C	0.9600
C10—H10A	0.9600		
C1—N1—C9	118.72 (12)	C12—C11—C1	120.19 (14)
C17—N2—C18	122.63 (11)	C16—C11—C1	120.57 (15)
C17—N2—H2N	118.7	C13—C12—C11	120.73 (19)
C18—N2—H2N	118.7	C13—C12—H12	119.6
N1—C1—C2	122.37 (13)	C11—C12—H12	119.6
N1—C1—C11	116.96 (12)	C14—C13—C12	119.3 (2)
C2—C1—C11	120.61 (12)	C14—C13—H13	120.3
C3—C2—C1	118.81 (13)	C12—C13—H13	120.3
C3—C2—C17	120.58 (12)	C13—C14—C15	120.4 (2)
C1—C2—C17	120.36 (12)	C13—C14—H14	119.8
C2—C3—C4	120.22 (13)	C15—C14—H14	119.8
C2—C3—H3	119.9	C14—C15—C16	120.2 (2)

C4—C3—H3	119.9	C14—C15—H15	119.9
C3—C4—C5	123.75 (13)	C16—C15—H15	119.9
C3—C4—C9	117.09 (12)	C15—C16—C11	120.01 (19)
C5—C4—C9	119.16 (13)	C15—C16—H16	120.0
C6—C5—C4	121.61 (13)	C11—C16—H16	120.0
C6—C5—H5	119.2	O1—C17—N2	123.72 (13)
C4—C5—H5	119.2	O1—C17—C2	119.78 (12)
C5—C6—C7	118.20 (14)	N2—C17—C2	116.46 (11)
C5—C6—C10	121.96 (15)	N2—C18—C20	111.09 (14)
C7—C6—C10	119.83 (15)	N2—C18—C19	108.26 (13)
C8—C7—C6	121.98 (14)	C20—C18—C19	113.9 (2)
C8—C7—H7	119.0	N2—C18—H18	107.8
C6—C7—H7	119.0	C20—C18—H18	107.8
C7—C8—C9	120.40 (14)	C19—C18—H18	107.8
C7—C8—H8	119.8	C18—C19—H19A	109.5
C9—C8—H8	119.8	C18—C19—H19B	109.5
N1—C9—C8	118.75 (13)	H19A—C19—H19B	109.5
N1—C9—C4	122.61 (13)	C18—C19—H19C	109.5
C8—C9—C4	118.59 (13)	H19A—C19—H19C	109.5
C6—C10—H10A	109.5	H19B—C19—H19C	109.5
C6—C10—H10B	109.5	C18—C20—H20A	109.5
H10A—C10—H10B	109.5	C18—C20—H20B	109.5
C6—C10—H10C	109.5	H20A—C20—H20B	109.5
H10A—C10—H10C	109.5	C18—C20—H20C	109.5
H10B—C10—H10C	109.5	H20A—C20—H20C	109.5
C12—C11—C16	119.20 (16)	H20B—C20—H20C	109.5

Hydrogen-bond geometry (Å, °)

<i>D</i> —H \cdots <i>A</i>	<i>D</i> —H	H \cdots <i>A</i>	<i>D</i> \cdots <i>A</i>	<i>D</i> —H \cdots <i>A</i>
N2—H2N \cdots O1 ⁱ	0.88	1.95	2.804 (3)	164

Symmetry code: (i) $-x+1/2, y-1/2, z$.