

Acta Crystallographica Section E

## Structure Reports

Online

ISSN 1600-5368

## Methyl 3,4-bis(cyclopropylmethoxy)benzoate

Xian-Chao Cheng,<sup>a</sup> Jing-Jing Hou,<sup>a</sup> Cheng-Zhi Xie,<sup>a</sup>  
Run-Ling Wang<sup>a\*</sup> and Wei-Ren Xu<sup>b</sup><sup>a</sup>School of Pharmaceutical Sciences, Tianjin Medical University, Tianjin 300070, People's Republic of China, and <sup>b</sup>Tianjin Key Laboratory of Molecular Design and Drug Discovery, Tianjin Institute of Pharmaceutical Research, Tianjin 300193, People's Republic of China

Correspondence e-mail: wangrunling@tjmu.edu.cn


Received 2 April 2011; accepted 8 April 2011

Key indicators: single-crystal X-ray study;  $T = 113$  K; mean  $\sigma(\text{C}-\text{C}) = 0.002$  Å;  $R$  factor = 0.041;  $wR$  factor = 0.114; data-to-parameter ratio = 21.2.

The title compound,  $\text{C}_{16}\text{H}_{20}\text{O}_4$ , was obtained unintentionally as the byproduct of an attempted synthesis of methyl 3-(cyclopropylmethoxy)-4-hydroxybenzoate. In the crystal, the molecules are linked by intermolecular  $\text{C}-\text{H}\cdots\text{O}$  interactions.

## Related literature

For the preparation, see: Bose *et al.* (2005). For a similar structure, see: Hou *et al.* (2010).



## Experimental

## Crystal data

 $\text{C}_{16}\text{H}_{20}\text{O}_4$  $M_r = 276.33$ Orthorhombic,  $P2_12_12_1$  $a = 4.9018$  (8) Å $b = 15.543$  (2) Å $c = 18.846$  (2) Å $V = 1435.9$  (3) Å<sup>3</sup> $Z = 4$ Mo  $K\alpha$  radiation $\mu = 0.09$  mm<sup>-1</sup> $T = 113$  K $0.22 \times 0.20 \times 0.18$  mm

## Data collection

Rigaku Saturn724 CCD diffractometer

Absorption correction: multi-scan (*REQAB*; Jacobson, 1998) $T_{\min} = 0.891$ ,  $T_{\max} = 0.984$ 

20068 measured reflections

3852 independent reflections

3300 reflections with  $F^2 > 2.0\sigma(F^2)$  $R_{\text{int}} = 0.034$ 

## Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.041$  $wR(F^2) = 0.114$  $S = 1.06$ 

3852 reflections

182 parameters

H-atom parameters constrained

 $\Delta\rho_{\text{max}} = 0.57$  e Å<sup>-3</sup> $\Delta\rho_{\text{min}} = -0.19$  e Å<sup>-3</sup>

Table 1

Hydrogen-bond geometry (Å, °).

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
$\text{C12}-\text{H12B}\cdots\text{O3}^i$	0.99	2.55	3.4073 (18)	145

Symmetry code: (i)  $x + 1, y, z$ .

Data collection: *CrystalClear-SM Expert* (Rigaku, 2009); cell refinement: *CrystalClear-SM Expert*; data reduction: *CrystalClear-SM Expert*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *CrystalStructure* (Rigaku, 2009); software used to prepare material for publication: *CrystalStructure*.

This research was supported by the Tianjin Medical University Science Foundation (2009ky16) and a China Postdoctoral Science Foundation funded project (20100480655).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: JH2279).

## References

- Bose, P., Sachdeva, Y. P., Rathore, R. S. & Kumar, Y. (2005). WO Patent 2005/026095 A1.
- Hou, J.-J., Cheng, X.-C., Wang, R.-L. & Wang, S.-Q. (2010). *Acta Cryst.* **E66**, o2004.
- Jacobson, R. (1998). *REQAB*. Private communication to the Rigaku Corporation, Tokyo, Japan.
- Rigaku. (2009). *CrystalClear-SM Expert* and *CrystalStructure*. Rigaku Corporation, Tokyo, Japan.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.

## supporting information

*Acta Cryst.* (2011). E67, o1130 [doi:10.1107/S1600536811013158]

**Methyl 3,4-bis(cyclopropylmethoxy)benzoate**

**Xian-Chao Cheng, Jing-Jing Hou, Cheng-Zhi Xie, Run-Ling Wang and Wei-Ren Xu**

**S1. Comment**

Roflumilast is an effective phosphodiesterase-4 inhibitor (PDE4 inhibitor), which can be used in the treatment of asthma, inflammation, bronchitis, allergy and other disorders related to immune system, heart and kidney. During the development of our own PDE4 inhibitors, roflumilast was synthesized as the positive control in the bioactivity screening, and the title compound, methyl 3,4-bis(cyclopropylmethoxy)benzoate, was a byproduct during preparation of the intermediate methyl 3-(cyclopropylmethoxy)-4-hydroxybenzoate. The crystallographic analysis of the title compound is done to confirm the chemical structure of the title compound. In the title compound, all bond lengths and angles are normal and in a good agreement with those reported previously (Hou, *et al.*, 2010). In the crystal structure, the hydroxy groups are involved in the formation of intermolecular C—H···O hydrogen bonds (Tab 1), which link the molecules related by translation along axis b into one-dimensional chains.


**S2. Experimental**

A mixture of 3,4-dihydroxy methyl benzoate (1.68 g, 10 mmol) and potassium carbonate (2.76 g, 20 mmol) in acetone (50 ml) was added with a solution of cyclopropyl methyl bromide (1.35 g, 10 mmol) in acetone (50 ml). The reaction mixture was stirred at 40 °C for 18 h, and then was filtered. The filtrate was evaporated on a rotary evaporator to get the dried solid, which was then purified by flash column chromatography to obtain methyl 3-(cyclopropylmethoxy)-4-hydroxybenzoate, methyl 4-(cyclopropylmethoxy)-3-hydroxybenzoate, and the title compound methyl 3,4-bis(cyclopropylmethoxy)benzoate (Bose, *et al.*, 2005).

Crystals suitable for X-ray diffraction were obtained through slow evaporation of a solution of the pure title compound in ethyl acetate/n-hexane (1/10 by volume).


**S3. Refinement**

H atoms were positioned geometrically (C—H = 0.95–1.00 Å) and refined as riding, with  $U_{\text{iso}}(\text{H}) = 1.2 U_{\text{eq}}$  of the parent atom.



**Figure 1**

The molecular structure of the title compound, with atom labels and 30% probability displacement ellipsoids, and H atoms are shown as small spheres of arbitrary radius.



**Figure 2**

The packing of the title compound, showing the one-dimensional structure, with intermolecular hydrogen bonds (dashed lines); for clarity H atoms have been omitted.

### Methyl 3,4-bis(cyclopropylmethoxy)benzoate

#### Crystal data

$C_{16}H_{20}O_4$

$M_r = 276.33$

Orthorhombic,  $P2_12_12_1$

Hall symbol: P 2ac 2ab

$a = 4.9018(8) \text{ \AA}$

$b = 15.543(2) \text{ \AA}$

$c = 18.846(2) \text{ \AA}$

$V = 1435.9(3) \text{ \AA}^3$

$Z = 4$

$F(000) = 592.00$

$D_x = 1.278 \text{ Mg m}^{-3}$

Mo  $K\alpha$  radiation,  $\lambda = 0.71075 \text{ \AA}$

Cell parameters from 6064 reflections  
 $\theta = 1.3\text{--}31.4^\circ$   
 $\mu = 0.09\text{ mm}^{-1}$

$T = 113\text{ K}$   
 Prism, colorless  
 $0.22 \times 0.20 \times 0.18\text{ mm}$

*Data collection*

Rigaku Saturn724 CCD  
 diffractometer  
 Detector resolution:  $14.222\text{ pixels mm}^{-1}$   
 $\omega$  scans  
 Absorption correction: multi-scan  
 (REQAB; Jacobson, 1998)  
 $T_{\min} = 0.891$ ,  $T_{\max} = 0.984$   
 20068 measured reflections

3852 independent reflections  
 3300 reflections with  $F^2 > 2.0\sigma(F^2)$   
 $R_{\text{int}} = 0.034$   
 $\theta_{\text{max}} = 29.1^\circ$   
 $h = -6 \rightarrow 6$   
 $k = -21 \rightarrow 21$   
 $l = -25 \rightarrow 25$

*Refinement*

Refinement on  $F^2$   
 $R[F^2 > 2\sigma(F^2)] = 0.041$   
 $wR(F^2) = 0.114$   
 $S = 1.06$   
 3852 reflections  
 182 parameters  
 0 restraints  
 Primary atom site location: structure-invariant  
 direct methods

Secondary atom site location: difference Fourier  
 map  
 Hydrogen site location: inferred from  
 neighbouring sites  
 H-atom parameters constrained  
 $w = 1/[\sigma^2(F_o^2) + (0.0778P)^2]$   
 where  $P = (F_o^2 + 2F_c^2)/3$   
 $(\Delta/\sigma)_{\text{max}} = 0.001$   
 $\Delta\rho_{\text{max}} = 0.57\text{ e \AA}^{-3}$   
 $\Delta\rho_{\text{min}} = -0.19\text{ e \AA}^{-3}$

*Special details*

**Geometry.** ENTER SPECIAL DETAILS OF THE MOLECULAR GEOMETRY

**Refinement.** Refinement was performed using all reflections. The weighted  $R$ -factor ( $wR$ ) and goodness of fit ( $S$ ) are based on  $F^2$ .  $R$ -factor (gt) are based on  $F$ . The threshold expression of  $F^2 > 2.0\sigma(F^2)$  is used only for calculating  $R$ -factor (gt).

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

	$x$	$y$	$z$	$U_{\text{iso}}^*/U_{\text{eq}}$
O(1)	0.3872 (2)	0.69719 (7)	0.66936 (5)	0.0321
O(2)	0.6968 (2)	0.59026 (7)	0.66908 (5)	0.0306
O(3)	0.7825 (2)	0.48335 (5)	0.42141 (5)	0.0209
O(4)	0.4320 (2)	0.56811 (6)	0.34625 (4)	0.0250
C(1)	0.4862 (3)	0.62225 (8)	0.56094 (7)	0.0192
C(2)	0.6558 (3)	0.56094 (8)	0.52884 (7)	0.0184
C(3)	0.6319 (3)	0.54351 (8)	0.45719 (6)	0.0174
C(4)	0.4378 (3)	0.58918 (8)	0.41612 (7)	0.0193
C(5)	0.2695 (3)	0.64967 (8)	0.44863 (7)	0.0213
C(6)	0.2930 (3)	0.66574 (8)	0.52102 (7)	0.0211
C(7)	0.5139 (3)	0.64194 (8)	0.63788 (7)	0.0216
C(8)	0.7487 (4)	0.60502 (11)	0.74361 (7)	0.0406
C(9)	0.9395 (3)	0.42507 (8)	0.46452 (6)	0.0199
C(10)	1.0118 (3)	0.34763 (8)	0.42075 (7)	0.0205
C(11)	1.2662 (3)	0.29938 (9)	0.44212 (8)	0.0262
C(12)	1.2614 (3)	0.35005 (9)	0.37423 (7)	0.0246
C(13)	0.2283 (3)	0.61039 (9)	0.30217 (7)	0.0302

C(14)	0.2718 (4)	0.57919 (10)	0.22787 (7)	0.0330
C(15)	0.5052 (4)	0.61632 (12)	0.18752 (10)	0.0442
C(16)	0.2225 (4)	0.64137 (13)	0.16830 (8)	0.0428
H(2)	0.7878	0.5312	0.5565	0.022*
H(5)	0.1381	0.6800	0.4213	0.026*
H(6)	0.1765	0.7066	0.5431	0.025*
H(8A)	0.5750	0.6078	0.7693	0.049*
H(8B)	0.8469	0.6595	0.7495	0.049*
H(8C)	0.8593	0.5578	0.7626	0.049*
H(9A)	0.8319	0.4073	0.5065	0.024*
H(9B)	1.1078	0.4538	0.4813	0.024*
H(10)	0.8558	0.3120	0.4033	0.025*
H(11A)	1.3747	0.3225	0.4821	0.031*
H(11B)	1.2633	0.2358	0.4386	0.031*
H(12A)	1.2558	0.3176	0.3291	0.030*
H(12B)	1.3671	0.4043	0.3725	0.030*
H(13A)	0.2504	0.6736	0.3045	0.036*
H(13B)	0.0423	0.5955	0.3186	0.036*
H(14)	0.2271	0.5175	0.2183	0.040*
H(15A)	0.6201	0.6597	0.2118	0.053*
H(15B)	0.6047	0.5779	0.1546	0.053*
H(16A)	0.1462	0.6184	0.1235	0.051*
H(16B)	0.1615	0.7002	0.1807	0.051*

*Atomic displacement parameters (Å<sup>2</sup>)*

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
O(1)	0.0398	0.0311	0.0253	0.0080	0.0001	-0.0084
O(2)	0.0391	0.0348	0.0179	0.0103	-0.0046	-0.0070
O(3)	0.0251	0.0207	0.0170	0.0073	-0.0011	0.0001
O(4)	0.0346	0.0232	0.0170	0.0084	-0.0041	0.0008
C(1)	0.0205	0.0176	0.0194	-0.0020	0.0025	-0.0008
C(2)	0.0171	0.0187	0.0194	-0.0004	-0.0002	-0.0003
C(3)	0.0192	0.0152	0.0178	0.0006	0.0017	-0.0000
C(4)	0.0228	0.0182	0.0170	-0.0013	-0.0017	0.0020
C(5)	0.0222	0.0188	0.0229	0.0010	-0.0014	0.0024
C(6)	0.0213	0.0185	0.0235	0.0012	0.0042	-0.0012
C(7)	0.0243	0.0197	0.0208	-0.0031	0.0009	-0.0025
C(8)	0.0575	0.0441	0.0202	0.0155	-0.0122	-0.0113
C(9)	0.0213	0.0205	0.0179	0.0038	-0.0004	0.0030
C(10)	0.0189	0.0203	0.0222	0.0011	0.0009	0.0013
C(11)	0.0251	0.0244	0.0291	0.0071	0.0026	0.0046
C(12)	0.0247	0.0255	0.0236	0.0017	0.0060	0.0002
C(13)	0.0337	0.0335	0.0235	0.0069	-0.0052	0.0038
C(14)	0.0389	0.0350	0.0251	0.0013	-0.0049	0.0053
C(15)	0.0457	0.0498	0.0371	0.0028	0.0038	0.0098
C(16)	0.0510	0.0542	0.0230	0.0148	-0.0043	0.0114

## Geometric parameters (Å, °)

O(1)—C(7)	1.2143 (17)	C(15)—C(16)	1.484 (3)
O(2)—C(7)	1.3397 (11)	C(2)—H(2)	0.950
O(2)—C(8)	1.4458 (19)	C(5)—H(5)	0.950
O(3)—C(3)	1.3692 (14)	C(6)—H(6)	0.950
O(3)—C(9)	1.4397 (10)	C(8)—H(8A)	0.980
O(4)—C(4)	1.3572 (17)	C(8)—H(8B)	0.980
O(4)—C(13)	1.4558 (13)	C(8)—H(8C)	0.980
C(1)—C(2)	1.4017 (18)	C(9)—H(9A)	0.990
C(1)—C(6)	1.3856 (15)	C(9)—H(9B)	0.990
C(1)—C(7)	1.488 (3)	C(10)—H(10)	1.000
C(2)—C(3)	1.382 (3)	C(11)—H(11A)	0.990
C(3)—C(4)	1.4169 (14)	C(11)—H(11B)	0.990
C(4)—C(5)	1.3930 (18)	C(12)—H(12A)	0.990
C(5)—C(6)	1.392 (3)	C(12)—H(12B)	0.990
C(9)—C(10)	1.502 (2)	C(13)—H(13A)	0.990
C(10)—C(11)	1.5098 (14)	C(13)—H(13B)	0.990
C(10)—C(12)	1.506 (2)	C(14)—H(14)	1.000
C(11)—C(12)	1.5026 (17)	C(15)—H(15A)	0.990
C(13)—C(14)	1.497 (3)	C(15)—H(15B)	0.990
C(14)—C(15)	1.490 (3)	C(16)—H(16A)	0.990
C(14)—C(16)	1.5009 (15)	C(16)—H(16B)	0.990
O(1)···C(6)	2.875 (2)	H(6)···C(1) <sup>viii</sup>	3.4340
O(1)···C(8)	2.6738 (14)	H(6)···C(2) <sup>iv</sup>	3.4221
O(2)···C(2)	2.6895 (19)	H(6)···C(4) <sup>viii</sup>	3.4694
O(3)···O(4)	2.5873 (12)	H(6)···C(5) <sup>viii</sup>	2.9995
O(3)···C(12)	3.2546 (14)	H(6)···C(6) <sup>viii</sup>	2.9886
O(4)···C(15)	3.1046 (16)	H(6)···H(2) <sup>iv</sup>	3.3350
C(1)···C(4)	2.787 (3)	H(6)···H(5) <sup>viii</sup>	3.2433
C(2)···C(5)	2.7880 (15)	H(6)···H(5) <sup>i</sup>	2.9456
C(2)···C(9)	2.804 (2)	H(6)···H(6) <sup>viii</sup>	3.2354
C(3)···C(6)	2.7955 (18)	H(6)···H(6) <sup>i</sup>	3.2354
C(5)···C(13)	2.834 (3)	H(8A)···O(3) <sup>ii</sup>	3.2735
O(1)···C(13) <sup>i</sup>	3.468 (4)	H(8A)···C(10) <sup>ii</sup>	2.9685
O(2)···C(15) <sup>ii</sup>	3.545 (2)	H(8A)···C(12) <sup>ii</sup>	2.6574
O(3)···C(5) <sup>iii</sup>	3.556 (2)	H(8A)···C(14) <sup>ix</sup>	3.4558
O(3)···C(12) <sup>iv</sup>	3.407 (2)	H(8A)···H(8C) <sup>iv</sup>	3.5954
O(4)···C(12) <sup>iv</sup>	3.5306 (19)	H(8A)···H(10) <sup>ii</sup>	2.8381
C(2)···C(6) <sup>iii</sup>	3.526 (3)	H(8A)···H(12A) <sup>ii</sup>	2.2901
C(3)···C(5) <sup>iii</sup>	3.538 (3)	H(8A)···H(12B) <sup>ii</sup>	2.9188
C(5)···O(3) <sup>iv</sup>	3.556 (3)	H(8A)···H(12B) <sup>v</sup>	3.3617
C(5)···C(3) <sup>iv</sup>	3.538 (3)	H(8A)···H(13B) <sup>ix</sup>	3.3436
C(6)···C(2) <sup>iv</sup>	3.526 (3)	H(8A)···H(14) <sup>ix</sup>	2.6278
C(8)···C(12) <sup>ii</sup>	3.578 (3)	H(8A)···H(16B) <sup>i</sup>	3.1585
C(8)···C(12) <sup>v</sup>	3.509 (7)	H(8B)···O(1) <sup>iii</sup>	3.1047
C(12)···O(3) <sup>iii</sup>	3.407 (4)	H(8B)···C(12) <sup>v</sup>	3.0389

C(12)···O(4) <sup>iii</sup>	3.531 (3)	H(8B)···C(16) <sup>i</sup>	3.5151
C(12)···C(8) <sup>vi</sup>	3.578 (5)	H(8B)···H(10) <sup>ii</sup>	3.0967
C(12)···C(8) <sup>vii</sup>	3.509 (5)	H(8B)···H(12A) <sup>ii</sup>	3.3323
C(13)···O(1) <sup>viii</sup>	3.468 (3)	H(8B)···H(12A) <sup>v</sup>	2.4836
C(15)···O(2) <sup>vi</sup>	3.545 (3)	H(8B)···H(12B) <sup>v</sup>	2.8849
C(15)···C(16) <sup>iii</sup>	3.556 (4)	H(8B)···H(13A) <sup>i</sup>	2.8266
C(16)···C(15) <sup>iv</sup>	3.556 (3)	H(8B)···H(14) <sup>ii</sup>	3.5027
O(1)···H(6)	2.5982	H(8B)···H(15A) <sup>i</sup>	3.1979
O(1)···H(8A)	2.5145	H(8B)···H(16B) <sup>i</sup>	2.7043
O(1)···H(8B)	2.7752	H(8C)···O(3) <sup>ii</sup>	3.1385
O(2)···H(2)	2.3550	H(8C)···O(4) <sup>ii</sup>	2.7133
O(3)···H(2)	2.6517	H(8C)···C(12) <sup>v</sup>	3.1519
O(3)···H(10)	2.7092	H(8C)···C(13) <sup>ii</sup>	3.3878
O(3)···H(12B)	3.2512	H(8C)···C(14) <sup>ii</sup>	2.8694
O(4)···H(5)	2.6652	H(8C)···C(15) <sup>ii</sup>	3.1254
O(4)···H(14)	2.7276	H(8C)···H(8A) <sup>iii</sup>	3.5954
O(4)···H(15A)	3.0496	H(8C)···H(10) <sup>ii</sup>	3.4987
C(1)···H(5)	3.2624	H(8C)···H(12A) <sup>v</sup>	2.9798
C(2)···H(6)	3.2736	H(8C)···H(12B) <sup>v</sup>	2.5373
C(2)···H(9A)	2.5735	H(8C)···H(13B) <sup>ix</sup>	3.2663
C(2)···H(9B)	2.9122	H(8C)···H(14) <sup>ix</sup>	3.2138
C(3)···H(5)	3.2890	H(8C)···H(14) <sup>ii</sup>	2.4852
C(3)···H(9A)	2.5109	H(8C)···H(15A) <sup>ii</sup>	3.5154
C(3)···H(9B)	2.7551	H(8C)···H(15B) <sup>ii</sup>	2.9371
C(4)···H(2)	3.2784	H(9A)···C(11) <sup>iv</sup>	3.4606
C(4)···H(6)	3.2707	H(9A)···C(11) <sup>x</sup>	3.3711
C(4)···H(13A)	2.6440	H(9A)···C(15) <sup>ii</sup>	3.5231
C(4)···H(13B)	2.6731	H(9A)···H(11A) <sup>iv</sup>	2.6402
C(5)···H(13A)	2.7429	H(9A)···H(11A) <sup>x</sup>	3.5855
C(5)···H(13B)	2.8201	H(9A)···H(11B) <sup>x</sup>	2.4769
C(6)···H(2)	3.2707	H(9A)···H(12B) <sup>iv</sup>	3.4008
C(7)···H(2)	2.6681	H(9A)···H(15B) <sup>ii</sup>	2.8173
C(7)···H(6)	2.6334	H(9A)···H(16A) <sup>ix</sup>	3.2426
C(7)···H(8A)	2.5499	H(9A)···H(16A) <sup>ii</sup>	3.4014
C(7)···H(8B)	2.6766	H(9B)···O(3) <sup>iii</sup>	3.5250
C(7)···H(8C)	3.1783	H(9B)···O(4) <sup>iii</sup>	3.4870
C(9)···H(2)	2.5055	H(9B)···C(1) <sup>iii</sup>	3.5419
C(9)···H(11A)	2.6830	H(9B)···C(2) <sup>iii</sup>	3.2847
C(9)···H(11B)	3.3775	H(9B)···C(3) <sup>iii</sup>	2.9578
C(9)···H(12A)	3.4221	H(9B)···C(4) <sup>iii</sup>	2.9243
C(9)···H(12B)	2.7392	H(9B)···C(5) <sup>iii</sup>	3.2049
C(11)···H(9A)	2.9697	H(9B)···C(6) <sup>iii</sup>	3.4973
C(11)···H(9B)	2.6293	H(9B)···H(15B) <sup>ii</sup>	3.4627
C(12)···H(9A)	3.3820	H(9B)···H(16A) <sup>ii</sup>	3.1460
C(12)···H(9B)	2.6912	H(10)···C(8) <sup>vi</sup>	3.3147
C(13)···H(5)	2.5315	H(10)···C(11) <sup>iv</sup>	2.9874
C(13)···H(15A)	2.6793	H(10)···C(11) <sup>x</sup>	3.4165
C(13)···H(15B)	3.3759	H(10)···C(12) <sup>iv</sup>	3.0231

C(13)···H(16A)	3.3933	H(10)···C(16) <sup>xi</sup>	3.0002
C(13)···H(16B)	2.7007	H(10)···H(8A) <sup>vi</sup>	2.8381
C(15)···H(13A)	2.6862	H(10)···H(8B) <sup>vi</sup>	3.0967
C(15)···H(13B)	3.3697	H(10)···H(8C) <sup>vi</sup>	3.4987
C(16)···H(13A)	2.6193	H(10)···H(11A) <sup>iv</sup>	2.7913
C(16)···H(13B)	3.0514	H(10)···H(11A) <sup>x</sup>	3.0070
H(2)···H(9A)	2.1545	H(10)···H(11B) <sup>iv</sup>	3.2057
H(2)···H(9B)	2.4315	H(10)···H(11B) <sup>x</sup>	3.1032
H(5)···H(6)	2.3396	H(10)···H(12A) <sup>iv</sup>	3.2582
H(5)···H(13A)	2.2709	H(10)···H(12B) <sup>iv</sup>	2.8516
H(5)···H(13B)	2.3861	H(10)···H(16A) <sup>xi</sup>	3.0514
H(9A)···H(10)	2.4474	H(10)···H(16B) <sup>xi</sup>	2.3527
H(9A)···H(11A)	3.0045	H(11A)···O(3) <sup>iii</sup>	3.3990
H(9B)···H(10)	2.9237	H(11A)···C(9) <sup>iii</sup>	3.2119
H(9B)···H(11A)	2.4243	H(11A)···C(10) <sup>iii</sup>	3.3530
H(9B)···H(11B)	3.5652	H(11A)···C(10) <sup>xii</sup>	3.2863
H(9B)···H(12B)	2.5324	H(11A)···C(11) <sup>xii</sup>	3.0519
H(10)···H(11A)	2.9497	H(11A)···C(16) <sup>ii</sup>	3.5854
H(10)···H(11B)	2.4153	H(11A)···H(9A) <sup>iii</sup>	2.6402
H(10)···H(12A)	2.4108	H(11A)···H(9A) <sup>xii</sup>	3.5855
H(10)···H(12B)	2.9459	H(11A)···H(10) <sup>iii</sup>	2.7913
H(11A)···H(12A)	2.9435	H(11A)···H(10) <sup>xii</sup>	3.0070
H(11A)···H(12B)	2.4248	H(11A)···H(11A) <sup>x</sup>	3.3981
H(11B)···H(12A)	2.4247	H(11A)···H(11A) <sup>xii</sup>	3.3981
H(11B)···H(12B)	2.9436	H(11A)···H(11B) <sup>x</sup>	3.4694
H(13A)···H(14)	2.9227	H(11A)···H(11B) <sup>xii</sup>	2.5855
H(13A)···H(15A)	2.5272	H(11A)···H(16A) <sup>ii</sup>	2.8206
H(13A)···H(16A)	3.5547	H(11B)···C(9) <sup>xii</sup>	3.2146
H(13A)···H(16B)	2.4089	H(11B)···C(10) <sup>xii</sup>	3.1923
H(13B)···H(14)	2.4211	H(11B)···C(11) <sup>x</sup>	3.3599
H(13B)···H(16B)	3.1209	H(11B)···C(11) <sup>xii</sup>	3.3805
H(14)···H(15A)	2.9345	H(11B)···C(15) <sup>xiii</sup>	3.2233
H(14)···H(15B)	2.3983	H(11B)···C(16) <sup>xi</sup>	3.4476
H(14)···H(16A)	2.4103	H(11B)···C(16) <sup>xiii</sup>	3.5454
H(14)···H(16B)	2.9445	H(11B)···H(9A) <sup>xii</sup>	2.4769
H(15A)···H(16A)	2.9283	H(11B)···H(10) <sup>iii</sup>	3.2057
H(15A)···H(16B)	2.4063	H(11B)···H(10) <sup>xii</sup>	3.1032
H(15B)···H(16A)	2.4063	H(11B)···H(11A) <sup>x</sup>	2.5855
H(15B)···H(16B)	2.9283	H(11B)···H(11A) <sup>xii</sup>	3.4694
O(1)···H(5) <sup>i</sup>	2.8414	H(11B)···H(11B) <sup>x</sup>	3.3990
O(1)···H(8B) <sup>iv</sup>	3.1047	H(11B)···H(11B) <sup>xii</sup>	3.3990
O(1)···H(12A) <sup>ii</sup>	3.0988	H(11B)···H(15A) <sup>xiii</sup>	3.1240
O(1)···H(13A) <sup>i</sup>	2.7280	H(11B)···H(15B) <sup>xiii</sup>	3.0867
O(1)···H(13B) <sup>i</sup>	3.3183	H(11B)···H(16A) <sup>xi</sup>	2.9551
O(1)···H(14) <sup>ix</sup>	3.5071	H(11B)···H(16B) <sup>xi</sup>	3.1149
O(1)···H(15A) <sup>viii</sup>	3.4180	H(12A)···O(1) <sup>vi</sup>	3.0988
O(1)···H(16B) <sup>i</sup>	3.5118	H(12A)···C(8) <sup>vi</sup>	3.1867
O(2)···H(14) <sup>ix</sup>	2.8256	H(12A)···C(8) <sup>vii</sup>	3.1528



O(2)···H(14) <sup>ii</sup>	3.4119	H(12A)···C(15) <sup>xiii</sup>	3.3551
O(2)···H(15B) <sup>ii</sup>	2.8026	H(12A)···H(8A) <sup>vi</sup>	2.2901
O(3)···H(5) <sup>iii</sup>	3.5191	H(12A)···H(8B) <sup>vi</sup>	3.3323
O(3)···H(8A) <sup>vi</sup>	3.2735	H(12A)···H(8B) <sup>vii</sup>	2.4836
O(3)···H(8C) <sup>vi</sup>	3.1385	H(12A)···H(8C) <sup>vii</sup>	2.9798
O(3)···H(9B) <sup>iv</sup>	3.5250	H(12A)···H(10) <sup>iii</sup>	3.2582
O(3)···H(11A) <sup>iv</sup>	3.3990	H(12A)···H(15A) <sup>xiii</sup>	2.6428
O(3)···H(12B) <sup>iv</sup>	2.5506	H(12A)···H(16B) <sup>xi</sup>	2.7473
O(3)···H(13B) <sup>iii</sup>	2.9009	H(12A)···H(16B) <sup>xiii</sup>	3.3943
O(4)···H(8C) <sup>vi</sup>	2.7133	H(12B)···O(3) <sup>iii</sup>	2.5506
O(4)···H(9B) <sup>iv</sup>	3.4870	H(12B)···O(4) <sup>iii</sup>	2.6136
O(4)···H(12B) <sup>iv</sup>	2.6136	H(12B)···C(3) <sup>iii</sup>	2.9854
O(4)···H(13B) <sup>iii</sup>	3.0664	H(12B)···C(4) <sup>iii</sup>	3.0090
C(1)···H(5) <sup>i</sup>	3.1796	H(12B)···C(8) <sup>vii</sup>	3.0774
C(1)···H(6) <sup>i</sup>	3.4340	H(12B)···C(9) <sup>iii</sup>	3.3140
C(1)···H(9B) <sup>iv</sup>	3.5419	H(12B)···C(10) <sup>iii</sup>	3.4040
C(2)···H(6) <sup>iii</sup>	3.4221	H(12B)···C(13) <sup>iii</sup>	3.5333
C(2)···H(9B) <sup>iv</sup>	3.2847	H(12B)···H(8A) <sup>vi</sup>	2.9188
C(2)···H(15B) <sup>ii</sup>	3.4133	H(12B)···H(8A) <sup>vii</sup>	3.3617
C(3)···H(5) <sup>iii</sup>	3.3346	H(12B)···H(8B) <sup>vii</sup>	2.8849
C(3)···H(9B) <sup>iv</sup>	2.9578	H(12B)···H(8C) <sup>vii</sup>	2.5373
C(3)···H(12B) <sup>iv</sup>	2.9854	H(12B)···H(9A) <sup>iii</sup>	3.4008
C(3)···H(13B) <sup>iii</sup>	3.3947	H(12B)···H(10) <sup>iii</sup>	2.8516
C(4)···H(6) <sup>i</sup>	3.4694	H(12B)···H(13B) <sup>iii</sup>	3.5216
C(4)···H(9B) <sup>iv</sup>	2.9243	H(12B)···H(14) <sup>iii</sup>	3.4659
C(4)···H(12B) <sup>iv</sup>	3.0090	H(13A)···O(1) <sup>viii</sup>	2.7280
C(4)···H(13B) <sup>iii</sup>	3.4883	H(13A)···C(7) <sup>viii</sup>	3.2771
C(5)···H(6) <sup>i</sup>	2.9995	H(13A)···C(8) <sup>viii</sup>	3.5579
C(5)···H(9B) <sup>iv</sup>	3.2049	H(13A)···H(8B) <sup>viii</sup>	2.8266
C(6)···H(2) <sup>iv</sup>	3.3092	H(13A)···H(15A) <sup>iv</sup>	3.5566
C(6)···H(5) <sup>i</sup>	3.1287	H(13B)···O(1) <sup>viii</sup>	3.3183
C(6)···H(6) <sup>i</sup>	2.9886	H(13B)···O(3) <sup>iv</sup>	2.9009
C(6)···H(9B) <sup>iv</sup>	3.4973	H(13B)···O(4) <sup>iv</sup>	3.0664
C(7)···H(5) <sup>i</sup>	3.0449	H(13B)···C(3) <sup>iv</sup>	3.3947
C(7)···H(13A) <sup>i</sup>	3.2771	H(13B)···C(4) <sup>iv</sup>	3.4883
C(7)···H(14) <sup>ix</sup>	3.1360	H(13B)···H(8A) <sup>xiv</sup>	3.3436
C(8)···H(10) <sup>ii</sup>	3.3147	H(13B)···H(8C) <sup>xiv</sup>	3.2663
C(8)···H(12A) <sup>ii</sup>	3.1867	H(13B)···H(12B) <sup>iv</sup>	3.5216
C(8)···H(12A) <sup>v</sup>	3.1528	H(13B)···H(15A) <sup>iv</sup>	3.0552
C(8)···H(12B) <sup>v</sup>	3.0774	H(14)···O(1) <sup>xiv</sup>	3.5071
C(8)···H(13A) <sup>i</sup>	3.5579	H(14)···O(2) <sup>xiv</sup>	2.8256
C(8)···H(14) <sup>ix</sup>	3.0483	H(14)···O(2) <sup>vi</sup>	3.4119
C(8)···H(14) <sup>ii</sup>	3.2335	H(14)···C(7) <sup>xiv</sup>	3.1360
C(8)···H(15B) <sup>ii</sup>	3.3790	H(14)···C(8) <sup>xiv</sup>	3.0483
C(8)···H(16B) <sup>i</sup>	3.3736	H(14)···C(8) <sup>vi</sup>	3.2335
C(9)···H(11A) <sup>iv</sup>	3.2119	H(14)···H(8A) <sup>xiv</sup>	2.6278
C(9)···H(11B) <sup>x</sup>	3.2146	H(14)···H(8B) <sup>vi</sup>	3.5027
C(9)···H(12B) <sup>iv</sup>	3.3140	H(14)···H(8C) <sup>xiv</sup>	3.2138

C(9)···H(15B) <sup>ii</sup>	3.5885	H(14)···H(8C) <sup>vi</sup>	2.4852
C(10)···H(8A) <sup>vi</sup>	2.9685	H(14)···H(12B) <sup>iv</sup>	3.4659
C(10)···H(11A) <sup>iv</sup>	3.3530	H(14)···H(15B) <sup>iv</sup>	3.4109
C(10)···H(11A) <sup>x</sup>	3.2863	H(15A)···O(1) <sup>i</sup>	3.4180
C(10)···H(11B) <sup>x</sup>	3.1923	H(15A)···C(12) <sup>xv</sup>	3.4231
C(10)···H(12B) <sup>iv</sup>	3.4040	H(15A)···C(13) <sup>iii</sup>	3.5184
C(10)···H(16B) <sup>xi</sup>	3.1033	H(15A)···C(14) <sup>iii</sup>	3.4443
C(11)···H(9A) <sup>iii</sup>	3.4606	H(15A)···C(16) <sup>iii</sup>	3.0775
C(11)···H(9A) <sup>xiii</sup>	3.3711	H(15A)···H(8B) <sup>viii</sup>	3.1979
C(11)···H(10) <sup>iii</sup>	2.9874	H(15A)···H(8C) <sup>vi</sup>	3.5154
C(11)···H(10) <sup>xii</sup>	3.4165	H(15A)···H(11B) <sup>xv</sup>	3.1240
C(11)···H(11A) <sup>x</sup>	3.0519	H(15A)···H(12A) <sup>xv</sup>	2.6428
C(11)···H(11B) <sup>x</sup>	3.3805	H(15A)···H(13A) <sup>iii</sup>	3.5566
C(11)···H(11B) <sup>xii</sup>	3.3599	H(15A)···H(13B) <sup>iii</sup>	3.0552
C(11)···H(16B) <sup>xi</sup>	3.4832	H(15A)···H(16A) <sup>iii</sup>	3.1351
C(12)···H(8A) <sup>vi</sup>	2.6574	H(15A)···H(16B) <sup>iii</sup>	2.7897
C(12)···H(8B) <sup>vii</sup>	3.0389	H(15B)···O(2) <sup>vi</sup>	2.8026
C(12)···H(8C) <sup>vii</sup>	3.1519	H(15B)···C(2) <sup>vi</sup>	3.4133
C(12)···H(10) <sup>iii</sup>	3.0231	H(15B)···C(8) <sup>vi</sup>	3.3790
C(12)···H(15A) <sup>xiii</sup>	3.4231	H(15B)···C(9) <sup>vi</sup>	3.5885
C(12)···H(16B) <sup>xi</sup>	3.2856	H(15B)···C(14) <sup>iii</sup>	3.5496
C(13)···H(8C) <sup>vi</sup>	3.3878	H(15B)···C(16) <sup>iii</sup>	3.1951
C(13)···H(12B) <sup>iv</sup>	3.5333	H(15B)···H(2) <sup>vi</sup>	2.5642
C(13)···H(15A) <sup>iv</sup>	3.5184	H(15B)···H(8C) <sup>vi</sup>	2.9371
C(14)···H(8A) <sup>xiv</sup>	3.4558	H(15B)···H(9A) <sup>vi</sup>	2.8173
C(14)···H(8C) <sup>vi</sup>	2.8694	H(15B)···H(9B) <sup>vi</sup>	3.4627
C(14)···H(15A) <sup>iv</sup>	3.4443	H(15B)···H(11B) <sup>xv</sup>	3.0867
C(14)···H(15B) <sup>iv</sup>	3.5496	H(15B)···H(14) <sup>iii</sup>	3.4109
C(15)···H(2) <sup>vi</sup>	3.5201	H(15B)···H(16A) <sup>iii</sup>	2.7897
C(15)···H(8C) <sup>vi</sup>	3.1254	H(15B)···H(16B) <sup>iii</sup>	3.3623
C(15)···H(9A) <sup>vi</sup>	3.5231	H(16A)···C(15) <sup>iv</sup>	3.3656
C(15)···H(11B) <sup>xv</sup>	3.2233	H(16A)···H(2) <sup>xiv</sup>	3.3954
C(15)···H(12A) <sup>xv</sup>	3.3551	H(16A)···H(9A) <sup>xiv</sup>	3.2426
C(15)···H(16A) <sup>iii</sup>	3.3656	H(16A)···H(9A) <sup>vi</sup>	3.4014
C(15)···H(16B) <sup>iii</sup>	3.4736	H(16A)···H(9B) <sup>vi</sup>	3.1460
C(16)···H(8B) <sup>viii</sup>	3.5151	H(16A)···H(10) <sup>xvi</sup>	3.0514
C(16)···H(10) <sup>xvi</sup>	3.0002	H(16A)···H(11A) <sup>vi</sup>	2.8206
C(16)···H(11A) <sup>vi</sup>	3.5854	H(16A)···H(11B) <sup>xvi</sup>	2.9551
C(16)···H(11B) <sup>xvi</sup>	3.4476	H(16A)···H(15A) <sup>iv</sup>	3.1351
C(16)···H(11B) <sup>xv</sup>	3.5454	H(16A)···H(15B) <sup>iv</sup>	2.7897
C(16)···H(15A) <sup>iv</sup>	3.0775	H(16B)···O(1) <sup>viii</sup>	3.5118
C(16)···H(15B) <sup>iv</sup>	3.1951	H(16B)···C(8) <sup>viii</sup>	3.3736
H(2)···C(6) <sup>iii</sup>	3.3092	H(16B)···C(10) <sup>xvi</sup>	3.1033
H(2)···C(15) <sup>ii</sup>	3.5201	H(16B)···C(11) <sup>xvi</sup>	3.4832
H(2)···H(6) <sup>iii</sup>	3.3350	H(16B)···C(12) <sup>xvi</sup>	3.2856
H(2)···H(15B) <sup>ii</sup>	2.5642	H(16B)···C(15) <sup>iv</sup>	3.4736
H(2)···H(16A) <sup>ix</sup>	3.3954	H(16B)···H(8A) <sup>viii</sup>	3.1585
H(5)···O(1) <sup>viii</sup>	2.8414	H(16B)···H(8B) <sup>viii</sup>	2.7043

H(5)···O(3) <sup>iv</sup>	3.5191	H(16B)···H(10) <sup>xvi</sup>	2.3527
H(5)···C(1) <sup>viii</sup>	3.1796	H(16B)···H(11B) <sup>xvi</sup>	3.1149
H(5)···C(3) <sup>iv</sup>	3.3346	H(16B)···H(12A) <sup>xvi</sup>	2.7473
H(5)···C(6) <sup>viii</sup>	3.1287	H(16B)···H(12A) <sup>xv</sup>	3.3943
H(5)···C(7) <sup>viii</sup>	3.0449	H(16B)···H(15A) <sup>iv</sup>	2.7897
H(5)···H(6) <sup>viii</sup>	2.9456	H(16B)···H(15B) <sup>iv</sup>	3.3623
H(5)···H(6) <sup>i</sup>	3.2433		
C(7)—O(2)—C(8)	116.68 (12)	H(8A)—C(8)—H(8B)	109.475
C(3)—O(3)—C(9)	116.11 (9)	H(8A)—C(8)—H(8C)	109.468
C(4)—O(4)—C(13)	117.33 (10)	H(8B)—C(8)—H(8C)	109.472
C(2)—C(1)—C(6)	120.17 (12)	O(3)—C(9)—H(9A)	109.948
C(2)—C(1)—C(7)	120.42 (11)	O(3)—C(9)—H(9B)	109.953
C(6)—C(1)—C(7)	119.40 (11)	C(10)—C(9)—H(9A)	109.961
C(1)—C(2)—C(3)	120.30 (12)	C(10)—C(9)—H(9B)	109.956
O(3)—C(3)—C(2)	124.69 (11)	H(9A)—C(9)—H(9B)	108.328
O(3)—C(3)—C(4)	115.80 (10)	C(9)—C(10)—H(10)	116.366
C(2)—C(3)—C(4)	119.50 (11)	C(11)—C(10)—H(10)	116.367
O(4)—C(4)—C(3)	115.03 (11)	C(12)—C(10)—H(10)	116.375
O(4)—C(4)—C(5)	125.26 (12)	C(10)—C(11)—H(11A)	117.777
C(3)—C(4)—C(5)	119.71 (12)	C(10)—C(11)—H(11B)	117.773
C(4)—C(5)—C(6)	120.21 (12)	C(12)—C(11)—H(11A)	117.769
C(1)—C(6)—C(5)	120.09 (12)	C(12)—C(11)—H(11B)	117.772
O(1)—C(7)—O(2)	123.48 (12)	H(11A)—C(11)—H(11B)	114.909
O(1)—C(7)—C(1)	125.10 (12)	C(10)—C(12)—H(12A)	117.744
O(2)—C(7)—C(1)	111.42 (11)	C(10)—C(12)—H(12B)	117.746
O(3)—C(9)—C(10)	108.69 (9)	C(11)—C(12)—H(12A)	117.745
C(9)—C(10)—C(11)	116.52 (11)	C(11)—C(12)—H(12B)	117.747
C(9)—C(10)—C(12)	119.44 (11)	H(12A)—C(12)—H(12B)	114.871
C(11)—C(10)—C(12)	59.78 (9)	O(4)—C(13)—H(13A)	110.344
C(10)—C(11)—C(12)	59.97 (9)	O(4)—C(13)—H(13B)	110.344
C(10)—C(12)—C(11)	60.25 (9)	C(14)—C(13)—H(13A)	110.360
O(4)—C(13)—C(14)	106.85 (12)	C(14)—C(13)—H(13B)	110.358
C(13)—C(14)—C(15)	117.46 (14)	H(13A)—C(13)—H(13B)	108.585
C(13)—C(14)—C(16)	117.91 (14)	C(13)—C(14)—H(14)	116.594
C(15)—C(14)—C(16)	59.51 (12)	C(15)—C(14)—H(14)	116.598
C(14)—C(15)—C(16)	60.61 (12)	C(16)—C(14)—H(14)	116.603
C(14)—C(16)—C(15)	59.89 (12)	C(14)—C(15)—H(15A)	117.706
C(1)—C(2)—H(2)	119.856	C(14)—C(15)—H(15B)	117.711
C(3)—C(2)—H(2)	119.846	C(16)—C(15)—H(15A)	117.702
C(4)—C(5)—H(5)	119.900	C(16)—C(15)—H(15B)	117.720
C(6)—C(5)—H(5)	119.892	H(15A)—C(15)—H(15B)	114.826
C(1)—C(6)—H(6)	119.947	C(14)—C(16)—H(16A)	117.785
C(5)—C(6)—H(6)	119.960	C(14)—C(16)—H(16B)	117.794
O(2)—C(8)—H(8A)	109.469	C(15)—C(16)—H(16A)	117.781
O(2)—C(8)—H(8B)	109.474	C(15)—C(16)—H(16B)	117.788
O(2)—C(8)—H(8C)	109.470	H(16A)—C(16)—H(16B)	114.905

C(8)—O(2)—C(7)—O(1)	-2.4 (2)	C(2)—C(3)—C(4)—O(4)	179.31 (11)
C(8)—O(2)—C(7)—C(1)	177.99 (12)	C(2)—C(3)—C(4)—C(5)	-1.41 (19)
C(3)—O(3)—C(9)—C(10)	160.99 (10)	O(4)—C(4)—C(5)—C(6)	179.71 (12)
C(9)—O(3)—C(3)—C(2)	11.35 (17)	C(3)—C(4)—C(5)—C(6)	0.5 (2)
C(9)—O(3)—C(3)—C(4)	-167.98 (11)	C(4)—C(5)—C(6)—C(1)	0.7 (2)
C(4)—O(4)—C(13)—C(14)	177.72 (12)	O(3)—C(9)—C(10)—C(11)	153.94 (11)
C(13)—O(4)—C(4)—C(3)	177.39 (11)	O(3)—C(9)—C(10)—C(12)	85.31 (14)
C(13)—O(4)—C(4)—C(5)	-1.83 (19)	C(9)—C(10)—C(11)—C(12)	-110.19 (13)
C(2)—C(1)—C(6)—C(5)	-1.01 (19)	C(9)—C(10)—C(12)—C(11)	105.34 (13)
C(6)—C(1)—C(2)—C(3)	0.09 (19)	C(11)—C(10)—C(12)—C(11)	0.0
C(2)—C(1)—C(7)—O(1)	175.66 (13)	C(12)—C(10)—C(11)—C(12)	0.0
C(2)—C(1)—C(7)—O(2)	-4.76 (17)	C(10)—C(11)—C(12)—C(10)	0.0
C(7)—C(1)—C(2)—C(3)	-179.24 (12)	O(4)—C(13)—C(14)—C(15)	-76.77 (16)
C(6)—C(1)—C(7)—O(1)	-3.7 (2)	O(4)—C(13)—C(14)—C(16)	-144.94 (14)
C(6)—C(1)—C(7)—O(2)	175.90 (12)	C(13)—C(14)—C(15)—C(16)	-107.83 (16)
C(7)—C(1)—C(6)—C(5)	178.33 (12)	C(13)—C(14)—C(16)—C(15)	107.08 (17)
C(1)—C(2)—C(3)—O(3)	-178.20 (12)	C(15)—C(14)—C(16)—C(15)	0.0
C(1)—C(2)—C(3)—C(4)	1.11 (19)	C(16)—C(14)—C(15)—C(16)	0.0
O(3)—C(3)—C(4)—O(4)	-1.31 (17)	C(14)—C(15)—C(16)—C(14)	0.0
O(3)—C(3)—C(4)—C(5)	177.96 (11)		

Symmetry codes: (i)  $x+1/2, -y+3/2, -z+1$ ; (ii)  $-x+3/2, -y+1, z+1/2$ ; (iii)  $x+1, y, z$ ; (iv)  $x-1, y, z$ ; (v)  $-x+5/2, -y+1, z+1/2$ ; (vi)  $-x+3/2, -y+1, z-1/2$ ; (vii)  $-x+5/2, -y+1, z-1/2$ ; (viii)  $x-1/2, -y+3/2, -z+1$ ; (ix)  $-x+1/2, -y+1, z+1/2$ ; (x)  $x-1/2, -y+1/2, -z+1$ ; (xi)  $-x+1, y-1/2, -z+1/2$ ; (xii)  $x+1/2, -y+1/2, -z+1$ ; (xiii)  $-x+2, y-1/2, -z+1/2$ ; (xiv)  $-x+1/2, -y+1, z-1/2$ ; (xv)  $-x+2, y+1/2, -z+1/2$ ; (xvi)  $-x+1, y+1/2, -z+1/2$ .

Hydrogen-bond geometry ( $\text{\AA}, ^\circ$ )

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
C12—H12B $\cdots$ O3 <sup>iii</sup>	0.99	2.55	3.4073 (18)	145

Symmetry code: (iii)  $x+1, y, z$ .