

**catena-Poly[(diaquacadmium)- $\mu$ -4,4'-[sulfonylbis(1,4-phenyleneoxy)]diacetato- $\kappa^4$ O,O':O'',O''']**

Zhan-Ling Ma

College of Chemistry and Chemical Engineering of Bohai University, Jinzhou, Liaoning 121000, People's Republic of China  
Correspondence e-mail: bhumzling@163.com


Received 19 December 2011; accepted 2 February 2012

Key indicators: single-crystal X-ray study;  $T = 295$  K; mean  $\sigma(C-C) = 0.006$  Å;  $R$  factor = 0.020;  $wR$  factor = 0.044; data-to-parameter ratio = 9.7.

In the title coordination polymer,  $[Cd(C_{16}H_{12}O_8S)(H_2O)_2]_n$ , the Cd<sup>II</sup> ion is situated on a crystallographic twofold rotation axis, being coordinated by four O atoms from two bidentate 4,4'-[sulfonylbis(1,4-phenyleneoxy)]diacetate ( $L$ ) ligands and two water molecules in a highly distorted CdO<sub>6</sub> octahedral geometry. Each complete ligand  $L$ , which is also generated by twofold symmetry with the S atom lying on the rotation axis, bridges two Cd<sup>II</sup> atoms to form a polymeric zigzag chain propagating in the [10̄1] direction. O—H···O hydrogen bonds between the coordinated water molecules and carboxylate O atoms are involved in the packing.

## Related literature

For related coordination polymers, see: Tanaka *et al.* (2008); Zheng *et al.* (2009, 2010).



## Experimental

### Crystal data

$[Cd(C_{16}H_{12}O_8S)(H_2O)_2]$

$M_r = 512.75$

Monoclinic,  $C2$

$a = 11.9274$  (11) Å

$b = 5.3995$  (5) Å

$c = 14.8194$  (14) Å

$\beta = 111.692$  (1)°

$V = 886.81$  (14) Å<sup>3</sup>

$Z = 2$

Mo  $K\alpha$  radiation

$\mu = 1.41$  mm<sup>-1</sup>

$T = 295$  K

$0.15 \times 0.14 \times 0.12$  mm

### Data collection

Bruker APEXII CCD diffractometer

Absorption correction: multi-scan (*SADABS*; Bruker, 2005)

$T_{\min} = 0.817$ ,  $T_{\max} = 0.850$

2364 measured reflections

1240 independent reflections

1220 reflections with  $I > 2\sigma(I)$

$R_{\text{int}} = 0.020$

### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.020$

$wR(F^2) = 0.044$

$S = 1.00$

1240 reflections

128 parameters

1 restraint

H-atom parameters constrained

$\Delta\rho_{\max} = 0.23$  e Å<sup>-3</sup>

$\Delta\rho_{\min} = -0.34$  e Å<sup>-3</sup>

Absolute structure: Flack (1983), 361 Friedel pairs

Flack parameter: 0.04 (3)

**Table 1**  
Selected geometric parameters (Å, °).

Cd1—O4	2.183 (3)	Cd1—O3	2.405 (2)
Cd1—O2	2.323 (3)		
O2—Cd1—O3	55.32 (8)		

**Table 2**

Hydrogen-bond geometry (Å, °).

D—H···A	D—H	H···A	D···A	D—H···A
O4—H9···O2 <sup>i</sup>	0.85	1.87	2.691 (4)	163
O4—H10···O3 <sup>ii</sup>	0.85	1.87	2.699 (3)	164

Symmetry codes: (i)  $x, y - 1, z$ ; (ii)  $x + \frac{1}{2}, y - \frac{1}{2}, z$ .

Data collection: *APEX2* (Bruker, 2005); cell refinement: *SAINT* (Bruker, 2005); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXTL*.

The National Science and Technology Support Program of 12th Five-Year Plan (grant 2012BAD29B06) and the Open project of Food Safety Key Lab of Liaoning Province (grant LNSAKF2011024) are gratefully acknowledged.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HB6572).

## References

- Bruker (2005). *APEX2, SAINT* and *SADABS*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Flack, H. D. (1983). *Acta Cryst. A* **39**, 876–881.
- Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
- Tanaka, D., Nakagawa, K., Higuchi, M., Horike, S., Kubota, Y., Kobayashi, T. C., Takata, M. & Kitagawa, S. (2008). *Angew. Chem. Int. Ed.* **47**, 3914–3918.
- Zheng, Z. B., Wu, R. T., Li, J. K., Sun, Y. F. & Han, Y. F. (2010). *J. Mol. Struct.* **964**, 109–118.
- Zheng, Z.-B., Zhao, X., Li, J.-K., Han, Y.-F. & Ji, N.-N. (2009). *Acta Cryst. C* **65**, o569–o573.

# supporting information

*Acta Cryst.* (2012). E68, m267 [doi:10.1107/S160053681200445X]

## **catena-Poly[(diaquacadmium)- $\mu$ -4,4'-[sulfonylbis(1,4-phenyleneoxy)]diacetato- $\kappa^4O,O':O'',O''']$**

**Zhan-Ling Ma**

### **S1. Comment**

A large family of coordination polymers has been developed recently owing to their potential applications as functional solid materials and their intriguing architectures or topologies. In the past ten years, there has been a growing interest in metal-organic frameworks involving semi-rigid V-shaped dicarboxylate ligands (Tanaka *et al.*, 2008; Zheng *et al.*, 2009, 2010). 4,4'-sulfonyldi-*p*-phenylenedioxydiacetic acid is a typical example of a semi-rigid V-shaped dicarboxylate ligand. To the best of our knowledge, there has been no report about its coordination compounds. Recently, we obtained the title cadmium polymer (I), its crystal structure is reported here.


In the structure of (I) each cadmium(II) atom is coordinated by four oxygen atoms from two 4,4'-sulfonyldi-*p*-phenylenedioxydiacetate ligands and two water molecules, displays a highly distorted octahedral geometry(Fig. 1). Each ligand *L* bridges two cadmium(II) centers to form polymeric zigzag chain propagated in direction [10 $\bar{1}$ ](Fig. 2). Moreover, there are Intermolecular O—H $\cdots$ O hydrogen bonds between the coordinated water molecules and the carboxylate O atoms consolidate the further crystal packing(Table 1).

### **S2. Experimental**


A mixture of Cd(Ac)<sub>2</sub>(0.5 mmol), 4,4'-sulfonyldi-*p*- phenylenedioxydiacetic acid (0.5 mmol), NaOH (1 mmol) and H<sub>2</sub>O (15 ml) was placed in a 23 ml Teflon reactor, which was heated at 413 K for three days and then cooled to room temperature. Colourless blocks were obtained on cooling, which were washed with water and dried in air.

### **S3. Refinement**

All H atoms were placed in idealized positions (O—H = 0.85 Å and C—H = 0.93–0.97 Å) and refined as riding atoms with  $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C})$  and  $U_{\text{iso}}(\text{H}) = 1.5U_{\text{eq}}(\text{O})$ .

**Figure 1**


Crystal structure of the title compound with labeling and 30% probability displacement ellipsoids (H atoms are shown as spheres of arbitrary size) [Symmetry codes: (A)  $-x + 2, y, -z + 1$ ].

**Figure 2**

The one-dimensional zigzag chain structure of the title compound.

### **catena-Poly[(diaquacadmium)- $\mu$ -4,4'-[sulfonylbis(1,4-phenyleneoxy)]diacetato- $\kappa^4O,O':O'',O''']$**

#### *Crystal data*



$M_r = 512.75$

Monoclinic,  $C2$

Hall symbol:  $C\ 2y$

$a = 11.9274 (11)$  Å

$b = 5.3995 (5)$  Å

$c = 14.8194 (14)$  Å

$\beta = 111.692 (1)^\circ$

$V = 886.81 (14)$  Å<sup>3</sup>

$Z = 2$

$F(000) = 512$

$D_x = 1.920 \text{ Mg m}^{-3}$

Mo  $K\alpha$  radiation,  $\lambda = 0.71073$  Å

Cell parameters from 1449 reflections

$\theta = 3.0\text{--}26.0^\circ$

$\mu = 1.41 \text{ mm}^{-1}$

$T = 295$  K

Block, colorless

$0.15 \times 0.14 \times 0.12$  mm

#### *Data collection*

Bruker APEXII CCD

diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

$\varphi$  and  $\omega$  scans

Absorption correction: multi-scan

(*SADABS*; Bruker, 2005)

$T_{\min} = 0.817$ ,  $T_{\max} = 0.850$

2364 measured reflections

1240 independent reflections

1220 reflections with  $I > 2\sigma(I)$

$R_{\text{int}} = 0.020$

$\theta_{\max} = 25.1^\circ$ ,  $\theta_{\min} = 1.5^\circ$

$h = -14 \rightarrow 12$

$k = -3 \rightarrow 6$

$l = -17 \rightarrow 16$

*Refinement*Refinement on  $F^2$ 

Least-squares matrix: full

$$R[F^2 > 2\sigma(F^2)] = 0.020$$

$$wR(F^2) = 0.044$$

$$S = 1.00$$

1240 reflections

128 parameters

1 restraint

Primary atom site location: structure-invariant  
direct methodsSecondary atom site location: difference Fourier  
mapHydrogen site location: inferred from  
neighbouring sites

H-atom parameters constrained

$$w = 1/[\sigma^2(F_o^2) + (0.0235P)^2 + 0.0192P]$$

$$\text{where } P = (F_o^2 + 2F_c^2)/3$$

$$(\Delta/\sigma)_{\max} < 0.001$$

$$\Delta\rho_{\max} = 0.23 \text{ e \AA}^{-3}$$

$$\Delta\rho_{\min} = -0.34 \text{ e \AA}^{-3}$$

Absolute structure: Flack (1983), 361 Friedel  
pairs

Absolute structure parameter: 0.04 (3)

*Special details*

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) etc. and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

*Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
Cd1	1.0000	-0.5416	0.5000	0.02782 (11)
S1	0.5000	0.8539 (2)	0.0000	0.0263 (3)
O1	0.7967 (2)	0.1490 (5)	0.2934 (2)	0.0378 (7)
O2	0.9342 (2)	-0.2296 (5)	0.38439 (17)	0.0291 (6)
O3	0.7996 (2)	-0.3705 (5)	0.44023 (18)	0.0329 (6)
O4	1.0681 (2)	-0.8139 (5)	0.4240 (2)	0.0464 (8)
H10	1.1352	-0.8433	0.4183	0.070*
H9	1.0227	-0.9369	0.3993	0.070*
O5	0.4191 (2)	0.9887 (8)	0.03394 (16)	0.0355 (7)
C1	0.7421 (3)	-0.0213 (13)	0.3363 (2)	0.0287 (8)
H1A	0.6732	-0.0974	0.2865	0.034*
H1B	0.7134	0.0647	0.3811	0.034*
C2	0.8317 (3)	-0.2201 (7)	0.3903 (2)	0.0263 (8)
C3	0.7219 (3)	0.3149 (7)	0.2293 (3)	0.0287 (9)
C4	0.6016 (3)	0.3498 (7)	0.2148 (3)	0.0299 (8)
H4	0.5662	0.2610	0.2510	0.036*
C5	0.5347 (3)	0.5185 (6)	0.1457 (2)	0.0278 (11)
H5	0.4537	0.5432	0.1353	0.033*
C6	0.5877 (3)	0.6509 (7)	0.0921 (2)	0.0248 (8)
C7	0.7089 (3)	0.6174 (7)	0.1081 (3)	0.0312 (9)
H7	0.7450	0.7081	0.0728	0.037*
C8	0.7754 (3)	0.4480 (16)	0.1770 (2)	0.0318 (8)
H8	0.8567	0.4240	0.1880	0.038*

Atomic displacement parameters ( $\text{\AA}^2$ )

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
Cd1	0.02314 (18)	0.02072 (17)	0.0399 (2)	0.000	0.01196 (14)	0.000
S1	0.0293 (7)	0.0238 (6)	0.0259 (7)	0.000	0.0104 (6)	0.000
O1	0.0261 (15)	0.0370 (16)	0.0488 (17)	0.0028 (12)	0.0121 (13)	0.0190 (14)
O2	0.0236 (14)	0.0289 (14)	0.0338 (14)	-0.0016 (11)	0.0093 (11)	0.0018 (12)
O3	0.0250 (14)	0.0341 (16)	0.0397 (15)	0.0016 (11)	0.0121 (12)	0.0111 (12)
O4	0.0321 (16)	0.0350 (17)	0.082 (2)	-0.0108 (13)	0.0322 (15)	-0.0233 (15)
O5	0.0391 (13)	0.031 (2)	0.0373 (12)	0.0036 (16)	0.0152 (10)	-0.0078 (15)
C1	0.0239 (16)	0.028 (2)	0.0323 (16)	0.008 (3)	0.0082 (13)	0.006 (3)
C2	0.022 (2)	0.0256 (19)	0.0265 (19)	-0.0037 (15)	0.0030 (16)	-0.0013 (16)
C3	0.027 (2)	0.027 (2)	0.0281 (19)	-0.0019 (16)	0.0057 (17)	0.0037 (16)
C4	0.029 (2)	0.033 (2)	0.029 (2)	-0.0018 (16)	0.0119 (18)	0.0063 (15)
C5	0.0245 (18)	0.028 (3)	0.0309 (18)	0.0018 (14)	0.0099 (15)	0.0016 (14)
C6	0.026 (2)	0.0250 (19)	0.0223 (18)	-0.0019 (15)	0.0073 (15)	-0.0029 (16)
C7	0.031 (2)	0.036 (2)	0.031 (2)	-0.0013 (17)	0.0156 (18)	0.0018 (17)
C8	0.0247 (16)	0.035 (2)	0.0379 (18)	-0.001 (3)	0.0145 (13)	0.005 (3)

Geometric parameters ( $\text{\AA}$ ,  $^\circ$ )

Cd1—O4 <sup>i</sup>	2.183 (3)	O4—H9	0.8500
Cd1—O4	2.183 (3)	C1—C2	1.518 (6)
Cd1—O2 <sup>i</sup>	2.323 (3)	C1—H1A	0.9700
Cd1—O2	2.323 (3)	C1—H1B	0.9700
Cd1—O3 <sup>i</sup>	2.405 (2)	C3—C8	1.375 (6)
Cd1—O3	2.405 (2)	C3—C4	1.383 (5)
S1—O5	1.439 (3)	C4—C5	1.382 (5)
S1—O5 <sup>ii</sup>	1.439 (3)	C4—H4	0.9300
S1—C6 <sup>iii</sup>	1.762 (4)	C5—C6	1.383 (5)
S1—C6	1.762 (4)	C5—H5	0.9300
O1—C3	1.369 (5)	C6—C7	1.387 (5)
O1—C1	1.407 (6)	C7—C8	1.382 (7)
O2—C2	1.259 (4)	C7—H7	0.9300
O3—C2	1.249 (4)	C8—H8	0.9300
O4—H10	0.8499		
O4 <sup>i</sup> —Cd1—O4	95.33 (15)	O1—C1—C2	110.3 (3)
O4 <sup>i</sup> —Cd1—O2 <sup>i</sup>	101.35 (10)	O1—C1—H1A	109.6
O4—Cd1—O2 <sup>i</sup>	141.27 (9)	C2—C1—H1A	109.6
O4 <sup>i</sup> —Cd1—O2	141.27 (9)	O1—C1—H1B	109.6
O4—Cd1—O2	101.35 (10)	C2—C1—H1B	109.6
O2 <sup>i</sup> —Cd1—O2	87.01 (13)	H1A—C1—H1B	108.1
O4 <sup>i</sup> —Cd1—O3 <sup>i</sup>	125.27 (10)	O3—C2—O2	122.2 (3)
O4—Cd1—O3 <sup>i</sup>	86.56 (9)	O3—C2—C1	117.5 (3)
O2 <sup>i</sup> —Cd1—O3 <sup>i</sup>	55.32 (8)	O2—C2—C1	120.3 (3)
O2—Cd1—O3 <sup>i</sup>	90.67 (9)	O1—C3—C8	114.5 (4)
O4 <sup>i</sup> —Cd1—O3	86.56 (9)	O1—C3—C4	124.7 (4)

O4—Cd1—O3	125.27 (10)	C8—C3—C4	120.8 (4)
O2 <sup>i</sup> —Cd1—O3	90.67 (9)	C5—C4—C3	119.1 (3)
O2—Cd1—O3	55.32 (8)	C5—C4—H4	120.4
O3 <sup>i</sup> —Cd1—O3	134.81 (13)	C3—C4—H4	120.4
O5—S1—O5 <sup>ii</sup>	119.3 (4)	C4—C5—C6	120.3 (3)
O5—S1—C6 <sup>ii</sup>	107.61 (17)	C4—C5—H5	119.8
O5 <sup>ii</sup> —S1—C6 <sup>ii</sup>	109.06 (16)	C6—C5—H5	119.8
O5—S1—C6	109.06 (16)	C5—C6—C7	120.2 (3)
O5 <sup>ii</sup> —S1—C6	107.61 (17)	C5—C6—S1	120.0 (3)
C6 <sup>ii</sup> —S1—C6	103.0 (2)	C7—C6—S1	119.8 (3)
C3—O1—C1	116.7 (3)	C8—C7—C6	119.3 (3)
C2—O2—Cd1	92.9 (2)	C8—C7—H7	120.3
C2—O3—Cd1	89.3 (2)	C6—C7—H7	120.3
Cd1—O4—H10	136.1	C3—C8—C7	120.2 (3)
Cd1—O4—H9	116.7	C3—C8—H8	119.9
H10—O4—H9	106.5	C7—C8—H8	119.9
O4 <sup>i</sup> —Cd1—O2—C2	14.8 (3)	C1—O1—C3—C8	-169.3 (4)
O4—Cd1—O2—C2	128.5 (2)	C1—O1—C3—C4	9.8 (6)
O2 <sup>i</sup> —Cd1—O2—C2	-89.6 (2)	O1—C3—C4—C5	-178.2 (3)
O3 <sup>i</sup> —Cd1—O2—C2	-144.9 (2)	C8—C3—C4—C5	0.9 (6)
O3—Cd1—O2—C2	3.3 (2)	C3—C4—C5—C6	-0.1 (5)
C2 <sup>i</sup> —Cd1—O2—C2	-117.5 (2)	C4—C5—C6—C7	-0.8 (5)
O4 <sup>i</sup> —Cd1—O3—C2	-176.1 (2)	C4—C5—C6—S1	176.8 (3)
O4—Cd1—O3—C2	-82.0 (2)	O5—S1—C6—C5	41.8 (3)
O2 <sup>i</sup> —Cd1—O3—C2	82.6 (2)	O5 <sup>ii</sup> —S1—C6—C5	172.5 (3)
O2—Cd1—O3—C2	-3.3 (2)	C6 <sup>ii</sup> —S1—C6—C5	-72.3 (3)
O3 <sup>i</sup> —Cd1—O3—C2	44.85 (19)	O5—S1—C6—C7	-140.6 (3)
C2 <sup>i</sup> —Cd1—O3—C2	65.7 (3)	O5 <sup>ii</sup> —S1—C6—C7	-9.9 (4)
C3—O1—C1—C2	169.6 (3)	C6 <sup>ii</sup> —S1—C6—C7	105.2 (3)
Cd1—O3—C2—O2	5.9 (3)	C5—C6—C7—C8	1.0 (6)
Cd1—O3—C2—C1	-173.9 (3)	S1—C6—C7—C8	-176.6 (4)
Cd1—O2—C2—O3	-6.1 (4)	O1—C3—C8—C7	178.4 (5)
Cd1—O2—C2—C1	173.7 (3)	C4—C3—C8—C7	-0.7 (8)
O1—C1—C2—O3	173.0 (3)	C6—C7—C8—C3	-0.2 (8)
O1—C1—C2—O2	-6.7 (5)		

Symmetry codes: (i)  $-x+2, y, -z+1$ ; (ii)  $-x+1, y, -z$ .

#### Hydrogen-bond geometry ( $\text{\AA}$ , $^\circ$ )

D—H···A	D—H	H···A	D···A	D—H···A
O4—H9···O2 <sup>iii</sup>	0.85	1.87	2.691 (4)	163
O4—H10···O3 <sup>iv</sup>	0.85	1.87	2.699 (3)	164

Symmetry codes: (iii)  $x, y-1, z$ ; (iv)  $x+1/2, y-1/2, z$ .