

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

Sodium pentafluorophenylborate

Hannes Vitze, Hans-Wolfram Lerner and Michael Bolte*

Institut für Anorganische Chemie, J. W. Goethe-Universität Frankfurt, Max-von-Laue-Str. 7, 60438 Frankfurt/Main, Germany

Correspondence e-mail: bolte@chemie.uni-frankfurt.de


Received 10 October 2012; accepted 11 October 2012

 Key indicators: single-crystal X-ray study; $T = 173$ K; mean $\sigma(\text{C}-\text{C}) = 0.010$ Å; R factor = 0.058; wR factor = 0.138; data-to-parameter ratio = 6.5.

The crystal structure of the title compound, $\text{Na}[(\text{C}_6\text{F}_5)\text{BH}_3]$, is composed of discrete anions and cations. The sodium cations are surrounded by four anions with three short $\text{Na}\cdots\text{B}$ [2.848 (8), 2.842 (7) and 2.868 (8) Å] and two short $\text{Na}\cdots\text{F}$ contacts [2.348 (5) and 2.392 (5) Å], forming a three-dimensional network. The anion is the first structural example of a pentafluorophenyl ring carrying a BH_3 group.

Related literature

For synthetic background, see: Schnurr *et al.* (2011). For a description of the Cambridge Structural Database, see: Allen (2002).



Experimental

Crystal data

| | |
|---|---|
| $\text{Na}^+\cdot\text{C}_6\text{H}_5\text{BF}_5^-$ | $V = 376.51 (15) \text{ \AA}^3$ |
| $M_r = 203.88$ | $Z = 2$ |
| Monoclinic, $P2_1$ | Mo $K\alpha$ radiation |
| $a = 4.6813 (10) \text{ \AA}$ | $\mu = 0.24 \text{ mm}^{-1}$ |
| $b = 6.1986 (16) \text{ \AA}$ | $T = 173 \text{ K}$ |
| $c = 12.993 (3) \text{ \AA}$ | $0.21 \times 0.18 \times 0.03 \text{ mm}$ |
| $\beta = 92.995 (17)^\circ$ | |

Data collection

| | |
|---|---------------------------------------|
| STOE IPDS II two-circle-diffractometer | 2267 measured reflections |
| Absorption correction: multi-scan (MULABS; Spek, 2009 and Blessing, 1995) | 775 independent reflections |
| $T_{\min} = 0.951, T_{\max} = 0.993$ | 601 reflections with $I > 2\sigma(I)$ |
| | $R_{\text{int}} = 0.116$ |

Refinement

| | |
|---------------------------------|--|
| $R[F^2 > 2\sigma(F^2)] = 0.058$ | 1 restraint |
| $wR(F^2) = 0.138$ | H-atom parameters constrained |
| $S = 1.01$ | $\Delta\rho_{\max} = 0.37 \text{ e \AA}^{-3}$ |
| 775 reflections | $\Delta\rho_{\min} = -0.45 \text{ e \AA}^{-3}$ |
| 119 parameters | |

Data collection: *X-Area* (Stoe & Cie, 2001); cell refinement: *X-Area*; data reduction: *X-Area*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *XP* in *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *SHELXL97*.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: NG5300).

References

- Allen, F. H. (2002). *Acta Cryst.* **B58**, 380–388.
 Blessing, R. H. (1995). *Acta Cryst.* **A51**, 33–38.
 Schnurr, A., Samigullin, K., Breunig, J. M., Bolte, M., Lerner, H.-W. & Wagner, M. (2011). *Organometallics*, **30**, 2838–2843.
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
 Spek, A. L. (2009). *Acta Cryst.* **D65**, 148–155.
 Stoe & Cie (2001). *X-Area*. Stoe & Cie, Darmstadt, Germany.

supporting information

Acta Cryst. (2012). E68, m1371 [doi:10.1107/S1600536812042584]

Sodium pentafluorophenylborate

Hannes Vitze, Hans-Wolfram Lerner and Michael Bolte

S1. Comment

The hydridoborates $[(C_6F_5)BH_3]^-$ and $[(C_6F_5)_2BH_2]^-$ are convenient starting materials for the *in situ* generation of the boranes $(C_6F_5)BH_2$ and $(C_6F_5)_2BH$ (Schnurr *et al.*, 2011). In this paper we report the crystal structure of $Na[(C_6F_5)BH_3]$ which was obtained from the reaction mixture of $(C_6F_5)B(OMe)_2$ and $Li[AlH_4]$ by a cation exchange with NaOH (Fig. 1).

The title compound (Fig. 2) is composed of discrete anions and cations. The sodium cations are surrounded by four anions with three short $Na \cdots B$ [$Na1 \cdots B1$ 2.848 (8) Å, $Na1 \cdots B1^i$ 2.842 (7) Å, $Na1 \cdots B1^{ii}$ 2.868 (8) Å; symmetry operators: (i) $-x + 2, y - 1/2, -z + 1$, (ii) $-x + 1, y - 1/2, -z + 1$] and two short $Na \cdots F$ [$Na1 \cdots F6^{ii}$ 2.348 (5) Å, $Na1 \cdots F2^{ii}$ 2.392 (5) Å] contacts (Fig. 3).

It is remarkable that this is the first structure with an pentafluorophenyl ring carrying a BH_3 group. A search in the Cambridge Crystallographic Database (CSD, Version 5.33 of November 2011, plus three updates (Allen, (2002). *Acta Cryst.* B58, 380–388) yielded no hit at all for this fragment.

S2. Experimental

In a round bottom flask $(C_6F_5)B(OMe)_2$ (0.16 g, 0.65 mmol) was dissolved in 10 ml diethyl ether. Under stirring a 1 M solution of $Li[AlH_4]$ in diethyl ether (1.2 mmol, 1.1 ml) was added *via* canula. A brown slurry was obtained which was treated with 3 ml aqueous NaOH (3 mmol) and 15 ml benzene. Insoluble material was removed by filtration from the organic layer. Single crystals of the title compound were obtained of the concentrated benzene solution (5 ml). Yield 20%.

S3. Refinement

Due to the absence of anomalous scatterers, the absolute structure could not be determined and 414 Friedel pairs were merged. H atoms were located in a difference map, but geometrically positioned and refined using a riding model with fixed individual displacement parameters [$U(H) = 1.5 U_{eq}(B)$] and with $B-H = 0.98$ Å. The BH_3 group was allowed to rotate but not to tip.




Figure 1

Reaction scheme for obtaining the title compound.





Figure 2

Perspective view of the title compound. Displacement ellipsoids are drawn at the 30% probability level.

**Figure 3**

Environment of a sodium cation.

Sodium pentafluorophenylborate*Crystal data* $\text{Na}^+\cdot\text{C}_6\text{H}_5\text{BF}_5^-$ $M_r = 203.88$ Monoclinic, $P2_1$ Hall symbol: $P\ 2_1yb$ $a = 4.6813\ (10)\ \text{\AA}$ $b = 6.1986\ (16)\ \text{\AA}$ $c = 12.993\ (3)\ \text{\AA}$ $\beta = 92.995\ (17)^\circ$ $V = 376.51\ (15)\ \text{\AA}^3$ $Z = 2$ $F(000) = 200$ $D_x = 1.798\ \text{Mg m}^{-3}$ Mo $K\alpha$ radiation, $\lambda = 0.71073\ \text{\AA}$

Cell parameters from 1888 reflections

 $\theta = 3.7\text{--}25.5^\circ$ $\mu = 0.24\ \text{mm}^{-1}$ $T = 173\ \text{K}$

Plate, colourless

 $0.21 \times 0.18 \times 0.03\ \text{mm}$ *Data collection*STOE IPDS II two-circle-
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

 ω scans

Absorption correction: multi-scan

(MULABS; Spek, 2009 and Blessing, 1995) $T_{\min} = 0.951$, $T_{\max} = 0.993$

2267 measured reflections

775 independent reflections

601 reflections with $I > 2\sigma(I)$ $R_{\text{int}} = 0.116$ $\theta_{\max} = 25.6^\circ$, $\theta_{\min} = 3.6^\circ$ $h = -5 \rightarrow 5$ $k = -6 \rightarrow 7$ $l = -15 \rightarrow 15$

Refinement

Refinement on F^2
 Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.058$
 $wR(F^2) = 0.138$
 $S = 1.01$
 775 reflections
 119 parameters
 1 restraint
 Primary atom site location: structure-invariant
 direct methods

Secondary atom site location: difference Fourier
 map
 Hydrogen site location: inferred from
 neighbouring sites
 H-atom parameters constrained
 $w = 1/[\sigma^2(F_o^2) + (0.0711P)^2]$
 where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} < 0.001$
 $\Delta\rho_{\max} = 0.37 \text{ e } \text{Å}^{-3}$
 $\Delta\rho_{\min} = -0.45 \text{ e } \text{Å}^{-3}$

Special details

Experimental ;

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (Å^2)

| | x | y | z | $U_{\text{iso}}^*/U_{\text{eq}}$ |
|-----|-------------|-------------|------------|----------------------------------|
| Na1 | 0.8015 (5) | 0.5576 (5) | 0.5911 (2) | 0.0289 (6) |
| B1 | 0.7013 (14) | 0.7940 (13) | 0.4048 (5) | 0.0245 (15) |
| H1A | 0.6928 | 0.9477 | 0.3873 | 0.037* |
| H1B | 0.8948 | 0.7573 | 0.4316 | 0.037* |
| H1C | 0.5643 | 0.7628 | 0.4573 | 0.037* |
| C1 | 0.6218 (11) | 0.6519 (12) | 0.3025 (5) | 0.0228 (13) |
| C2 | 0.7487 (11) | 0.4581 (11) | 0.2778 (5) | 0.0258 (14) |
| C3 | 0.6739 (13) | 0.3361 (12) | 0.1908 (5) | 0.0297 (15) |
| C4 | 0.4582 (12) | 0.4078 (14) | 0.1233 (5) | 0.0325 (16) |
| C5 | 0.3237 (12) | 0.6030 (13) | 0.1438 (5) | 0.0316 (18) |
| C6 | 0.4083 (12) | 0.7149 (12) | 0.2310 (5) | 0.0275 (15) |
| F2 | 0.9668 (7) | 0.3764 (7) | 0.3429 (3) | 0.0351 (10) |
| F3 | 0.8099 (8) | 0.1482 (7) | 0.1730 (3) | 0.0420 (11) |
| F4 | 0.3794 (9) | 0.2917 (10) | 0.0395 (3) | 0.0495 (13) |
| F5 | 0.1147 (7) | 0.6743 (8) | 0.0784 (3) | 0.0426 (12) |
| F6 | 0.2667 (7) | 0.9043 (7) | 0.2468 (3) | 0.0351 (10) |

Atomic displacement parameters (Å^2)

| | U^{11} | U^{22} | U^{33} | U^{12} | U^{13} | U^{23} |
|-----|-------------|-------------|-------------|--------------|-------------|-------------|
| Na1 | 0.0223 (10) | 0.0281 (14) | 0.0361 (14) | -0.0006 (11) | -0.0003 (9) | 0.0047 (13) |
| B1 | 0.020 (3) | 0.028 (4) | 0.026 (3) | -0.002 (3) | 0.000 (3) | 0.002 (4) |
| C1 | 0.015 (2) | 0.025 (3) | 0.028 (3) | -0.005 (2) | 0.001 (2) | 0.004 (3) |
| C2 | 0.017 (2) | 0.028 (3) | 0.032 (4) | 0.003 (3) | -0.005 (2) | 0.007 (3) |

| | | | | | | |
|----|-------------|-----------|-----------|-------------|--------------|------------|
| C3 | 0.028 (3) | 0.025 (4) | 0.037 (4) | 0.001 (3) | 0.008 (3) | -0.006 (3) |
| C4 | 0.023 (3) | 0.044 (4) | 0.029 (3) | -0.002 (3) | -0.002 (3) | -0.006 (3) |
| C5 | 0.018 (2) | 0.047 (5) | 0.028 (4) | 0.001 (3) | -0.002 (2) | 0.003 (3) |
| C6 | 0.018 (3) | 0.039 (4) | 0.027 (3) | 0.007 (3) | 0.007 (2) | 0.007 (3) |
| F2 | 0.0276 (18) | 0.031 (2) | 0.045 (2) | 0.0079 (18) | -0.0124 (16) | 0.003 (2) |
| F3 | 0.040 (2) | 0.033 (2) | 0.052 (3) | 0.012 (2) | 0.0000 (18) | -0.009 (2) |
| F4 | 0.039 (2) | 0.066 (3) | 0.043 (3) | 0.006 (2) | -0.0056 (18) | -0.022 (3) |
| F5 | 0.0262 (17) | 0.068 (3) | 0.033 (2) | 0.015 (2) | -0.0083 (15) | 0.005 (2) |
| F6 | 0.0262 (17) | 0.044 (3) | 0.035 (2) | 0.0156 (18) | -0.0050 (15) | -0.002 (2) |

Geometric parameters (Å, °)

| | | | |
|---|------------|--------------------------|------------|
| Na1—F6 ⁱ | 2.348 (5) | C2—C3 | 1.389 (10) |
| Na1—F2 ⁱⁱ | 2.392 (5) | C3—F3 | 1.353 (9) |
| Na1—B1 ⁱⁱⁱ | 2.842 (7) | C3—C4 | 1.376 (10) |
| Na1—B1 ⁱ | 2.868 (8) | C4—F4 | 1.342 (9) |
| B1—C1 | 1.621 (10) | C4—C5 | 1.396 (11) |
| B1—H1A | 0.9800 | C5—F5 | 1.337 (7) |
| B1—H1B | 0.9800 | C5—C6 | 1.370 (10) |
| B1—H1C | 0.9800 | C6—F6 | 1.369 (8) |
| C1—C6 | 1.385 (9) | F2—Na1 ⁱⁱⁱ | 2.392 (5) |
| C1—C2 | 1.385 (10) | F6—Na1 ^{iv} | 2.348 (5) |
| C2—F2 | 1.387 (7) | | |
| F6 ⁱ —Na1—F2 ⁱⁱ | 95.35 (17) | F2—C2—C1 | 119.1 (6) |
| F6 ⁱ —Na1—B1 ⁱⁱⁱ | 84.3 (2) | C3—C2—C1 | 124.6 (6) |
| F2 ⁱⁱ —Na1—B1 ⁱⁱⁱ | 96.5 (2) | F3—C3—C4 | 120.3 (7) |
| F6 ⁱ —Na1—B1 ⁱ | 66.57 (18) | F3—C3—C2 | 120.5 (6) |
| F2 ⁱⁱ —Na1—B1 ⁱ | 145.2 (2) | C4—C3—C2 | 119.2 (6) |
| B1 ⁱⁱⁱ —Na1—B1 ⁱ | 110.1 (3) | F4—C4—C3 | 120.4 (7) |
| C1—B1—H1A | 109.5 | F4—C4—C5 | 120.8 (6) |
| C1—B1—H1B | 109.5 | C3—C4—C5 | 118.8 (6) |
| H1A—B1—H1B | 109.5 | F5—C5—C6 | 121.9 (7) |
| C1—B1—H1C | 109.5 | F5—C5—C4 | 119.2 (6) |
| H1A—B1—H1C | 109.5 | C6—C5—C4 | 118.9 (6) |
| H1B—B1—H1C | 109.5 | F6—C6—C5 | 115.9 (6) |
| C6—C1—C2 | 113.1 (6) | F6—C6—C1 | 118.6 (6) |
| C6—C1—B1 | 121.6 (6) | C5—C6—C1 | 125.4 (6) |
| C2—C1—B1 | 125.3 (6) | C2—F2—Na1 ⁱⁱⁱ | 145.7 (4) |
| F2—C2—C3 | 116.3 (6) | C6—F6—Na1 ^{iv} | 124.9 (4) |
| C6—C1—C2—F2 | 179.8 (5) | F4—C4—C5—C6 | 179.2 (6) |
| B1—C1—C2—F2 | -1.5 (8) | C3—C4—C5—C6 | -0.9 (9) |
| C6—C1—C2—C3 | -0.1 (8) | F5—C5—C6—F6 | -0.3 (9) |
| B1—C1—C2—C3 | 178.6 (6) | C4—C5—C6—F6 | -179.6 (6) |
| F2—C2—C3—F3 | 0.2 (9) | F5—C5—C6—C1 | 179.8 (6) |
| C1—C2—C3—F3 | -179.9 (6) | C4—C5—C6—C1 | 0.5 (9) |
| F2—C2—C3—C4 | 179.7 (6) | C2—C1—C6—F6 | -179.9 (5) |

| | | | |
|-------------|------------|-----------------------------|------------|
| C1—C2—C3—C4 | -0.4 (9) | B1—C1—C6—F6 | 1.4 (8) |
| F3—C3—C4—F4 | 0.4 (10) | C2—C1—C6—C5 | 0.0 (9) |
| C2—C3—C4—F4 | -179.2 (6) | B1—C1—C6—C5 | -178.7 (6) |
| F3—C3—C4—C5 | -179.6 (6) | C3—C2—F2—Na1 ⁱⁱⁱ | -30.8 (9) |
| C2—C3—C4—C5 | 0.9 (9) | C1—C2—F2—Na1 ⁱⁱⁱ | 149.3 (5) |
| F4—C4—C5—F5 | -0.2 (9) | C5—C6—F6—Na1 ^{iv} | 151.8 (4) |
| C3—C4—C5—F5 | 179.7 (6) | C1—C6—F6—Na1 ^{iv} | -28.2 (7) |

Symmetry codes: (i) $-x+1, y-1/2, -z+1$; (ii) $-x+2, y+1/2, -z+1$; (iii) $-x+2, y-1/2, -z+1$; (iv) $-x+1, y+1/2, -z+1$.